

HalaJob API Reference

Generated from the live route inventory and backend API markdown reference.

Generated: 2026-06-27 00:20:18 UTC

Source commit: a37334010aa7

Route Verification Summary

Raw Express endpoint entries: 2126

Unique method/path endpoints: 3360

Endpoints with detected auth/role guard: 3271

Known public/system endpoints: 89

Unguarded endpoints needing manual classification: 0

Reading Notes

This PDF is a generated handover copy of docs/api/HALAJOB_API_REFERENCE.md. For machine-readable integration, use HALAJOB_OPENAPI.yaml and the Postman collection.

HalaJob API Reference

Generated: 2026-06-27T00:04:21.345Z

Source: docs/api/HALAJOB_ROUTE_INVENTORY.json.

This is a route-level API reference skeleton. It documents the live Express route surface, authentication classification, and guard evidence. Detailed request bodies, response examples, validation schemas, audit events, and business rules still need to be filled route-by-route before the backend can be called fully documented.

Global Conventions

Item Current rule
--- ---
Authentication `Authorization: Bearer <token>` for protected routes.
Language Preserve legacy `lan`; migrate clients toward `x-lang: en ar`.
Content type JSON by default; multipart for uploads.
IDs MongoDB ObjectId strings unless otherwise documented.
Response envelope Mixed legacy envelopes exist. New routes should standardize message/error keys without breaking old clients.
Full inventory `docs/api/HALAJOB_ROUTE_INVENTORY.json`
OpenAPI skeleton `docs/api/HALAJOB_OPENAPI.yaml`
Postman collection `docs/api/HALAJOB_POSTMAN_COLLECTION.json`

Counts

Module Endpoints
--- ---
AI 12
Admin 2876
Analytics 5
Campus 12
Campus Student 43
Company 134
Files 1
Health 1
Jobs 1
Legacy User 148
Notifications 13
Seeker 94
Trust 4
University 15

AI

Method Path Auth Guard source Middleware/guards
--- --- --- --- ---
POST `/ai/v1/career-passport/score` Bearer token explicit authUser, anonymous, refreshScore
POST `/ai/v1/career/copilot` Bearer token explicit authUser, anonymous
POST `/ai/v1/company/jobs/:jobId/shortlist` Bearer token explicit authUser, anonymous
POST `/ai/v1/company/jobs/generate` Bearer token explicit authUser, anonymous
POST `/ai/v1/company/messages/generate` Bearer token explicit authUser, anonymous
POST `/ai/v1/cv/rewrite` Bearer token explicit authUser, anonymous
POST `/ai/v1/interview/practice` Bearer token explicit authUser, anonymous
POST `/ai/v1/jobs/:jobId/cover-letter` Bearer token explicit authUser, anonymous
POST `/ai/v1/jobs/:jobId/match` Bearer token explicit authUser, anonymous
POST `/ai/v1/profile/score` Bearer token explicit authUser, anonymous
POST `/ai/v1/translate/cv` Bearer token explicit authUser, anonymous
POST `/ai/v1/translate/job/:jobId` Bearer token explicit authUser, anonymous

Admin

Method Path Auth Guard source Middleware/guards

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

	GET		`/dash/v1/WorkTime/getOne`		Bearer token		inferred-parent-mount		inferred:isAdmin, anonymous	
	GET		`/dash/v1/WorkTime/getOne/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin, anonymous	
	GET		`/dash/v1/WorkTime/list`		Bearer token		inferred-parent-mount		inferred:isAdmin, anonymous	
	PATCH		`/dash/v1/WorkTime/reject/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin, multerMiddleware, anonymous	
	POST		`/dash/v1/WorkTime/reject/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin, multerMiddleware, anonymous	
	PATCH		`/dash/v1/WorkTime/update/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin, multerMiddleware, anonymous	
	POST		`/dash/v1/WorkTime/update/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin, multerMiddleware, anonymous	
	PUT		`/dash/v1/WorkTime/update/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin, multerMiddleware, anonymous	

Analytics

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/analytics/v1/admin/cohorts`		Bearer token		inferred-parent-mount		inferred:authUser, adminCohorts	
	GET		`/analytics/v1/admin/summary`		Bearer token		inferred-parent-mount		inferred:authUser, adminSummary	
	GET		`/analytics/v1/events`		Bearer token		inferred-parent-mount		inferred:authUser, track	
	POST		`/analytics/v1/events`		Bearer token		inferred-parent-mount		inferred:authUser, track	
	POST		`/analytics/v1/track`		Bearer token		inferred-parent-mount		inferred:authUser, track	

Campus

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/campus/v1/admin/verifications`		Bearer token		explicit		inferred:universityAdminGuard, authUser, activeContextGuard, adminListVerifications	
	POST		`/campus/v1/admin/verifications/:id/approve`		Bearer token		explicit		inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminApproveVerification	
	POST		`/campus/v1/admin/verifications/:id/reject`		Bearer token		explicit		inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminRejectVerification	
	POST		`/campus/v1/admin/verifications/:id/request-info`		Bearer token		explicit		inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminRequestVerificationInfo	
	POST		`/campus/v1/student-verifications`		Bearer token		explicit		inferred:authUser, authUser, multerMiddleware, startStudentVerification	
	POST		`/campus/v1/student-verifications/:id/resubmit`		Bearer token		explicit		inferred:authUser, authUser, multerMiddleware, resubmitStudentVerification	
	GET		`/campus/v1/student-verifications/me`		Bearer token		explicit		inferred:authUser, authUser, studentVerificationStatus	
	GET		`/campus/v1/universities`		Public/system		none		listUniversities	
	GET		`/campus/v1/universities/:id/campuses`		Public/system		none		listUniversityCampuses	
	POST		`/campus/v1/verification/confirm-email`		Bearer token		explicit		inferred:authUser, authUser, multerMiddleware, confirmStudentVerificationEmail	
	POST		`/campus/v1/verification/start`		Bearer token		explicit		inferred:authUser, authUser, multerMiddleware, startStudentVerification	
	POST		`/campus/v1/verification/upload-document`		Bearer token		explicit		inferred:authUser, authUser, multerMiddleware, uploadStudentVerificationDocument	

Campus Student

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/user/v1/campus/admin/verifications`		Bearer token		explicit		authUser, activeContextGuard, adminListVerifications	
	POST		`/user/v1/campus/admin/verifications/:id/approve`		Bearer token		explicit		authUser, activeContextGuard, multerMiddleware, adminApproveVerification	
	POST		`/user/v1/campus/admin/verifications/:id/reject`		Bearer token		explicit		authUser, activeContextGuard, multerMiddleware, adminRejectVerification	
	POST		`/user/v1/campus/admin/verifications/:id/request-info`		Bearer token		explicit		authUser, activeContextGuard, multerMiddleware, adminRequestVerificationInfo	
	GET		`/user/v1/campus/applications`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, applications	
	GET		`/user/v1/campus/applications/:id`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, applicationDetails	
	PATCH		`/user/v1/campus/applications/:id/cancel`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, cancelApplication	
	POST		`/user/v1/campus/applications/:id/cancel`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, cancelApplication	

	POST		`/user/v1/campus/applications/:id/messages`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, sendApplicationMessage	
	GET		`/user/v1/campus/content`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, content	
	GET		`/user/v1/campus/dashboard`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, dashboard	
	GET		`/user/v1/campus/dashboard/overview`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, dashboard	
	GET		`/user/v1/campus/events`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, events	
	PATCH		`/user/v1/campus/events/:eventId/cancel`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, cancelEventRegistration	
	POST		`/user/v1/campus/events/:eventId/cancel`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, cancelEventRegistration	
	POST		`/user/v1/campus/events/:eventId/register`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, registerEvent	
	GET		`/user/v1/campus/opportunities`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, opportunities	
	GET		`/user/v1/campus/opportunities/:id`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, opportunityDetails	
	POST		`/user/v1/campus/opportunities/:id/apply`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, requireCampusOpportunity, multerMiddleware, applyJob	
	POST		`/user/v1/campus/opportunities/:id/apply-external`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, requireCampusOpportunity, multerMiddleware, applyExternalOpportunity	
	GET		`/user/v1/campus/opportunities/:id/readiness`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, requireCampusOpportunity, getApplyReadiness	
	DELETE		`/user/v1/campus/opportunities/:id/save`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, saveOpportunity	
	POST		`/user/v1/campus/opportunities/:id/save`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, saveOpportunity	
	POST		`/user/v1/campus/opportunities/:id/toggle-save`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, toggleSaveOpportunity	
	GET		`/user/v1/campus/overview`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, overview	
	GET		`/user/v1/campus/profile`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, profile	
	PATCH		`/user/v1/campus/profile`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, profile	
	POST		`/user/v1/campus/profile`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, profile	
	PUT		`/user/v1/campus/profile`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, profile	
	GET		`/user/v1/campus/resources`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, resources	
	POST		`/user/v1/campus/student-verifications`		Bearer token		explicit		authUser, multerMiddleware, startStudentVerification	
	POST		`/user/v1/campus/student-verifications/:id/resubmit`		Bearer token		explicit		authUser, multerMiddleware, resubmitStudentVerification	
	GET		`/user/v1/campus/student-verifications/me`		Bearer token		explicit		authUser, studentVerificationStatus	
	GET		`/user/v1/campus/universities`		Public/system		none		listUniversities	
	GET		`/user/v1/campus/universities/:id/campuses`		Public/system		none		listUniversityCampuses	
	GET		`/user/v1/campus/university/opportunities`		Bearer token		explicit		authUser, activeContextGuard, userUniversityOpportunities	
	POST		`/user/v1/campus/university/opportunities`		Bearer token		explicit		authUser, activeContextGuard, userUniversityOpportunities	
	GET		`/user/v1/campus/university/overview`		Bearer token		explicit		authUser, activeContextGuard, userUniversityOverview	
	GET		`/user/v1/campus/university/partners`		Bearer token		explicit		authUser, activeContextGuard, userUniversityPartners	
	GET		`/user/v1/campus/university/students`		Bearer token		explicit		authUser, activeContextGuard, userUniversityStudents	
	POST		`/user/v1/campus/verification/confirm-email`		Bearer token		explicit		authUser, multerMiddleware, confirmStudentVerificationEmail	
	POST		`/user/v1/campus/verification/start`		Bearer token		explicit		authUser, multerMiddleware, startStudentVerification	
	POST		`/user/v1/campus/verification/upload-document`		Bearer token		explicit		authUser, multerMiddleware, uploadStudentVerificationDocument	

Company

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	POST		`/company/v1/auth/login`		Public/system		none		multerMiddleware, login	
	POST		`/company/v1/auth/logout`		Public/system		none		multerMiddleware, logout	
	GET		`/company/v1/campus/opportunities`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, companyOpportunities	
	POST		`/company/v1/campus/opportunities`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, companyOpportunities	
	GET		`/company/v1/campus/overview`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, universityOverview	
	GET		`/company/v1/campus/partners`		Bearer token		inferred-parent-mount		inferred:approvedCompanyGuard, anonymous, partners	

POST `/company/v1/campus/partners` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, partners
GET `/company/v1/campus/students` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, students
GET `/company/v1/global` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getCompanyDashboard
GET `/company/v1/global/analytics` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getCompanyAnalytics
GET `/company/v1/global/analytics/applications` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getApplicationsAnalytics
GET `/company/v1/global/analytics/jobs` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobsAnalytics
GET `/company/v1/global/analytics/profile` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getProfileAnalytics
GET `/company/v1/global/applications` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getAllApplications
GET `/company/v1/global/applications/:applicationId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getApplicationDetails
GET `/company/v1/global/applications/:applicationId/audit-logs` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getApplicationAuditLogs
POST `/company/v1/global/applications/:applicationId/note` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, addApplicationNote
POST `/company/v1/global/applications/:applicationId/rate` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, rateApplicant
PATCH `/company/v1/global/applications/:applicationId/status` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, changeApplicationStatus
GET `/company/v1/global/audit-logs` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getAuditLogs
GET `/company/v1/global/interviews` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getCompanyInterviews
POST `/company/v1/global/interviews` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getCompanyInterviews
DELETE `/company/v1/global/interviews/:interviewId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateInterview
PATCH `/company/v1/global/interviews/:interviewId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateInterview
GET `/company/v1/global/jobs` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobs
POST `/company/v1/global/jobs` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobs
DELETE `/company/v1/global/jobs/:jobId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobDetails
GET `/company/v1/global/jobs/:jobId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobDetails
PATCH `/company/v1/global/jobs/:jobId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobDetails
POST `/company/v1/global/jobs/:jobId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobDetails
PUT `/company/v1/global/jobs/:jobId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobDetails
GET `/company/v1/global/jobs/:jobId/applicants` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobApplicants
PATCH `/company/v1/global/jobs/:jobId/archive` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware
GET `/company/v1/global/jobs/:jobId/audit-logs` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobAuditLogs
POST `/company/v1/global/jobs/:jobId/clone` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, cloneJob
PATCH `/company/v1/global/jobs/:jobId/pause` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware
PATCH `/company/v1/global/jobs/:jobId/publish` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware
GET `/company/v1/global/jobs/:jobId/recommended-employees` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getRecommendedEmployeesForJob
PATCH `/company/v1/global/jobs/:jobId/restore` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware
PATCH `/company/v1/global/jobs/:jobId/status` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, changeJobStatus
PATCH `/company/v1/global/jobs/bulk` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, bulkUpdateJobs
GET `/company/v1/global/jobs/statistics` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobsStatistics
GET `/company/v1/global/me/basic-profile` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyBasicCompanyProfile
PUT `/company/v1/global/me/basic-profile` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyBasicCompanyProfile

PUT `/company/v1/global/me/image` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, updateMyCompanyUserProfile
GET `/company/v1/global/members` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listMembers
POST `/company/v1/global/members` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listMembers
DELETE `/company/v1/global/members/:memberId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateMember
PATCH `/company/v1/global/members/:memberId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateMember
GET `/company/v1/global/message-templates` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listTemplates
POST `/company/v1/global/message-templates` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listTemplates
DELETE `/company/v1/global/message-templates/:templateId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateTemplate
PATCH `/company/v1/global/message-templates/:templateId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateTemplate
GET `/company/v1/global/profile` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyCompanyProfile
PUT `/company/v1/global/profile` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyCompanyProfile
GET `/company/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMySection
POST `/company/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMySection
PUT `/company/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMySection
DELETE `/company/v1/global/profile/:section/:itemId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateSectionItem
PATCH `/company/v1/global/profile/:section/:itemId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateSectionItem
PUT `/company/v1/global/profile/about` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateCompanyAbout
GET `/company/v1/global/profile/completion` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyCompanyCompletion
PUT `/company/v1/global/profile/contact` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateCompanyContact
GET `/company/v1/global/profile/files` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, listCompanyFiles
POST `/company/v1/global/profile/files` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, listCompanyFiles
DELETE `/company/v1/global/profile/files/:filename` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, deleteCompanyFile
GET `/company/v1/global/profile/files/:filename/download` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, downloadCompanyFile
PUT `/company/v1/global/profile/location` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateCompanyLocation
PUT `/company/v1/global/profile/media` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateCompanyMedia
POST `/company/v1/global/profile/rebuild-search-filters` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, rebuildMyCompanySearchFilters
GET `/company/v1/global/question-library` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listQuestions
POST `/company/v1/global/question-library` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listQuestions
DELETE `/company/v1/global/question-library/:questionId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateQuestion
PATCH `/company/v1/global/question-library/:questionId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateQuestion
GET `/company/v1/global/subscription` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMySubscription
GET `/company/v1/global/subscription/billing-summary` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getBillingSummary
GET `/company/v1/global/subscription/current` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMySubscription
GET `/company/v1/global/subscription/invoices` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyInvoices
GET `/company/v1/global/subscription/invoices/:invoiceId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyInvoiceDetails
POST `/company/v1/global/subscription/request` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, requestPlanChange
GET `/company/v1/global/support-tickets` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listTickets
POST `/company/v1/global/support-tickets` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listTickets

GET `/company/v1/global/support-tickets/:ticketId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getTicketDetails
POST `/company/v1/global/support-tickets/:ticketId/messages` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, addTicketMessage
GET `/company/v1/helper/cities` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, cities
GET `/company/v1/helper/currencies` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, getCurrencies
GET `/company/v1/helper/education-level` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, educationLevel
GET `/company/v1/helper/experience-level` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, experienceLevel
GET `/company/v1/helper/industry` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, industry
GET `/company/v1/helper/job-name` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, anonymous
GET `/company/v1/helper/job-types` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, getJobType
GET `/company/v1/helper/languages` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, getLanguages
GET `/company/v1/helper/salaries` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, salaryType
GET `/company/v1/helper/services` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, services
GET `/company/v1/helper/skills` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, skills
GET `/company/v1/helper/work-mode` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, workMode
GET `/company/v1/helper/work-time` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, workTime
GET `/company/v1/jobs/hiring/:jobId/applicants` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicants
GET `/company/v1/jobs/hiring/:jobId/applications` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobApplications
POST `/company/v1/jobs/hiring/:jobId/invitations` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, sendJobInvitation
GET `/company/v1/jobs/hiring/applicants` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicants
GET `/company/v1/jobs/hiring/applications` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobApplications
GET `/company/v1/jobs/hiring/applications/:applicationId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicationDetails
PATCH `/company/v1/jobs/hiring/applications/:applicationId/block-applicant` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, blockApplicationApplicant
GET `/company/v1/jobs/hiring/applications/:applicationId/cv` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicationCv
POST `/company/v1/jobs/hiring/applications/:applicationId/interviews` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, createInterview
POST `/company/v1/jobs/hiring/applications/:applicationId/messages` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, sendApplicationMessage
PATCH `/company/v1/jobs/hiring/applications/:applicationId/restore` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, restoreApplication
PATCH `/company/v1/jobs/hiring/applications/:applicationId/status` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateApplicationStatus
POST `/company/v1/jobs/hiring/applications/bulk-cv` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, bulkApplicationCvs
POST `/company/v1/jobs/hiring/applications/bulk-export` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, bulkExportApplications
GET `/company/v1/jobs/hiring/interviews` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, createInterview
POST `/company/v1/jobs/hiring/interviews` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, createInterview
PATCH `/company/v1/jobs/hiring/interviews/:interviewId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateInterview
PATCH `/company/v1/jobs/hiring/interviews/:interviewId/status` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, changeInterviewStatus
GET `/company/v1/jobs/hiring/invitations` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, sendJobInvitation
POST `/company/v1/jobs/hiring/invitations` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, sendJobInvitation
GET `/company/v1/jobs/hiring/invitations/:invitationId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobInvitationDetails
PATCH `/company/v1/jobs/hiring/invitations/:invitationId/cancel` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, cancelJobInvitation
GET `/company/v1/jobs/hiring/pipeline` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getAtsPipeline

GET `/company/v1/jobs/hiring/reviews` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getCompanyJobReviews
GET `/company/v1/jobs/hiring/summary` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getHiringSummary
GET `/company/v1/jobs/hiring/talent-pool` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getTalentPool
GET `/company/v1/jobs/talent/:jobId/employees/:employeeId/match` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, matchEmployeeWithJob
GET `/company/v1/jobs/talent/:jobId/help-requests` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, requestJobZainTalentHelp
POST `/company/v1/jobs/talent/:jobId/help-requests` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, requestJobZainTalentHelp
GET `/company/v1/jobs/talent/:jobId/smart-employees` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getSmartEmployeesForJob
POST `/company/v1/jobs/talent/:jobId/smart-employees/generate` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, generateSmartEmployeesForJob
GET `/company/v1/jobs/talent/employees` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, searchEmployees
GET `/company/v1/jobs/talent/employees/:employeeId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getEmployeeDetails
GET `/company/v1/jobs/talent/help-requests` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, requestJobZainTalentHelp
POST `/company/v1/jobs/talent/help-requests` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, requestJobZainTalentHelp
GET `/company/v1/jobs/talent/help-requests/:requestId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobZainTalentRequestDetails
PATCH `/company/v1/jobs/talent/help-requests/:requestId/cancel` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, cancelJobZainTalentRequest

Files

Method Path Auth Guard source Middleware/guards
--- --- --- --- ---
GET `/cv/generated/:fileName` Public/system none anonymous

Health

Method Path Auth Guard source Middleware/guards
--- --- --- --- ---
GET `/health` Public/system none protectHealth, anonymous

Jobs

Method Path Auth Guard source Middleware/guards
--- --- --- --- ---
PUT `/jobs/v1:jobId/translations/:lang` Bearer token explicit authUser, anonymous, multerMiddleware, saveJobTranslation

Legacy User

Method Path Auth Guard source Middleware/guards
--- --- --- --- ---
GET `/user/v1/app/dashboard` Bearer token explicit authUser, getMyAppDashboardOverview
GET `/user/v1/app/dashboard/overview` Bearer token explicit authUser, getMyAppDashboardOverview
GET `/user/v1/applying-job/get` Bearer token explicit authUser, anonymous, getAppliedJobs
POST `/user/v1/applying-job/insert/:id` Bearer token explicit authUser, anonymous, applyJob
GET `/user/v1/applying-job/readiness/:id` Bearer token explicit authUser, anonymous, getApplyReadiness
POST `/user/v1/auth/campus/register` Public/system none multerMiddleware, campusRegister
POST `/user/v1/auth/campus/university-login` Public/system none multerMiddleware, universityLogin
POST `/user/v1/auth/forgot-password` Public/system none forgotPassword
POST `/user/v1/auth/login` Public/system none multerMiddleware, login
POST `/user/v1/auth/logout` Public/system none multerMiddleware, logout
POST `/user/v1/auth/passcode-forgot-password` Public/system none passcodeVerify
POST `/user/v1/auth/passcode-verify` Public/system none passcodeVerify
POST `/user/v1/auth/refresh-token` Public/system none multerMiddleware, refreshToken
POST `/user/v1/auth/register` Public/system none multerMiddleware, register
POST `/user/v1/auth/resend-otp` Public/system none resendOtp
POST `/user/v1/auth/resetPassword` Public/system none resetPassword

POST	/user/v1/auth/update-image`	Bearer token	explicit	authUser, multerMiddleware, updateImage	
POST	/user/v1/auth/update-profile`	Bearer token	explicit	authUser, updateProfile	
GET	/user/v1/banner/get`	Public/system	none	get	
GET	/user/v1/career-passport`	Bearer token	explicit	authUser, anonymous, get	
PUT	/user/v1/career-passport`	Bearer token	explicit	authUser, anonymous, get	
POST	/user/v1/career-passport/share`	Bearer token	explicit	authUser, anonymous, jsonParser, share	
GET	/user/v1/career-passport/share/:token`	Public/system	none	shared	
GET	/user/v1/company-jobs-profile/job-details/:id`	Bearer token	explicit	authUser, anonymous, getJobDetails	
GET	/user/v1/company-jobs-profile/profile-jobs`	Bearer token	explicit	authUser, anonymous, companyData	
POST	/user/v1/company/delete-file`	Bearer token	explicit	authUser, deleteFile	
GET	/user/v1/company/download-file`	Bearer token	explicit	authUser, downloadFile	
GET	/user/v1/company/get-files`	Bearer token	explicit	authUser, getFileLinks	
POST	/user/v1/company/join-request`	Bearer token	explicit	authUser, multerMiddleware, joinRequest	
GET	/user/v1/company/my-company`	Bearer token	explicit	authUser, get	
POST	/user/v1/company/update-my-company`	Bearer token	explicit	authUser, update	
POST	/user/v1/company/update-my-company-image`	Bearer token	explicit	authUser, multerMiddleware, updateImage	
POST	/user/v1/company/upload-file`	Bearer token	explicit	authUser, multerMiddleware, uploadFile	
PUT	/user/v1/cv/translations/:lang`	Bearer token	explicit	authUser, anonymous, multerMiddleware, saveCvTranslation	
GET	/user/v1/employee/profile-get`	Bearer token	explicit	authUser, anonymous, multerMiddleware, profile	
POST	/user/v1/employee/profile-update`	Bearer token	explicit	authUser, anonymous, multerMiddleware, update	
POST	/user/v1/fcm/delete-tokens/:id`	Bearer token	explicit	authUser, deleteToken	
GET	/user/v1/fcm/tokens`	Bearer token	explicit	authUser, listTokens	
POST	/user/v1/fcm/tokens`	Bearer token	explicit	authUser, listTokens	
POST	/user/v1/fcm/update-tokens/:id`	Bearer token	explicit	authUser, jsonParser, updateToken	
GET	/user/v1/global/cities`	Public/system	none	countries	
GET	/user/v1/global/countries`	Public/system	none	countries	
GET	/user/v1/global/currencies`	Public/system	none	currencies	
GET	/user/v1/global/currency`	Public/system	none	currencies	
GET	/user/v1/global/work-mode`	Public/system	none	workModes	
GET	/user/v1/global/work-modes`	Public/system	none	workModes	
POST	/user/v1/handle-applied-job/change-job-status/:id`	Bearer token	explicit	authUser, anonymous, changeStatus	
POST	/user/v1/handle-applied-job/send-interview/:id`	Bearer token	explicit	authUser, anonymous, SendInterview	
GET	/user/v1/helper/cities`	Public/system	none	anonymous	
GET	/user/v1/helper/city-search`	Public/system	none	anonymous	
GET	/user/v1/helper/countries`	Public/system	none	anonymous	
GET	/user/v1/helper/country`	Public/system	none	anonymous	
GET	/user/v1/helper/country-get`	Public/system	none	anonymous	
GET	/user/v1/helper/country-search`	Public/system	none	anonymous	
GET	/user/v1/helper/currencies`	Public/system	none	anonymous	
GET	/user/v1/helper/currency`	Public/system	none	anonymous	
GET	/user/v1/helper/currency-get`	Public/system	none	anonymous	
GET	/user/v1/helper/currency-search`	Public/system	none	anonymous	
GET	/user/v1/helper/education-level`	Public/system	none	anonymous	
GET	/user/v1/helper/education-levels`	Public/system	none	anonymous	
GET	/user/v1/helper/experience-level`	Public/system	none	anonymous	
GET	/user/v1/helper/experience-levels`	Public/system	none	anonymous	
GET	/user/v1/helper/industries`	Public/system	none	anonymous	
GET	/user/v1/helper/industry`	Public/system	none	anonymous	
GET	/user/v1/helper/job-location`	Public/system	none	anonymous	
GET	/user/v1/helper/job-location-get`	Public/system	none	anonymous	
GET	/user/v1/helper/job-name`	Public/system	none	anonymous	
GET	/user/v1/helper/job-names`	Public/system	none	anonymous	
GET	/user/v1/helper/job-salaries`	Public/system	none	anonymous	
GET	/user/v1/helper/job-salary`	Public/system	none	anonymous	
GET	/user/v1/helper/job-salary-get`	Public/system	none	anonymous	
GET	/user/v1/helper/job-search`	Public/system	none	anonymous	
GET	/user/v1/helper/job-service`	Public/system	none	anonymous	
GET	/user/v1/helper/job-service-get`	Public/system	none	anonymous	
GET	/user/v1/helper/job-services`	Public/system	none	anonymous	
GET	/user/v1/helper/job-time`	Public/system	none	anonymous	
GET	/user/v1/helper/job-time-get`	Public/system	none	anonymous	

GET	/user/v1/helper/job-type`	Public/system	none	anonymous	
GET	/user/v1/helper/job-type-get`	Public/system	none	anonymous	
GET	/user/v1/helper/job-types`	Public/system	none	anonymous	
GET	/user/v1/helper/language`	Public/system	none	anonymous	
GET	/user/v1/helper/language-search`	Public/system	none	anonymous	
GET	/user/v1/helper/languages`	Public/system	none	anonymous	
GET	/user/v1/helper/salaries`	Public/system	none	anonymous	
GET	/user/v1/helper/services`	Public/system	none	anonymous	
GET	/user/v1/helper/skill`	Public/system	none	anonymous	
GET	/user/v1/helper/skill-search`	Public/system	none	anonymous	
GET	/user/v1/helper/skills`	Public/system	none	anonymous	
GET	/user/v1/helper/work-location`	Public/system	none	anonymous	
GET	/user/v1/helper/work-locations`	Public/system	none	anonymous	
GET	/user/v1/helper/work-mode`	Public/system	none	anonymous	
GET	/user/v1/helper/work-modes`	Public/system	none	anonymous	
GET	/user/v1/helper/work-time`	Public/system	none	anonymous	
GET	/user/v1/helper/work-times`	Public/system	none	anonymous	
POST	/user/v1/job-information/apply-outside/:id`	Bearer token	explicit	authUser, anonymous, applyOutsideJob	
GET	/user/v1/job-information/list-job-reviews/:id`	Public/system	none	listJobReviews	
GET	/user/v1/job-information/list-job-savers/:id`	Bearer token	explicit	authUser, anonymous, listJobSavers	
POST	/user/v1/job-information/rate-job/:id`	Bearer token	explicit	authUser, anonymous, rateJob	
GET	/user/v1/job-information/recompute-job-rating-breakdown/:id`	Bearer token	explicit	authUser, anonymous, recomputeJobRatingBreakdown	
POST	/user/v1/job-information/report-job/:id`	Bearer token	explicit	authUser, anonymous, reportJob	
POST	/user/v1/job-information/review-job/:id`	Bearer token	explicit	authUser, anonymous, reviewJob	
POST	/user/v1/job-information/toggle-save-job/:id`	Bearer token	explicit	authUser, anonymous, toggleSaveJob	
GET	/user/v1/job-profile/get-applied-jobs`	Bearer token	explicit	authUser, anonymous, getAppliedJobs	
GET	/user/v1/job-profile/get-interviewed-jobs`	Bearer token	explicit	authUser, anonymous, getInterviewedJobs	
GET	/user/v1/job-profile/get-saved-job`	Bearer token	explicit	authUser, anonymous, getSavedJob	
GET	/user/v1/job-profile/get-user-job-counts`	Bearer token	explicit	authUser, anonymous, getUserJobCounts	
GET	/user/v1/job-result/get-by-id/:id`	Bearer token	explicit	authUser, anonymous, getJobById	
GET	/user/v1/job-result/get-created-job`	Bearer token	explicit	authUser, anonymous, getCreatedJobs	
GET	/user/v1/job-result/get-job-applicant/:id`	Bearer token	explicit	authUser, anonymous, getJobApplicants	
GET	/user/v1/job-result/get-job-rating/:id`	Bearer token	explicit	authUser, anonymous, getJobRatingStats	
GET	/user/v1/job-result/get-job-review/:id`	Bearer token	explicit	authUser, anonymous, getJobReviews	
GET	/user/v1/job-result/get-job-savers/:id`	Bearer token	explicit	authUser, anonymous, getJobSavers	
POST	/user/v1/job/create`	Bearer token	explicit	authUser, anonymous, create	
GET	/user/v1/job/get`	Public/system	none	optionalAuthUser, get	
GET	/user/v1/job/get-by-id/:id`	Public/system	none	optionalAuthUser, getById	
GET	/user/v1/job/get-filters`	Public/system	none	optionalAuthUser, getFilters	
GET	/user/v1/job/get-popular`	Public/system	none	optionalAuthUser, get	
GET	/user/v1/job/get-single-job/:id`	Public/system	none	optionalAuthUser, getById	
GET	/user/v1/job/job-role`	Bearer token	explicit	authUser, anonymous, whatIsMyRole	
POST	/user/v1/job/update/:id`	Bearer token	explicit	authUser, anonymous, update	
GET	/user/v1/keyword/get`	Public/system	none	get	
POST	/user/v1/me/active-context`	Bearer token	explicit	authUser, jsonParser, setActiveContext	
GET	/user/v1/me/contexts`	Bearer token	explicit	authUser, listContexts	
GET	/user/v1/me/permissions`	Bearer token	explicit	authUser, permissions	
GET	/user/v1/notification`	Bearer token	explicit	authUser, list	
DELETE	/user/v1/notification/:id`	Bearer token	explicit	authUser, remove	
POST	/user/v1/notification/:id/delete`	Bearer token	explicit	authUser, remove	
PATCH	/user/v1/notification/:id/read`	Bearer token	explicit	authUser, markRead	
POST	/user/v1/notification/:id/read`	Bearer token	explicit	authUser, markRead	
PATCH	/user/v1/notification/:id/unread`	Bearer token	explicit	authUser, markUnread	
POST	/user/v1/notification/:id/unread`	Bearer token	explicit	authUser, markUnread	
GET	/user/v1/notification/get`	Bearer token	explicit	authUser, list	
PATCH	/user/v1/notification/read-all`	Bearer token	explicit	authUser, markAllRead	
POST	/user/v1/notification/read-all`	Bearer token	explicit	authUser, markAllRead	
GET	/user/v1/notification/unread-count`	Bearer token	explicit	authUser, unreadCount	
GET	/user/v1/notifications`	Bearer token	explicit	authUser, list	
DELETE	/user/v1/notifications/:id`	Bearer token	explicit	authUser, remove	
POST	/user/v1/notifications/:id/delete`	Bearer token	explicit	authUser, remove	

	PATCH		`/user/v1/notifications/:id/read`		Bearer token		explicit		authUser, markRead	
	POST		`/user/v1/notifications/:id/read`		Bearer token		explicit		authUser, markRead	
	PATCH		`/user/v1/notifications/:id/unread`		Bearer token		explicit		authUser, markUnread	
	POST		`/user/v1/notifications/:id/unread`		Bearer token		explicit		authUser, markUnread	
	GET		`/user/v1/notifications/get`		Bearer token		explicit		authUser, list	
	PATCH		`/user/v1/notifications/read-all`		Bearer token		explicit		authUser, markAllRead	
	POST		`/user/v1/notifications/read-all`		Bearer token		explicit		authUser, markAllRead	
	GET		`/user/v1/notifications/unread-count`		Bearer token		explicit		authUser, unreadCount	
	GET		`/user/v1/page/details/:key`		Public/system		none		details	
	GET		`/user/v1/page/get`		Public/system		none		get	

Notifications

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/notifications/v1`		Bearer token		inferred-parent-mount		inferred:authUser, list	
	PATCH		`/notifications/v1/:id/read`		Bearer token		inferred-parent-mount		inferred:authUser, markRead	
	POST		`/notifications/v1/:id/read`		Bearer token		inferred-parent-mount		inferred:authUser, markRead	
	DELETE		`/notifications/v1/device-token`		Bearer token		inferred-parent-mount		inferred:authUser, jsonParser, registerToken	
	POST		`/notifications/v1/device-token`		Bearer token		inferred-parent-mount		inferred:authUser, jsonParser, registerToken	
	DELETE		`/notifications/v1/device-token/:id`		Bearer token		inferred-parent-mount		inferred:authUser, deleteDeviceToken	
	POST		`/notifications/v1/device-token/delete`		Bearer token		inferred-parent-mount		inferred:authUser, jsonParser, deleteDeviceToken	
	GET		`/notifications/v1/list`		Bearer token		inferred-parent-mount		inferred:authUser, list	
	PATCH		`/notifications/v1/read`		Bearer token		inferred-parent-mount		inferred:authUser, markRead	
	POST		`/notifications/v1/read`		Bearer token		inferred-parent-mount		inferred:authUser, markRead	
	PATCH		`/notifications/v1/read-all`		Bearer token		inferred-parent-mount		inferred:authUser, markRead	
	POST		`/notifications/v1/read-all`		Bearer token		inferred-parent-mount		inferred:authUser, markRead	
	GET		`/notifications/v1/unread-count`		Bearer token		inferred-parent-mount		inferred:authUser, unreadCount	

Seeker

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/employee/v1/applications`		Bearer token		explicit		authUser, anonymous, myApplications	
	GET		`/employee/v1/applications/:applicationId`		Bearer token		explicit		authUser, anonymous, getMyApplicationDetails	
	PATCH		`/employee/v1/applications/:applicationId/cancel`		Bearer token		explicit		authUser, anonymous, multerMiddleware, cancelMyApplication	
	POST		`/employee/v1/applications/:applicationId/cancel`		Bearer token		explicit		authUser, anonymous, multerMiddleware, cancelMyApplication	
	POST		`/employee/v1/applications/:applicationId/messages`		Bearer token		explicit		authUser, anonymous, multerMiddleware, addApplicationMessage	
	GET		`/employee/v1/applications/interviews`		Bearer token		explicit		authUser, anonymous, myInterviews	
	PATCH		`/employee/v1/applications/interviews/:interviewId/respond`		Bearer token		explicit		authUser, anonymous, multerMiddleware, respondToInterview	
	POST		`/employee/v1/applications/interviews/:interviewId/respond`		Bearer token		explicit		authUser, anonymous, multerMiddleware, respondToInterview	
	GET		`/employee/v1/applications/offers`		Bearer token		explicit		authUser, anonymous, myJobInvitations	
	PATCH		`/employee/v1/applications/offers/:invitationId/respond`		Bearer token		explicit		authUser, anonymous, multerMiddleware, respondToJobInvitation	
	POST		`/employee/v1/applications/offers/:invitationId/respond`		Bearer token		explicit		authUser, anonymous, multerMiddleware, respondToJobInvitation	
	POST		`/employee/v1/auth/login`		Public/system		none		multerMiddleware, login	
	GET		`/employee/v1/companies`		Bearer token		explicit		authUser, anonymous, browseCompanies	
	GET		`/employee/v1/companies/:companyId`		Bearer token		explicit		authUser, anonymous, companyDetails	
	POST		`/employee/v1/companies/:companyId/review`		Bearer token		explicit		authUser, anonymous, multerMiddleware, reviewCompany	
	GET		`/employee/v1/companies/activity`		Bearer token		explicit		authUser, anonymous, companiesFromMyActivity	
	GET		`/employee/v1/companies/applied`		Bearer token		explicit		authUser, anonymous, companiesIAppliedTo	
	GET		`/employee/v1/companies/saved-jobs`		Bearer token		explicit		authUser, anonymous, companiesFromSavedJobs	
	GET		`/employee/v1/companies/viewed`		Bearer token		explicit		authUser, anonymous, companiesViewedByMe	
	GET		`/employee/v1/cv/download/:cvId`		Bearer token		inferred-parent-mount		inferred:employeeAccountGuard, downloadSavedCv	
	POST		`/employee/v1/cv/generate/download`		Bearer token		inferred-parent-mount		inferred:employeeAccountGuard, downloadMyCv	

POST `/employee/v1/cv/generate/download-url` Bearer token inferred-parent-mount inferred:employeeAccountGuard, createMyCvDownloadUrl
POST `/employee/v1/cv/generate/preview` Bearer token inferred-parent-mount inferred:employeeAccountGuard, previewMyCv
POST `/employee/v1/cv/generate/save` Bearer token inferred-parent-mount inferred:employeeAccountGuard, saveMyCvSettings
GET `/employee/v1/cv/generate/templates` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getCvTemplatesPublic
POST `/employee/v1/cv/upload` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, uploadMyCv
PUT `/employee/v1/cv/upload/:cvId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, setActiveCv
GET `/employee/v1/cv/uploaded` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyUploadedCvs
DELETE `/employee/v1/cv/uploaded/:cvId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, deleteMyUploadedCv
GET `/employee/v1/global` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getEmployeeDashboard
GET `/employee/v1/global/applications` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myApplications
GET `/employee/v1/global/applications/:applicationId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyApplicationDetails
PATCH `/employee/v1/global/applications/:applicationId/cancel` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, cancelMyApplication
POST `/employee/v1/global/applications/:applicationId/messages` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, addApplicationMessage
GET `/employee/v1/global/applications/applied` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myApplications
GET `/employee/v1/global/applications/interviews` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myInterviews
PATCH `/employee/v1/global/applications/interviews/:interviewId/respond` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, respondToInterview
GET `/employee/v1/global/applications/offers` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myJobInvitations
GET `/employee/v1/global/applications/offers/:invitationId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyJobInvitationDetails
PATCH `/employee/v1/global/applications/offers/:invitationId/reject` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, anonymous
PATCH `/employee/v1/global/applications/offers/:invitationId/respond` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, respondToJobInvitation
GET `/employee/v1/global/applications/rejected` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myRejectedApplications
GET `/employee/v1/global/applications/status` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myApplications
GET `/employee/v1/global/companies` Bearer token inferred-parent-mount inferred:employeeAccountGuard, browseCompanies
GET `/employee/v1/global/companies/:companyId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companyDetails
POST `/employee/v1/global/companies/:companyId/review` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, reviewCompany
GET `/employee/v1/global/companies/activity` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesFromMyActivity
GET `/employee/v1/global/companies/applied` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesIAppliedTo
GET `/employee/v1/global/companies/saved-jobs` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesFromSavedJobs
GET `/employee/v1/global/companies/viewed` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesViewedByMe
GET `/employee/v1/global/jobs` Bearer token inferred-parent-mount inferred:employeeAccountGuard, browseJobs
GET `/employee/v1/global/jobs/:jobId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getJobDetails
POST `/employee/v1/global/jobs/:jobId/apply` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, applyToJob
POST `/employee/v1/global/jobs/:jobId/rate` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, rateJob
POST `/employee/v1/global/jobs/:jobId/review` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, reviewJob
DELETE `/employee/v1/global/jobs/:jobId/save` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, saveJob
POST `/employee/v1/global/jobs/:jobId/save` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, saveJob
GET `/employee/v1/global/jobs/recommended` Bearer token inferred-parent-mount inferred:employeeAccountGuard, recommendedJobs
GET `/employee/v1/global/jobs/saved` Bearer token inferred-parent-mount inferred:employeeAccountGuard, savedJobs

GET	`/employee/v1/global/me/basic-profile`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyBasicProfile
PUT	`/employee/v1/global/me/basic-profile`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyBasicProfile
GET	`/employee/v1/global/profile`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyEmployeeProfile
PUT	`/employee/v1/global/profile`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyEmployeeProfile
GET	`/employee/v1/global/profile/:section`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMySection
POST	`/employee/v1/global/profile/:section`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMySection
PUT	`/employee/v1/global/profile/:section`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMySection
DELETE	`/employee/v1/global/profile/:section/:itemId`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, updateSectionItem
PATCH	`/employee/v1/global/profile/:section/:itemId`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, updateSectionItem
PUT	`/employee/v1/global/profile/about-me`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, updateAboutMe
GET	`/employee/v1/global/profile/completion`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyEmployeeCompletion
PUT	`/employee/v1/global/profile/job-names`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, replaceJobNames
PUT	`/employee/v1/global/profile/job-types`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, replaceJobTypes
PUT	`/employee/v1/global/profile/latest-work-experience`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, updateLatestWorkExperience
PUT	`/employee/v1/global/profile/min-salary`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, replaceMinSalary
POST	`/employee/v1/global/profile/rebuild-search-filters`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, rebuildMySearchFilters
PUT	`/employee/v1/global/profile/work-preferences`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, updateWorkPreferences
GET	`/employee/v1/helper/cities`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, cities
GET	`/employee/v1/helper/currencies`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, getCurrencies
GET	`/employee/v1/helper/education-level`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, educationLevel
GET	`/employee/v1/helper/experience-level`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, experienceLevel
GET	`/employee/v1/helper/industry`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, industry
GET	`/employee/v1/helper/job-name`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, anonymous
GET	`/employee/v1/helper/job-types`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, getJobType
GET	`/employee/v1/helper/languages`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, getLanguages
GET	`/employee/v1/helper/salaries`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, salaryType
GET	`/employee/v1/helper/services`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, services
GET	`/employee/v1/helper/skills`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, skills
GET	`/employee/v1/helper/work-mode`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, workMode
GET	`/employee/v1/helper/work-time`	Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, workTime
POST	`/employee/v1/jobs/:jobId/apply`	Bearer token explicit authUser, anonymous, multerMiddleware, applyToJob
POST	`/employee/v1/jobs/:jobId/rate`	Bearer token explicit authUser, anonymous, multerMiddleware, rateJob
POST	`/employee/v1/jobs/:jobId/review`	Bearer token explicit authUser, anonymous, multerMiddleware, reviewJob
DELETE	`/employee/v1/jobs/:jobId/save`	Bearer token explicit authUser, anonymous, multerMiddleware, saveJob
POST	`/employee/v1/jobs/:jobId/save`	Bearer token explicit authUser, anonymous, multerMiddleware, saveJob

Trust

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---

PATCH	`/trust/v1/jobs/:jobId/documents`	Bearer token	explicit	authUser, anonymous, multerMiddleware, submitJobDocuments	
POST	`/trust/v1/jobs/:jobId/documents`	Bearer token	explicit	authUser, anonymous, multerMiddleware, submitJobDocuments	
POST	`/trust/v1/jobs/:jobId/report`	Bearer token	explicit	authUser, anonymous, multerMiddleware, reportJob	
POST	`/trust/v1/jobs/:jobId/score`	Bearer token	explicit	authUser, anonymous, multerMiddleware, scoreJob	

University

Method	Path	Auth	Guard source	Middleware/guards	
---	---	---	---	---	
GET	`/university/v1/analytics/employability`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityEmployabilityAnalytics	
GET	`/university/v1/dashboard`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview	
GET	`/university/v1/dashboard/overview`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview	
GET	`/university/v1/employer-partners`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityPartners	
GET	`/university/v1/opportunities`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOpportunities	
POST	`/university/v1/opportunities`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOpportunities	
GET	`/university/v1/overview`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview	
GET	`/university/v1/partners`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityPartners	
GET	`/university/v1/reports/outcomes`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOutcomeReport	
GET	`/university/v1/students`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityStudents	
GET	`/university/v1/students/:studentId/career-passport`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityStudentCareerPassport	
GET	`/university/v1/verifications`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, adminListVerifications	
POST	`/university/v1/verifications/:id/approve`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminApproveVerification	
POST	`/university/v1/verifications/:id/reject`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminRejectVerification	
POST	`/university/v1/verifications/:id/request-info`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminRequestVerificationInfo	