

HalaJob API Reference

Generated from the live route inventory and backend API markdown reference.

Generated: 2026-06-28 08:05:25 UTC

Source commit: 25bced580508

Route Verification Summary

Raw Express endpoint entries: 2154

Unique method/path endpoints: 3401

Endpoints with detected auth/role guard: 3310

Known public/system endpoints: 89

Unguarded endpoints needing manual classification: 2

Reading Notes

This PDF is a generated handover copy of docs/api/HALAJOB_API_REFERENCE.md. For machine-readable integration, use HALAJOB_OPENAPI.yaml and the Postman collection.

HalaJob API Reference

Generated: 2026-06-28T08:05:05.271Z

Source: docs/api/HALAJOB_ROUTE_INVENTORY.json.

This is a route-level API reference skeleton. It documents the live Express route surface, authentication classification, and guard evidence. Detailed request bodies, response examples, validation schemas, audit events, and business rules still need to be filled route-by-route before the backend can be called fully documented.

Global Conventions

Item Current rule
--- ---
Authentication `Authorization: Bearer <token>` for protected routes.
Language Preserve legacy `lan`; migrate clients toward `x-lang: en ar`.
Content type JSON by default; multipart for uploads.
IDs MongoDB ObjectId strings unless otherwise documented.
Response envelope Mixed legacy envelopes exist. New routes should standardize message/error keys without breaking old clients.
Full inventory `docs/api/HALAJOB_ROUTE_INVENTORY.json`
OpenAPI skeleton `docs/api/HALAJOB_OPENAPI.yaml`
Postman collection `docs/api/HALAJOB_POSTMAN_COLLECTION.json`

Counts

Module Endpoints
--- ---
AI 12
Admin 2889
Analytics 5
Campus 12
Campus Student 43
Company 134
Files 1
Health 1
Jobs 2
Legacy User 155
Notifications 16
Seeker 94
Trust 4
University 15

AI

Method Path Auth Guard source Middleware/guards
--- --- --- --- ---
POST `/ai/v1/career-passport/score` Bearer token explicit authUser, anonymous, refreshScore
POST `/ai/v1/career/copilot` Bearer token explicit authUser, anonymous
POST `/ai/v1/company/jobs/:jobId/shortlist` Bearer token explicit authUser, anonymous
POST `/ai/v1/company/jobs/generate` Bearer token explicit authUser, anonymous
POST `/ai/v1/company/messages/generate` Bearer token explicit authUser, anonymous
POST `/ai/v1/cv/rewrite` Bearer token explicit authUser, anonymous
POST `/ai/v1/interview/practice` Bearer token explicit authUser, anonymous
POST `/ai/v1/jobs/:jobId/cover-letter` Bearer token explicit authUser, anonymous
POST `/ai/v1/jobs/:jobId/match` Bearer token explicit authUser, anonymous
POST `/ai/v1/profile/score` Bearer token explicit authUser, anonymous
POST `/ai/v1/translate/cv` Bearer token explicit authUser, anonymous
POST `/ai/v1/translate/job/:jobId` Bearer token explicit authUser, anonymous

Admin

Method Path Auth Guard source Middleware/guards

	---		---		---		---		---	
	PATCH		`/admin/v1/trust/jobs/:jobId/mark-safe`		Bearer token		inferred-parent-mount		inferred:isAdmin,	multerMiddleware, markJobSafe
	POST		`/admin/v1/trust/jobs/:jobId/mark-safe`		Bearer token		inferred-parent-mount		inferred:isAdmin,	multerMiddleware, markJobSafe
	PATCH		`/admin/v1/trust/jobs/:jobId/request-documents`		Bearer token		inferred-parent-mount		inferred:isAdmin,	multerMiddleware, requestDocuments
	POST		`/admin/v1/trust/jobs/:jobId/request-documents`		Bearer token		inferred-parent-mount		inferred:isAdmin,	multerMiddleware, requestDocuments
	PATCH		`/admin/v1/trust/jobs/:jobId/suspend`		Bearer token		inferred-parent-mount		inferred:isAdmin,	multerMiddleware, suspendJob
	POST		`/admin/v1/trust/jobs/:jobId/suspend`		Bearer token		inferred-parent-mount		inferred:isAdmin,	multerMiddleware, suspendJob
	GET		`/admin/v1/trust/review-queue`		Bearer token		inferred-parent-mount		inferred:isAdmin,	reviewQueue
	GET		`/dash/v1/activity`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware,
	GET		`/dash/v1/Admin`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware,
	POST		`/dash/v1/Admin`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware,
	DELETE		`/dash/v1/Admin/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware,
	GET		`/dash/v1/Admin/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware,
	PATCH		`/dash/v1/Admin/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware,
	PUT		`/dash/v1/Admin/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware,
	PATCH		`/dash/v1/Admin/approve/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	POST		`/dash/v1/Admin/approve/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	PATCH		`/dash/v1/Admin/bulk-update`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	POST		`/dash/v1/Admin/bulk-update`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	POST		`/dash/v1/Admin/create`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	DELETE		`/dash/v1/Admin/delete/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	POST		`/dash/v1/Admin/delete/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	GET		`/dash/v1/Admin/details/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	GET		`/dash/v1/Admin/get`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	GET		`/dash/v1/Admin/get-one/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	GET		`/dash/v1/Admin/getOne`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	GET		`/dash/v1/Admin/getOne/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	GET		`/dash/v1/Admin/list`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	PATCH		`/dash/v1/Admin/reject/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	POST		`/dash/v1/Admin/reject/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	PATCH		`/dash/v1/Admin/update/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	POST		`/dash/v1/Admin/update/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	PUT		`/dash/v1/Admin/update/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, multerMiddleware, anonymous
	GET		`/dash/v1/admins`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	POST		`/dash/v1/admins`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	GET		`/dash/v1/Admins`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	POST		`/dash/v1/Admins`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	DELETE		`/dash/v1/admins/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous
	GET		`/dash/v1/admins/:id`		Bearer token		inferred-parent-mount		inferred:isAdmin,	checkPermissionMiddleware, anonymous

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

POST	/dash/v1/SubscriptionPlans/reject/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
PATCH	/dash/v1/SubscriptionPlans/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
POST	/dash/v1/SubscriptionPlans/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
PUT	/dash/v1/SubscriptionPlans/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
GET	/dash/v1/subscriptions/companies/:companyId`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, getCompanySubscription
POST	/dash/v1/subscriptions/companies/:companyId/assign-plan`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, assignSubscriptionPlan
POST	/dash/v1/subscriptions/seed-free`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, seedFreePlan
GET	/dash/v1/support-tickets`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, listTickets
GET	/dash/v1/support-tickets/:ticketId`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, getTicketDetails
POST	/dash/v1/support-tickets/:ticketId/messages`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, addAdminMessage
PATCH	/dash/v1/support-tickets/:ticketId/status`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, updateTicketStatus
GET	/dash/v1/talent-requests`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, listTalentRequests
POST	/dash/v1/talent-requests`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, listTalentRequests
DELETE	/dash/v1/talent-requests/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous
GET	/dash/v1/talent-requests/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous
PATCH	/dash/v1/talent-requests/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous
PUT	/dash/v1/talent-requests/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous
PATCH	/dash/v1/talent-requests/:id/status`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, updateTalentRequestStatus
POST	/dash/v1/talent-requests/:id/status`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, updateTalentRequestStatus
PATCH	/dash/v1/talent-requests/approve/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
POST	/dash/v1/talent-requests/approve/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
PATCH	/dash/v1/talent-requests/bulk-update`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
POST	/dash/v1/talent-requests/bulk-update`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
POST	/dash/v1/talent-requests/create`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
DELETE	/dash/v1/talent-requests/delete/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
POST	/dash/v1/talent-requests/delete/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
GET	/dash/v1/talent-requests/details/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous
GET	/dash/v1/talent-requests/get`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous
GET	/dash/v1/talent-requests/get-one/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous
GET	/dash/v1/talent-requests/getOne`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous
GET	/dash/v1/talent-requests/getOne/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous
GET	/dash/v1/talent-requests/list`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous
PATCH	/dash/v1/talent-requests/reject/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
POST	/dash/v1/talent-requests/reject/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
PATCH	/dash/v1/talent-requests/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
POST	/dash/v1/talent-requests/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
PUT	/dash/v1/talent-requests/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous
GET	/dash/v1/TalentRequest`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous

[illegible]

[illegible]

[illegible]

[illegible]

PATCH	`/dash/v1/WorkMode/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
POST	`/dash/v1/WorkMode/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
PUT	`/dash/v1/WorkMode/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
GET	`/dash/v1/WorkTime`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
POST	`/dash/v1/WorkTime`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
DELETE	`/dash/v1/WorkTime/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
GET	`/dash/v1/WorkTime/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
PATCH	`/dash/v1/WorkTime/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
PUT	`/dash/v1/WorkTime/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
PATCH	`/dash/v1/WorkTime/approve/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
POST	`/dash/v1/WorkTime/approve/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
PATCH	`/dash/v1/WorkTime/bulk-update`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
POST	`/dash/v1/WorkTime/bulk-update`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
POST	`/dash/v1/WorkTime/create`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
DELETE	`/dash/v1/WorkTime/delete/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
POST	`/dash/v1/WorkTime/delete/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
GET	`/dash/v1/WorkTime/details/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
GET	`/dash/v1/WorkTime/get`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
GET	`/dash/v1/WorkTime/get-one/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
GET	`/dash/v1/WorkTime/getOne`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
GET	`/dash/v1/WorkTime/getOne/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
GET	`/dash/v1/WorkTime/list`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, anonymous	
PATCH	`/dash/v1/WorkTime/reject/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
POST	`/dash/v1/WorkTime/reject/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
PATCH	`/dash/v1/WorkTime/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
POST	`/dash/v1/WorkTime/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	
PUT	`/dash/v1/WorkTime/update/:id`	Bearer token	inferred-parent-mount	inferred:isAdmin, checkPermissionMiddleware, multerMiddleware, anonymous	

Analytics

Method	Path	Auth	Guard source	Middleware/guards	
---	---	---	---	---	
GET	`/analytics/v1/admin/cohorts`	Bearer token	inferred-parent-mount	inferred:authUser, adminCohorts	
GET	`/analytics/v1/admin/summary`	Bearer token	inferred-parent-mount	inferred:authUser, adminSummary	
GET	`/analytics/v1/events`	Bearer token	inferred-parent-mount	inferred:authUser, track	
POST	`/analytics/v1/events`	Bearer token	inferred-parent-mount	inferred:authUser, track	
POST	`/analytics/v1/track`	Bearer token	inferred-parent-mount	inferred:authUser, track	

Campus

Method	Path	Auth	Guard source	Middleware/guards	
---	---	---	---	---	
GET	`/campus/v1/admin/verifications`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, adminListVerifications	
POST	`/campus/v1/admin/verifications/:id/approve`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminApproveVerification	

	POST		`/campus/v1/admin/verifications/:id/reject`		Bearer token		explicit		inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminRejectVerification	
	POST		`/campus/v1/admin/verifications/:id/request-info`		Bearer token		explicit		inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminRequestVerificationInfo	
	POST		`/campus/v1/student-verifications`		Bearer token		explicit		inferred:authUser, authUser, multerMiddleware, startStudentVerification	
	POST		`/campus/v1/student-verifications/:id/resubmit`		Bearer token		explicit		inferred:authUser, authUser, multerMiddleware, resubmitStudentVerification	
	GET		`/campus/v1/student-verifications/me`		Bearer token		explicit		inferred:authUser, authUser, studentVerificationStatus	
	GET		`/campus/v1/universities`		Public/system		none		listUniversities	
	GET		`/campus/v1/universities/:id/campuses`		Public/system		none		listUniversityCampuses	
	POST		`/campus/v1/verification/confirm-email`		Bearer token		explicit		inferred:authUser, authUser, multerMiddleware, confirmStudentVerificationEmail	
	POST		`/campus/v1/verification/start`		Bearer token		explicit		inferred:authUser, authUser, multerMiddleware, startStudentVerification	
	POST		`/campus/v1/verification/upload-document`		Bearer token		explicit		inferred:authUser, authUser, multerMiddleware, uploadStudentVerificationDocument	

Campus Student

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		`/user/v1/campus/admin/verifications`		Bearer token		explicit		authUser, activeContextGuard, adminListVerifications	
	POST		`/user/v1/campus/admin/verifications/:id/approve`		Bearer token		explicit		authUser, activeContextGuard, multerMiddleware, adminApproveVerification	
	POST		`/user/v1/campus/admin/verifications/:id/reject`		Bearer token		explicit		authUser, activeContextGuard, multerMiddleware, adminRejectVerification	
	POST		`/user/v1/campus/admin/verifications/:id/request-info`		Bearer token		explicit		authUser, activeContextGuard, multerMiddleware, adminRequestVerificationInfo	
	GET		`/user/v1/campus/applications`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, applications	
	GET		`/user/v1/campus/applications/:id`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, applicationDetails	
	PATCH		`/user/v1/campus/applications/:id/cancel`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, cancelApplication	
	POST		`/user/v1/campus/applications/:id/cancel`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, cancelApplication	
	POST		`/user/v1/campus/applications/:id/messages`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, sendApplicationMessage	
	GET		`/user/v1/campus/content`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, content	
	GET		`/user/v1/campus/dashboard`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, dashboard	
	GET		`/user/v1/campus/dashboard/overview`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, dashboard	
	GET		`/user/v1/campus/events`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, events	
	PATCH		`/user/v1/campus/events/:eventId/cancel`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, cancelEventRegistration	
	POST		`/user/v1/campus/events/:eventId/cancel`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, cancelEventRegistration	
	POST		`/user/v1/campus/events/:eventId/register`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, registerEvent	
	GET		`/user/v1/campus/opportunities`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, opportunities	
	GET		`/user/v1/campus/opportunities/:id`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, opportunityDetails	
	POST		`/user/v1/campus/opportunities/:id/apply`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, requireCampusOpportunity, multerMiddleware, applyJob	
	POST		`/user/v1/campus/opportunities/:id/apply-external`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, requireCampusOpportunity, multerMiddleware, applyExternalOpportunity	
	GET		`/user/v1/campus/opportunities/:id/readiness`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, requireCampusOpportunity, getApplyReadiness	
	DELETE		`/user/v1/campus/opportunities/:id/save`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, saveOpportunity	
	POST		`/user/v1/campus/opportunities/:id/save`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, saveOpportunity	
	POST		`/user/v1/campus/opportunities/:id/toggle-save`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, multerMiddleware, toggleSaveOpportunity	
	GET		`/user/v1/campus/overview`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, overview	
	GET		`/user/v1/campus/profile`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, profile	
	PATCH		`/user/v1/campus/profile`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, profile	
	POST		`/user/v1/campus/profile`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, profile	
	PUT		`/user/v1/campus/profile`		Bearer token		explicit		authUser, anonymous, requireCampusStudent, profile	

GET	`/user/v1/campus/resources`	Bearer token explicit	authUser, anonymous, requireCampusStudent, resources
POST	`/user/v1/campus/student-verifications`	Bearer token explicit	authUser, multerMiddleware, startStudentVerification
POST	`/user/v1/campus/student-verifications/:id/resubmit`	Bearer token explicit	authUser, multerMiddleware, resubmitStudentVerification
GET	`/user/v1/campus/student-verifications/me`	Bearer token explicit	authUser, studentVerificationStatus
GET	`/user/v1/campus/universities`	Public/system none	listUniversities
GET	`/user/v1/campus/universities/:id/campuses`	Public/system none	listUniversityCampuses
GET	`/user/v1/campus/university/opportunities`	Bearer token explicit	authUser, activeContextGuard, userUniversityOpportunities
POST	`/user/v1/campus/university/opportunities`	Bearer token explicit	authUser, activeContextGuard, userUniversityOpportunities
GET	`/user/v1/campus/university/overview`	Bearer token explicit	authUser, activeContextGuard, userUniversityOverview
GET	`/user/v1/campus/university/partners`	Bearer token explicit	authUser, activeContextGuard, userUniversityPartners
GET	`/user/v1/campus/university/students`	Bearer token explicit	authUser, activeContextGuard, userUniversityStudents
POST	`/user/v1/campus/verification/confirm-email`	Bearer token explicit	authUser, multerMiddleware, confirmStudentVerificationEmail
POST	`/user/v1/campus/verification/start`	Bearer token explicit	authUser, multerMiddleware, startStudentVerification
POST	`/user/v1/campus/verification/upload-document`	Bearer token explicit	authUser, multerMiddleware, uploadStudentVerificationDocument

Company

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
POST	`/company/v1/auth/login`	Public/system	none	multerMiddleware, login
POST	`/company/v1/auth/logout`	Public/system	none	multerMiddleware, logout
GET	`/company/v1/campus/opportunities`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, companyOpportunities
POST	`/company/v1/campus/opportunities`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, companyOpportunities
GET	`/company/v1/campus/overview`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, universityOverview
GET	`/company/v1/campus/partners`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, partners
POST	`/company/v1/campus/partners`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, partners
GET	`/company/v1/campus/students`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, students
GET	`/company/v1/global`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, getCompanyDashboard
GET	`/company/v1/global/analytics`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getCompanyAnalytics
GET	`/company/v1/global/analytics/applications`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getApplicationsAnalytics
GET	`/company/v1/global/analytics/jobs`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getJobsAnalytics
GET	`/company/v1/global/analytics/profile`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getProfileAnalytics
GET	`/company/v1/global/applications`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getAllApplications
GET	`/company/v1/global/applications/:applicationId`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getApplicationDetails
GET	`/company/v1/global/applications/:applicationId/audit-logs`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getApplicationAuditLogs
POST	`/company/v1/global/applications/:applicationId/note`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, addApplicationNote
POST	`/company/v1/global/applications/:applicationId/rate`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, rateApplicant
PATCH	`/company/v1/global/applications/:applicationId/status`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, changeApplicationStatus
GET	`/company/v1/global/audit-logs`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getAuditLogs
GET	`/company/v1/global/interviews`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getCompanyInterviews
POST	`/company/v1/global/interviews`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getCompanyInterviews
DELETE	`/company/v1/global/interviews/:interviewId`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateInterview

PATCH	/company/v1/global/interviews/:interviewId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateInterview
GET	/company/v1/global/jobs`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobs
POST	/company/v1/global/jobs`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobs
DELETE	/company/v1/global/jobs/:jobId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobDetails
GET	/company/v1/global/jobs/:jobId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobDetails
PATCH	/company/v1/global/jobs/:jobId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobDetails
POST	/company/v1/global/jobs/:jobId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobDetails
PUT	/company/v1/global/jobs/:jobId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getMyJobDetails
GET	/company/v1/global/jobs/:jobId/applicants`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobApplicants
PATCH	/company/v1/global/jobs/:jobId/archive`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware
GET	/company/v1/global/jobs/:jobId/audit-logs`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobAuditLogs
POST	/company/v1/global/jobs/:jobId/clone`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, cloneJob
PATCH	/company/v1/global/jobs/:jobId/pause`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware
PATCH	/company/v1/global/jobs/:jobId/publish`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware
GET	/company/v1/global/jobs/:jobId/recommended-employees`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getRecommendedEmployeesForJob
PATCH	/company/v1/global/jobs/:jobId/restore`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware
PATCH	/company/v1/global/jobs/:jobId/status`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, changeJobStatus
PATCH	/company/v1/global/jobs/bulk`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, bulkUpdateJobs
GET	/company/v1/global/jobs/statistics`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, getJobsStatistics
GET	/company/v1/global/me/basic-profile`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyBasicCompanyProfile
PUT	/company/v1/global/me/basic-profile`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyBasicCompanyProfile
PUT	/company/v1/global/me/image`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, multerMiddleware, updateMyCompanyUserProfile
GET	/company/v1/global/members`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listMembers
POST	/company/v1/global/members`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listMembers
DELETE	/company/v1/global/members/:memberId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateMember
PATCH	/company/v1/global/members/:memberId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateMember
GET	/company/v1/global/message-templates`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listTemplates
POST	/company/v1/global/message-templates`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, listTemplates
DELETE	/company/v1/global/message-templates/:templateId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateTemplate
PATCH	/company/v1/global/message-templates/:templateId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateTemplate
GET	/company/v1/global/profile`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyCompanyProfile
PUT	/company/v1/global/profile`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMyCompanyProfile
GET	/company/v1/global/profile/:section`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMySection
POST	/company/v1/global/profile/:section`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMySection
PUT	/company/v1/global/profile/:section`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, getMySection
DELETE	/company/v1/global/profile/:section/:itemId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateSectionItem
PATCH	/company/v1/global/profile/:section/:itemId`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateSectionItem
PUT	/company/v1/global/profile/about`	Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateCompanyAbout

GET	/company/v1/global/profile/completion`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, getMyCompanyCompletion
PUT	/company/v1/global/profile/contact`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateCompanyContact
GET	/company/v1/global/profile/files`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, listCompanyFiles
POST	/company/v1/global/profile/files`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, listCompanyFiles
DELETE	/company/v1/global/profile/files/:filename`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, deleteCompanyFile
GET	/company/v1/global/profile/files/:filename/download`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, downloadCompanyFile
PUT	/company/v1/global/profile/location`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateCompanyLocation
PUT	/company/v1/global/profile/media`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateCompanyMedia
POST	/company/v1/global/profile/rebuild-search-filters`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, rebuildMyCompanySearchFilters
GET	/company/v1/global/question-library`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, listQuestions
POST	/company/v1/global/question-library`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, listQuestions
DELETE	/company/v1/global/question-library/:questionId`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateQuestion
PATCH	/company/v1/global/question-library/:questionId`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateQuestion
GET	/company/v1/global/subscription`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getMySubscription
GET	/company/v1/global/subscription/billing-summary`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getBillingSummary
GET	/company/v1/global/subscription/current`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getMySubscription
GET	/company/v1/global/subscription/invoices`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getMyInvoices
GET	/company/v1/global/subscription/invoices/:invoiceId`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getMyInvoiceDetails
POST	/company/v1/global/subscription/request`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, requestPlanChange
GET	/company/v1/global/support-tickets`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, listTickets
POST	/company/v1/global/support-tickets`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, listTickets
GET	/company/v1/global/support-tickets/:ticketId`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, getTicketDetails
POST	/company/v1/global/support-tickets/:ticketId/messages`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, addTicketMessage
GET	/company/v1/helper/cities`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, cities
GET	/company/v1/helper/currencies`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, getCurrencies
GET	/company/v1/helper/education-level`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, educationLevel
GET	/company/v1/helper/experience-level`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, experienceLevel
GET	/company/v1/helper/industry`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, industry
GET	/company/v1/helper/job-name`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, anonymous
GET	/company/v1/helper/job-types`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, getJobType
GET	/company/v1/helper/languages`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, getLanguages
GET	/company/v1/helper/salaries`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, salaryType
GET	/company/v1/helper/services`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, services
GET	/company/v1/helper/skills`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, skills
GET	/company/v1/helper/work-mode`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, workMode
GET	/company/v1/helper/work-time`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, multerMiddleware, workTime
GET	/company/v1/jobs/hiring/:jobId/applicants`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicants
GET	/company/v1/jobs/hiring/:jobId/applications`	Bearer token	inferred-parent-mount	inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobApplications

POST `/company/v1/jobs/hiring/:jobId/invitations` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, sendJobInvitation
GET `/company/v1/jobs/hiring/applicants` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicants
GET `/company/v1/jobs/hiring/applications` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobApplications
GET `/company/v1/jobs/hiring/applications/:applicationId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicationDetails
PATCH `/company/v1/jobs/hiring/applications/:applicationId/block-applicant` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, blockApplicationApplicant
GET `/company/v1/jobs/hiring/applications/:applicationId/cv` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getApplicationCv
POST `/company/v1/jobs/hiring/applications/:applicationId/interviews` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, createInterview
POST `/company/v1/jobs/hiring/applications/:applicationId/messages` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, sendApplicationMessage
PATCH `/company/v1/jobs/hiring/applications/:applicationId/restore` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, restoreApplication
PATCH `/company/v1/jobs/hiring/applications/:applicationId/status` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateApplicationStatus
POST `/company/v1/jobs/hiring/applications/bulk-cv` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, bulkApplicationCvs
POST `/company/v1/jobs/hiring/applications/bulk-export` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, bulkExportApplications
GET `/company/v1/jobs/hiring/interviews` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, createInterview
POST `/company/v1/jobs/hiring/interviews` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, createInterview
PATCH `/company/v1/jobs/hiring/interviews/:interviewId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, updateInterview
PATCH `/company/v1/jobs/hiring/interviews/:interviewId/status` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, changeInterviewStatus
GET `/company/v1/jobs/hiring/invitations` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, sendJobInvitation
POST `/company/v1/jobs/hiring/invitations` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, sendJobInvitation
GET `/company/v1/jobs/hiring/invitations/:invitationId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobInvitationDetails
PATCH `/company/v1/jobs/hiring/invitations/:invitationId/cancel` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, cancelJobInvitation
GET `/company/v1/jobs/hiring/pipeline` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getAtsPipeline
GET `/company/v1/jobs/hiring/reviews` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getCompanyJobReviews
GET `/company/v1/jobs/hiring/summary` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getHiringSummary
GET `/company/v1/jobs/hiring/talent-pool` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getTalentPool
GET `/company/v1/jobs/talent/:jobId/employees/:employeeId/match` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, matchEmployeeWithJob
GET `/company/v1/jobs/talent/:jobId/help-requests` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, requestJobZainTalentHelp
POST `/company/v1/jobs/talent/:jobId/help-requests` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, requestJobZainTalentHelp
GET `/company/v1/jobs/talent/:jobId/smart-employees` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getSmartEmployeesForJob
POST `/company/v1/jobs/talent/:jobId/smart-employees/generate` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, generateSmartEmployeesForJob
GET `/company/v1/jobs/talent/employees` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, searchEmployees
GET `/company/v1/jobs/talent/employees/:employeeId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getEmployeeDetails
GET `/company/v1/jobs/talent/help-requests` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, requestJobZainTalentHelp
POST `/company/v1/jobs/talent/help-requests` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, requestJobZainTalentHelp
GET `/company/v1/jobs/talent/help-requests/:requestId` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, getJobZainTalentRequestDetails
PATCH `/company/v1/jobs/talent/help-requests/:requestId/cancel` Bearer token inferred-parent-mount inferred:approvedCompanyGuard, anonymous, multerMiddleware, cancelJobZainTalentRequest

Files

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---

GET	`/cv/generated/:fileName`	Public/system	none	anonymous	
-----	---------------------------	---------------	------	-----------	--

Health

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	`/health`	Public/system	none	protectHealth, anonymous

Jobs

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	`/jobs/v1/:jobId/translations/:lang`	Bearer token	explicit	authUser, anonymous, multerMiddleware, saveJobTranslation
PUT	`/jobs/v1/:jobId/translations/:lang`	Bearer token	explicit	authUser, anonymous, multerMiddleware, saveJobTranslation

Legacy User

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	`/user/v1/app/dashboard`	Bearer token	explicit	authUser, getMyAppDashboardOverview
GET	`/user/v1/app/dashboard/overview`	Bearer token	explicit	authUser, getMyAppDashboardOverview
GET	`/user/v1/applying-job/get`	Bearer token	explicit	authUser, anonymous, getAppliedJobs
POST	`/user/v1/applying-job/insert/:id`	Bearer token	explicit	authUser, anonymous, applyJob
GET	`/user/v1/applying-job/readiness/:id`	Bearer token	explicit	authUser, anonymous, getApplyReadiness
POST	`/user/v1/auth/campus/register`	Public/system	none	multerMiddleware, campusRegister
POST	`/user/v1/auth/campus/university-login`	Public/system	none	multerMiddleware, universityLogin
POST	`/user/v1/auth/forgot-password`	Public/system	none	forgotPassword
POST	`/user/v1/auth/login`	Public/system	none	multerMiddleware, login
POST	`/user/v1/auth/logout`	Public/system	none	multerMiddleware, logout
POST	`/user/v1/auth/passcode-forgot-password`	Public/system	none	passcodeVerify
POST	`/user/v1/auth/passcode-verify`	Public/system	none	passcodeVerify
POST	`/user/v1/auth/refresh-token`	Public/system	none	multerMiddleware, refreshToken
POST	`/user/v1/auth/register`	Public/system	none	multerMiddleware, register
POST	`/user/v1/auth/resend-otp`	Public/system	none	resendOtp
POST	`/user/v1/auth/resetPassword`	Public/system	none	resetPassword
POST	`/user/v1/auth/update-image`	Bearer token	explicit	authUser, multerMiddleware, updateImage
POST	`/user/v1/auth/update-profile`	Bearer token	explicit	authUser, updateProfile
GET	`/user/v1/banner/get`	Public/system	none	get
GET	`/user/v1/career-passport`	Bearer token	explicit	authUser, anonymous, get
PUT	`/user/v1/career-passport`	Bearer token	explicit	authUser, anonymous, get
POST	`/user/v1/career-passport/share`	Bearer token	explicit	authUser, anonymous, jsonParser, share
GET	`/user/v1/career-passport/share/:token`	Public/system	none	shared
GET	`/user/v1/company-jobs-profile/job-details/:id`	Bearer token	explicit	authUser, anonymous, getJobDetails
GET	`/user/v1/company-jobs-profile/profile-jobs`	Bearer token	explicit	authUser, anonymous, companyData
POST	`/user/v1/company/delete-file`	Bearer token	explicit	authUser, deleteFile
GET	`/user/v1/company/download-file`	Bearer token	explicit	authUser, downloadFile
GET	`/user/v1/company/get-files`	Bearer token	explicit	authUser, getFileLinks
POST	`/user/v1/company/join-request`	Bearer token	explicit	authUser, multerMiddleware, joinRequest
GET	`/user/v1/company/my-company`	Bearer token	explicit	authUser, get
POST	`/user/v1/company/update-my-company`	Bearer token	explicit	authUser, update
POST	`/user/v1/company/update-my-company-image`	Bearer token	explicit	authUser, multerMiddleware, updateImage
POST	`/user/v1/company/upload-file`	Bearer token	explicit	authUser, multerMiddleware, uploadFile
GET	`/user/v1/cv/translations/:lang`	Bearer token	explicit	authUser, anonymous, multerMiddleware, saveCvTranslation
PUT	`/user/v1/cv/translations/:lang`	Bearer token	explicit	authUser, anonymous, multerMiddleware, saveCvTranslation
GET	`/user/v1/employee/profile-get`	Bearer token	explicit	authUser, anonymous, multerMiddleware, profile
POST	`/user/v1/employee/profile-update`	Bearer token	explicit	authUser, anonymous, multerMiddleware, update
POST	`/user/v1/fcm/delete-tokens/:id`	Bearer token	explicit	authUser, deleteToken
GET	`/user/v1/fcm/tokens`	Bearer token	explicit	authUser, listTokens
POST	`/user/v1/fcm/tokens`	Bearer token	explicit	authUser, listTokens

	POST		`/user/v1/fcm/update-tokens/:id`		Bearer token		explicit		authUser, jsonParser, updateToken	
	GET		`/user/v1/global/cities`		Public/system		none		countries	
	GET		`/user/v1/global/countries`		Public/system		none		countries	
	GET		`/user/v1/global/currencies`		Public/system		none		currencies	
	GET		`/user/v1/global/currency`		Public/system		none		currencies	
	GET		`/user/v1/global/work-mode`		Public/system		none		workModes	
	GET		`/user/v1/global/work-modes`		Public/system		none		workModes	
	POST		`/user/v1/handle-applied-job/change-job-status/:id`		Bearer token		explicit		authUser, anonymous, changeStatus	
	POST		`/user/v1/handle-applied-job/send-interview/:id`		Bearer token		explicit		authUser, anonymous, SendInterview	
	GET		`/user/v1/helper/cities`		Public/system		none		anonymous	
	GET		`/user/v1/helper/city-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/countries`		Public/system		none		anonymous	
	GET		`/user/v1/helper/country`		Public/system		none		anonymous	
	GET		`/user/v1/helper/country-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/country-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currencies`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currency`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currency-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/currency-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/education-level`		Public/system		none		anonymous	
	GET		`/user/v1/helper/education-levels`		Public/system		none		anonymous	
	GET		`/user/v1/helper/experience-level`		Public/system		none		anonymous	
	GET		`/user/v1/helper/experience-levels`		Public/system		none		anonymous	
	GET		`/user/v1/helper/industries`		Public/system		none		anonymous	
	GET		`/user/v1/helper/industry`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-location`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-location-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-name`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-names`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-salaries`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-salary`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-salary-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-service`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-service-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-services`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-time`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-time-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-type`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-type-get`		Public/system		none		anonymous	
	GET		`/user/v1/helper/job-types`		Public/system		none		anonymous	
	GET		`/user/v1/helper/language`		Public/system		none		anonymous	
	GET		`/user/v1/helper/language-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/languages`		Public/system		none		anonymous	
	GET		`/user/v1/helper/salaries`		Public/system		none		anonymous	
	GET		`/user/v1/helper/services`		Public/system		none		anonymous	
	GET		`/user/v1/helper/skill`		Public/system		none		anonymous	
	GET		`/user/v1/helper/skill-search`		Public/system		none		anonymous	
	GET		`/user/v1/helper/skills`		Public/system		none		anonymous	
	GET		`/user/v1/helper/work-location`		Public/system		none		anonymous	
	GET		`/user/v1/helper/work-locations`		Public/system		none		anonymous	
	GET		`/user/v1/helper/work-mode`		Public/system		none		anonymous	
	GET		`/user/v1/helper/work-modes`		Public/system		none		anonymous	
	GET		`/user/v1/helper/work-time`		Public/system		none		anonymous	
	GET		`/user/v1/helper/work-times`		Public/system		none		anonymous	
	POST		`/user/v1/job-information/apply-outside/:id`		Bearer token		explicit		authUser, anonymous, applyOutsideJob	
	GET		`/user/v1/job-information/list-job-reviews/:id`		Public/system		none		listJobReviews	
	GET		`/user/v1/job-information/list-job-savers/:id`		Bearer token		explicit		authUser, anonymous, listJobSavers	
	POST		`/user/v1/job-information/rate-job/:id`		Bearer token		explicit		authUser, anonymous, rateJob	
	GET		`/user/v1/job-information/recompute-job-rating-breakdown/:id`		Bearer token		explicit		authUser, anonymous, recomputeJobRatingBreakdown	
	POST		`/user/v1/job-information/report-job/:id`		Bearer token		explicit		authUser, anonymous, reportJob	
	POST		`/user/v1/job-information/review-job/:id`		Bearer token		explicit		authUser, anonymous, reviewJob	

	POST		/user/v1/job-information/toggle-save-job/:id		Bearer token		explicit		authUser, anonymous, toggleSaveJob	
	GET		/user/v1/job-profile/get-applied-jobs		Bearer token		explicit		authUser, anonymous, getAppliedJobs	
	GET		/user/v1/job-profile/get-interviewed-jobs		Bearer token		explicit		authUser, anonymous, getInterviewedJobs	
	GET		/user/v1/job-profile/get-saved-job		Bearer token		explicit		authUser, anonymous, getSavedJob	
	GET		/user/v1/job-profile/get-user-job-counts		Bearer token		explicit		authUser, anonymous, getUserJobCounts	
	GET		/user/v1/job-result/get-by-id/:id		Bearer token		explicit		authUser, anonymous, getJobById	
	GET		/user/v1/job-result/get-created-job		Bearer token		explicit		authUser, anonymous, getCreatedJobs	
	GET		/user/v1/job-result/get-job-applicant/:id		Bearer token		explicit		authUser, anonymous, getJobApplicants	
	GET		/user/v1/job-result/get-job-rating/:id		Bearer token		explicit		authUser, anonymous, getJobRatingStats	
	GET		/user/v1/job-result/get-job-review/:id		Bearer token		explicit		authUser, anonymous, getJobReviews	
	GET		/user/v1/job-result/get-job-savers/:id		Bearer token		explicit		authUser, anonymous, getJobSavers	
	POST		/user/v1/job/create		Bearer token		explicit		authUser, anonymous, create	
	GET		/user/v1/job/get		Public/system		none		optionalAuthUser, get	
	GET		/user/v1/job/get-by-id/:id		Public/system		none		optionalAuthUser, getById	
	GET		/user/v1/job/get-filters		Public/system		none		optionalAuthUser, getFilters	
	GET		/user/v1/job/get-popular		Public/system		none		optionalAuthUser, get	
	GET		/user/v1/job/get-single-job/:id		Public/system		none		optionalAuthUser, getById	
	GET		/user/v1/job/job-role		Bearer token		explicit		authUser, anonymous, whatIsMyRole	
	POST		/user/v1/job/update/:id		Bearer token		explicit		authUser, anonymous, update	
	GET		/user/v1/keyword/get		Public/system		none		get	
	POST		/user/v1/me/active-context		Bearer token		explicit		authUser, jsonParser, setActiveContext	
	GET		/user/v1/me/contexts		Bearer token		explicit		authUser, listContexts	
	GET		/user/v1/me/permissions		Bearer token		explicit		authUser, permissions	
	GET		/user/v1/notification		Bearer token		explicit		authUser, list	
	DELETE		/user/v1/notification/:id		Bearer token		explicit		authUser, remove	
	POST		/user/v1/notification/:id/delete		Bearer token		explicit		authUser, remove	
	PATCH		/user/v1/notification/:id/read		Bearer token		explicit		authUser, markRead	
	POST		/user/v1/notification/:id/read		Bearer token		explicit		authUser, markRead	
	PATCH		/user/v1/notification/:id/unread		Bearer token		explicit		authUser, markUnread	
	POST		/user/v1/notification/:id/unread		Bearer token		explicit		authUser, markUnread	
	GET		/user/v1/notification/get		Bearer token		explicit		authUser, list	
	GET		/user/v1/notification/preferences		Bearer token		explicit		authUser, getPreferences	
	PATCH		/user/v1/notification/preferences		Bearer token		explicit		authUser, getPreferences	
	PUT		/user/v1/notification/preferences		Bearer token		explicit		authUser, getPreferences	
	PATCH		/user/v1/notification/read-all		Bearer token		explicit		authUser, markAllRead	
	POST		/user/v1/notification/read-all		Bearer token		explicit		authUser, markAllRead	
	GET		/user/v1/notification/unread-count		Bearer token		explicit		authUser, unreadCount	
	GET		/user/v1/notifications		Bearer token		explicit		authUser, list	
	DELETE		/user/v1/notifications/:id		Bearer token		explicit		authUser, remove	
	POST		/user/v1/notifications/:id/delete		Bearer token		explicit		authUser, remove	
	PATCH		/user/v1/notifications/:id/read		Bearer token		explicit		authUser, markRead	
	POST		/user/v1/notifications/:id/read		Bearer token		explicit		authUser, markRead	
	PATCH		/user/v1/notifications/:id/unread		Bearer token		explicit		authUser, markUnread	
	POST		/user/v1/notifications/:id/unread		Bearer token		explicit		authUser, markUnread	
	GET		/user/v1/notifications/get		Bearer token		explicit		authUser, list	
	GET		/user/v1/notifications/preferences		Bearer token		explicit		authUser, getPreferences	
	PATCH		/user/v1/notifications/preferences		Bearer token		explicit		authUser, getPreferences	
	PUT		/user/v1/notifications/preferences		Bearer token		explicit		authUser, getPreferences	
	PATCH		/user/v1/notifications/read-all		Bearer token		explicit		authUser, markAllRead	
	POST		/user/v1/notifications/read-all		Bearer token		explicit		authUser, markAllRead	
	GET		/user/v1/notifications/unread-count		Bearer token		explicit		authUser, unreadCount	
	GET		/user/v1/page/details/:key		Public/system		none		details	
	GET		/user/v1/page/get		Public/system		none		get	

Notifications

	Method		Path		Auth		Guard source		Middleware/guards	
	---		---		---		---		---	
	GET		/notifications/v1		Bearer token		inferred-parent-mount		inferred:authUser, list	
	PATCH		/notifications/v1/:id/read		Bearer token		inferred-parent-mount		inferred:authUser, markRead	
	POST		/notifications/v1/:id/read		Bearer token		inferred-parent-mount		inferred:authUser, markRead	
	DELETE		/notifications/v1/device-token		Bearer token		inferred-parent-mount		inferred:authUser, jsonParser, registerToken	

POST	`/notifications/v1/device-token`	Bearer token	inferred-parent-mount	inferred:authUser, jsonParser, registerToken
DELETE	`/notifications/v1/device-token/:id`	Bearer token	inferred-parent-mount	inferred:authUser, deleteDeviceToken
POST	`/notifications/v1/device-token/delete`	Bearer token	inferred-parent-mount	inferred:authUser, jsonParser, deleteDeviceToken
GET	`/notifications/v1/list`	Bearer token	inferred-parent-mount	inferred:authUser, list
GET	`/notifications/v1/preferences`	Bearer token	inferred-parent-mount	inferred:authUser, getPreferences
PATCH	`/notifications/v1/preferences`	Bearer token	inferred-parent-mount	inferred:authUser, getPreferences
PUT	`/notifications/v1/preferences`	Bearer token	inferred-parent-mount	inferred:authUser, getPreferences
PATCH	`/notifications/v1/read`	Bearer token	inferred-parent-mount	inferred:authUser, markRead
POST	`/notifications/v1/read`	Bearer token	inferred-parent-mount	inferred:authUser, markRead
PATCH	`/notifications/v1/read-all`	Bearer token	inferred-parent-mount	inferred:authUser, markRead
POST	`/notifications/v1/read-all`	Bearer token	inferred-parent-mount	inferred:authUser, markRead
GET	`/notifications/v1/unread-count`	Bearer token	inferred-parent-mount	inferred:authUser, unreadCount

Seeker

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	`/employee/v1/applications`	Bearer token	explicit	authUser, anonymous, myApplications
GET	`/employee/v1/applications/:applicationId`	Bearer token	explicit	authUser, anonymous, getMyApplicationDetails
PATCH	`/employee/v1/applications/:applicationId/cancel`	Bearer token	explicit	authUser, anonymous, multerMiddleware, cancelMyApplication
POST	`/employee/v1/applications/:applicationId/cancel`	Bearer token	explicit	authUser, anonymous, multerMiddleware, cancelMyApplication
POST	`/employee/v1/applications/:applicationId/messages`	Bearer token	explicit	authUser, anonymous, multerMiddleware, addApplicationMessage
GET	`/employee/v1/applications/interviews`	Bearer token	explicit	authUser, anonymous, myInterviews
PATCH	`/employee/v1/applications/interviews/:interviewId/respond`	Bearer token	explicit	authUser, anonymous, multerMiddleware, respondToInterview
POST	`/employee/v1/applications/interviews/:interviewId/respond`	Bearer token	explicit	authUser, anonymous, multerMiddleware, respondToInterview
GET	`/employee/v1/applications/offers`	Bearer token	explicit	authUser, anonymous, myJobInvitations
PATCH	`/employee/v1/applications/offers/:invitationId/respond`	Bearer token	explicit	authUser, anonymous, multerMiddleware, respondToJobInvitation
POST	`/employee/v1/applications/offers/:invitationId/respond`	Bearer token	explicit	authUser, anonymous, multerMiddleware, respondToJobInvitation
POST	`/employee/v1/auth/login`	Public/system	none	multerMiddleware, login
GET	`/employee/v1/companies`	Bearer token	explicit	authUser, anonymous, browseCompanies
GET	`/employee/v1/companies/:companyId`	Bearer token	explicit	authUser, anonymous, companyDetails
POST	`/employee/v1/companies/:companyId/review`	Bearer token	explicit	authUser, anonymous, multerMiddleware, reviewCompany
GET	`/employee/v1/companies/activity`	Bearer token	explicit	authUser, anonymous, companiesFromMyActivity
GET	`/employee/v1/companies/applied`	Bearer token	explicit	authUser, anonymous, companiesIAppliedTo
GET	`/employee/v1/companies/saved-jobs`	Bearer token	explicit	authUser, anonymous, companiesFromSavedJobs
GET	`/employee/v1/companies/viewed`	Bearer token	explicit	authUser, anonymous, companiesViewedByMe
GET	`/employee/v1/cv/download/:cvId`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, downloadSavedCv
POST	`/employee/v1/cv/generate/download`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, downloadMyCv
POST	`/employee/v1/cv/generate/download-url`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, createMyCvDownloadUrl
POST	`/employee/v1/cv/generate/preview`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, previewMyCv
POST	`/employee/v1/cv/generate/save`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, saveMyCvSettings
GET	`/employee/v1/cv/generate/templates`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, getCvTemplatesPublic
POST	`/employee/v1/cv/upload`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, uploadMyCv
PUT	`/employee/v1/cv/upload/:cvId`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, setActiveCv
GET	`/employee/v1/cv/uploaded`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, getMyUploadedCvs
DELETE	`/employee/v1/cv/uploaded/:cvId`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, deleteMyUploadedCv
GET	`/employee/v1/global`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, getEmployeeDashboard
GET	`/employee/v1/global/applications`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, myApplications

GET `/employee/v1/global/applications/:applicationId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyApplicationDetails
PATCH `/employee/v1/global/applications/:applicationId/cancel` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, cancelMyApplication
POST `/employee/v1/global/applications/:applicationId/messages` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, addApplicationMessage
GET `/employee/v1/global/applications/applied` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myApplications
GET `/employee/v1/global/applications/interviews` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myInterviews
PATCH `/employee/v1/global/applications/interviews/:interviewId/respond` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, respondToInterview
GET `/employee/v1/global/applications/offers` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myJobInvitations
GET `/employee/v1/global/applications/offers/:invitationId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyJobInvitationDetails
PATCH `/employee/v1/global/applications/offers/:invitationId/reject` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, anonymous
PATCH `/employee/v1/global/applications/offers/:invitationId/respond` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, respondToJobInvitation
GET `/employee/v1/global/applications/rejected` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myRejectedApplications
GET `/employee/v1/global/applications/status` Bearer token inferred-parent-mount inferred:employeeAccountGuard, myApplications
GET `/employee/v1/global/companies` Bearer token inferred-parent-mount inferred:employeeAccountGuard, browseCompanies
GET `/employee/v1/global/companies/:companyId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companyDetails
POST `/employee/v1/global/companies/:companyId/review` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, reviewCompany
GET `/employee/v1/global/companies/activity` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesFromMyActivity
GET `/employee/v1/global/companies/applied` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesIAppliedTo
GET `/employee/v1/global/companies/saved-jobs` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesFromSavedJobs
GET `/employee/v1/global/companies/viewed` Bearer token inferred-parent-mount inferred:employeeAccountGuard, companiesViewedByMe
GET `/employee/v1/global/jobs` Bearer token inferred-parent-mount inferred:employeeAccountGuard, browseJobs
GET `/employee/v1/global/jobs/:jobId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getJobDetails
POST `/employee/v1/global/jobs/:jobId/apply` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, applyToJob
POST `/employee/v1/global/jobs/:jobId/rate` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, rateJob
POST `/employee/v1/global/jobs/:jobId/review` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, reviewJob
DELETE `/employee/v1/global/jobs/:jobId/save` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, saveJob
POST `/employee/v1/global/jobs/:jobId/save` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, saveJob
GET `/employee/v1/global/jobs/recommended` Bearer token inferred-parent-mount inferred:employeeAccountGuard, recommendedJobs
GET `/employee/v1/global/jobs/saved` Bearer token inferred-parent-mount inferred:employeeAccountGuard, savedJobs
GET `/employee/v1/global/me/basic-profile` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyBasicProfile
PUT `/employee/v1/global/me/basic-profile` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyBasicProfile
GET `/employee/v1/global/profile` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyEmployeeProfile
PUT `/employee/v1/global/profile` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMyEmployeeProfile
GET `/employee/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMySection
POST `/employee/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMySection
PUT `/employee/v1/global/profile/:section` Bearer token inferred-parent-mount inferred:employeeAccountGuard, getMySection
DELETE `/employee/v1/global/profile/:section/:itemId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, updateSectionItem
PATCH `/employee/v1/global/profile/:section/:itemId` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, updateSectionItem
PUT `/employee/v1/global/profile/about-me` Bearer token inferred-parent-mount inferred:employeeAccountGuard, multerMiddleware, updateAboutMe

GET	`/employee/v1/global/profile/completion`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, getMyEmployeeCompletion
PUT	`/employee/v1/global/profile/job-names`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, replaceJobNames
PUT	`/employee/v1/global/profile/job-types`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, replaceJobTypes
PUT	`/employee/v1/global/profile/latest-work-experience`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, updateLatestWorkExperience
PUT	`/employee/v1/global/profile/min-salary`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, replaceMinSalary
POST	`/employee/v1/global/profile/rebuild-search-filters`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, rebuildMySearchFilters
PUT	`/employee/v1/global/profile/work-preferences`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, updateWorkPreferences
GET	`/employee/v1/helper/cities`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, cities
GET	`/employee/v1/helper/currencies`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, getCurrencies
GET	`/employee/v1/helper/education-level`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, educationLevel
GET	`/employee/v1/helper/experience-level`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, experienceLevel
GET	`/employee/v1/helper/industry`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, industry
GET	`/employee/v1/helper/job-name`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, anonymous
GET	`/employee/v1/helper/job-types`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, getJobType
GET	`/employee/v1/helper/languages`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, getLanguages
GET	`/employee/v1/helper/salaries`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, salaryType
GET	`/employee/v1/helper/services`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, services
GET	`/employee/v1/helper/skills`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, skills
GET	`/employee/v1/helper/work-mode`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, workMode
GET	`/employee/v1/helper/work-time`	Bearer token	inferred-parent-mount	inferred:employeeAccountGuard, multerMiddleware, workTime
POST	`/employee/v1/jobs/:jobId/apply`	Bearer token	explicit	authUser, anonymous, multerMiddleware, applyToJob
POST	`/employee/v1/jobs/:jobId/rate`	Bearer token	explicit	authUser, anonymous, multerMiddleware, rateJob
POST	`/employee/v1/jobs/:jobId/review`	Bearer token	explicit	authUser, anonymous, multerMiddleware, reviewJob
DELETE	`/employee/v1/jobs/:jobId/save`	Bearer token	explicit	authUser, anonymous, multerMiddleware, saveJob
POST	`/employee/v1/jobs/:jobId/save`	Bearer token	explicit	authUser, anonymous, multerMiddleware, saveJob

Trust

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
PATCH	`/trust/v1/jobs/:jobId/documents`	Bearer token	explicit	authUser, anonymous, multerMiddleware, submitJobDocuments
POST	`/trust/v1/jobs/:jobId/documents`	Bearer token	explicit	authUser, anonymous, multerMiddleware, submitJobDocuments
POST	`/trust/v1/jobs/:jobId/report`	Bearer token	explicit	authUser, anonymous, multerMiddleware, reportJob
POST	`/trust/v1/jobs/:jobId/score`	Bearer token	explicit	authUser, anonymous, multerMiddleware, scoreJob

University

Method	Path	Auth	Guard source	Middleware/guards
---	---	---	---	---
GET	`/university/v1/analytics/employability`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityEmployabilityAnalytics
GET	`/university/v1/dashboard`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview
GET	`/university/v1/dashboard/overview`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview
GET	`/university/v1/employer-partners`	Bearer token	explicit	inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityPartners

GET `/university/v1/opportunities` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOpportunities
POST `/university/v1/opportunities` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOpportunities
GET `/university/v1/overview` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOverview
GET `/university/v1/partners` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityPartners
GET `/university/v1/reports/outcomes` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityOutcomeReport
GET `/university/v1/students` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityStudents
GET `/university/v1/students/:studentId/career-passport` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, userUniversityStudentCareerPassport
GET `/university/v1/verifications` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, adminListVerifications
POST `/university/v1/verifications/:id/approve` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminApproveVerification
POST `/university/v1/verifications/:id/reject` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminRejectVerification
POST `/university/v1/verifications/:id/request-info` Bearer token explicit inferred:universityAdminGuard, authUser, activeContextGuard, multerMiddleware, adminRequestVerificationInfo