Certificate of Analysis - 230264-1

RED B.V. Einsteinstraat 37 3316 GG Dordrecht (Netherlands)



SSL Code: RED230264-1

Sample Name: M20251404 Batch Number: BA001607

Method: Quantitative ³¹P-NMR spectroscopy according to SAA-MET002-06

Content of Phospholipids (organic layer):

TPP	Integral	MW [g/Mol]	Initial weight [mg]	LOQ [Mol%]	Matrix:
Internal Standard	19.56	326.29	15.01		LECITHIN
Test item			311.63	0.07	
Phospholipid	Integ 🛂	MW [g/Mol]	Content [mg]	Mol-%	Weight-%
PC	24.97	770.0	44.90	31.04	14.41
1-LPC	0.08	515.0	0.10	0.10	0.03
2-LPC	0.82	515.0	0.99	1.02	0.32
PI	15.22	835.0	29.68	18.92	9.52
PS-Na	0.76	797.2	1.41	0.94	0.45
PE	23.86	725.0	40.40	29.66	12.96
LPE	0.72	470.0	0.79	0.90	0.25
APE	1.92	990.0	4.44	2.39	1.42
PG	1.36	758.0	2.41	1.69	0.77
DPG	1.00	682.5	1.59	1.24	0.51
PA	9.06	685.0	14.49	11.26	4.65
LPA	0.39	430.0	0.39	0.48	0.13
Other	0.28	770.0	0.50	0.35	0.16
Sum	80.44			100.00	45.60
Phosphorus					1.87

Comments: -Analysed phospholipids include PC, 1-LPC, 2-LPC, PI, LPI, PS-Na, LPS, SPH, PE, LPE, APE, PG, DPG, PA and LPA.

- -Integrals of Phospholipid signals, which are not evaluable or belong to not listed Phospholipids, are recorded as "other".
- -Phospholipids that are not detected/have a value of "0" are filtered out and do not appear in the individual list.
- -Due to signal overlapping of PI and 1-LPC the content of 1-LPC was calculated as 10% from 2-LPC

Electronic Signatures:

Prepared by:	The results only apply for the sample material analysed by Spectral Service AG. The final evaluation of the results is in the competence and responsibility of the customer.

The Certificate of Analysis is valid by electronic signature. Unauthorised copying, using or changing of contents and images is not permitted. Any misuse will be prosecuted.

Certificate of Analysis 230264-1




Fig. 1 ³¹P-NMR spectrum of test item, Quantification (A)