
Frame Review: Keep the Lesson

CURRENT TECHNICAL REPORT · 26 OCTOBER 2026 · V18


For a creator who has a recording and no editable project. A small idle caret can keep blinking beside a changing package readout or written explanation. Frame Review proposes a bounded repair, asks the creator what teaching content must stay, and checks the actual encoded result. It keeps the original recoverable. It operates on selected short excerpts; it is not a full-lecture editing system.

1. Prepare a 1–12-second excerpt and inspect the smallest teaching label.
2. Compare both observed states, name the protected teaching areas, and check a fresh plan.
3. Explicitly generate a comparison; changed teaching samples, timing/audio or worse cuts can refuse the edit.
4. Inspect same-time teaching PNGs at 100% or 200%, switching source/edit at one scale and pan position. Download the evidence before expiry. Generation does not record acceptance for use.



Actual current AWS/in-app-browser Joomla QA view. The comparison uses static crops at a fixed frame, with manual switching and panning. Magnification shows existing prepared pixels; it does not reconstruct text or recover original resolution. Source: VolodyA! V Anarhist, Free Art License as listed. No human reading-benefit conclusion follows from this screenshot.

Architecture and preservation contract



AWS ECS: repair worker + static interface. CodeBuild qualifies pinned ECR image.

Separate human pilot: HTTP API → Lambda → private S3 → authenticated aggregate export

Counterbalanced clip reading / preference; QA excluded; no link to automatic edit approval.

OpenCV 5.0.0 identifies supported stationary two-state details. The deterministic source-matched policy selects an observed brightness reference and interval; it is not a semantic distraction classifier or autonomous creator. The creator can leave useful motion unchanged. Unknown uploads retain manual teaching-area marking; source-matched example guides never approve a plan.

The selected brightness samples are held only inside the approved box and interval. Every original chroma sample stays on its timeline. Native mapping, decoded RGB outside the actual caret box, all declared teaching RGB frames and ordered sequences, timestamps, prepared audio packets/skip metadata and decoded PCM must remain exact. Encoded entry, return and clip-loop changes cannot worsen. Selected activity means adjacent ROI-mean changes of at least eight RGB codes; it is not attention or semantic progress.

Runtime	Current deployment
Compute	default-lesson-rescue:23 · 1 vCPU / 2 GiB · one worker / eight jobs
Controls	Owner session; CSRF/origin and processing bounds; 24h expiry or earlier restart loss
Dependencies	Pinned Debian FFmpeg 7.1.5; image layers app changes over qualified v17
Access	No application AWS task role; temporary qualification policy removed

What the current evidence establishes

Previously selected original	Selected activity source → edit	Whole excerpt including cuts	Pack members
French form	5 → 0	8 → 2	51
Joomla installation	4 → 0	16 → 10	45
Gentoo package lesson	4 → 0	13 → 9	45

All three untouched-original native/export qualifications and fresh current HTTPS upload → checked plan → explicit approval → encoded pack runs pass. Empty teaching plans and stale approval hashes are refused; unowned job/workflow/artifact requests return 404. Every archive member hash verifies. Every downloaded media/PNG byte matches native qualification. The 108 native media/PNG members remain byte-identical to v17. These are regressions on previously selected sources, not new discoveries, held-out recall or independent people.

The teaching content keeps its timeline. In Gentoo, the protected live progress region retains all 32 changing adjacent pairs inside the hold, and its ordered teaching RGB sequence stays exact across 360 frames. Counts include codec variation, not semantic progress ticks. An editor may reasonably keep the caret.

Historical encoded counterfactual	Local repair: changed teaching frames	Whole-frame hold: changed teaching frames
French form	0	90 of 97 held frames
Joomla installation	0	90 of 96 held frames

This controlled v12 comparison uses the same selected interval/reference for local and deliberately constructed whole-frame hold. Both remove the selected blink; only the local edit preserves every declared teaching frame in those cases. The counterfactual is diagnostic, never an app-accepted output. Its source/local media remain identical under the current runtime.

Review reliability. All 14 Linux stages pass: 137 backend tests and 128 studio tests, one platform skip. Current in-app-browser Joomla review, explicit generation, 30 base PNGs, same-frame switching and saved-pack checks are recorded separately. In a controlled local test with real recorded PNGs and delayed uncached loads, V17 pan fell from [64,64] to [0,0]; V18 retained [64,64]. A 375px top-level browser viewport keeps scrolling inside the crop; this is not physical-phone qualification.

Expanded natural-source screen. Three sequential exploratory cohorts retain 42 fixed windows from five newly selected lessons and one previously tested bootcamp lesson. Eight rapid-change candidates in four windows depict teaching content: drawing transformations, status/code changes, presenter motion and scene cuts. None is called a useful distraction repair. Two jEdit windows refuse more than 16 regions. The other 40 recover original/prepared files exactly. Current live checks preserve both jEdit refusals and recover their source files, and protecting the drawing refuses all four overlapping plans. All source hashes, listed licenses, fixed selections and outcomes are retained in the source. These windows overlap and are not independent creator samples or held-out recall.

Earlier color, boundary, platform and browser failures remain in the dated evidence. The pan regression is retained before/after; no frozen engine, preservation threshold, boundary renderer or human-study stimulus was changed.

Viewer evidence, sources and limits

Authenticated snapshot 20261026T003727Z. Independent respondents: 0; project-team respondents: 0; QA records excluded: 2. One interested Devpost commenter received an individual invitation. Interest does not verify personhood, enrollment or benefit. No measured human learning, attention, preference, accessibility or time-saving claim is made.

The prospective protocol was published before collection at public commit 6ee27e1adeb9e0c515156985f84057f0bf93f4e6. Adults manually compare three silent source/edit lesson pairs in counterbalanced order. The first reading answer locks before the second version. Skips, wrong readings, negative preferences, ties and neither choices stay in analysis. The primary descriptive result counts people with an edit majority, source majority or no majority across three cases; team responses remain separate. Initial target 8–12 volunteers; 96 invitation slots are capacity, not achieved enrollment. Fixed close: October 27 at 06:00 UTC / 07:00 Lagos. This small convenience pilot cannot establish population efficacy.

Devpost volunteer discussion · Frozen protocol and analysis

Supported scope. Selected 1–12-second SDR excerpts, originals up to 64 MiB; preparation converts to 640×360 / 30 fps and mono AAC when audio exists. Preparation can make small labels unreadable. Exact edit checks reference prepared bytes, with uploaded originals retained separately. No full-lesson splice-back, original-resolution recovery, semantic moving-content tracking, publishing clearance or medical/safety claim. Static selected proofs do not show full motion. Generating a comparison does not record creator acceptance for use. Keep the pack before expiry.

Vitaly Zdanevich: Gentoo-portage-installing-and-using-of-equery.webm, CC0 as listed; adapted seconds 62–74. Original SHA-256: 28b6582333d38df21ac89e7511b506bbee9e1d211ad5809a4e729fde5a564eb1.

VolodyA! V Anarhist: Joomla Installation.vorb.theo.ogv, Free Art License (FAL) as listed as listed; adapted seconds 60–72. Original SHA-256: dcf4e35db5ada861d44ef0313083710c8397313885bc38afc901d8472475f83a.

Benoit Rochon: French upload-assistant tutorial, CC BY 3.0 as listed; adapted seconds 140–152. Original SHA-256:f3fb18ff88451ed8e44b3a4ac080474a0d108cc3b08af3d0f8e3013d65af2c61. All three are real lessons with no authored defect. Listed metadata is not independent rights clearance or endorsement.

Runtime manifest: 4af4ce21231c400e1111c42386a898a29b648e46fbcfafe97021b9983f65d935
Pinned image: sha256:be521868598227ed376f47fb095115abcb0502050222fc2e429d74c65633ecca

The accompanying source retains exact cases, dependency pins, all qualification logs, negative evidence and reproduction instructions. Current Git commit/archive/report hashes are listed in submission testing instructions. Direct source pushes; no cron. The historical demo stays unchanged while the new demo waits for creator audio.