
Frame Review: Keep the Lesson

CURRENT TECHNICAL REPORT · 26 OCTOBER 2026 · V19


For a creator who has a recording and no editable project. A small idle caret can keep blinking beside a changing package readout or written explanation. Frame Review proposes a bounded repair, asks the creator what teaching content must stay, and checks the actual encoded result. It keeps the original recoverable. It operates on selected short excerpts; it is not a full-lecture editing system.

1. Prepare and inspect a short authorized lesson excerpt.
2. If the region limit stops analysis, keep original/prepared downloads from the recovery card.
3. Set up four seconds; inspect the range and explicitly Analyze selected file again. No upload or approval is repeated by the setup button.
4. Review the new outcome. Keep the lesson unchanged if no useful proposal exists. Edits still require teaching areas, a fresh plan, explicit consent and exact encoded checks.



Actual current AWS/in-app-browser jEdit failure recovery. The sixteen-region refusal remains. The card surfaces retained source downloads and sets up a four-second range; a separate explicit Analyze action is still required. Source: Info-farmer, CC0 as listed. A shorter excerpt can still be refused. This is a workflow verification, not measured human benefit.

Architecture and preservation contract



AWS ECS: repair worker + static interface. CodeBuild qualifies pinned ECR image.

Separate human pilot: HTTP API → Lambda → private S3 → authenticated aggregate export

Counterbalanced clip reading / preference; QA excluded; no link to automatic edit approval.

OpenCV 5.0.0 identifies supported stationary two-state details. The deterministic source-matched policy selects an observed brightness reference and interval; it is not a semantic distraction classifier or autonomous creator. The creator can leave useful motion unchanged. Unknown uploads retain manual teaching-area marking; source-matched example guides never approve a plan.

The selected brightness samples are held only inside the approved box and interval. Every original chroma sample stays on its timeline. Native mapping, decoded RGB outside the actual caret box, all declared teaching RGB frames and ordered sequences, timestamps, prepared audio packets/skip metadata and decoded PCM must remain exact. Encoded entry, return and clip-loop changes cannot worsen. Selected activity means adjacent ROI-mean changes of at least eight RGB codes; it is not attention or semantic progress.

Runtime	Current deployment
Compute	default-lesson-rescue:24 · 1 vCPU / 2 GiB · one worker / eight jobs
Controls	Owner session; CSRF/origin and processing bounds; 24h expiry or earlier restart loss
Dependencies	Pinned Debian FFmpeg 7.1.5; image layers app changes over qualified v18
Access	No application AWS task role; temporary qualification policy removed

What the current evidence establishes

Previously selected original	Selected activity source → edit	Whole excerpt including cuts	Pack members
French form	5 → 0	8 → 2	51
Joomla installation	4 → 0	16 → 10	45
Gentoo package lesson	4 → 0	13 → 9	45

All three untouched-original native/export qualifications and fresh current HTTPS upload → checked plan → explicit approval → encoded pack runs pass. Empty teaching plans and stale approval hashes are refused; unowned job/workflow/artifact requests return 404. Every archive member hash verifies. Every downloaded media/PNG byte matches native qualification. The 108 native media/PNG members remain byte-identical to v18. These are regressions on previously selected sources, not new discoveries, held-out recall or independent people.

The teaching content keeps its timeline. In Gentoo, the protected live progress region retains all 32 changing adjacent pairs inside the hold, and its ordered teaching RGB sequence stays exact across 360 frames. Counts include codec variation, not semantic progress ticks. An editor may reasonably keep the caret.

Historical encoded counterfactual	Local repair: changed teaching frames	Whole-frame hold: changed teaching frames
French form	0	90 of 97 held frames
Joomla installation	0	90 of 96 held frames

This controlled v12 comparison uses the same selected interval/reference for local and deliberately constructed whole-frame hold. Both remove the selected blink; only the local edit preserves every declared teaching frame in those cases. The counterfactual is diagnostic, never an app-accepted output. Its source/local media remain identical under the current runtime.

Recover a usable review route. All 14 Linux stages pass: 137 backend and 132 studio tests, one platform skip. The native real jEdit at 95s case refuses 12 seconds, while a separately requested 4-second range reaches review with 0 proposals. Original and prepared downloads recover exactly, no edited export is available and no approval is granted. This is recovery of the analysis route, not a newly repaired lesson.

Actual browser flow. Both real jEdit failure ranges, 95s and 176s, are uploaded, their card downloads verified, then the setup button fills the same start and 4 seconds. It keeps the selected original and failed-job links, clears consent and sends no upload. A separate Analyze click starts the follow-up. Both four-second follow-ups reach review with zero proposals. All original downloads match the licensed source; all four prepared clips match their receipts and independently have 360/120 frames. The 95s clips also match current native preparation; 176s lacks an independent native baseline. The live card fits a 375px top-level browser viewport; physical-phone qualification is still open.

Additional terminal screen. Fourteen fixed windows from two newly selected Sed/Lynx lessons all reach review with 0 proposals and exact source/prepared recovery. Same creator/course provenance is not independent creators. This follows the retained 42-window screen: five new lesson titles plus one repeated bootcamp original, 8 proposals judged to concern teaching content, and 2 region-cap refusals. Together 56 windows retain all outcomes; no newly useful repair is claimed. Windows overlap and later cohorts were selected after earlier results. Current interface changes leave the native analysis/encoder unchanged.

Earlier color, boundary, platform, browser and region-limit failures remain in the source. No detector, preservation threshold, boundary renderer or human-study stimulus changed. V18 pan retention remains under regression tests.

Viewer evidence, sources and limits

Authenticated snapshot 20261026T064147Z. Independent respondents: 0; project-team respondents: 0; QA records excluded: 2. One interested Devpost commenter received an individual invitation. Interest does not verify personhood, enrollment or benefit. No measured human learning, attention, preference, accessibility or time-saving claim is made.

The prospective protocol was published before collection at public commit 6ee27e1adeb9e0c515156985f84057f0bf93f4e6. Adults manually compare three silent source/edit lesson pairs in counterbalanced order. The first reading answer locks before the second version. Skips, wrong readings, negative preferences, ties and neither choices stay in analysis. The primary descriptive result counts people with an edit majority, source majority or no majority across three cases; team responses remain separate. Initial target 8–12 volunteers; 96 invitation slots are capacity, not achieved enrollment. Fixed close: October 27 at 06:00 UTC / 07:00 Lagos. This small convenience pilot cannot establish population efficacy.

Devpost volunteer discussion · Frozen protocol and analysis

Supported scope. Selected 1–12-second SDR excerpts, originals up to 64 MiB; preparation converts to 640×360 / 30 fps and mono AAC when audio exists. Preparation can make small labels unreadable. Exact edit checks reference prepared bytes, with uploaded originals retained separately. No full-lesson splice-back, original-resolution recovery, semantic moving-content tracking, publishing clearance or medical/safety claim. Static selected proofs do not show full motion. Generating a comparison does not record creator acceptance for use. Keep the pack before expiry.

Vitaly Zdanevich: Gentoo-portage-installing-and-using-of-equery.webm, CC0 as listed; adapted seconds 62–74. Original SHA-256: 28b6582333d38df21ac89e7511b506bbee9e1d211ad5809a4e729fde5a564eb1.

VolodyA! V Anarhist: Joomla Installation.vorb.theo.ogv, Free Art License (FAL) as listed as listed; adapted seconds 60–72. Original SHA-256: dcf4e35db5ada861d44ef0313083710c8397313885bc38afc901d8472475f83a.

Benoit Rochon: French upload-assistant tutorial, CC BY 3.0 as listed; adapted seconds 140–152. Original SHA-256:f3fb18ff88451ed8e44b3a4ac080474a0d108cc3b08af3d0f8e3013d65af2c61. All three are real lessons with no authored defect. Listed metadata is not independent rights clearance or endorsement.

Runtime manifest: 65436e94f8a550315076bfec4fd0d452483e433c971fe068aa5fdc1eed5a9acf
Pinned image: sha256:1bc659b090cbbb7c9ddf1ed90080b10cf234556028f9eca356e04021feb362c4

The accompanying source retains cases, pins, qualification logs and negative evidence. After preserving QA artifacts, a final rollout of the identical image clears ephemeral demo jobs. Full native/media/HTTP/browser checks precede that reset; final activation identity and health are checked separately. Current hashes accompany the source. Direct pushes; no cron. The historical demo stays unchanged while the new demo waits for creator audio.