
Frame Review / Keep the repair reviewable

Current v11: the comparison survives the job.

A creator has a finished lesson and no editable project. A natural caret blinks beside a participant number or command output. Frame Review proposes a small observed-brightness hold, asks the creator to protect the teaching content and approve a source-bound plan, then refuses edits that exceed its preservation contract.

The new rescue pack adds review.html: every boundary and teaching PNG is embedded beside measured gates, ordered teaching digests and artifact links. It can be inspected after the 24-hour job expires, without the app, an account, scripts, external images or video playback. Extract the pack to use its file links. Generating a comparison does not record creator acceptance.




Actual Brave view of the HTML extracted from the current AWS API-downloaded French pack. Benoit Rochon, Tutoriel de l’assistant d’import, CC BY 3.0 as listed; seconds 140–152 prepared/adapted. No added defect or endorsement. Full source URLs, hashes and license links are included in the reproduction document.

All 14 Linux stages pass: 137 backend tests and 114 studio tests, one platform skip. Two previously selected untouched originals pass native export checks again, then actual AWS original upload, plan, approval, encoding and complete API pack download. All downloaded media and proof PNG bytes match independent native qualification. These are regression repeats, not new lesson discoveries.

Current selected case	Inside hold	Whole excerpt	Pack files
French upload assistant	5 to 0	8 to 2	50
Joomla installation	4 to 0	16 to 10	44

Activity is adjacent selected-mean RGB differences of at least eight codes. Both cases have zero newly timed threshold events. No semantic-event, learning or attention benefit is inferred. The earlier eleven-case bank and 13-recording/91-window search retain their historical v10 scope.

OpenCV 5 + AWS / architecture and reproducibility



Detection, observed-luma/source-chroma mapping, encoder and all preservation thresholds are unchanged from v10. Every original chroma sample remains on its timeline; decoded RGB outside the actual caret box must remain exact. Existing teaching/audio/timing/outside-interval and encoded cut checks remain. Only the pack renderer, its test and artifact help text changed.

AWS default-lesson-rescue:17 completed as one running 1-vCPU/2-GiB task. One worker, eight-job capacity, owner cookie, CSRF/origin checks, bounds and retention remain. Known-job API requests without the owner session return 404. No app task role or broader access was added. This is an app layer on the exact v10 parent, not a new cold dependency build.

Image: sha256:a5764c521c41235519b1921ee8900fa509a1146880acc7e00e6e9c24cee34fdf
Runtime manifest (117 files): c92366d6d1a6753f0dc807fefe8a4adf8924ec5d4ce5b6e431ee744b366b6f88

Brave component checks: current local Joomla UI at 375/890 with all 30 proofs; actual AWS-downloaded French HTML at 375/890 with all 36 embedded PNGs. Current browser ZIP callbacks timed out; API artifact saving, browser rendering and historical v10 browser-download success are separate. Files were saved without user assistance.

Failures retained: separate startup-preflight local replays hit bounded preparation TimeoutExpired errors, including an isolated French retry. Cold-start reliability is unresolved. The reproduction harness now preflights before server creation; no timeout or acceptance threshold increased. Initial positive cases and later negative replays both remain in the package.


Reproduce: root Dockerfile, pinned runtime, python studio/run.py --verify /tmp/new-verification. docs/offline-v11/REPRODUCE.md contains exact original cases, source/license URLs, an architecture diagram and qualifiers. verify_offline_page.py matches every embedded PNG hash to the report and rejects scripts/external references. The source ZIP is pinned by its package receipt.

Limits: selected 1–12-second SDR excerpts, original ≤64 MiB, preparation to 640×360/30fps/optional mono AAC once. Exact checks reference prepared bytes; inspect small-label legibility. No full-lesson splice-back or semantic moving tracking. Preference, time saved, attention, comprehension, accessibility, adoption and safety remain unmeasured. No new playback, recording, narration or video update; user audio remains deferred.

Frame Review / Keep the number. Calm the caret.

An edit should keep its promised footprint.

A real French Commons upload lesson shows a participant-number field. Its idle caret blinks beside the digits. Our first export passed the declared teaching boxes, but an extra check caught changed number pixels at frame 246. We rejected it. The final export holds only observed brightness samples inside the caret box, retaining every original color sample on its own frame. It now requires exact decoded RGB outside the actual box, including the earlier chroma influence margin. No existing teaching, audio, timing or cut gate was relaxed.



Static source frame with candidate overlay. Benoit Rochon, Tutoriel de l'assistant d'import, CC BY 3.0 as listed by Commons. Excerpt 140-152 seconds, prepared 640x360/30fps. Source image adaptation; author/license/original hashes and URLs are included. No added defect, endorsement or independent rights-clearance claim.

Current result: caret activity 5 to 0 inside the hold, 8 to 2 over the full excerpt, zero newly timed threshold events. Every one of 360 teaching RGB frames and the extra participant-number rectangle match exactly. All original chroma samples and RGB outside the 2x10 caret box remain exact; prepared audio, timestamps and outside-interval frames pass. Encoded selected/influence entry, return and loop comparisons do not worsen. Counts mean adjacent ROI-mean RGB changes of at least 8 codes; they do not measure learning benefit.

Earlier failed mapping and luma-build timeouts remain separate from the pack run. Its first French preparation and two Gentoo imports timed out; isolated runs passed with unchanged limits. Four initial corruption tests encountered the explicit transfer-busy 409; the qualifier now waits for that busy state before requiring strict refusal. Cold-start reliability is not established. Mapping: observed-luma-source-chroma-v2. Small source-color variation may remain inside the caret.

Source qualifications and retained failures

Original-source case	Hold activity	Whole excerpt	All checks
gentoo-equery	4 -> 0	13 -> 9	Pass
joomla	4 -> 0	16 -> 10	Pass
jupyter	4 -> 0	24 -> 18	Pass
libreoffice-writer	6 -> 0	15 -> 9	Pass
npm-basics	5 -> 0	17 -> 11	Pass
npm-packages	5 -> 0	19 -> 13	Pass
terminal	4 -> 0	15 -> 9	Pass
upload-assistant	5 -> 0	8 -> 2	Pass
wiki-citations	4 -> 0	6 -> 2	Pass
wiki-userpage	5 -> 0	17 -> 11	Pass
wikilink	4 -> 0	9 -> 3	Pass

11 selected untouched-original export cases pass on the final mapping. The French source is new; Joomla and the earlier nine are regression repeats, not eleven new lessons or independent creators. Every case includes actual HTTP preparation/approval/artifacts plus independent native/RGB/audio/timing/cut checks and teaching-proof tamper/refusal/restore.


Across these selected 11 excerpts, inside-hold threshold activity totals 50 to0; complete-excerpt activity totals 159 to97, with zero newly timed events. This is the same ROI-mean engineering proxy, not semantic motion, representative recall or a human-benefit result.

This round adds 13 recordings and 91 distinct preselected windows: 18 wiki fixed,24 expanded wiki, 35 GitHub Git Foundations and 14 German Git. One Wikibase excerpt refuses the 16-region interface limit; 90 reach review with exact original/prepared recovery and withheld no-edit exports. Other proposals are not renamed distractions. Same-course recordings are related, and this convenience search is not representative recall. Discovery used recorded v9/pre-luma builds; accepted exports use the final manifest.

The actual app now includes guided Joomla protection: load three editable source-bound areas instead of typing twelve coordinates. Fresh plan and consent remain required. Mobile 375/890 checks use scrollWidth <= clientWidth; a 7px intrinsic-width overflow was fixed. Unfinished marking locks Save/Check/Generate; Cancel restores saved areas. All30 Joomla PNGs pass native HTTP/hash checks. Local browser loading stopped at 12 boundary PNGs when its container exited; complete browser proof/download checks moved to AWS.

A real partial-JSON polling failure led to atomic preparation/error receipt publication. Failure-path tests retain the old receipt and remove temporary files. Original recovery now has a byte-verified .ogv/.webm/.mp4/.mov/.mkv suffix and MIME while preserving its hash-verified bytes. Unknown headers refuse.

Live delivery, reproduction and measured impact



All 14 final Linux stages pass: 137 backend and 113 studio tests (one platform skip). All 117 runtime files are checked. This is an application/example/export layer on the exact v9 parent, not a fresh cold dependency rebuild. OpenCV 5 temporal differences and connected components propose the region; pinned FFmpeg encodes the reviewed sample mapping. Independent decoded gates decide acceptance.

AWS ECS/Fargate default-lesson-rescue:16 completed as one running task. Image sha256:a154dba16c8ad22a50a1ebcf6ac40f2cf9e00304f6d770db9027d479408a1917. Existing 1vCPU/2GiB, one-worker, owner-bound access and resource limits remain. Runtime manifest 20dfbb02970dcfb4d2a8fc0a8414dc900ace3cb16ea75130090cefc12217a8a0.

Actual Brave live verification: Final Brave original French upload, four manual areas and explicit export; all36 static proofs, actual375/890 fit, one complete verified rescue-pack download and reload recovery. Guided Joomla tested separately. No media playback or video changes. Download receipts record actual files and hashes, separate from HTTP-only or historical evidence. No new media playback, recording, narration or submission-video change. The existing video remains historical until the user supplies audio.

At frame 246 the rejected mapping changes 11 adjacent pixels by at most one RGB code; the current mapping changes zero. This shows stricter spatial preservation, not a different typed number or a readability benefit. The recovery pack retains the source/edit/recipe/proofs together before expiry. Time saved, preference, attention, comprehension, accessibility, adoption and safety remain unmeasured; no judge-score prediction is made.

Reproduce: build the root Dockerfile, run python studio/run.py --verify /tmp/qualification, then run the included original-source qualifier against hash-verified sources and exact case JSONs. docs/natural-v10/REPRODUCE.md and evidence/natural-v10 retain selection plans, source credits, failures, recipes, ordered teaching digests and independent measurements. The source archive is a pinned git archive with all 117 runtime file hashes checked and no handoff paths.

Try the live app: choose Joomla installation, inspect both source states, load and inspect suggested teaching areas, Check edit plan, explicitly tick consent, then Generate comparison. Expand every teaching proof and boundary comparison; download wanted results. For the new French original, use start140/length12 and the four case rectangles. Exporting a comparison does not accept it for use.

Limits:1–12 second SDR excerpts, originals <=64MiB. Preparation changes source picture/audio to 640x360/30fps/optional monoAAC once and can reduce legibility. Exact checks reference prepared bytes, not original resolution. No full-lesson splice-back or moving semantic tracking. Jobs expire after 24hours or sooner on restart. A caret may convey meaning; creator review stays required.