

MDS-LANCET LABORATORIES (GH) LTD.
Teshie Depot
Fax: 0302 306 746
www.mds-lancet.com

Pr Num : 5201055

For Doctor
EMAILED REPORTS

Other Doctors
Submit Dr : ALLIANZ WORLDWIDE CARE
Copy : MDS-LANCET LABORATORIES-EMAIL

XXXX ACCRA

Patient : FREDERICK AMETEPE	Guarantor : MR F AMETEPE
Doctors Ref: NOT AVAILABLE	MedAid : CLIENT
Age/Sex/DOB: 44 / M / 19800322	Tel : 0246220659
Id Num : AF0246220659	(W) NOT AVAILABLE
Alt. Ref : NONE	

Lab Ref : 701386893	Collection Date : 13/05/24 0945
MRI No. : GN01497952	Received Date : 13/05/24 1308
Spec # : 0513:IH00069L	FINAL Report Date : 15/05/24 1257

Requested : ., CRP,Ultra sensi, ESR, HLAB-27, ENA PROFILE, HEP B CONFIRM+SCREEN, HEP COMMENT, HEP.`C' ab, HIV ELISA - NO BLOT
IMMUNOLOGY

Test	Result	Reference
> HEP`B' SURFACE Ag (HBsAg)	NEGATIVE	
> HEPATITIS B SCREEN (RAPID)	NEGATIVE	
<i>A negative result at any time does not preclude the possibility of Hepatitis B infection</i>		

A positive HBsAg result is an indication of an active Hepatitis B infection, either acute or chronic and should not be used as the sole criteria for the diagnosis of Hepatitis B viral infection

As with all diagnostic tests, all result must be considered with other clinical information available and other hepatitis B viral serological markers

> **HEP COMMENT**
There is no evidence of active infection with hepatitis B. However, an occult infection cannot be excluded. A full hepatitis B serology profile is recommended.

> HEPATITIS C Ab	Non-React.
> HIV-1/2 RAPID	NON REACTIVE

.....
:
:Please note that the rapid HIV test should only be used :
:as an emergency procedure and NOT for routine diagnostic :
:purposes. This screening test is a PRELIMINARY RESULT :
:ONLY and is not adequate for a definitive diagnosis. :
:False positives and false negatives may occur. :
:All rapid HIV tests should be confirmed by the HIV Elisa :

Patient :
FREDERICK AMETEPE

Doctors Ref
NOT AVAILABLE

Lab Ref : Page : 2
701386893 / 13/05/24 0945

IMMUNOLOGY

Test	Result	Reference
:and/or Qualitative DNA HIV PCR		:
:		:
:.....:		:
> HIV ELISA (4th Gen)	NON-REACTIVE	
A 4th generation HIV-1/2 ELISA detects HIV-specific antibodies and p24 antigen. The window period is approximately 18-21 days.		
A non-reactive (NEGATIVE) result does not rule out the possibility of infection if testing has been done during the window period. It is recommended that another specimen be sent for repeat HIV-1/2 ELISA testing more than 3 weeks after a possible exposure to rule out the possibility of seroconversion. HIV PCR testing may assist in determining early HIV infection.		
Medical colleagues may contact Prof. E. Vardas or Dr A. Glass on 0113580800 to discuss further.		

LIMITATION OF PROCEDURE

As with all diagnostic tests, a definite clinical diagnosis should not be based on the results of a single test, but should be made by physician after all clinical and laboratory findings have been evaluated. Please notify the Lab to repeat the test if clinical suspicion and/or clinical symptoms is in discordant with our results For consultation by referring doctors only, please call:
Dr Allison Glass +2711 358 0800
DR EFTYHIA VARDAS +2711 358 0800
Dr Steven Miller +2711 358 0800