

— EDITION 19

Defining the Autonomous Money Standard

Stop confusing automated bill pay with autonomous money. One is a rigid rule. The other is a living economic strategy.

A 5-part breakdown

SWIPE >>>>

0101 / 05

The Autonomy Spectrum.

The industry frequently misuses the term 'automation.' To build effective systems for the next decade, we must draw a sharp line between basic programmed rules and true decision-making autonomy.

0202 / 05

| Level 1: Static Rules.

Basic, traditional automation. This is a standard recurring calendar payment or an automated balance sweep: 'If date is the 1st, transfer exactly \$X to vendor Y.'

0303 / 05

Level 2: Conditional Optimization.

Context-aware processing. The software monitors variables and optimizes routing decisions dynamically: 'Sweep excess checking balances daily into whichever partner bank offers the highest APY.'

0404 / 05

Level 3: Fully Autonomous Money.

True agentic commerce. The software independently evaluates goals, audits usage patterns, negotiates pricing with third-party vendor APIs, and authorizes transactions entirely on its own.

0505 / 05

| The Core Rules Required for Level 3 Autonomy.

Deploying true Level 3 autonomy safely requires implementing strict, out-of-the-box cryptographic guardrails, hard-coded spend velocity ceilings, and real-time state channel isolation.

— THE TAKEAWAY

Found this **useful?**

Repost to share it with your network, and follow for weekly breakdowns of the agentic payments stack.

◆ Joseph Bankole