

— EDITION 36

# The integration wall, mapped from one deploy

*People talk about the integration wall like it is abstract. On one live deploy it was a short, specific list of boring things.*

A 7-part breakdown

SWIPE >>>>

0101 / 07

# The wall is not mysterious.

It is a handful of seams between systems that were never designed to talk to each other. Here is the actual list from one deploy, brick by brick.

0202 / 07

# | A missing driver.

The model was fine. The runtime could not reach the database because the driver was not installed in the environment. Nothing clever. Just absent.

0303 / 07

# | A network with no way out.

The box had no outbound access. Every external call hung. The code was correct and the environment was a sealed room.

0404 / 07

# | An IPv6-only database.

The connection string assumed IPv4. The database only answered on IPv6. The error sat in the log the whole time, written in plain language.

0505 / 07

# | A webhook that lied.

It returned 200 OK with an empty body. Everything downstream assumed success and moved on. A silent failure is worse than a loud one.

0606 / 07

# | The wrong privileges.

The function had permission to run, but not to do the one thing it existed to do. It failed at the last step, quietly, every time.



0707 / 07

# | None of this was intelligence.

Every brick was an environment problem, not a model problem. The clever layer was never the thing that broke.



— THE TAKEAWAY

# That is the wall, mapped.

Which brick has cost you the most time?  
Follow Joseph Bankole for field notes from  
inside real AI deploys.

◆ Joseph Bankole