

— EDITION 18

# I came up in payment ops. Here's what I'm building.

*Ten years in payment operations taught me reconciliation, idempotency and replay protection. That turned out to be exactly what running production AI takes.*

A 7-part breakdown

SWIPE >>>>

0101 / 07

# | From payment ops to production AI.

I spent a decade in payment operations. Now I run a fleet of AI agents on real workflows. The skills carried over more than I expected.

0202 / 07

# | What payment ops actually teaches you.

Batch windows. Idempotency. Replay protection. Reconciliation. The habit of assuming any job will get re-run and any file can fail halfway.

0303 / 07

# | The first system I shipped.

A content engine. Around two dozen scheduled jobs that draft, queue, verify and publish across platforms, then pull the numbers back in. No team, just the agents and the wiring.

0404 / 07

# | What broke first.

Context-window exhaustion. Jobs force-loaded big reference files, overflowed mid-run, re-read the same files and aborted. A classic resource leak in a new place.

0505 / 07

# | How I fixed it.

Read slim. Rotate logs. Edit data with scripts, not the model. Post, then record, with a duplicate guard. The same controls I used on payment files.

0606 / 07

# | Why it is the same job.

Running agents in production is operations work. Scheduling, finality, reconciliation, and a hard respect for the limits of the system. The model is the easy part.



0707 / 07

# | Save this.

Payment ops to AI ops is not a leap. It is the same discipline with a new constraint budget.



— THE TAKEAWAY

# Future-proof yet?

Comment what you're learning this quarter — let's compare notes. Repost to share it, and follow for daily agentic payments breakdowns.

◆ Joseph Bankole