How Bad Can an Election Game of Two or More Parties Be?

Speaker: Chuang-Chieh Lin (Joseph)

Tamkang University, TW

a joint work with

Chi-Jen Lu

Academia Sinica, TW

Po-An Chen

National Yang Ming Chiao Tung University, TW

6 May 2024

Authors

Chuang-Chieh Lin

Chi-Jen Lu

Po-An Chen

Outline

Outline

The Inspiration (an EC'17 paper)



"[. . .] and that government of the people, by the people, for the people, shall not perish from the earth."

— Abraham Lincoln, 1863.

Issues of Previous Studies

- Voters' behavior on a micro-level.
  - Voters are strategic;
  - Voters have different preferences for the candidates.
  - Various election rules result in different winner(s).
  - ⋮

The "Macro" Setting

- Instead, we consider an intuitive macro perspective instead.
  - Parties are players.
  - Strategies: their candidates (or policies).

The "Macro" Setting

- Instead, we consider an intuitive macro perspective instead.
  - Parties are players.
  - Strategies: their candidates (or policies).
  - A candidate beats the other one from other parties with uncertainty.

The "Macro" Setting

- Instead, we consider an intuitive macro perspective instead.
  - Parties are players.
  - Strategies: their candidates (or policies).
  - A candidate beats the other one from other parties with uncertainty.
  - The payoff of each party: expected utility its supporters can get.
  - The egoistic property: each candidate of party $\mathcal{P}$ brings more utility to $\mathcal{P}$'s supporters than any candidate from the other parties does to $\mathcal{P}$'s supporters.

Party A

Party B

Two-Party Election Game: Formal Setting

- Party A: m candidates, party B: n candidates.
- Candidate A_i can bring social utility $u(A_i) = u_A(A_i) + u_B(A_i) \in [0, \beta]$ for some real $\beta \geq 1$.
- $p_{i,j}$: $\Pr[A_i \text{ wins over } B_j]$.
  - Linear: $p_{i,j} := (1 + (u(A_i) - u(B_j))/\beta)/2$
  - Natural: $p_{i,j} := u(A_i)/(u(A_i) + u(B_j))$
  - Softmax: $p_{i,j} := e^{u(A_i)/\beta}/(e^{u(A_i)/\beta} + e^{u(B_j)/\beta})$
- Reward $r_A = p_{i,j} u_A(A_i) + (1 - p_{i,j}) u_A(B_j)$.

Party A

√

Winning prob.=0.55

Expected utility for A:
0.55*7+0.45*3 = 5.2

$u(A_1) = 7 + 2 = 9$

Party B

√

Winning prob.=0.45

Expected utility for B:
0.45*5+0.55*2 = 3.35

$u(B_1) = 5 + 3 = 8$

Party A

√

Winning prob.=0.55

Expected utility for A:
0.55*7+0.45*3 = 5.2

Party B

√

Winning prob.=0.45

Expected utility for B:
0.45*5+0.55*2 = 3.35

?

Party A

√

Winning prob.=0.55

Expected utility for A:
0.55*7+0.45*3 = 5.2
or
0.5*7+0.5*5 = 6 (w.r.t. B_2)

Party B

√

Winning prob.=0.45

Expected utility for B:
0.45*5+0.55*2 = 3.35

Price of Anarchy :

$$\frac{\text{OPT social welware } 9}{\text{PNE social welfare } 8.55}$$

Winning prob.=0.4

Expected utility for B:
0.5*4+0.5*2 = 3

Egoism (Selfishness)



m-Party Election Game, $m \geq 2$

- Party $\mathcal{P}_1, \mathcal{P}_2, \mathcal{P}_3, \ldots$: with $n_1, n_2, n_3, \ldots$ candidates, resp.
- E.g., candidate s_i of party $\mathcal{P}_i$ can bring social utility $u(s_i) = u_1(s_i) + u_2(s_i) + \ldots + u_m(s_i) \in [0, \beta]$ for some $\beta \geq 0$.
- $p_{i,\mathbf{s}}$: Pr[s_i wins the campaign w.r.t. $\mathbf{s}$].
  - $\mathbf{s}$: the strategy profile of all party players.
  - Consider all monotone winning probability functions.
    - E.g., $p_{i,\mathbf{s}_{-i}} \geq p_{i',\mathbf{s}_{-i}}$ whenever $u(s_i) \geq u(s_{i'})$.
- Reward $r_i = p_{1,\mathbf{s}_{-i}} u_i(s_1) + p_{2,\mathbf{s}_{-i}} u_i(s_2) + \cdots + p_{m,\mathbf{s}_{-i}} u_i(s_m)$.

Outline

Our Contribution

- Our focus:
  - The probability for a party to win the election campaign?
    - Monotone function (more utility for all the people, more likely to win).

Our Contribution

- Our focus:
  - The probability for a party to win the election campaign?
    - Monotone function (more utility for all the people, more likely to win).
  - Existence of Pure-Strategy Nash Equilibria (PSNE).

Our Contribution

- Our focus:
  - The probability for a party to win the election campaign?
    - Monotone function (more utility for all the people, more likely to win).
  - Existence of Pure-Strategy Nash Equilibria (PSNE).
    - The game (of ≥ 2 parties) does NOT always have a PSNE.

Our Contribution

- Our focus:
  - The probability for a party to win the election campaign?
    - Monotone function (more utility for all the people, more likely to win).
  - Existence of Pure-Strategy Nash Equilibria (PSNE).
    - The game (of ≥ 2 parties) does NOT always have a PSNE.
  - The complexity of computing a PSNE (≥ 2 parties).
    - NP-completeness & an FPT algorithm.

Our Contribution

- Our focus:
  - The probability for a party to win the election campaign?
    - Monotone function (more utility for all the people, more likely to win).
  - Existence of Pure-Strategy Nash Equilibria (PSNE).
    - The game (of ≥ 2 parties) does NOT always have a PSNE.
  - The complexity of computing a PSNE (≥ 2 parties).
    - NP-completeness & an FPT algorithm.
  - What's the price of anarchy (PoA)?
    - Upper bound: number of parties.
    - The bound is tight for some cases.

Our Contribution

- Our focus:
  - The probability for a party to win the election campaign?
    - Monotone function (more utility for all the people, more likely to win).
  - Existence of Pure-Strategy Nash Equilibria (PSNE).
    - The game (of ≥ 2 parties) does NOT always have a PSNE.
  - The complexity of computing a PSNE (≥ 2 parties).
    - NP-completeness & an FPT algorithm.
  - What's the price of anarchy (PoA)?
    - Upper bound: number of parties.
    - The bound is tight for some cases.
  - Incentives for forming a coalition for each party.
    - Existence for strongly egoistic games.

Counterexamples (Natural function)

A		B	
$u_A(A_i)$	$u_B(A_i)$	$u_B(B_j)$	$u_A(B_j)$
91	0	11	1
90	8	10	20

A		B	
$u_A(A_i)$	$u_B(A_i)$	$u_B(B_j)$	$u_A(B_j)$
44	10	37	17
39	55	10	5

	B_1	B_2
A_1	$a_{1,1},\ b_{1,1}$	$a_{1,2},\ b_{1,2}$
A_2	$a_{2,1},\ b_{2,1}$	$a_{2,2},\ b_{2,2}$

$\approx$

	B_1	B_2
A_1	80.51, 1.28	73.84, 2.17
A_2	80.29, 8.32	74.02, 8.23

,

	B_1	B_2
A_1	30.50, 23.50	35.52, 10.00
A_2	30.97, 48.43	34.32, 48.81

Counterexamples (Softmax; Three parties)

$u_1(x_{1,i})$	$u_2(x_{1,i})$	$u_3(x_{1,i})$	$u_1(x_{2,i})$	$u_2(x_{2,i})$	$u_3(x_{2,i})$	$u_1(x_{3,i})$	$u_2(x_{3,i})$	$u_3(x_{3,i})$
29	4	21	23	59	7	8	32	54
27	43	3	3	57	38	20	13	53

$r_{1,(1,1,1)}$	$r_{2,(1,1,1)}$	$r_{3,(1,1,1)}$	$r_{1,(1,1,2)}$	$r_{2,(1,1,2)}$	$r_{3,(1,1,2)}$	$\approx$
$r_{1,(1,2,1)}$	$r_{2,(1,2,1)}$	$r_{3,(1,2,1)}$	$r_{1,(1,2,2)}$	$r_{2,(1,2,2)}$	$r_{3,(1,2,2)}$	
18.81	34.64	28.51	23.49	27.82	27.38	
11.27	34.67	39.70	15.57	28.09	38.93	

$r_{1,(2,1,1)}$	$r_{2,(2,1,1)}$	$r_{3,(2,1,1)}$	$r_{1,(2,1,2)}$	$r_{2,(2,1,2)}$	$r_{3,(2,1,2)}$	$\approx$
$r_{1,(2,2,1)}$	$r_{2,(2,2,1)}$	$r_{3,(2,2,1)}$	$r_{1,(2,2,2)}$	$r_{2,(2,2,2)}$	$r_{3,(2,2,2)}$	
18.74	44.53	22.84	23.18	38.35	21.61	
11.58	44.25	33.66	15.67	38.27	32.77	

Complexity and PoA Bounds

Theorem

For any m-party election game, $m \geq 2$, we have PoA $\leq m$ if

- The winning probability function is **monotone**.
- The game is egoistic.

Theorem

To determine if a PSNE exists in the egoistic m-party election game is NP-complete but FPT (+natural parameters).

- The game instance is in a succinct representation.
- A reduction from the SAT problem.

Key Propositions

Proposition

Let $\mathbf{s} = (s_i)_{i\in[m]}$ be a PNE and $\mathbf{s}^* = (s_i^*)_{i\in[m]}$ be the optimal profile. Then, $\sum_{i\in[m]} u(s_i) \geq \max_{i\in[m]} u(s_i^*)$.

Two Important Observations

$$SW(\mathbf{s}) = \sum_{1\leq i\leq m} p_{i,\mathbf{s}} \cdot u(s_i) \leq \max_{1\leq i\leq m} u(s_i)$$

$$SW(\mathbf{s}) = \sum_{1\leq i\leq m} p_{i,\mathbf{s}} \cdot u(s_i) \geq \frac{1}{m} \cdot \sum_{1\leq i\leq m} u(s_i).$$

The idea for the lower bound



Shrinking nominating depth of a party



Outline

Concluding Remarks

- We assume the utility is evenly distributed to the voters.
- The PoA is small in most game instances (simulations).
- We will conduct experiments to simulate voters' voting decisions to see how *monotone* the winning probability function is.

Thanks for your attention!