## Simple Near-Optimal Auctions

Joseph Chuang-Chieh Lin

Department of Computer Science & Engineering, National Taiwan Ocean University

Fall 2024



### Outline

- Background & Introduction
- 2 The Prophet Inequality
- Simple Single-Item Auctions
- Prior-Independent Mechanisms



### Outline

- Background & Introduction
- 2 The Prophet Inequality
- 3 Simple Single-Item Auctions
- 4 Prior-Independent Mechanisms



#### What we have learned

- For a single-parameter environment where agents' valuations are drawn independently from regular distributions, the corresponding virtual welfare maximizer maximizes the expected revenue over all DSIC mechanisms.
  - The allocation rule:

$$\mathbf{x}(\mathbf{v}) = \arg\max_{X} \sum_{i=1}^{n} \varphi_i(\mathbf{v}_i) \mathbf{x}_{\mathbf{v}}(\mathbf{v})$$

for each valuation profile v, where

$$\varphi_i(v_i) = v_i - \frac{1 - F_i(v_i)}{f_i(v_i)}.$$



#### What we have learned

- For a single-parameter environment where agents' valuations are drawn independently from regular distributions, the corresponding virtual welfare maximizer maximizes the expected revenue over all DSIC mechanisms.
  - The allocation rule:

$$\mathbf{x}(\mathbf{v}) = \arg\max_{X} \sum_{i=1}^{n} \varphi_i(\mathbf{v}_i) x_{\mathbf{v}}(\mathbf{v})$$

for each valuation profile v, where

$$\varphi_i(v_i) = v_i - \frac{1 - F_i(v_i)}{f_i(v_i)}.$$

• For i.i.d. & regular  $F_i$ 's, the optimal single-item auction is surprisingly simple:



#### What we have learned

- For a single-parameter environment where agents' valuations are drawn independently from regular distributions, the corresponding virtual welfare maximizer maximizes the expected revenue over all DSIC mechanisms.
  - The allocation rule:

$$\mathbf{x}(\mathbf{v}) = \arg\max_{X} \sum_{i=1}^{n} \varphi_i(\mathbf{v}_i) \mathbf{x}_{\mathbf{v}}(\mathbf{v})$$

for each valuation profile v, where

$$\varphi_i(v_i) = v_i - \frac{1 - F_i(v_i)}{f_i(v_i)}.$$

- For i.i.d. & regular  $F_i$ 's, the optimal single-item auction is surprisingly simple:
  - ullet a second-price auction augmented with the reserve price  $arphi^{-1}(0)$



## Optimal Auctions Can Be Complex

 What if bidders' valuations are drawn from different regular distributions?



# Optimal Auctions Can Be Complex

- What if bidders' valuations are drawn from different regular distributions?
- We would like to know if there is any simple and practical single-item auction formats that are at least approximately optimal.



#### Outline

- Background & Introduction
- 2 The Prophet Inequality
- 3 Simple Single-Item Auctions
- 4 Prior-Independent Mechanisms



# Game with n stages (resembling the secretary problem)

- Consider the following game with *n* stages.
- In stage i, we are offered a nonnegative prize  $\pi_i$ , drawn from a distribution  $G_i$ .
- We know the *independent* distributions  $G_1, \ldots, G_n$  in advance.
- We know the realization  $\pi_i$  only at stage i.



# Game with n stages (resembling the secretary problem)

- Consider the following game with *n* stages.
- In stage i, we are offered a nonnegative prize  $\pi_i$ , drawn from a distribution  $G_i$ .
- We know the *independent* distributions  $G_1, \ldots, G_n$  in advance.
- We know the realization  $\pi_i$  only at stage i.
- $\star$  After seeing  $\pi_i$ , we can
  - either accept the prize and end the game, or
  - discard the prize, and then proceed to the next stage.



# Game with n stages (resembling the secretary problem)

- Consider the following game with *n* stages.
- In stage i, we are offered a nonnegative prize  $\pi_i$ , drawn from a distribution  $G_i$ .
- We know the *independent* distributions  $G_1, \ldots, G_n$  in advance.
- We know the realization  $\pi_i$  only at stage i.
- $\star$  After seeing  $\pi_i$ , we can
  - either accept the prize and end the game, or
  - discard the prize, and then proceed to the next stage.
- What's the risk and difficulty?



## The Prophet Inequality

 It offers a simple strategy that performs almost as well as (approximately) a fully clairvoyant prophet.

### Theorem (Prophet Inequality)

For every sequence  $G_1, \ldots, G_n$  of n independent distributions,

- There is a strategy that guarantees expected reward  $\geq \frac{1}{2} \mathbf{E}_{\pi \sim \mathbf{G}}[\max_i \pi_i].$
- There is such a threshold strategy, which accepts prize i if and only if  $\pi_i \geq t$ .
- $z^+ := \max\{z, 0\}.$
- $[n] := \{1, 2, \ldots, n\}.$



# Proof of Prophet Inequality (1/3)

- Compare the expected payoff of a threshold strategy with that of a prophet, through lower and upper bounds.
- q(t): the prob. that the threshold strategy accepts no prize at all.
- First, we want to have a lower bound on

 $\psi := \mathbf{E}_{\pi \sim \mathbf{G}}[\text{payoff of the } t\text{-threshold strategy}].$ 



# Proof of Prophet Inequality (1/3)

- Compare the expected payoff of a threshold strategy with that of a prophet, through lower and upper bounds.
- q(t): the prob. that the threshold strategy accepts no prize at all.
- First, we want to have a lower bound on

 $\psi := \mathbf{E}_{\pi \sim \mathbf{G}}[\text{payoff of the } t\text{-threshold strategy}].$ 

• The payoff: 0 with prob. q(t) and  $\geq t$  with prob. 1 - q(t).



# Proof of Prophet Inequality (1/3)

- Compare the expected payoff of a threshold strategy with that of a prophet, through lower and upper bounds.
- q(t): the prob. that the threshold strategy accepts no prize at all.
- First, we want to have a lower bound on

$$\psi := \mathbf{E}_{\pi \sim \mathbf{G}}[\text{payoff of the } t\text{-threshold strategy}].$$

- The payoff: 0 with prob. q(t) and  $\geq t$  with prob. 1 q(t).
- Credit the baseline t with "extra credit" of  $\pi_i t$  if only one prize satisfies  $\pi_i \geq t$ .
- Only credit the baseline t for two or more prizes  $\geq t$  (:: LB).



# Proof of Prophet Inequality (2/3)

$$\psi \geq (1 - q(t))t + \sum_{i=1}^{n} \mathbf{E}_{\pi}[\pi_{i} - t \mid \pi_{i} \geq t, \pi_{j} < t \,\forall j \neq i] \cdot \Pr[\pi_{i} \geq t] \cdot \Pr[\pi_{j} < t \,\forall j \neq i]$$

$$= (1 - q(t))t + \sum_{i=1}^{n} \underbrace{\mathbf{E}_{\pi}[\pi_{i} - t \mid \pi_{i} \geq t] \cdot \Pr[\pi_{i} \geq t]}_{= \mathbf{E}_{\pi}[(\pi_{i} - t)^{+}]} \cdot \underbrace{\Pr[\pi_{j} < t \,\forall j \neq i]}_{\geq q(t) = \Pr[\pi_{j} < t \,\forall j]}$$

$$\geq (1 - q(t))t + q(t) \cdot \sum_{i=1}^{n} \mathbf{E}_{\pi}[(\pi_{i} - t)^{+}]$$

# Proof of Prophet Inequality (3/3)

Moreover, as to the upper bound on the prophet's expected payoff:

$$\psi^* := \mathbf{E}_{\pi} \begin{bmatrix} \max_{i \in [n]} \pi_i \end{bmatrix} = \mathbf{E}_{\pi} \begin{bmatrix} t + \max_{i \in [n]} (\pi_i - t) \end{bmatrix}$$

$$\leq t + \mathbf{E}_{\pi} \begin{bmatrix} \max_{i \in [n]} (\pi_i - t)^+ \end{bmatrix}$$

$$\leq t + \sum_{i=1}^n \mathbf{E}_{\pi} [(\pi_i - t)^+].$$

• Set t such that  $q(t) = \frac{1}{2}$  we can complete the proof.

$$\frac{1}{2} + \frac{1}{2} \cdot \sum_{i=1}^{n} \mathsf{E}_{\pi}[(\pi_{i} - t)^{+}] \le \psi \le \psi^{*} \le t + \sum_{i=1}^{n} \mathsf{E}_{\pi}[(\pi_{i} - t)^{+}]$$



# Proof of Prophet Inequality (3/3)

Moreover, as to the upper bound on the prophet's expected payoff:

$$\psi^* := \mathbf{E}_{\pi} \left[ \max_{i \in [n]} \pi_i \right] = \mathbf{E}_{\pi} \left[ t + \max_{i \in [n]} (\pi_i - t) \right]$$

$$\leq t + \mathbf{E}_{\pi} \left[ \max_{i \in [n]} (\pi_i - t)^+ \right]$$

$$\leq t + \sum_{i=1}^n \mathbf{E}_{\pi} [(\pi_i - t)^+].$$

- Set t such that  $q(t) = \frac{1}{2}$  we can complete the proof.
  - LB:= $\frac{t}{2} + \frac{1}{2} \cdot \sum_{i=1}^{n} \mathbf{E}_{\pi}[(\pi_{i} t)^{+}] \le \psi \le \psi^{*} \le t + \sum_{i=1}^{n} \mathbf{E}_{\pi}[(\pi_{i} t)^{+}] = 2 \cdot 1 \text{ B}$

### Outline

- Background & Introduction
- 2 The Prophet Inequality
- Simple Single-Item Auctions
- 4 Prior-Independent Mechanisms



## Back to the motivating example

- Single-item auction with *n* bidders.
- Bidders' valuations are drawn independently from regular distributions  $F_1, \ldots, F_n$  that might not be identical.
- Using the prophet inequality:
  - Define the *i*th prize as  $\varphi_i(v_i)^+$  of bidder *i*.
  - $G_i$ : the corresponding distribution induced by  $F_i$  (independent).
- We have (by Theorem 5.2; with maximizer  $\mathbf{x} = (x_i)_{i \in [n]}$ )

$$\mathbf{E}_{\boldsymbol{v} \sim \boldsymbol{F}} \left[ \sum_{i=1}^{n} \varphi_i(v_i) x_i(\boldsymbol{v}) \right] = \mathbf{E}_{\boldsymbol{v} \sim \boldsymbol{F}} \left[ \max_{i \in [n]} \varphi_i(v_i)^+ \right].$$

• The expected revenue of the optimal auction.



#### The allocation rule

Consider any allocation rule having the following form:

#### Virtual Threshold Allocation Rule

- Choose t such that  $\Pr[\max_i \varphi_i(v_i)^+ \ge t] = \frac{1}{2}$ .
- Give the item to a bidder i with  $\varphi_i(v_i) \ge t$ , if any, breaking ties among multiple candidate winners arbitrarily.
- We immediately have the following corollary:



#### The allocation rule

Consider any allocation rule having the following form:

#### Virtual Threshold Allocation Rule

- Choose t such that  $\Pr[\max_i \varphi_i(v_i)^+ \ge t] = \frac{1}{2}$ .
- Give the item to a bidder i with  $\varphi_i(v_i) \ge t$ , if any, breaking ties among multiple candidate winners arbitrarily.
- We immediately have the following corollary:

### Corollary (Virtual Threshold Rules are Near-Optimal)

If x is a virtual threshold allocation rule, then

$$\mathbf{E}_{\boldsymbol{v}}\left[\sum_{i=1}^n \varphi_i(v_i)^+ x_i(\boldsymbol{v})\right] \geq \frac{1}{2} \mathbf{E}_{\boldsymbol{v}}\left[\max_{i \in [n]} \varphi_i(v_i^+)\right].$$

<sup>&</sup>lt;sup>1</sup>What if no such t exists? An exercise!

### Outline

- Background & Introduction
- 2 The Prophet Inequality
- 3 Simple Single-Item Auctions
- Prior-Independent Mechanisms



## A different critique so far

- So far, the valuation distributions are assumed to be known to the mechanism designer in advance.
- What if the mechanism designer does NOT know about the valuation distributions in advance?



## A different critique so far

- So far, the valuation distributions are assumed to be known to the mechanism designer in advance.
- What if the mechanism designer does NOT know about the valuation distributions in advance?
- Next, we consider that
  - Bidders' valuations are still drawn from such valuation distributions;
  - Yet, these distributions are still unknown to the mechanism designer.



## A different critique so far

- So far, the valuation distributions are assumed to be known to the mechanism designer in advance.
- What if the mechanism designer does NOT know about the valuation distributions in advance?
- Next, we consider that
  - Bidders' valuations are still drawn from such valuation distributions;
  - Yet, these distributions are still unknown to the mechanism designer.
  - \* We use the distributions in the analysis, but NOT in the design of mechanisms.
- Goal: design a good prior-independent mechanism.
  - Such a mechanism makes NO reference to a valuation distribution.

## A Beautiful Result from Auction Theory

 The expected revenue of an optimal single-item auction is at most that of a second-price auction (with no reserved price) with one extra bidder.

## Theorem [Bulow-Klemperer Theorem (1989)]

#### We have

- F: a regular distribution;
- n: a positive integer.
- p: the payment rule of the second-price auction with n+1 bidders.
- $p^*$ : the payment rule of the optimal auction for F with n bidders.

Then,

$$\mathbf{E}_{\mathbf{v} \sim F^{n+1}} \left[ \sum_{i=1}^{n+1} p_i(\mathbf{v}) \right] \geq \mathbf{E}_{\mathbf{v} \sim F^n} \left[ \sum_{i=1}^n p_i^*(\mathbf{v}) \right]$$

## A Beautiful Result from Auction Theory

 The expected revenue of an optimal single-item auction is at most that of a second-price auction (with no reserved price) with one extra bidder.

## Theorem [Bulow-Klemperer Theorem (1989)]

#### We have

- F: a regular distribution;
- n: a positive integer.
- p: the payment rule of the second-price auction with n+1 bidders.
- $p^*$ : the payment rule of the second-price auction (optimal) with reserve price  $\varphi^{-1}(0)$ .

Then,

$$\mathbf{E}_{\mathbf{v} \sim F^{n+1}} \left[ \sum_{i=1}^{n+1} p_i(\mathbf{v}) \right] \geq \mathbf{E}_{\mathbf{v} \sim F^n} \left[ \sum_{i=1}^n p_i^*(\mathbf{v}) \right]$$

## Interpretation of the Bulow-Klemperer Theorem

- Extra competition is more important than getting the auction format just right.
- It is better to invest your resources to recruit more serious participants than sharpen your knowledge of their preferences.



• It's tricky to compare two sides of the inequality directly.



- It's tricky to compare two sides of the inequality directly.
- Let's consider a fictitious auction  $\mathcal{A}$  below to facilitate the comparison.

#### The Fictitious Auction ${\cal A}$

- Simulate an optimal n-bidder auction for F on the first n bidders.
- 2 If the item was not awarded in the first step, then give the item to the (n+1)th bidder for free.



- It's tricky to compare two sides of the inequality directly.
- Let's consider a fictitious auction  ${\cal A}$  below to facilitate the comparison.

#### The Fictitious Auction $\mathcal{A}$

- ① Simulate an optimal n-bidder auction for F on the first n bidders.
- ② If the item was not awarded in the first step, then give the item to the (n+1)th bidder for free.
- The expected revenue of A equals that of an optimal auction with n bidders.
  - The right-hand side of the inequality.



• We argue that the expected revenue of a second-price auction with n+1 bidders is at least that of A.



- We argue that the expected revenue of a second-price auction with n+1 bidders is at least that of  $\mathcal{A}$ .
  - A is just a kind of auction for n+1 bidders subject to always allocating the item.



- We argue that the expected revenue of a second-price auction with n+1 bidders is at least that of  $\mathcal{A}$ .
  - A is just a kind of auction for n+1 bidders subject to always allocating the item.
- Consider a stronger statement:

(n+1) Bidders' valuations are drawn i.i.d. from a regular distribution (unknown to the designer).



- We argue that the expected revenue of a second-price auction with n+1 bidders is at least that of  $\mathcal{A}$ .
  - A is just a kind of auction for n+1 bidders subject to always allocating the item.
- Consider a stronger statement:

(n+1) Bidders' valuations are drawn i.i.d. from a regular distribution (unknown to the designer).

The second-price auction maximizes the expected revenue over all DSIC auctions that always allocate the item.



 From previous lectures, it suffices to maximize the expected virtual welfare.



- From previous lectures, it suffices to maximize the expected virtual welfare.
- The allocation rule with maximum possible expected virtual welfare subject to always allocating the item always awards the item to a bidder with the highest virtual valuation (even it is negative).



- From previous lectures, it suffices to maximize the expected virtual welfare.
- The allocation rule with maximum possible expected virtual welfare subject to always allocating the item always awards the item to a bidder with the highest virtual valuation (even it is negative).
- Note: A second-price auction always awards the item to a bidder with the highest valuation.



- From previous lectures, it suffices to maximize the expected virtual welfare.
- The allocation rule with maximum possible expected virtual welfare subject to always allocating the item always awards the item to a bidder with the highest virtual valuation (even it is negative).
- Note: A second-price auction always awards the item to a bidder with the highest valuation.
- All bidders share the same nondecreasing virtual valuation function  $\varphi$ .
  - A bidder with highest valuation also has the highest virtual valuation.



- From previous lectures, it suffices to maximize the expected virtual welfare.
- The allocation rule with maximum possible expected virtual welfare subject to always allocating the item always awards the item to a bidder with the highest virtual valuation (even it is negative).
- Note: A second-price auction always awards the item to a bidder with the highest valuation.
- ullet All bidders share the same nondecreasing virtual valuation function arphi.
  - A bidder with highest valuation also has the highest virtual valuation.
- Hence, the second-price auction maximizes expected revenue subject to always awarding the item.