# Arrays and Structures: The Sparse Matrix Data Type

Joseph Chuang-Chieh Lin (林莊傑)

Department of Computer Science & Engineering, National Taiwan Ocean University

Fall 2024



Fall 2024

#### Outline

🚺 The Sparse Matrix ADT



Arrays and Structures: Sparse Matrix ADT
The Sparse Matrix ADT

#### Outline

🚺 The Sparse Matrix ADT



• An  $m \times n$  matrix with m rows and n columns.

$$\begin{bmatrix} -27 & 3 & 4 \\ 6 & 82 & -2 \\ 109 & -64 & 11 \\ 12 & 8 & 9 \\ 48 & 27 & 47 \end{bmatrix}$$



• An  $m \times n$  matrix with m rows and n columns.

$$\begin{bmatrix} -27 & 3 & 4 \\ 6 & 82 & -2 \\ 109 & -64 & 11 \\ 12 & 8 & 9 \\ 48 & 27 & 47 \end{bmatrix}$$

• Totally 15 elements with 15 nonzero entries.



Arrays and Structures: Sparse Matrix ADT
The Sparse Matrix ADT

#### An $m \times n$ Matrix

• An  $m \times n$  matrix with m rows and n columns.

$$\begin{bmatrix} 15 & 0 & 0 & 22 & 0 & -15 \\ 0 & 11 & 3 & 0 & 0 & 0 \\ 0 & 0 & 0 & -6 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 91 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 28 & 0 & 0 & 0 \end{bmatrix}$$



• An  $m \times n$  matrix with m rows and n columns.

$$\begin{bmatrix}
15 & 0 & 0 & 22 & 0 & -15 \\
0 & 11 & 3 & 0 & 0 & 0 \\
0 & 0 & 0 & -6 & 0 & 0 \\
0 & 0 & 0 & 0 & 0 & 0 \\
91 & 0 & 0 & 0 & 0 & 0 \\
0 & 0 & 28 & 0 & 0 & 0
\end{bmatrix}$$

Totally 36 elements with only 8 nonzero entries.



• An  $m \times n$  matrix with m rows and n columns.

$$\begin{bmatrix}
15 & 0 & 0 & 22 & 0 & -15 \\
0 & 11 & 3 & 0 & 0 & 0 \\
0 & 0 & 0 & -6 & 0 & 0 \\
0 & 0 & 0 & 0 & 0 & 0 \\
91 & 0 & 0 & 0 & 0 & 0 \\
0 & 0 & 28 & 0 & 0 & 0
\end{bmatrix}$$

- Totally 36 elements with only 8 nonzero entries.
- How to efficiently store this sparse matrix?



#### Remarks & The Idea

- The standard representation of a matrix is a two-dimensional array defined as a [MAX\_ROWS] [MAX\_COLS].
  - We can locate quickly any element by writing a[i][j].



6/9

#### Remarks & The Idea

- The standard representation of a matrix is a two-dimensional array defined as a [MAX\_ROWS] [MAX\_COLS].
  - We can locate quickly any element by writing a[i][j].
- Let's consider alternative forms of representation for the matrix.



#### Remarks & The Idea

- The standard representation of a matrix is a two-dimensional array defined as a [MAX\_ROWS] [MAX\_COLS].
  - We can locate quickly any element by writing a[i][j].
- Let's consider alternative forms of representation for the matrix.
  - Store only nonzero elements of the matrix.





The Sparse Matrix ADT

## The Sparse Matrix ADT (1/2)

Γ	15	0	0	22	0	-15 ]
	0	11	3	0	0	0
İ	0	0	0	-6	0	0
	0	0	0	0	0	0
l	91	0	0	0	0	0
L	0	0	28	0	0	0

$\triangleright$	A[0]	6	6	8
ir	ndex, #	rows,	# cols,	# nonzeros

	Row	Col	Value
A[0]	6	6	8
A[1]	0	0	15
A[2]	0	3	22
A[3]	0	5	-15
A[4]	1	1	11
A[5]	1	2	3
A[6]	2	3	-6
A[7]	4	0	-91
A[8]	5	2	-28



Fall 2024

### The Sparse Matrix ADT (2/2)

```
#define MAX_TERMS 101
// maximum number of items + 1

typedef struct {
   int col;
   int row;
   int value;
} term;
```

	Row	Col	Value
A[0]	6	6	8
A[1]	0	0	15
A[2]	0	3	22
A[3]	0	5	-15
A[4]	1	1	11
A[5]	1	2	3
A[6]	2	3	-6
A[7]	4	0	-91
A[8]	5	2	-28



Arrays and Structures: Sparse Matrix ADT

# **Discussions**

