Status	Finished
Started	Sunday, 18 October 2026, 10:10 AM
Completed	Sunday, 18 October 2026, 10:15 AM
Duration	5 mins 36 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readline()
b. read(size) ✓
c. readchar()
d. readlines()

The correct answer is: read(size)

Question **2**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. str
b. a list of lines ✓
c. a list of single characters
d. a list of integers

The correct answer is:
a list of lines

Question **3**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. The operation is ignored
b. An error is raised ✓
c. A new file is created
d. An empty file object is returned

The correct answer is: An error is raised

Question **4**

Incorrect

Mark 0.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. r+
b. rb ✗
c. w
d. wb

The correct answer is: wb

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following is data file?

a. Both text and binary file ✓
b. Text file
c. none of the given choices
d. Binary file

The correct answer is: Both text and binary file

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. An error is raised

b. world

c. Hello, world! ✓

d. Hello

The correct answer is: Hello, world!

Question **7**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Writes data to the file

b. Reads the file line by line

c. Moves the file cursor to the specified position ✓

d. Deletes the file

The correct answer is: Moves the file cursor to the specified position

Question **8**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and write, w+ is for append only

b. r+ is for read and append, w+ is for read and write

c. r+ is for binary read and write, w+ is for text read and write

d. r+ is for read and write without truncating, w+ is for read and write with truncating ✓

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **9**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints an error message

b. Prints the entire content of the file ✓

c. Prints each line of the file

d. Prints the first 10 characters of the file

The correct answer is: Prints the entire content of the file

Question **10**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. 0

b. None

c. An empty string ✓

d. EOFError

The correct answer is: An empty string

Question **11**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It appends data to the file

b. It clears the old data and starts fresh ✓

c. It does nothing

d. It raises an error

The correct answer is: It clears the old data and starts fresh

Question **12**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. end()
b. close() ✓
c. finish()
d. terminate()

The correct answer is: close()

Question **13**

Incorrect

Mark 0.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters behind ahead from the end of a file. ✗

b. Move file pointer five characters ahead from the beginning

c. • Move file pointer five characters ahead from the current position.

d. • Move file pointer five characters behind from the current position.

The correct answer is:

• Move file pointer five characters ahead from the current position.

Question **14**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer five characters behind from the current position

b. moves the file pointer to the end of a file

c. move the file pointer to beginning of the file

d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position

Question **15**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Moves the file cursor to the beginning

b. Deletes the file content

c. Closes the file

d. Flushes the internal buffer to the file ✓

The correct answer is: Flushes the internal buffer to the file