

Homework 5

5.

```
=== Associator model (full training set) ===

Apriori
=====

Minimum support: 0.2 (1 instances)
Minimum metric <confidence>: 0.9
Number of cycles performed: 16

Generated sets of large itemsets:

Size of set of large itemsets L(1): 5

Size of set of large itemsets L(2): 8

Size of set of large itemsets L(3): 3

Best rules found:

1. A=t 2 ==> D=t 2    <conf:(1)> lift:(1.67) lev:(0.16) [0] conv:(0.8)
2. E=t 1 ==> B=t 1    <conf:(1)> lift:(1.25) lev:(0.04) [0] conv:(0.2)
3. E=t 1 ==> C=t 1    <conf:(1)> lift:(1.67) lev:(0.08) [0] conv:(0.4)
4. A=t B=t 1 ==> D=t 1    <conf:(1)> lift:(1.67) lev:(0.08) [0] conv:(0.4)
5. C=t D=t 1 ==> A=t 1    <conf:(1)> lift:(2.5) lev:(0.12) [0] conv:(0.6)
6. A=t C=t 1 ==> D=t 1    <conf:(1)> lift:(1.67) lev:(0.08) [0] conv:(0.4)
7. C=t E=t 1 ==> B=t 1    <conf:(1)> lift:(1.25) lev:(0.04) [0] conv:(0.2)
8. B=t E=t 1 ==> C=t 1    <conf:(1)> lift:(1.67) lev:(0.08) [0] conv:(0.4)
9. E=t 1 ==> B=t C=t 1    <conf:(1)> lift:(2.5) lev:(0.12) [0] conv:(0.6)
```

6.

Apriori:

```
Apriori
=====

Minimum support: 0.15 (694 instances)
Minimum metric <confidence>: 0.9
Number of cycles performed: 17

Generated sets of large itemsets:

Size of set of large itemsets L(1): 44

Size of set of large itemsets L(2): 380

Size of set of large itemsets L(3): 910

Size of set of large itemsets L(4): 633

Size of set of large itemsets L(5): 105

Size of set of large itemsets L(6): 1

Best rules found:

1. biscuits=t frozen foods=t fruit=t total=high 788 ==> bread and cake=t 723    <conf:(0.92)> lift:(1.27) lev:(0.03) [155] conv:(3.35)
2. baking needs=t biscuits=t fruit=t total=high 760 ==> bread and cake=t 696    <conf:(0.92)> lift:(1.27) lev:(0.03) [149] conv:(3.28)
3. baking needs=t frozen foods=t fruit=t total=high 770 ==> bread and cake=t 705    <conf:(0.92)> lift:(1.27) lev:(0.03) [150] conv:(3.27)
4. biscuits=t fruit=t vegetables=t total=high 815 ==> bread and cake=t 746    <conf:(0.92)> lift:(1.27) lev:(0.03) [159] conv:(3.26)
5. party snack foods=t fruit=t total=high 854 ==> bread and cake=t 779    <conf:(0.91)> lift:(1.27) lev:(0.04) [164] conv:(3.15)
6. biscuits=t frozen foods=t vegetables=t total=high 797 ==> bread and cake=t 725    <conf:(0.91)> lift:(1.26) lev:(0.03) [151] conv:(3.06)
7. baking needs=t biscuits=t vegetables=t total=high 772 ==> bread and cake=t 701    <conf:(0.91)> lift:(1.26) lev:(0.03) [145] conv:(3.01)
8. biscuits=t fruit=t total=high 954 ==> bread and cake=t 866    <conf:(0.91)> lift:(1.26) lev:(0.04) [179] conv:(3)
9. frozen foods=t fruit=t vegetables=t total=high 834 ==> bread and cake=t 757    <conf:(0.91)> lift:(1.26) lev:(0.03) [156] conv:(3)
10. frozen foods=t fruit=t total=high 969 ==> bread and cake=t 877    <conf:(0.91)> lift:(1.26) lev:(0.04) [179] conv:(2.92)
```

FP-Growth:

```
=== Run information ===

Scheme:      weka.associations.FPGrowth -P 2 -I -1 -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1
Relation:     supermarket
Instances:    4627
Attributes:   217
              [list of attributes omitted]
=== Associator model (full training set) ===

FPGrowth found 16 rules (displaying top 10)

1. [fruit=t, frozen foods=t, biscuits=t, total=high]: 788 ==> [bread and cake=t]: 723    <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.35)
2. [fruit=t, baking needs=t, biscuits=t, total=high]: 760 ==> [bread and cake=t]: 696    <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.28)
3. [fruit=t, baking needs=t, frozen foods=t, total=high]: 770 ==> [bread and cake=t]: 705    <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.27)
4. [fruit=t, vegetables=t, biscuits=t, total=high]: 815 ==> [bread and cake=t]: 746    <conf:(0.92)> lift:(1.27) lev:(0.03) conv:(3.26)
5. [fruit=t, party snack foods=t, total=high]: 854 ==> [bread and cake=t]: 779    <conf:(0.91)> lift:(1.27) lev:(0.04) conv:(3.15)
6. [vegetables=t, frozen foods=t, biscuits=t, total=high]: 797 ==> [bread and cake=t]: 725    <conf:(0.91)> lift:(1.26) lev:(0.03) conv:(3.06)
7. [vegetables=t, baking needs=t, biscuits=t, total=high]: 772 ==> [bread and cake=t]: 701    <conf:(0.91)> lift:(1.26) lev:(0.03) conv:(3.01)
8. [fruit=t, biscuits=t, total=high]: 954 ==> [bread and cake=t]: 866    <conf:(0.91)> lift:(1.26) lev:(0.04) conv:(3)
9. [fruit=t, vegetables=t, frozen foods=t, total=high]: 834 ==> [bread and cake=t]: 757    <conf:(0.91)> lift:(1.26) lev:(0.03) conv:(3)
10. [fruit=t, frozen foods=t, total=high]: 969 ==> [bread and cake=t]: 877    <conf:(0.91)> lift:(1.26) lev:(0.04) conv:(2.92)
```

1,2,3,4.

2.
a) $\{A, B\} \rightarrow E$

$$\text{SUPPORT} \{A, B, E\} / \text{SUPPORT} \{A, B\} = 2/4 = 0.5$$

b) $\text{SUPPORT} \{A, B, E\} / \text{SUPPORT} \{A\} = 2/6 = 0.3$

3. $A = 6$

L1 $B = 7$

$C = 6$

$d = 2$

$e = 2$

$L2 = A, B, C, D, E$

$L2 \{A, B\} = 4$

$\{A, C\} = 3$

$\{A, E\} = 2$

$\{B, C\} = 4$

$\{B, D\} = 2$

$\{B, E\} = 2$

$L2 = \{A, B\}, \{A, C\}, \{A, E\}, \{B, C\}, \{B, D\}, \{B, E\}$

$L3 \{A, B, C\} = 2$

$\{A, B, E\} = 2$

$\{B, C, E\} = 1$

$\{A, C, E\} = 1$

$\{A, B, D\} = 1$


$L3 = \{A, B, C\}, \{A, B, E\}$

$L4 = L1: \{A, B, C, D, E\}$

$L2: \{A, B\}, \{A, C\}, \{A, E\},$


$\{B, C\}, \{B, D\}, \{B, E\}$

$L3: \{A, B, C\}, \{A, B, E\}$



1.

Tuple	#	Class	Prob	TP	FN	FP	TN	TPR	FPR
1	P	0.95	1	4	0	5	0.2	0.0	
2	n	0.85	1	4	1	4	0.2	0.2	
3	P	0.78	2	3	1	4	0.4	0.2	
4	P	0.66	3	2	1	4	0.6	0.2	
5	n	0.6	3	2	2	3	0.6	0.4	
6	P	0.55	4	1	2	3	0.8	0.4	
7	n	0.53	4	1	3	2	0.8	0.6	
8	n	0.52	4	1	4	1	0.8	0.8	
9	n	0.51	4	1	5	0	0.8	1.0	
10	P	0.4	5	0	5	0	1.0	1.0	



$$TPR = \frac{TP}{TP + FN}$$

$$FPR = \frac{FP}{FP + TN}$$

Joseph Henry
4/24/25