

# Cheatsheet SELinux

| RPM Packages           | Purpose                              |
|------------------------|--------------------------------------|
| setroubleshoot         | RPM for setroubleshootd and sealert  |
| policycoreutils-gui    | RPM for system-config-selinux        |
| setools                | RPM for seaudit and apol             |
| policycoreutils-python | RPM containing policy create scripts |

| Commands   | Purpose   |
|--|---|
| /etc/sysconfig/selinux   | Config file   |
| /etc/selinux   | Policy locations                                      |
| setroubleshootd  | Service to translate AVC denial messages in audit.log |
| /var/log/audit/audit.log   | Log of all SELinux messages                           |
| /var/log/messages  | Log of all denials if setroubleshootd is running      |
| sealert -a audit.log -H > file.html                                | Creates HTML webpage out of audit.log                 |
| setenforce   | Sets mode of SELinux in real time                     |
| sestatus   | Tool to show you the status of SELinux                |
| seinfo -c  | Prints list of object classes                         |
| seinfo -t  | Prints list of object types                           |
| seinfo -u  | Prints list of SELinux users                          |
| seinfo -n  | Prints list of network contexts                       |
| seinfo -p  | Prints list of network port contexts                  |
| seinfo -b  | Prints list of booleans                               |
| getsebool -a   | Get list of booleans and current setting              |
| setsebool <boolean> <on   off>                                     | Sets boolean, use -P to survive reboot (persistent)   |
| restorecon <file>  | Restores files to default SELinux security context    |
| chcon -t <context_t> <file>  | Sets context of <file> to <context_t>                 |
| ls -Z <file>   | List Security Context of Object                       |
| ps -AZ   | List Security Context of Subjects                     |
| id -Z  | List Security Context of User                         |
| system-config-selinux  | Redhat Gui Policy Management tool                     |
| semanage   | Command line Policy Management tool                   |
| checkpolicy  | Compiles policy into binary for the kernel            |
| audit2allow  | Creates policy modules                                |
| semodule -i <policy module>  | Inserts plicy module created by audit2allow           |
| grep http audit.log   audit2allow -m local && semodule -i local.pp |   |