

docker image based on alpine3.6 ; install docker client

 3 commits

 1 branch

 1 release

 1 contributor

Branch: master ▾





New pull request


Create new file

Upload files

Find file

Clone or download ▾

 Cethy Add link to cethy/alpine-docker-compose in README	Latest commit 72649ed on Oct 21, 2017
 .gitignore	Initial commit a year ago
 Dockerfile	Initial commit a year ago
 README.md	Add link to cethy/alpine-docker-compose in README a year ago

 README.md

Alpine-docker-client

Simple docker image based on alpine3.6 with docker client (17.06.2-ce) installed.

- install docker client
 - install curl
 - fetch docker binaries archive
 - unzip archive
 - move docker client binary
 - remove curl and cleanup artifacts

ENTRYPOINT	CMD
docker	-v

How to use (running docker instructions)

Since this image is designed to work with the host docker engine, you need to pass the socket.

```
# display stats
docker run -it -v /var/run/docker.sock:/var/run/docker.sock cethy/alpine-docker-client stats
```

Using another docker version

Example building a new image with another docker client :

```
docker build --build-arg DOCKER_CLI_VERSION="17.03.1-ce" -t my-alpine-docker .
docker run my-alpine-docker
# will output : Docker version 17.03.1-ce, build c6d412e
```

Docker releases listing

https://download.docker.com/linux/static/stable/x86_64/

Related work

[cethy/alpine-docker-compose](#)