DT0

User

+username: String
+password: String

+authorities: List<String>

BlogPost

+postId: int

+postDate: LocalDate
+expDate: LocalDate

<<interface>>

UserDao

```
+addUser(newUser:User): User
+deleteUser(UserName:String): void
+listAllUsers(): List<User>
```

```
+SQL_INSERT_USER: String = "insert
+SQL_INSERT_AUTHORITY : String = "
+SQL_DELETE_USER : private static
+SQL_DELETE_AUTHORITIES : String
+SQL_GET_ALL_USERS : String = "sel
+SQL_GET_AUTHORITIES : String
+jdbcTemplate: JdbcTemplate
+addUser(newUser:User): User
```

+addUser(newUser:User): User
+ getAllUsers(): List<User>
+deleteUser(userName:String): void
+UserMapper(rs:ResultSet,i:int): Us
+AuthorityMapper(rs:ResultSet,i:int

SearchTerm

+TITLE +CATEGORY +addBlogPost(post:E
+removePost(PostId:
+updatePost(post:Bl
+getAllPosts(): Lis
+getById(id:int): E
+searchPosts(criter

UserDaoDblmpl

into users (username, password, enabled) va
'insert into authorities (username, authorit
: final String = "delete from users where
= "delete from authorities where username
.ect username, password from users"
= "select authority from authorities where

ser

:): String

<<Interface>>


BlogDao

```
3logPost): BlogPost
int): void
.ogPost): void
st<BlogPost>
3logPost
ria:Map<SearchTerm, String>): List<BlogPost>
```

```
lues (?, ?, 1)"
(y) values (?, ?)
(username = ?"
(username = ?"
```

BlogDaoDbImpl

```
+SQL INSERT POST: String
+SQL INSERT TAGS: String
+SQL DELETE POST: String
+SQL UPDATE POST: String
+SQL SELECT POST:
                  String
+SQL SELECT TAG: String
+SQL SELECT ALL POSTS: String
+SQL SEARCH POSTS: String
+
+setJdbcTemplate(): void
+addBlogPost(post:post): post
+removeBlogPost(id:int): void
+updateBlogPost(post:post): void
+getAllBlogPosts(): List<post>
+getBlogPostById(id:int): post
+searchBlogPosts(List<post>): Map<Se
                  String>
+PostMapper()
+TagsMapper()
```



Controller

HomeCor

```
+dao: DatabaseDa
+displayHomePage
+createPost(): B
+deletePost(id:p
+putPost(id:post
+getPost(id:post
+getAllPosts():
```

UserController

rdEncoder

```
(model:Map<String, Object>): String
(model:Map<String, Object>): String
)ServletRequest): String
l:Map<String, Object>,userName:String,
ername"):@RequestParam): String
```

ntroller

0

(): String

logPost

ostId): void

Id): void

Id): BlogPost

List<Post>

SearchController

+dao: DatabaseDao

+searchPosts(searchMap:@RequestBody M

String>): List<BlogPos</pre>

ap<String, t>