

Environment Variables Used In App

Generated: 2026-05-31T00:35:46.748Z

This report is generated from source/config/script references only. It does not read .env, .env.local, or .env.example files.

Total variables found: 126

AI

7 variables

AI_DAILY_REQUEST_CAP_PER_SCHOOL

Scopes: Server/shared libs | Files: 1
src/lib/ai/feature-budget.ts:25 - process.env.AI_DAILY_REQUEST_CAP_PER_SCHOOL,

DEMO_AI_ENABLED

Scopes: Server/shared libs, Tests | Files: 2
src/lib/demo/runtime.ts:20 - aiEnabled: process.env.DEMO_AI_ENABLED !== "false",
tests/demo.runtime.test.ts:14 - delete process.env.DEMO_AI_ENABLED;

DEMO_AI_MAX_REQUESTS_PER_SESSION

Scopes: Server/shared libs, Tests | Files: 2
src/lib/demo/runtime.ts:22 - process.env.DEMO_AI_MAX_REQUESTS_PER_SESSION || 20
tests/demo.runtime.test.ts:15 - delete process.env.DEMO_AI_MAX_REQUESTS_PER_SESSION;

FEATURE_LEO_COPILOT_RUNTIME_ENABLED

Scopes: Server/shared libs | Files: 1
src/lib/leo/runtime.ts:8 - return process.env.FEATURE_LEO_COPILOT_RUNTIME_ENABLED === "true";

GEMINI_SCHEME_IMPORT_MODEL

Scopes: Server/shared libs | Files: 1
src/lib/schemes/scheme-import-pdf-gemini.ts:28 - return process.env.GEMINI_SCHEME_IMPORT_MODEL?.trim() ||
DEFAULT_GEMINI_MODEL;

OPENAI_SCHEME_IMPORT_MODEL

Scopes: Server/shared libs | Files: 1
src/lib/schemes/scheme-import-pdf-ai.ts:25 - const configured = process.env.OPENAI_SCHEME_IMPORT_MODEL?.trim();

OPENAI_TIMETABLE_COACH_MODEL

Scopes: API routes, Server/shared libs | Files: 3
src/app/api/admin/classes/[id]/timetable/leo-coach/route.ts:264 - model: process.env.OPENAI_TIMETABLE_COACH_MODEL ||
"gpt-4o-mini",
src/app/api/admin/school-daily-schedule/leo-coach/route.ts:55 - const model =
process.env.OPENAI_TIMETABLE_COACH_MODEL || "gpt-4o-mini";
src/lib/leo/exam-scheduling-advisory-shared.ts:162 - model: process.env.OPENAI_TIMETABLE_COACH_MODEL ??
"gpt-4o-mini",

Client-exposed

17 variables

NEXT_PUBLIC_APP_RUNTIME_MODE

Scopes: Server/shared libs, Tests | Files: 2
src/lib/demo/runtime.ts:72 - process.env.NEXT_PUBLIC_APP_RUNTIME_MODE === "demo"
tests/demo.runtime.test.ts:8 - delete process.env.NEXT_PUBLIC_APP_RUNTIME_MODE;
tests/demo.runtime.test.ts:116 - process.env.NEXT_PUBLIC_APP_RUNTIME_MODE = "demo";

NEXT_PUBLIC_APP_URL

Scopes: API routes, App routes, Server/shared libs | Files: 6
src/app/(app)/platform/settings/page.tsx:70 - const appUrl = process.env.NEXT_PUBLIC_APP_URL || process.env.APP_URL
|| "Not configured";
src/app/api/public/admissions/applications/[token]/pay/init/route.ts:27 - const envOrigin =
process.env.NEXT_PUBLIC_APP_URL?.trim();
src/app/api/public/admissions/embed.js/route.ts:79 - const env = process.env.NEXT_PUBLIC_APP_URL ||
process.env.APP_URL || "";
+ 5 more shown in Markdown companion

NEXT_PUBLIC_CLERK_GOOGLE_ENABLED

Scopes: App routes | Files: 2

```
src/app/sign-in/[...sign-in]/page.tsx:40 - const GOOGLE_ENABLED = process.env.NEXT_PUBLIC_CLERK_GOOGLE_ENABLED === "true";
src/app/sign-up/[...sign-up]/page.tsx:31 - const GOOGLE_ENABLED = process.env.NEXT_PUBLIC_CLERK_GOOGLE_ENABLED === "true";
```

NEXT_PUBLIC_CLERK_PUBLISHABLE_KEY

Scopes: App routes | Files: 1

```
src/app/(app)/platform/settings/page.tsx:81 - process.env.CLERK_SECRET_KEY ||
process.env.NEXT_PUBLIC_CLERK_PUBLISHABLE_KEY
```

NEXT_PUBLIC_CLOUDINARY_CLOUD_NAME

Scopes: Server/shared libs | Files: 1

```
src/lib/cloudinary-url.ts:15 - process.env.NEXT_PUBLIC_CLOUDINARY_CLOUD_NAME ||
```

NEXT_PUBLIC_FEATURE_LEO_COPILOT_RUNTIME_ENABLED

Scopes: Server/shared libs | Files: 1

```
src/lib/leo/runtime.ts:12 - if (typeof process.env.NEXT_PUBLIC_FEATURE_LEO_COPILOT_RUNTIME_ENABLED === "undefined") {
src/lib/leo/runtime.ts:15 - return process.env.NEXT_PUBLIC_FEATURE_LEO_COPILOT_RUNTIME_ENABLED === "true";
```

NEXT_PUBLIC_FEATURE_TEACHER_STUDIO

Scopes: Server/shared libs, Tests | Files: 2

```
src/lib/features/teacherStudio.ts:8 - const value = process.env.NEXT_PUBLIC_FEATURE_TEACHER_STUDIO;
tests/teacherStudioFeature.test.ts:24 - const previous = process.env.NEXT_PUBLIC_FEATURE_TEACHER_STUDIO;
tests/teacherStudioFeature.test.ts:25 - delete process.env.NEXT_PUBLIC_FEATURE_TEACHER_STUDIO;
+ 9 more shown in Markdown companion
```

NEXT_PUBLIC_FEATURE_TIMETABLE_ADMIN_PLANNER_ENABLED

Scopes: Tests | Files: 1

```
tests/timetable.featureFlags.test.ts:30 - delete process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_ADMIN_PLANNER_ENABLED;
tests/timetable.featureFlags.test.ts:55 - process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_ADMIN_PLANNER_ENABLED = "false";
```

NEXT_PUBLIC_FEATURE_TIMETABLE_DUAL_WRITE_ENABLED

Scopes: Tests | Files: 1

```
tests/timetable.featureFlags.test.ts:36 - delete process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_DUAL_WRITE_ENABLED;
tests/timetable.featureFlags.test.ts:58 - process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_DUAL_WRITE_ENABLED = "true";
```

NEXT_PUBLIC_FEATURE_TIMETABLE_PUBLISH_WORKFLOW_ENABLED

Scopes: Tests | Files: 1

```
tests/timetable.featureFlags.test.ts:32 - delete process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_PUBLISH_WORKFLOW_ENABLED;
tests/timetable.featureFlags.test.ts:56 - process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_PUBLISH_WORKFLOW_ENABLED = "false";
```

NEXT_PUBLIC_FEATURE_TIMETABLE_REBOOT_ENABLED

Scopes: Tests | Files: 1

```
tests/timetable.featureFlags.test.ts:28 - delete process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_REBOOT_ENABLED;
tests/timetable.featureFlags.test.ts:54 - process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_REBOOT_ENABLED = "false";
tests/timetable.featureFlags.test.ts:75 - process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_REBOOT_ENABLED = "true";
```

NEXT_PUBLIC_FEATURE_TIMETABLE_ROLE_READ_VIEWS_ENABLED

Scopes: Tests | Files: 1

```
tests/timetable.featureFlags.test.ts:34 - delete process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_ROLE_READ_VIEWS_ENABLED;
tests/timetable.featureFlags.test.ts:57 - process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_ROLE_READ_VIEWS_ENABLED = "false";
```

NEXT_PUBLIC_FEATURE_TIMETABLE_SUNSET

Scopes: Server/shared libs | Files: 1

```
src/lib/timetable/feature-flags.ts:10 - if (process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_SUNSET === "false") return false;
src/lib/timetable/feature-flags.ts:12 - if (process.env.NEXT_PUBLIC_FEATURE_TIMETABLE_SUNSET === "true") return true;
```

NEXT_PUBLIC_LIVEKIT_URL

Scopes: Server/shared libs | Files: 1

```
src/lib/meetings/livekit.ts:149 - const base = process.env.NEXT_PUBLIC_LIVEKIT_URL?.trim() ||
process.env.LIVEKIT_URL?.trim();
```

NEXT_PUBLIC_NETWORK_TELEMETRY

Scopes: Runtime | Files: 1

```
src/hooks/useNetworkHealth.ts:98 - if (process.env.NEXT_PUBLIC_NETWORK_TELEMETRY === "true") return true;
```

NEXT_PUBLIC_SUBSCRIPTION_ENFORCEMENT_ENABLED

Scopes: App routes | Files: 1

```
src/app/(app)/admin/subscription/page.tsx:268 - const isEnforcementOn =
process.env.NEXT_PUBLIC_SUBSCRIPTION_ENFORCEMENT_ENABLED === "true";
```

NEXT_PUBLIC_SUBSCRIPTION_FRONTEND_GATES_ENABLED

Scopes: Runtime | Files: 1

```
src/hooks/useSchoolSubscription.ts:28 - process.env.NEXT_PUBLIC_SUBSCRIPTION_FRONTEND_GATES_ENABLED === "true";
```

Cron / Jobs

1 variable

INTERNAL_CRON_URL

Scopes: Server/shared libs | Files: 1

```
src/lib/jobs/trigger-provisioning-runner.ts:12 - process.env.INTERNAL_CRON_URL?.trim() ||
```

Database

6 variables

DEMO_DATA_MONGO_DB_NAME

Scopes: Runtime | Files: 1

```
src/db/connectToDemoDataDatabase.ts:14 - process.env.DEMO_DATA_MONGO_DB_NAME ||
```

DEMO_DATA_MONGODB_URI

Scopes: Runtime | Files: 1

```
src/db/connectToDemoDataDatabase.ts:10 - process.env.DEMO_DATA_MONGODB_URI || process.env.DEMO_MONGODB_URI || "";
```

DEMO_MONGO_DB_NAME

Scopes: Runtime | Files: 1

```
src/db/connectToDemoDataDatabase.ts:15 - process.env.DEMO_MONGO_DB_NAME ||
```

DEMO_MONGODB_URI

Scopes: Runtime | Files: 1

```
src/db/connectToDemoDataDatabase.ts:10 - process.env.DEMO_DATA_MONGODB_URI || process.env.DEMO_MONGODB_URI || "";
```

MONGO_DB_NAME

Scopes: Runtime | Files: 1

```
src/db/connectToDatabase.ts:44 - dbName: process.env.MONGO_DB_NAME || undefined,  
src/db/connectToDatabase.ts:51 - m.connection.name || process.env.MONGO_DB_NAME || "unknown-db";
```

MONGODB_URI

Scopes: App routes, Runtime, Scripts | Files: 5

```
scripts/demo/seed-flagship-template.ts:74 - const uri = process.env.MONGODB_URI;  
scripts/subscription-lifecycle-advance.ts:37 - const mongoUri = process.env.MONGODB_URI;  
src/app/(app)/platform/settings/page.tsx:75 - configured: Boolean(process.env.MONGODB_URI),  
+ 2 more shown in Markdown companion
```

Demo

4 variables

DEMO_BASE_URL

Scopes: Runtime, Server/shared libs, Tests | Files: 3

```
src/lib/demo/runtime.ts:11 - baseUrl: process.env.DEMO_BASE_URL ?? "",  
src/lib/demo/runtime.ts:34 - const raw = process.env.DEMO_BASE_URL ?? "";  
src/middleware.ts:9 - const baseUrl = process.env.DEMO_BASE_URL ?? "";  
+ 7 more shown in Markdown companion
```

DEMO_DEFAULT_SESSION_MINUTES

Scopes: Server/shared libs, Tests | Files: 2

```
src/lib/demo/runtime.ts:15 - process.env.DEMO_DEFAULT_SESSION_MINUTES || 90  
tests/demo.runtime.test.ts:11 - delete process.env.DEMO_DEFAULT_SESSION_MINUTES;
```

DEMO_IDLE_TIMEOUT_MINUTES

Scopes: Server/shared libs | Files: 1

```
src/lib/demo/runtime.ts:17 - idleTimeoutMinutes: Number(process.env.DEMO_IDLE_TIMEOUT_MINUTES || 5),
```

DEMO_MAX_ACTIVE_SESSIONS

Scopes: API routes, Server/shared libs, Tests | Files: 3

```
src/app/api/demo/request-access/route.ts:44 - const maxSessions = Number(process.env.DEMO_MAX_ACTIVE_SESSIONS || 50);  
src/lib/demo/runtime.ts:18 - maxActiveSessions: Number(process.env.DEMO_MAX_ACTIVE_SESSIONS || 50),  
tests/demo.runtime.test.ts:12 - delete process.env.DEMO_MAX_ACTIVE_SESSIONS;
```

Email

16 variables

BREVO_BILLING_FROM_EMAIL

Scopes: Server/shared libs | Files: 1

```
src/lib/email/providers/brevo-provider.ts:6 - const { BREVO_API_KEY, BREVO_DEFAULT_FROM_EMAIL, BREVO_DEFAULT_FROM_NAME, BREVO_BILLING_FROM_EMAIL, BREVO_SUPPORT_FROM_EMAIL, SUPPORT_EMAIL, } = process.env
```

BREVO_DEFAULT_FROM_EMAIL

Scopes: Server/shared libs | Files: 1

```
src/lib/email/providers/brevo-provider.ts:6 - const { BREVO_API_KEY, BREVO_DEFAULT_FROM_EMAIL, BREVO_DEFAULT_FROM_NAME, BREVO_BILLING_FROM_EMAIL, BREVO_SUPPORT_FROM_EMAIL, SUPPORT_EMAIL, } = process.env
```

BREVO_DEFAULT_FROM_NAME

Scopes: Server/shared libs | Files: 1

```
src/lib/email/providers/brevo-provider.ts:6 - const { BREVO_API_KEY, BREVO_DEFAULT_FROM_EMAIL, BREVO_DEFAULT_FROM_NAME, BREVO_BILLING_FROM_EMAIL, BREVO_SUPPORT_FROM_EMAIL, SUPPORT_EMAIL, } = process.env
```

BREVO_FROM_EMAIL

Scopes: API routes, Server/shared libs | Files: 2

```
src/app/api/admin/fees/reminders/route.ts:124 - process.env.BREVO_API_KEY && process.env.BREVO_FROM_EMAIL && process.env.BREVO_FROM_NAME
src/lib/email/brevo.ts:13 - const { BREVO_API_KEY, BREVO_FROM_EMAIL, BREVO_FROM_NAME, EMAIL_AUDIT_ENABLED } = process.env
```

BREVO_FROM_NAME

Scopes: API routes, Server/shared libs | Files: 2

```
src/app/api/admin/fees/reminders/route.ts:124 - process.env.BREVO_API_KEY && process.env.BREVO_FROM_EMAIL && process.env.BREVO_FROM_NAME
src/lib/email/brevo.ts:13 - const { BREVO_API_KEY, BREVO_FROM_EMAIL, BREVO_FROM_NAME, EMAIL_AUDIT_ENABLED } = process.env
```

BREVO_SUPPORT_FROM_EMAIL

Scopes: Server/shared libs | Files: 1

```
src/lib/email/providers/brevo-provider.ts:6 - const { BREVO_API_KEY, BREVO_DEFAULT_FROM_EMAIL, BREVO_DEFAULT_FROM_NAME, BREVO_BILLING_FROM_EMAIL, BREVO_SUPPORT_FROM_EMAIL, SUPPORT_EMAIL, } = process.env
```

EMAIL

Scopes: Scripts | Files: 1

```
scripts/createPlatformAdmin.ts:22 - const email = (process.env.EMAIL || "").toLowerCase().trim();
```

EMAIL_AUDIT_ENABLED

Scopes: Server/shared libs | Files: 1

```
src/lib/email/brevo.ts:13 - const { BREVO_API_KEY, BREVO_FROM_EMAIL, BREVO_FROM_NAME, EMAIL_AUDIT_ENABLED } = process.env
```

EMAIL_REPLY_DOMAIN

Scopes: Server/shared libs | Files: 1

```
src/lib/email/routing.ts:4 - const { EMAIL_REPLY_DOMAIN } = process.env
```

EMAIL_SYNC_ENABLED

Scopes: Server/shared libs | Files: 1

```
src/lib/jobs/imapMailboxSync.ts:109 - if (process.env.EMAIL_SYNC_ENABLED === "false") {
```

PLATFORM_BOOTSTRAP_NOTIFY_EMAIL

Scopes: Server/shared libs | Files: 1

```
src/lib/platform-bootstrap/config.ts:6 - process.env.PLATFORM_BOOTSTRAP_NOTIFY_EMAIL?.trim().toLowerCase() ||
```

PLATFORM_GROWTH_ADMIN_EMAIL

Scopes: Server/shared libs | Files: 1

```
src/lib/proposals/reply-handler.ts:10 - const PLATFORM_GROWTH_ADMIN_EMAIL = process.env.PLATFORM_GROWTH_ADMIN_EMAIL ?? "";
```

SPACEMAIL_SMTP_HOST

Scopes: Server/shared libs | Files: 1

```
src/lib/email/providers/spaceship-provider.ts:4 - const { SPACEMAIL_SMTP_HOST, SPACEMAIL_SMTP_PORT, SPACEMAIL_SMTP_USER, SPACEMAIL_SMTP_PASSWORD, } = process.env
```

SPACEMAIL_SMTP_PORT

Scopes: Server/shared libs | Files: 1

```
src/lib/email/providers/spaceship-provider.ts:4 - const { SPACEMAIL_SMTP_HOST, SPACEMAIL_SMTP_PORT,
```

```
SPACEMAIL SMTP_USER, SPACEMAIL SMTP_PASSWORD, } = process.env
```

SPACEMAIL SMTP_USER

Scopes: Server/shared libs | Files: 2

```
src/lib/email/providers/spaceship-provider.ts:4 - const { SPACEMAIL SMTP_HOST, SPACEMAIL SMTP_PORT, SPACEMAIL SMTP_USER, SPACEMAIL SMTP_PASSWORD, } = process.env
src/lib/email/services/send-manual-support-email.ts:73 - from: input.fromEmail || process.env.SPACEMAIL SMTP_USER || ""
```

SUPPORT_EMAIL

Scopes: App routes, Server/shared libs | Files: 2

```
src/app/(app)/platform/settings/page.tsx:69 - const supportEmail = process.env.SUPPORT_EMAIL || "support@edusentrix.com";
src/lib/email/providers/brevo-provider.ts:6 - const { BREVO_API_KEY, BREVO_DEFAULT_FROM_EMAIL, BREVO_DEFAULT_FROM_NAME, BREVO BILLING_FROM_EMAIL, BREVO_SUPPORT_FROM_EMAIL, SUPPORT_EMAIL, } = process.env
```

Feature Flags

8 variables

E2E_TEACHER_LOGIN_BYPASS_ENABLED

Scopes: API routes | Files: 1

```
src/app/api/admin/teachers/create/route.ts:60 - process.env.E2E_TEACHER_LOGIN_BYPASS_ENABLED === "true"
```

FEATURE_CAMBRIDGE_LIGHTHOUSE_EXPORT

Scopes: Server/shared libs | Files: 1

```
src/lib/curriculum/cambridge-lighthouse.ts:6 - return process.env.FEATURE_CAMBRIDGE_LIGHTHOUSE_EXPORT === "true";
```

FEATURE_TIMETABLE_ADMIN_PLANNER_ENABLED

Scopes: Tests | Files: 1

```
tests/timetable.featureFlags.test.ts:31 - delete process.env.FEATURE_TIMETABLE_ADMIN_PLANNER_ENABLED;
```

FEATURE_TIMETABLE_DUAL_WRITE_ENABLED

Scopes: Tests | Files: 1

```
tests/timetable.featureFlags.test.ts:37 - delete process.env.FEATURE_TIMETABLE_DUAL_WRITE_ENABLED;
```

FEATURE_TIMETABLE_PUBLISH_WORKFLOW_ENABLED

Scopes: Tests | Files: 1

```
tests/timetable.featureFlags.test.ts:33 - delete process.env.FEATURE_TIMETABLE_PUBLISH_WORKFLOW_ENABLED;
```

FEATURE_TIMETABLE_REBOOT_ENABLED

Scopes: Tests | Files: 1

```
tests/timetable.featureFlags.test.ts:29 - delete process.env.FEATURE_TIMETABLE_REBOOT_ENABLED;
tests/timetable.featureFlags.test.ts:76 - process.env.FEATURE_TIMETABLE_REBOOT_ENABLED = "false";
```

FEATURE_TIMETABLE_ROLE_READ_VIEWS_ENABLED

Scopes: Tests | Files: 1

```
tests/timetable.featureFlags.test.ts:35 - delete process.env.FEATURE_TIMETABLE_ROLE_READ_VIEWS_ENABLED;
```

FEATURE_TIMETABLE_SUNSET

Scopes: Server/shared libs, Tests | Files: 2

```
src/lib/timetable/feature-flags.ts:11 - if (process.env.FEATURE_TIMETABLE_SUNSET === "false") return false;
src/lib/timetable/feature-flags.ts:13 - if (process.env.FEATURE_TIMETABLE_SUNSET === "true") return true;
tests/timetable.featureFlags.test.ts:15 - delete process.env.FEATURE_TIMETABLE_SUNSET;
+ 3 more shown in Markdown companion
```

Meetings

2 variables

LIVEKIT_URL

Scopes: Server/shared libs | Files: 1

```
src/lib/meetings/livekit.ts:139 - process.env.LIVEKIT_URL?.trim() &&
src/lib/meetings/livekit.ts:149 - const base = process.env.NEXT_PUBLIC_LIVEKIT_URL?.trim() || process.env.LIVEKIT_URL?.trim();
```

LIVEKIT_WS_URL

Scopes: Server/shared libs | Files: 1

```
src/lib/meetings/livekit.ts:146 - const explicit = process.env.LIVEKIT_WS_URL?.trim();
```

Other

16 variables

APP_RUNTIME_MODE

Scopes: Runtime, Server/shared libs, Tests | Files: 3

```
src/db/connectToDatabase.ts:52 - const runtimeMode = process.env.APP_RUNTIME_MODE || "standard";
src/lib/demo/runtime.ts:62 - return process.env.APP_RUNTIME_MODE === "demo";
tests/demo.runtime.test.ts:7 - delete process.env.APP_RUNTIME_MODE;
+ 2 more shown in Markdown companion
```

CLD_ENABLE_BG_REMOVE

Scopes: Server/shared libs | Files: 1

```
src/lib/cloudinary.ts:26 - String(process.env.CLD_ENABLE_BG_REMOVE || "true") === "true";
```

EDUSENTRIX_LEARN_LAZY_EXPLORE

Scopes: Server/shared libs | Files: 1

```
src/lib/learn/explore/explore-flags.ts:3 - process.env.EDUSENTRIX_LEARN_LAZY_EXPLORE !== "0" &&
src/lib/learn/explore/explore-flags.ts:4 - process.env.EDUSENTRIX_LEARN_LAZY_EXPLORE !== "false";
```

EDUSENTRIX_TRANSACTION_FEE_CAP_MINOR

Scopes: Server/shared libs | Files: 2

```
src/lib/billing/transaction-fees.ts:37 - const rawCapMinor =
parseNumber(process.env.EDUSENTRIX_TRANSACTION_FEE_CAP_MINOR);
src/lib/subscriptions/transaction-fees.ts:51 - process.env.EDUSENTRIX_TRANSACTION_FEE_CAP_MINOR
src/lib/subscriptions/transaction-fees.ts:52 - ? parseInt(process.env.EDUSENTRIX_TRANSACTION_FEE_CAP_MINOR, 10)
```

EDUSENTRIX_TRANSACTION_FEE_PERCENT

Scopes: Server/shared libs | Files: 2

```
src/lib/billing/transaction-fees.ts:35 - parseNumber(process.env.EDUSENTRIX_TRANSACTION_FEE_PERCENT) ?? 0
src/lib/subscriptions/transaction-fees.ts:47 - process.env.EDUSENTRIX_TRANSACTION_FEE_PERCENT ?? "2.5"
```

LEARN_MOBILE_APP_VERSION

Scopes: Server/shared libs | Files: 1

```
src/lib/learn/mobile-settings.ts:82 - appVersion: process.env.LEARN_MOBILE_APP_VERSION?.trim() || "1.0.0",
```

PLATFORM_BOOTSTRAP_ALLOW_WHEN_ADMINS_EXIST

Scopes: Server/shared libs | Files: 1

```
src/lib/platform-bootstrap/config.ts:17 - return process.env.PLATFORM_BOOTSTRAP_ALLOW_WHEN_ADMINS_EXIST === "true";
```

RECONCILIATION_DUAL_CONTROL_THRESHOLD_MINOR

Scopes: API routes | Files: 2

```
src/app/api/admin/finance/transactions/[id]/reconcile/route.ts:75 -
process.env.RECONCILIATION_DUAL_CONTROL_THRESHOLD_MINOR || "",
src/app/api/admin/finance/transactions/[id]/route.ts:16 - process.env.RECONCILIATION_DUAL_CONTROL_THRESHOLD_MINOR ||
""
```

RECONCILIATION_INGESTION_BATCH_LIMIT

Scopes: Server/shared libs | Files: 1

```
src/lib/fees/reconciliation/deterministic.ts:23 - const parsed =
Number(process.env.RECONCILIATION_INGESTION_BATCH_LIMIT);
```

RECONCILIATION_MATCH_WINDOW_DAYS

Scopes: Server/shared libs | Files: 1

```
src/lib/fees/reconciliation/deterministic.ts:18 - const parsed =
Number(process.env.RECONCILIATION_MATCH_WINDOW_DAYS);
```

RECONCILIATION_SLA_HOURS

Scopes: Server/shared libs | Files: 1

```
src/lib/fees/reconciliation/deterministic.ts:13 - const parsed = Number(process.env.RECONCILIATION_SLA_HOURS);
```

SCHOOL_NAME

Scopes: Scripts | Files: 2

```
scripts/reset-school-payment-provisioning.ts:28 - process.env.SCHOOL_NAME?.trim() ||
scripts/reset-timetable-day-spring-school.ts:31 - const nameArg = process.argv[2]?.trim() ||
process.env.SCHOOL_NAME?.trim() || DEFAULT_SCHOOL_NAME;
```

SMS_ALLOW_STUB_IN_PRODUCTION

Scopes: Server/shared libs | Files: 1

```
src/lib/notifications/sms.ts:19 - const allowStubInProduction = process.env.SMS_ALLOW_STUB_IN_PRODUCTION === "true";
```

SMS_PROVIDER

Scopes: Server/shared libs | Files: 1

```
src/lib/notifications/sms.ts:18 - const configuredProvider = (process.env.SMS_PROVIDER ||  
"stub").trim().toLowerCase();
```

WHATSAPP_ALLOW_STUB_IN_PRODUCTION

Scopes: Server/shared libs | Files: 1

```
src/lib/notifications/whatsapp.ts:20 - const allowStubInProduction = process.env.WHATSAPP_ALLOW_STUB_IN_PRODUCTION  
=== "true";
```

WHATSAPP_PROVIDER

Scopes: Server/shared libs | Files: 1

```
src/lib/notifications/whatsapp.ts:17 - const configuredProvider = (process.env.WHATSAPP_PROVIDER || "stub")
```

Payments / Billing

6 variables

SUBSCRIPTION_API_GATES_ENABLED

Scopes: Server/shared libs | Files: 1

```
src/lib/subscriptions/guards.ts:28 - process.env.SUBSCRIPTION_API_GATES_ENABLED === "true";
```

SUBSCRIPTION_AUDIT_LOGS_ENABLED

Scopes: Server/shared libs | Files: 2

```
src/lib/subscriptions/guards.ts:22 - process.env.SUBSCRIPTION_AUDIT_LOGS_ENABLED === "true";  
src/lib/subscriptions/record-event.ts:41 - const auditEnabled = process.env.SUBSCRIPTION_AUDIT_LOGS_ENABLED ===  
"true";
```

SUBSCRIPTION_ENFORCEMENT_ENABLED

Scopes: Server/shared libs, Tests | Files: 5

```
src/lib/subscriptions/access-mode.ts:47 - if (process.env.SUBSCRIPTION_ENFORCEMENT_ENABLED !== "true") {  
src/lib/subscriptions/guards.ts:25 - process.env.SUBSCRIPTION_ENFORCEMENT_ENABLED === "true";  
src/lib/subscriptions/resolve-school-entitlements.ts:46 - process.env.SUBSCRIPTION_ENFORCEMENT_ENABLED === "true";  
+ 4 more shown in Markdown companion
```

SUBSCRIPTION_FRONTEND_GATES_ENABLED

Scopes: Server/shared libs | Files: 1

```
src/lib/subscriptions/require-page-feature.ts:27 - process.env.SUBSCRIPTION_FRONTEND_GATES_ENABLED === "true";
```

SUBSCRIPTION_PAYMENT_CHARGES_ENABLED

Scopes: Server/shared libs | Files: 2

```
src/lib/subscriptions/resolve-payment-charge-policy.ts:51 - const enforcementEnabled =  
process.env.SUBSCRIPTION_PAYMENT_CHARGES_ENABLED === "true";  
src/lib/subscriptions/transaction-fees.ts:26 - process.env.SUBSCRIPTION_PAYMENT_CHARGES_ENABLED === "true";
```

SUBSCRIPTION_USAGE_GATES_ENABLED

Scopes: Server/shared libs | Files: 2

```
src/lib/subscriptions/guards.ts:216 - process.env.SUBSCRIPTION_USAGE_GATES_ENABLED === "true";  
src/lib/subscriptions/usage-tracker.ts:19 - process.env.SUBSCRIPTION_USAGE_GATES_ENABLED === "true";
```

Runtime / URLs

7 variables

APP_URL

Scopes: API routes, App routes, Scripts, Server/shared libs | Files: 7

```
scripts/createPlatformAdmin.ts:23 - const { CLERK_SECRET_KEY, APP_URL } = process.env  
src/app/(app)/platform/settings/page.tsx:70 - const appUrl = process.env.NEXT_PUBLIC_APP_URL || process.env.APP_URL  
|| "Not configured";  
src/app/api/platform/applications/[id]/approve/route.ts:142 - // const APP_URL = process.env.APP_URL!;  
+ 6 more shown in Markdown companion
```

NODE_ENV

Scopes: API routes, Runtime, Server/shared libs, Tests | Files: 21

```
src/app/api/admin/teachers/create/route.ts:59 - process.env.NODE_ENV !== "production" &&  
src/app/api/banks/search/route.ts:57 - const errorMessage = process.env.NODE_ENV === "development"  
src/app/api/banks/search/route.ts:65 - ...(process.env.NODE_ENV === "development" && { details: e?.stack })  
+ 9 more shown in Markdown companion
```

PORT

Scopes: Server/shared libs | Files: 1

```
src/lib/utils/getAppUrl.ts:28 - const port = process.env.PORT || "3000";
```


SCHEME_IMPORT_PRIMARY_PROVIDER

Scopes: Server/shared libs | Files: 1

```
src/lib/schemes/scheme-import-pdf-resolve.ts:33 - return
process.env.SCHEME_IMPORT_PRIMARY_PROVIDER?.trim().toLowerCase() === "gemini";
```

VERCEL_ENV

Scopes: Server/shared libs | Files: 1

```
src/lib/utils/getAppUrl.ts:21 - process.env.VERCEL_ENV === "production" ||
```

VERCEL_PROJECT_PRODUCTION_URL

Scopes: Server/shared libs | Files: 1

```
src/lib/utils/getBaseUrl.ts:20 - if (process.env.VERCEL_PROJECT_PRODUCTION_URL) {
src/lib/utils/getBaseUrl.ts:21 - return `https://${process.env.VERCEL_PROJECT_PRODUCTION_URL}`;
```

VERCEL_URL

Scopes: Server/shared libs | Files: 2

```
src/lib/jobs/trigger-provisioning-runner.ts:14 - (process.env.VERCEL_URL
src/lib/jobs/trigger-provisioning-runner.ts:15 - ? `https://${process.env.VERCEL_URL.replace(/^https?:\/\//, "")}`
src/lib/utils/getBaseUrl.ts:25 - if (process.env.VERCEL_URL) {
+ 1 more shown in Markdown companion
```

Secrets / Auth

33 variables

ADMISSIONS_DIGEST_CRON_SECRET

Scopes: API routes | Files: 1

```
src/app/api/cron/admissions-weekly-digest/route.ts:17 - const secret = process.env.ADMISSIONS_DIGEST_CRON_SECRET;
```

AI_DAILY_TOKEN_CAP_PER_SCHOOL

Scopes: Server/shared libs | Files: 1

```
src/lib/ai/feature-budget.ts:21 - process.env.AI_DAILY_TOKEN_CAP_PER_SCHOOL,
```

AI_USD_PER_1M_TOKENS

Scopes: Server/shared libs | Files: 1

```
src/lib/ai/feature-budget.ts:29 - usdPerMillionTokens: Number(process.env.AI_USD_PER_1M_TOKENS || "0.30"),
```

BREVO_API_KEY

Scopes: API routes, App routes, Server/shared libs | Files: 4

```
src/app/(app)/platform/settings/page.tsx:92 - configured: Boolean(process.env.BREVO_API_KEY),
src/app/api/admin/fees/reminders/route.ts:124 - process.env.BREVO_API_KEY && process.env.BREVO_FROM_EMAIL &&
process.env.BREVO_FROM_NAME
src/lib/email/brevo.ts:13 - const { BREVO_API_KEY, BREVO_FROM_EMAIL, BREVO_FROM_NAME, EMAIL_AUDIT_ENABLED } =
process.env
+ 1 more shown in Markdown companion
```

BREVO_INBOUND_PARSE_WEBHOOK_SECRET

Scopes: API routes | Files: 1

```
src/app/api/webhooks/brevo-inbound/route.ts:5 - const { BREVO_INBOUND_PARSE_WEBHOOK_SECRET } = process.env
```

BREVO_WEBHOOK_SECRET

Scopes: API routes, App routes | Files: 2

```
src/app/(app)/platform/webhooks/page.tsx:45 - configured: Boolean(process.env.BREVO_WEBHOOK_SECRET),
src/app/api/webhooks/brevo/route.ts:9 - const { BREVO_WEBHOOK_SECRET } = process.env
```

CLERK_SECRET_KEY

Scopes: API routes, App routes, Scripts | Files: 3

```
scripts/createPlatformAdmin.ts:23 - const { CLERK_SECRET_KEY, APP_URL } = process.env
src/app/(app)/platform/settings/page.tsx:81 - process.env.CLERK_SECRET_KEY ||
process.env.NEXT_PUBLIC_CLERK_PUBLISHABLE_KEY
src/app/api/me/route.ts:73 - secretKey: process.env.CLERK_SECRET_KEY!,
```

CLERK_WEBHOOK_SECRET

Scopes: API routes, App routes | Files: 2

```
src/app/(app)/platform/webhooks/page.tsx:33 - configured: Boolean(process.env.CLERK_WEBHOOK_SECRET),
src/app/api/webhooks/clerk/route.ts:66 - const WEBHOOK_SECRET = process.env.CLERK_WEBHOOK_SECRET;
```

CLOUDINARY_API_KEY

Scopes: API routes, Server/shared libs | Files: 3

```
src/app/api/uploads/sign/route.ts:104 - const apiKey = process.env.CLOUDINARY_API_KEY!;
src/lib/cloudinary.ts:9 - !process.env.CLOUDINARY_API_KEY ||
```



```
src/lib/cloudinary.ts:17 - api_key: process.env.CLOUDINARY_API_KEY,  
+ 1 more shown in Markdown companion
```

CLOUDINARY_API_SECRET

Scopes: API routes, Server/shared libs | Files: 3

```
src/app/api/uploads/sign/route.ts:34 - process.env.CLOUDINARY_API_SECRET || process.env.CLOUDINARY_API_SECRET_KEY;  
src/lib/cloudinary.ts:6 - process.env.CLOUDINARY_API_SECRET || process.env.CLOUDINARY_API_SECRET_KEY;  
src/lib/uploads/delete.ts:52 - api_secret: process.env.CLOUDINARY_API_SECRET ||  
process.env.CLOUDINARY_API_SECRET_KEY,
```

CLOUDINARY_API_SECRET_KEY

Scopes: API routes, Server/shared libs | Files: 3

```
src/app/api/uploads/sign/route.ts:34 - process.env.CLOUDINARY_API_SECRET || process.env.CLOUDINARY_API_SECRET_KEY;  
src/lib/cloudinary.ts:6 - process.env.CLOUDINARY_API_SECRET || process.env.CLOUDINARY_API_SECRET_KEY;  
src/lib/uploads/delete.ts:52 - api_secret: process.env.CLOUDINARY_API_SECRET ||  
process.env.CLOUDINARY_API_SECRET_KEY,
```

COMMUNICATIONS_JOB_SECRET

Scopes: API routes | Files: 1

```
src/app/api/jobs/communications/process-outbox/route.ts:15 - const expected = process.env.COMMUNICATIONS_JOB_SECRET;
```

CRON_SECRET

Scopes: API routes, Server/shared libs | Files: 7

```
src/app/api/cron/demo-maintenance/route.ts:6 - const cronSecret = process.env.CRON_SECRET;  
src/app/api/cron/email-dispatch/route.ts:7 - const secret = process.env.EMAIL_DISPATCH_CRON_SECRET ||  
process.env.CRON_SECRET;  
src/app/api/cron/imap-recovery/route.ts:10 - process.env.CRON_SECRET;  
+ 4 more shown in Markdown companion
```

DELEGATIONS_EXPIRY_CRON_SECRET

Scopes: Server/shared libs | Files: 1

```
src/lib/delegations/expireDelegations.ts:61 - process.env.DELEGATIONS_EXPIRY_CRON_SECRET || process.env.CRON_SECRET  
|| "";
```

DEMO_SESSION_SECRET

Scopes: Server/shared libs, Tests | Files: 2

```
src/lib/demo/runtime.ts:12 - sessionSecret: process.env.DEMO_SESSION_SECRET ?? "",  
tests/demo.runtime.test.ts:10 - delete process.env.DEMO_SESSION_SECRET;
```

E2E_TEACHER_DEFAULT_PASSWORD

Scopes: API routes | Files: 1

```
src/app/api/admin/teachers/create/route.ts:66 - process.env.E2E_TEACHER_DEFAULT_PASSWORD?.trim() || "TeacherTest123!"
```

EMAIL_DISPATCH_CRON_SECRET

Scopes: API routes | Files: 2

```
src/app/api/cron/email-dispatch/route.ts:7 - const secret = process.env.EMAIL_DISPATCH_CRON_SECRET ||  
process.env.CRON_SECRET;  
src/app/api/cron/imap-recovery/route.ts:9 - process.env.EMAIL_DISPATCH_CRON_SECRET ||
```

GEMINI_API_KEY

Scopes: App routes, Server/shared libs | Files: 2

```
src/app/(app)/platform/settings/page.tsx:108 - process.env.GEMINI_API_KEY?.trim() ||  
process.env.GOOGLE_AI_API_KEY?.trim(),  
src/lib/schemes/scheme-import-pdf-gemini.ts:23 - process.env.GEMINI_API_KEY?.trim() ||  
process.env.GOOGLE_AI_API_KEY?.trim() || null;
```

GOOGLE_AI_API_KEY

Scopes: App routes, Server/shared libs | Files: 2

```
src/app/(app)/platform/settings/page.tsx:108 - process.env.GEMINI_API_KEY?.trim() ||  
process.env.GOOGLE_AI_API_KEY?.trim(),  
src/lib/schemes/scheme-import-pdf-gemini.ts:23 - process.env.GEMINI_API_KEY?.trim() ||  
process.env.GOOGLE_AI_API_KEY?.trim() || null;
```

IMAP_RECOVERY_CRON_SECRET

Scopes: API routes | Files: 1

```
src/app/api/cron/imap-recovery/route.ts:8 - process.env.IMAP_RECOVERY_CRON_SECRET ||
```

INTERNAL_CRON_SECRET

Scopes: API routes, Server/shared libs | Files: 4

```
src/app/api/academic-calendars/reminders/run/route.ts:30 - if (!process.env.INTERNAL_CRON_SECRET || secret !==  
process.env.INTERNAL_CRON_SECRET) {  
src/app/api/academic-calendars/reminders/run/route.ts:30 - if (!process.env.INTERNAL_CRON_SECRET || secret !==  
process.env.INTERNAL_CRON_SECRET) {
```

```
src/app/api/admin/teachers/leave/run/route.ts:26 - if (!process.env.INTERNAL_CRON_SECRET || secret !==  
process.env.INTERNAL_CRON_SECRET) {  
+ 4 more shown in Markdown companion
```

LIBRARY_CRON_SECRET

Scopes: Server/shared libs | Files: 1

```
src/lib/library/library-reservation-scheduler.ts:11 - const secret = process.env.LIBRARY_CRON_SECRET ||  
process.env.CRON_SECRET || "";
```

LIVEKIT_API_KEY

Scopes: Server/shared libs | Files: 1

```
src/lib/meetings/livekit.ts:140 - process.env.LIVEKIT_API_KEY?.trim() &&
```

LIVEKIT_API_SECRET

Scopes: Server/shared libs | Files: 1

```
src/lib/meetings/livekit.ts:141 - process.env.LIVEKIT_API_SECRET?.trim()
```

OPENAI_API_KEY

Scopes: API routes, App routes, Server/shared libs | Files: 32

```
src/app/(app)/platform/settings/page.tsx:102 - configured: Boolean(process.env.OPENAI_API_KEY),  
src/app/api/admin/class-groups/leo-draft/route.ts:278 - if (!process.env.OPENAI_API_KEY) {  
src/app/api/admin/class-groups/leo-draft/route.ts:297 - const openai = new OpenAI({ apiKey:  
process.env.OPENAI_API_KEY });  
+ 9 more shown in Markdown companion
```

OPENAI_COST_PER_1M_TOKENS_MINOR

Scopes: Server/shared libs | Files: 1

```
src/lib/platform-billing/provider-sync.ts:66 - Number(process.env.OPENAI_COST_PER_1M_TOKENS_MINOR || "0")
```

PAYSTACK_SECRET_KEY

Scopes: API routes, App routes, Server/shared libs | Files: 5

```
src/app/(app)/platform/settings/page.tsx:87 - configured: Boolean(process.env.PAYSTACK_SECRET_KEY),  
src/app/(app)/platform/webhooks/page.tsx:39 - configured: Boolean(process.env.PAYSTACK_SECRET_KEY),  
src/app/api/parent/payments/checkout-status/route.ts:87 - const secretKey = process.env.PAYSTACK_SECRET_KEY;  
+ 3 more shown in Markdown companion
```

PLATFORM_ADMIN_BOOTSTRAP_SECRET

Scopes: Server/shared libs | Files: 1

```
src/lib/platform-bootstrap/config.ts:13 - return process.env.PLATFORM_ADMIN_BOOTSTRAP_SECRET?.trim() ?? "";
```

PLATFORM_BOOTSTRAP_KEY_PEPPER

Scopes: Server/shared libs | Files: 1

```
src/lib/platform-bootstrap/key.ts:7 - process.env.PLATFORM_BOOTSTRAP_KEY_PEPPER?.trim() ||
```

RECONCILIATION_CRON_SECRET

Scopes: API routes | Files: 1

```
src/app/api/cron/reconciliation/route.ts:12 - const secret = process.env.RECONCILIATION_CRON_SECRET;
```

SPACEMAIL_SMTP_PASSWORD

Scopes: Server/shared libs | Files: 1

```
src/lib/email/providers/spaceship-provider.ts:4 - const { SPACEMAIL_SMTP_HOST, SPACEMAIL_SMTP_PORT,  
SPACEMAIL_SMTP_USER, SPACEMAIL_SMTP_PASSWORD, } = process.env
```

SUBSCRIPTION_CRON_SECRET

Scopes: API routes | Files: 2

```
src/app/api/cron/subscription-plan-changes/route.ts:9 - const secret = process.env.SUBSCRIPTION_CRON_SECRET ||  
process.env.CRON_SECRET;  
src/app/api/cron/subscription-renewal-notices/route.ts:9 - const secret = process.env.SUBSCRIPTION_CRON_SECRET ||  
process.env.CRON_SECRET;
```

UPLOADTHING_TOKEN

Scopes: API routes, App routes | Files: 2

```
src/app/(app)/platform/settings/page.tsx:97 - configured: Boolean(process.env.UPLOADTHING_TOKEN),  
src/app/api/uploadthing/route.ts:10 - token: process.env.UPLOADTHING_TOKEN,
```

Uploads / Storage

3 variables

CLOUDINARY_CLOUD_NAME

Scopes: API routes, Server/shared libs | Files: 4

```
src/app/api/uploads/sign/route.ts:103 - const cloudName = process.env.CLOUDINARY_CLOUD_NAME!;
```

```
src/lib/cloudinary-url.ts:16 - process.env.CLOUDINARY_CLOUD_NAME;  
src/lib/cloudinary.ts:8 - !process.env.CLOUDINARY_CLOUD_NAME ||  
+ 2 more shown in Markdown companion
```

DEMO_UPLOADS_ENABLED

Scopes: Server/shared libs, Tests | Files: 2

```
src/lib/demo/runtime.ts:19 - uploadsEnabled: process.env.DEMO_UPLOADS_ENABLED === "true",  
tests/demo.runtime.test.ts:13 - delete process.env.DEMO_UPLOADS_ENABLED;
```

UPLOADTHING_COST_PER_GB_MINOR

Scopes: Server/shared libs | Files: 1

```
src/lib/platform-billing/provider-sync.ts:70 - Number(process.env.UPLOADTHING_COST_PER_GB_MINOR || "0")
```