


Technical Case Study of Yakanzeka.com

Technical
Implementation Plan:

High-Precision Web
Tracking & Data
Engineering

by Yusuf TAS





Project Governance: Agile Framework for Tracking Deployment

Technical deployment requires a rigorous management framework to maintain data integrity. An Agile/Kanban framework was utilized as a strategic necessity to prevent data discrepancies and ensure structural stability during complex migrations.

Process Architecture: By segmenting the migration into distinct units of work, engineering teams identify and mitigate "data breaks" before they reach production.

The Workflow: Every tag and trigger moves through a structured pipeline—from "Backlog" to "Verified"—only once specific technical benchmarks are met.

Workstreams: Managed Enhanced Conversions architecture, PII Hashing protocols, and Tag Sequencing to prevent race conditions.

Foundational Infrastructure: Global Tag Initialization

A unified global tag serves as the "Single Source of Truth" for cross-platform measurement. Centralized initialization prevents fragmented data, duplicate hits, and attribution loss.

Implementation: "The Google Tag" serves as the foundational layer, initialized on key landing pages (Copper, Bronze, Silver, and Gold Pro plans).

Architecture: A unified container supports legacy features while providing the necessary environment for modern GA4 and Google Ads assets.

Efficiency: Nested IDs are fanned out via the primary container, reducing script bloat and improving page load performance.

The screenshot displays the Tag Assistant interface, which is used for managing Google tags. It features a pricing table for different plans and a section for configuring tags.

with Introduction Plans
New users joining us
can explore the platform and experience the services without paying high fees.
More professional users have already started to benefit from the platform for a very small fee.

Introduction Plans	~\$ 0.52	~\$ 0.78	~\$ 1.29	~\$ 2.59
	Copper 10 Pro	Bronze 15 Pro	Silver 10 Pro	Gold 10
Who is Suitable for?	New Users	New Users	New Users	New Users
Normal Contents	✓	✓	✓	✓
Pro Contents	✓	✓	✓	✗
Save %50	✓	✓	✓	✓
One Click Download	✓	✓	✓	✓
Plan Days	10 Days			

Welcome to Tag Assistant

No longer deprecated! We've listened to your feedback and are combining Tag Assistant Legacy and Tag Assistant Companion into a single extension that supports both sets of features.
[Dismiss](#)

[Troubleshoot tag](#)

Google tags found

Untitled tag
G-HEF D5M, GT-M. Z4J.
AW-17 '9307, GT-NCT'
GT-PJ 47, AW-178I 501,
GT-WR... ZS, AW-178 4747

[AW-17 9307](#)
[AW-17 5501](#)
[AW-17 4747](#)

GT-P3 TB
[G-NHG IBM3](#)

yakanzeka.com

Tag Assistant
Tag Assistant Connected
Debug information for this page is viewable in the Tag Assistant window [Learn more](#)

Behavioral Tracking: Interaction Engineering

Standard pageview metrics are insufficient for modern business intelligence. We engineered high-intent interaction tracking to map user journeys and optimize conversion paths.

Event Hierarchy: Managed via Google Tag Manager (GTM) using custom-engineered triggers for clicks and form starts.

The Conversion Event: Implemented form_submit logic to capture intent signals even on AJAX-based forms where traditional "Thank You" pages are absent.

Lead Enrichment: These API calls link directly to "User Provided Data" hits, ensuring high-fidelity lead attribution.

Image: GTM event summary





Image: Form submission event logic



Data Layer Engineering: AJAX & Variable Integration

The Data Layer acts as the critical intermediary between the front-end and the analytics server, extracting dynamic information invisible to standard browser listeners.

Technical Solution: A Custom jQuery Listener captures form_submit events that typically fail under standard triggers.

Variable Architecture:

dlv_: Raw data extraction (Email, Lead Source).

upd_: Packaging data into compliant "User-Provided Data" objects.

user_: Mapping specific user-level attributes for personalized analytics.

Summary	light_wpe_show_bottom_widget_element"
56 Scroll Depth	"top-default-elementor-kit-94904.e-usa-blink.e-us-chrome.e-us-web" + "kit > div.wd-page-wrapper website-wrapper > div.wd-page-content.ma" + "tr-page-wrapper > main.wd-content-layout.content-layout-wrapper.col" + "main.wd-builder-off-main-content > div.wd-content-area.site-cont" + "text > article.entry-content.post-6.post-type-page.status.published" + "hentry#post-6 > div.woocommerce > div.wd-registration-page.wd-reg" + "ster-tabs.active-register > div.wd-grid-4.col#customer_login > div" + "wd-col.col-register > form.woocommerce-form-woocommerce-form-reg" + "ster-register > p.woocommerce-form-row.form-row-view-to > but" + "ton.woocommerce-button.woocommerce-button"
55 Window Loaded	
54 DOM Ready	
53 Container Loaded	
52 Message	
51 Set	
50 Container Loaded	
49 Initialization	
48 Consent Initialization	
47 Set	
Hesabim - YAKAN ZEKA	
46 form_submit	
45 form_submit	
44 form_submit	
43 form_submit	
42 Form Submit	
41 Click	
40 Click	

Image: Data Layer variable mapping

Tag Manager

All accounts > JosephTan

yakanzeka.com

Search workspace

22

Workspace Changes: 1

Preview

Submit

Workspace

Versions

Admin

GTMA

SB

Current Workspace

Default Workspace

Overview

Tags

Triggers

Variables

Folders

Templates

Built-In Variables

User-Defined Variables

Name

↑

Click Classes

Click Element

Click ID

Click Target

Click Text

Click URL

Event

Page Hostname

Page Path

Page URL

Referrer

Data Layer Variable

Data Layer Variable

Data Layer Variable

Data Layer Variable

Auto-Event Variable

Data Layer Variable

Custom Event

URL

URL

URL

HTTP Referrer

Name

↑

dlv_

upd_

user_

Data Layer Variable

User-Provided Data

User-Provided Data

Last Edited

2 days ago

a day ago

3 days ago

Image: Configuration of User-Defined Variables in GTM

Advanced Data Privacy: Hashing & Enhanced Conversions

In a privacy-first environment, Enhanced Conversions provide accurate measurement while maintaining user anonymity through secure, first-party data.

Cryptographic Security: "The Hashed Parameter" is the technical core. By validating the em parameter and tvl status, we ensure PII is never transmitted in plain text.

PII Hashing: User data is cryptographically hashed using SHA-256 before being fanned out to destination IDs.

Compliance: This methodology maximizes system efficiency while strictly adhering to global privacy standards (GDPR/CCPA).

Image: Validation of 'em' parameter

Parameters			
Name ↑	Parameter	Value	Format
aud	aud		
Developer IDs	did		
dma	dma	1	
ec_mode	ec_mode	a	
em	em	tv.1-em.xCbdh-JrPaqUHR6 /VPYgjlXx5vs	
frm	frm	0	
gap.plf	gap.plf	4.5.3	
gcd	gcd		
Global Developer IDs	gdid		
Google Services Consent State	dma_cps	syphamo	
gtm	gtm		
Non-personalized Ads	npa	1	
pscdl	pscdl	noapl	
tag_exp	tag_exp		
User-Agent Architecture	uaa	x86	
User-Agent Bitness	uab	64	

yakanzeka.com			
Google tags found			
Summary			
Hesabim - YAKAN ZEKA			
51 Window Loaded			
50 DOM Ready			
49 Container Loaded			
48 Message			
47 Set			
46 pageview_ga4			
45 Container Loaded			
44 Config			
43 Initialization			
42 Consent Initialization			
41 Set			
Hesabim - YAKAN ZEKA			
40 User Engagement			
39 form_submit			
38 form_submit			

Source	Tag in container GTM-NP	5B
G-HEP	5M, G1-M	1J
AW-178	07, GT-N	L5D
GT-PJ	7, AW-178	501
GT-WI	ZS, AW-17	4747
Destination IDs		
G-XG	KHS, AW-178	07
AW-178	01, AW-178	47

Output of G-HEP			
3M			
Hits Sent			
pageview_ga4	Page View	Page View	
G-XG3	HS	AW-178	747, AW-178 307 ...
User Engagement	User provided data	User provided data	
G-XG3	HS	AW-178	501
User provided data	User provided data	pageview_ga4	
AW-178	01	AW-178	501
Page View	Page View	User Engagement	
G-XG3	HS	AW-178	747, AW-178 37 ...
pageview_ga4	Page View	Page View	
G-XG3	HS	AW-171	47, AW-171 307 ...

Image: Security validation of outbound hits

Validation & Quality Assurance

"Trust but verify" is the mandate. Real-time debugging ensures the engineering plan matches the actual data pipeline.

The Conversion Bridge: Verified via GA4 DebugView to monitor live event flow: page_view → user_engagement → form_start → sign_up.

Data Parity: Stress testing confirmed a perfectly functioning ecosystem with high conversion density (e.g., 8 sign-ups vs 5 page views during the test window).

Result: A professional, high-precision tracking ecosystem ready for advanced business intelligence and Smart Bidding optimization.




Image: Real-time event flow




Image: Final GA4 event count validation