


First VidCast




Saul's First VidCast



Update a User




No More On Time



Query executed successfully.


Tags




Users



User Tag List



UserTags Report



--Adding a vidcast record to the VidCast Table

INSERT INTO vc_VidCast

 $(VidCastTitle,\,StartDateTime,\,EndDateTime,\,ScheduledDurationMinutes,\,RecordingURL,\,vc_UserlD,\,vc_StatusID)\\$

VALUES

('December Snow', '3/1/2018', '3/1/2018 14:30', 30, '/XVF1234', 2, 3)

--Read all rows from vc_Vidcast SELECT * FROM vc_VidCast

SELECT

- vc_User.UserName,
- vc_User.EmailAddress,
- vc_Vidcast.VidCastTitle,
- vc_VidCast.StartDateTime,
- vc_VidCast.EndDateTime,
- vc_VidCast.ScheduledDurationMinutes / 60.0 as ScheduledHours,

vc_Status.StatusText
FROM vc_VidCast
JOIN vc_User ON vc_VidCast.vc_UserID = vc_User.vc_UserID
JOIN vc_Status ON vc_VidCast.vc_StatusID = vc_Status.vc_StatusID
WHERE vc_User.UserName = 'SaulHudson'
ORDER BY vc_Vidcast.StartDateTime

-- Correcting a User's UserRegisteredDate

UPDATE vc_User SET UserRegisteredDate = '3/1/2018' WHERE UserName = 'SaulHudson'

SELECT * FROM vc_User WHERE UserName = 'SaulHudson'

- -- See what rows we have in status SELECT * FROM vc_Status
- -- Delete the On time status
 DELETE vc Status WHERE StatusText = 'On time'
- -- See the effect SELECT * FROM vc Status
- --Adding values to vc_Tag table

INSERT INTO vc_Tag (TagText, TagDescription) VALUES ('Personal', 'About people')

INSERT INTO vc_Tag (TagText, TagDescription)
VALUES ('Professional', 'Business, Business, Business')

INSERT INTO vc_Tag (TagText, TagDescription) VALUES ('Sports', 'All manner of sports')

INSERT INTO vc_Tag (TagText, TagDescription)
VALUES ('Music', 'Music Analysis, news, and thoughts')

INSERT INTO vc_Tag (TagText, TagDescription)
VALUES ('Games', 'Live streaming our favorite games')

SELECT * FROM vc_Tag

--Adding values to vc_User table

INSERT INTO vc_User(UserName, EmailAddress, UserDescription)

```
VALUES
  ('The Doctor', 'tomBaker@nodomain.xyz', 'The definite article'),
  ('HairCut', 'S.todd@nodomain.xyz', 'Fleet Street barber shop')
-- Need to seperate this one in order to get the NULL value for DndGal Description
INSERT INTO vc User(UserName, EmailAddress)
VALUES
  ('DndGal', 'dnd@nodomain.xyz')
SELECT * FROM vc User
--vc User values added
--Adding tags into the vc_UserTagList
INSERT INTO vc_UserTagList (vc_UserID, vc_TagID)
VALUES
  ((SELECT vc UserID FROM vc User WHERE UserName='DnDGal'),
  (SELECT vc_TagID FROM vc_Tag WHERE TagText='Sports'))
INSERT INTO vc UserTagList (vc UserID, vc TagID)
VALUES
  ((SELECT vc_UserID FROM vc_User WHERE UserName='DnDGal'),
  (SELECT vc_TagID FROM vc_Tag WHERE TagText='Professional'))
INSERT INTO vc UserTagList (vc UserID, vc TagID)
VALUES
  ((SELECT vc_UserID FROM vc_User WHERE UserName='RDwight'),
  (SELECT vc TagID FROM vc Tag WHERE TagText='Professional'))
INSERT INTO vc UserTagList (vc UserID, vc TagID)
VALUES
  ((SELECT vc_UserID FROM vc_User WHERE UserName='SaulHudson'),
  (SELECT vc_TagID FROM vc_Tag WHERE TagText='Sports'))
INSERT INTO vc_UserTagList (vc_UserID, vc_TagID)
VALUES
  ((SELECT vc UserID FROM vc User WHERE UserName='Gordon'),
  (SELECT vc_TagID FROM vc_Tag WHERE TagText='Personal'))
INSERT INTO vc_UserTagList (vc_UserID, vc_TagID)
VALUES
  ((SELECT vc UserID FROM vc User WHERE UserName='DnDGal'),
  (SELECT vc_TagID FROM vc_Tag WHERE TagText='Personal'))
```

```
INSERT INTO vc_UserTagList (vc_UserID, vc_TagID)
VALUES
  ((SELECT vc UserID FROM vc User WHERE UserName='Gordon'),
  (SELECT vc_TagID FROM vc_Tag WHERE TagText='Games'))
INSERT INTO vc UserTagList (vc UserID, vc TagID)
VALUES
  ((SELECT vc UserID FROM vc User WHERE UserName='HairCut'),
  (SELECT vc_TagID FROM vc_Tag WHERE TagText='Professional'))
INSERT INTO vc UserTagList (vc UserID, vc TagID)
VALUES
  ((SELECT vc UserID FROM vc User WHERE UserName='The Doctor'),
  (SELECT vc TagID FROM vc Tag WHERE TagText='Music'))
INSERT INTO vc UserTagList (vc UserID, vc TagID)
VALUES
  ((SELECT vc_UserID FROM vc_User WHERE UserName='DnDGal'),
  (SELECT vc_TagID FROM vc_Tag WHERE TagText='Games'))
INSERT INTO vc_UserTagList (vc_UserID, vc_TagID)
VALUES
  ((SELECT vc_UserID FROM vc_User WHERE UserName='SaulHudson'),
  (SELECT vc_TagID FROM vc_Tag WHERE TagText='Games'))
INSERT INTO vc_UserTagList (vc_UserID, vc_TagID)
VALUES
  ((SELECT vc UserID FROM vc User WHERE UserName='Gordon'),
  (SELECT vc_TagID FROM vc_Tag WHERE TagText='Professional'))
INSERT INTO vc UserTagList (vc UserID, vc TagID)
VALUES
  ((SELECT vc UserID FROM vc User WHERE UserName='HairCut'),
  (SELECT vc TagID FROM vc Tag WHERE TagText='Music'))
INSERT INTO vc_UserTagList (vc_UserID, vc_TagID)
VALUES
  ((SELECT vc_UserID FROM vc_User WHERE UserName='The Doctor'),
  (SELECT vc TagID FROM vc Tag WHERE TagText='Personal'))
SELECT * FROM vc UserTagList
```

- --UserTagList tags added
- --Query that that retrieves the vc_User's UserName and EmailAddress and the vc_Tag TagText for all vc_User records, ordered by user name then tag.

SELECT

vc_User.UserName,
vc_User.EmailAddress,
vc_Tag.TagText
FROM vc_UserTagList
JOIN vc_User ON vc_User.vc_UserID = vc_UserTagList.vc_UserID
JOIN vc_Tag ON vc_UserTagList.vc_TagID = vc_Tag.vc_TagID
ORDER BY UserName, TagText