

User Manual

SaltOS 4.0 r2006

April 2025

Contents

1 Dashboard	9
1.1 Description	9
1.2 Main view	9
1.3 Dashboard configuration	9
2 Dashboard configuration	10
2.1 Description	10
2.2 Configuration view	10
2.3 Features	11
2.4 Advanced usage	11
3 Customers	11
3.1 Description	11
3.2 List view	12
3.3 Form view	12
3.4 Delete	14
4 Customer Types	15
4.1 Description	15
4.2 List view	15
4.3 Form view	15
4.4 Delete	17
5 Leads	17
5.1 Description	17
5.2 List view	18
5.3 Form view	18
5.4 Delete	20
6 Leads Status	20
6.1 Description	21
6.2 List view	21
6.3 Form view	21
6.4 Delete	23

7 Meetings	23
7.1 Description	23
7.2 List view	24
7.3 Form view	24
7.4 Delete	26
8 Quotes	26
8.1 Description	26
8.2 List view	27
8.3 Form view	27
8.4 Delete	30
9 Quotes Status	30
9.1 Description	30
9.2 List view	30
9.3 Form view	30
9.4 Delete	32
10 Invoices	32
10.1 Description	32
10.2 List view	33
10.3 Form view	33
10.4 Delete	36
11 Invoices Status	36
11.1 Description	36
11.2 List view	36
11.3 Form view	37
11.4 Delete	38
12 Payment Methods	38
12.1 Description	38
12.2 List view	39
12.3 Form view	39
12.4 Delete	41

13 Products	41
13.1 Description	41
13.2 List view	42
13.3 Form view	42
13.4 Delete	45
14 Product Categories	45
14.1 Description	45
14.2 List view	45
14.3 Form view	45
14.4 Delete	47
15 Product Types	47
15.1 Description	47
15.2 List view	48
15.3 Form view	48
15.4 Delete	50
16 Taxes	50
16.1 Description	50
16.2 List view	51
16.3 Form view	51
16.4 Delete	53
17 Workorders	53
17.1 Description	53
17.2 List view	54
17.3 Form view	54
17.4 Delete	56
18 Purchase	56
18.1 Description	56
18.2 List view	57
18.3 Form view	57
18.4 Delete	59

19 Purchase Status	59
19.1 Description	60
19.2 List view	60
19.3 Form view	60
19.4 Delete	62
20 Suppliers	62
20.1 Description	62
20.2 List view	63
20.3 Form view	63
20.4 Delete	65
21 Supplier Types	66
21.1 Description	66
21.2 List view	66
21.3 Form view	66
21.4 Delete	68
22 Departments	68
22.1 Description	68
22.2 List view	69
22.3 Form view	69
22.4 Delete	71
23 Employees	71
23.1 Description	71
23.2 List view	72
23.3 Form view	72
23.4 Delete	74
24 Employee Types	75
24.1 Description	75
24.2 List view	75
24.3 Form view	75
24.4 Delete	77

25 Certificates	77
25.1 Description	77
25.2 List view	78
25.3 Form view	78
25.4 Delete	80
26 Company	80
26.1 Description	80
26.2 List view	80
26.3 Form view	81
26.4 Delete	83
27 Emails	83
27.1 Description	83
27.2 List view	84
27.3 View message	84
27.4 Reply / Compose	86
27.5 Delete	86
28 Emails Accounts	86
28.1 Description	87
28.2 List view	87
28.3 Form view	87
28.4 Delete	90
29 Groups	90
29.1 Description	90
29.2 List view	90
29.3 Form view	91
29.4 Delete	92
30 Users	92
30.1 Description	92
30.2 List view	93
30.3 Form view	93

30.4 Delete	95
31 Config Log	95
31.1 Description	96
31.2 List view	96
31.3 View entry	96
31.4 Delete	98
32 Cron Log	98
32.1 Description	98
32.2 List view	99
32.3 View entry	99
32.4 Delete	99
33 Files Log	100
33.1 Description	100
33.2 List view	100
33.3 View entry	100
33.4 Delete	101
34 Push Log	101
34.1 Description	101
34.2 List view	101
34.3 View entry	101
34.4 Delete	102
35 Tokens Log	102
35.1 Description	102
35.2 List view	102
35.3 View entry	103
35.4 Delete	103
36 Trash Log	104
36.1 Description	104
36.2 List view	104
36.3 View entry	104

36.4 Delete	105
37 Upload Log	105
37.1 Description	105
37.2 List view	106
37.3 View entry	106
37.4 Delete	107


1 Dashboard

1.1 Description

The **dashboard** is the main landing screen in SaltOS4, where users can display quick access buttons, separators, widgets, charts, and other visual elements. It is not a traditional app with forms or records, but rather a dynamic, customizable view designed to provide an overview and fast access to frequent actions.

This screen centralizes commonly used tools and relevant system information.

1.2 Main view



The dashboard can include:

- Quick access **buttons** to apps or actions
- **Titles** grouping sections of content
- **Separators** to visually organize the layout
- **Widgets** displaying live content (e.g., calendar, email, statistics)

1.3 Dashboard configuration

In the **top right corner**, there is a gear icon that opens the **dashboard configuration app**.

From there, users can customize their dashboard:

- Select the active dashboard
- Add or remove **buttons**
- Create **titles** and **visual separators**

- Group elements together in logical blocks
- Include any available **widgets** (e.g., mail, analytics, alerts)

This configuration is user-specific and saved automatically.


2 Dashboard configuration

2.1 Description

This application allows users to configure the content shown on the **SaltOS4 dashboard**. It is not a traditional app with records, but a visual, user-focused interface for customizing quick access buttons, sections, and widgets that appear on the home dashboard.

Each user can have their own personalized dashboard, and this tool is its visual editor.

2.2 Configuration view



The screen displays a canvas-style layout where dashboard elements can be added, arranged, and grouped visually.

Available elements include:

- **Buttons:** Quick access links to apps or features.
- **Separators:** Visual lines or spaces to structure the layout.
- **Titles:** Headers to organize sections of the dashboard.
- **Widgets:** Dynamic components such as calendar, email, charts, stats, etc.

Elements can be grouped, reordered via drag and drop, and arranged into multiple blocks or columns.

2.3 Features

- Add or remove dashboard elements
- Reorder using drag and drop
- Edit section titles and labels
- Choose which widgets to display
- Organize layout in multiple columns or groups

Changes are saved automatically and apply only to the active user's dashboard.

2.4 Advanced usage

This module is ideal for:

- Creating role-specific dashboards (e.g., sales, tech, admin)
- Displaying only frequently used tools and information
- Improving clarity and efficiency on the SaltOS4 start screen

3 Customers

3.1 Description

The Customers application allows you to manage your client base within SaltOS4. It centralizes all information related to customers, such as identification, contact details, tax code, address, and classification. It also serves as a hub to link customers with other modules like quotes, invoices, meetings, and emails.

3.2 List view

Name	CIF	City	Country	Active
Hudson, Noble and Andrews	D79421459	Lake Thomasview	Liechtenstein	✓ ▾
Stevenson, Taylor and West	N8&691370	Port Jonathanmouth	Malawi	✗ ▾
Morris, Becker and Johnston	G92939823	Castillochester	Haiti	✓ ▾
Zimmerman LLC	H56239167	Port Thomasborough	Ecuador	✓ ▾
Nelson-Miller	N76364551	West Jessica	Barbados	✗ ▾
Oliver, Woods and Cruz	P18446990	East Jonathan	Turkmenistan	✓ ▾
Roy-Baker	C88230980	Krystalfort	Chile	✗ ▾
Meyer Ltd	W54018822	East Ashleychester	Italy	✗ ▾
Howell, Allen and Wills	G12891772	Calnside	Kazakhstan	✓ ▾
Sims and Sons	N21390769	North Billy	Lesotho	✗ ▾
Chen-Williams	D94642272	North Raymond	Togo	✓ ▾
Watts, Perez and Gutierrez	W34760995	Natashafort	Zimbabwe	✗ ▾
Holder Inc	P10644093	Suttonburgh	Russian Federation	✗ ▾
Ayala-Chan	F74988143	Christophermouth	Chad	✗ ▾
Hurley-Blair	S42250566	Hardyburgh	India	✗ ▾
Day, Munoz and Ferguson	H52344821	Coleburgh	Holy See (Vatican City State)	✗ ▾
Clements, Martinez and King	J75956055	North Jeffrey	Gambia	✗ ▾
Young, Bowman and Caldwell	P10629485	East Monica	Uganda	✓ ▾
Goodman Group	E72358694	Jenniferland	Mexico	✓ ▾
Wilson Inc	A89994905	Port Andrew	Kazakhstan	✗ ▾
Francis Group	P49542024	Ericside	Latvia	✗ ▾
Estes and Sons	A51066336	Annetown	Mozambique	✓ ▾

The following fields are displayed in the list view:

- Name: Full name or business name of the customer.
- CIF: Customer's tax identification code (NIF, CIF, VAT, etc.).
- City: City or locality of the customer.
- Country: Country where the customer is legally registered or operates.
- Active: Indicates if the customer is active in the system.

3.3 Form view

This view is used for creating, editing or viewing a customer record.

In **create** mode, the form is empty and ready to enter new data.

SaltOS Dashboard Applications ▾ Admin ▾

Name	CIF	City	Country	Active
Hudson, Noble and Andrews	D79421459	Lake Thomasview	Liechtenstein	✓ ▾
Stevenson, Taylor and West	N8&091370	Port Jonathanmouth	Malawi	✗ ▾
Morris, Becker and Johnston	Q92939823	Castillochester	Haiti	✓ ▾
Zimmerman LLC	H56239197	Port Thomasborough	Ecuador	✓ ▾
Nelson-Miller	N76364551	West Jessica	Barbados	✗ ▾
Oliver, Woods and Cruz	P18446990	East Jonathan	Turkmenistan	✓ ▾
Roy-Baker	C88230980	Krystalfort	Chile	✗ ▾
Meyer Ltd	W54018822	East Ashleychester	Italy	✗ ▾
Howell, Allen and Willis	G12891772	Cainside	Kazakhstan	✓ ▾
Sims and Sons	N21390769	North Billy	Lesotho	✗ ▾
Chen-Williams	D94642272	North Raymond	Togo	✓ ▾
Watts, Perez and Gutierrez	W34760995	Natashafort	Zimbabwe	✗ ▾
Holder Inc	P10644093	Suttonburgh	Russian Federation	✗ ▾
Ayala-Chan	F74988143	Christophermouth	Chad	✗ ▾
Hurley-Blair	S42250566	Hardyburgh	India	✗ ▾
Day, Munoz and Ferguson	H52344821	Coleburgh	Holy See (Vatican City State)	✗ ▾
Clements, Martinez and King	J75956055	North Jeffrey	Gambia	✗ ▾
Young, Bowman and Caldwell	P10629485	East Monica	Uganda	✓ ▾
Goodman Group	E72358994	Jenniferland	Mexico	✓ ▾
Wilson Inc	A89994905	Port Andrew	Kazakhstan	✗ ▾
Francis Group	P49542024	Ericside	Latvia	✗ ▾
Estes and Sons	A51066336	Annetown	Mozambique	✓ ▾

Active

Name: CIF:

Address: City: Province / State:

Zip: Country:

Email: Phone: Website:

Notes:

Type:

✓ Create ✗ Cancel

In **view** mode, the fields are filled with the selected record and cannot be edited.

SaltOS Dashboard Applications ▾ Admin ▾

Name	CIF	City	Country	Active
Hudson, Noble and Andrews	D79421459	Lake Thomasview	Liechtenstein	✓ ▾
Stevenson, Taylor and West	N8&091370	Port Jonathanmouth	Malawi	✗ ▾
Morris, Becker and Johnston	Q92939823	Castillochester	Haiti	✓ ▾
Zimmerman LLC	H56239197	Port Thomasborough	Ecuador	✓ ▾
Nelson-Miller	N76364551	West Jessica	Barbados	✗ ▾
Oliver, Woods and Cruz	P18446990	East Jonathan	Turkmenistan	✓ ▾
Roy-Baker	C88230980	Krystalfort	Chile	✗ ▾
Meyer Ltd	W54018822	East Ashleychester	Italy	✗ ▾
Howell, Allen and Willis	G12891772	Cainside	Kazakhstan	✓ ▾
Sims and Sons	N21390769	North Billy	Lesotho	✗ ▾
Chen-Williams	D94642272	North Raymond	Togo	✓ ▾
Watts, Perez and Gutierrez	W34760995	Natashafort	Zimbabwe	✗ ▾
Holder Inc	P10644093	Suttonburgh	Russian Federation	✗ ▾
Ayala-Chan	F74988143	Christophermouth	Chad	✗ ▾
Hurley-Blair	S42250566	Hardyburgh	India	✗ ▾
Day, Munoz and Ferguson	H52344821	Coleburgh	Holy See (Vatican City State)	✗ ▾
Clements, Martinez and King	J75956055	North Jeffrey	Gambia	✗ ▾
Young, Bowman and Caldwell	P10629485	East Monica	Uganda	✓ ▾
Goodman Group	E72358994	Jenniferland	Mexico	✓ ▾
Wilson Inc	A89994905	Port Andrew	Kazakhstan	✗ ▾
Francis Group	P49542024	Ericside	Latvia	✗ ▾
Estes and Sons	A51066336	Annetown	Mozambique	✓ ▾

Active

Name: CIF:

Address: City: Province / State:

Zip: Country:

Email: Phone: Website:

Notes:

Type:

Info ✗ Edit ✗ Delete ✗ Close

In **edit** mode, the form is pre-filled and allows modifications.

The screenshot shows the SaltOS application interface. On the left, there is a list of customers with columns for Name, CIF, City, Country, and Active status. On the right, a detailed form is displayed for a specific customer named 'Hudson, Noble and Andrews' with CIF 'D79421459'. The form fields include Name, CIF, Address, City, Province / State, Zip, Country, Email, Phone, Website, Notes, Type (set to 'Distributor'), New files (choose files), and New note. At the bottom right are 'Save' and 'Cancel' buttons.

Name	CIF	City	Country	Active
Hudson, Noble and Andrews	D79421459	Lake Thomasview	Liechtenstein	✓ ▾
Stevenson, Taylor and West	N88691370	Port Jonathanmouth	Malawi	✗ ▾
Morris, Becker and Johnston	Q92939823	Castillochester	Haiti	✓ ▾
Zimmerman LLC	H56239197	Port Thomasborough	Ecuador	✓ ▾
Nelson-Miller	N76364551	West Jessica	Barbados	✗ ▾
Oliver, Woods and Cruz	P18446990	East Jonathan	Turkmenistan	✓ ▾
Roy-Baker	C88230980	Krystalfort	Chile	✗ ▾
Meyer Ltd	W54018822	East Ashleychester	Italy	✗ ▾
Howell, Allen and Willis	G12691772	Cainside	Kazakhstan	✓ ▾
Sims and Sons	N21390769	North Billy	Lesotho	✗ ▾
Chen-Williams	D94642272	North Raymond	Togo	✓ ▾
Watts, Perez and Gutierrez	W34760995	Natashafort	Zimbabwe	✗ ▾
Holder Inc	P10644093	Suttonburgh	Russian Federation	✗ ▾
Ayala-Chan	F74988143	Christophermouth	Chad	✗ ▾
Hurley-Blair	S42250566	Hardyburgh	India	✗ ▾
Day, Munoz and Ferguson	H52344821	Coleburgh	Holy See (Vatican City State)	✗ ▾
Clements, Martinez and King	J75956055	North Jeffrey	Gambia	✗ ▾
Young, Bowman and Caldwell	P10629485	East Monica	Uganda	✓ ▾
Goodman Group	E72358094	Jenniferland	Mexico	✓ ▾
Wilson Inc	A89994905	Port Andrew	Kazakhstan	✗ ▾
Francis Group	P49542624	Ericside	Latvia	✗ ▾
Estes and Sons	A51066336	Annetown	Mozambique	✓ ▾

The form includes the following fields:

- Active: Enables or disables the customer visibility.
- Name: Full name or business name of the customer.
- CIF: Customer's tax identification code.
- Address: Main physical or billing address.
- City: City or locality of the customer.
- Province / State: Province or state of the customer.
- ZIP: Postal code corresponding to the address.
- Country: Country of registration.
- Email: Email for notifications or invoices.
- Phone: Primary contact phone number.
- Website: Website of the customer
- Notes: Internal notes related to the customer.
- Type: Category the customer belongs to (e.g., regular, VIP).
- Files: Attachments such as documents or images related to the job.
- Notes: Internal observations or customer-specific instructions.

3.4 Delete

Records can be deleted from the list view via the delete action. A confirmation prompt will appear before the operation is executed.


This action is irreversible and requires specific permissions.

4 Customer Types

4.1 Description

The Customer Types application allows you to define categories or segments for classifying customers. These types are used in the Customers module to group and organize clients according to their profile, purpose, or treatment. Examples may include "Individual", "Company", "VIP", or "Distributor".

4.2 List view



Name	Description	Active
Other	Other unspecified type	✓
Non-Profit	Non-commercial entity	✓
Education	Academic Institution	✓
Government	Public administration customer	✓
Internal	Internal use only	✓
VIP	High priority customer	✓
Reseller	Authorized to sell our products	✓
Partner	Works closely with us	✓
Distributor	Resells our products and services	✓
Client	Default type for standard clients	✓

The following fields are displayed in the list view:

- Name: The label of the customer type (e.g., Company, VIP).
- Description: Additional explanation of the type's purpose or scope.
- Active: Indicates whether the type is available for selection.

4.3 Form view

This view is used to create, view or edit customer type entries.

In **create** mode, the form is empty and ready to enter new data.

The screenshot shows the SaltOS application interface. On the left, there is a sidebar with a gear icon and the text "SaltOS". Below it are links for "Dashboard", "Applications", and a dropdown menu for "Admin". The main content area has a blue header bar with the "SaltOS" logo, a search bar, and buttons for "Search", "Reset", and "Active" status. To the right of the search bar is a table with columns "Name", "Description", and "Active". The table lists ten entries: "Other", "Non-Profit", "Education", "Government", "Internal", "VIP", "Reseller", "Partner", "Distributor", and "Client". Each entry has a green checkmark in the "Active" column and icons for search, edit, and delete. A "Total: 10" message is at the bottom of the table. Below the table is a "Load more" button. To the right of the table is a detailed view form for the "Other" record. It has fields for "Name" (containing "Other") and "Description" (containing "Other unspecified type"). There is also a "Info" button with a dropdown arrow, and buttons for "Edit", "Delete", and "Close". At the top right of the view form are "Create" and "Cancel" buttons.

In **view** mode, the fields are filled with the selected record and cannot be edited.

This screenshot is similar to the previous one but shows the "Edit" mode for the "Other" record. The "Info" button is now highlighted with a blue background and white text. The "Edit" button is visible next to it. The "Delete" and "Close" buttons are also present. The "Name" field still contains "Other" and the "Description" field still contains "Other unspecified type". The other records in the list remain the same.

In **edit** mode, the form is pre-filled and allows modifications.

Name	Description	Active
Other	Other unspecified type	<input checked="" type="checkbox"/>
Non-Profit	Non-commercial entity	<input checked="" type="checkbox"/>
Education	Academic Institution	<input checked="" type="checkbox"/>
Government	Public administration customer	<input checked="" type="checkbox"/>
Internal	Internal use only	<input checked="" type="checkbox"/>
VIP	High priority customer	<input checked="" type="checkbox"/>
Reseller	Authorized to sell our products	<input checked="" type="checkbox"/>
Partner	Works closely with us	<input checked="" type="checkbox"/>
Distributor	Resells our products and services	<input checked="" type="checkbox"/>
Client	Default type for standard clients	<input checked="" type="checkbox"/>

Total: 10 [+ Load more](#)

Active

Name: Other

Description: Other unspecified type

[✓ Save](#) [✗ Cancel](#)

The form includes the following fields:

- Active: Enables or disables the type for use in the Customers app.
- Name: Title of the customer type.
- Description: Optional note describing how or when to use this type.

4.4 Delete

Customer types can be deleted only if they are not assigned to any customer.


If in use, they should be deactivated instead to preserve consistency.

5 Leads

5.1 Description

The Leads application is used to register and track potential customers before they become actual clients. It allows you to collect key information about each lead, such as contact details, origin, and current status in the sales process. This module helps organize the pre-sales activity, enabling sales teams to follow up effectively, qualify opportunities, and convert leads into customers when appropriate.

5.2 List view



Name	CIF	City	Country	Active
Stone-Adkins	D94941433	Kennethland	Central African Republic	X ▾
Contreras-Rivera	U94364956	Cannonside	Papua New Guinea	✓ ▾
Chase-Greene	H32823338	Gouldfurt	Kazakhstan	✓ ▾
Trevino Inc	R55649464	Rachefville	Nicaragua	✓ ▾
Clark-Miller	F72056985	Latoyaburgh	Paraguay	✓ ▾
Evans, Bradshaw and Nelson	R47993097	East Seanhaven	Brunei Darussalam	X ▾
Miller-Munoz	D82664839	Marquezchester	Fiji	X ▾
Wilson-Ferguson	A28692334	Port Mallory	Timor-Leste	✓ ▾
Garcia and Sons	C56742395	Lake Amberport	Latvia	X ▾
Cabrera-Anderson	J41628766	New Markview	New Caledonia	X ▾
Goodman-Gross	N94229473	East Lauramouth	Trinidad and Tobago	✓ ▾
Warner, Barnes and Alexander	B88318612	Lake Jennifer	El Salvador	✓ ▾
Cortez LLC	C62178936	Lawsonstad	United States Minor Outlying Islands	X ▾
Anderson LLC	C12089270	Delgadoshire	Netherlands	✓ ▾
Bell, Vance and Charles	J45935368	Port Kimberlyhaven	Argentina	✓ ▾
Riggs-Church	G39983179	Michaelville	New Zealand	✓ ▾
Petersen-Walker	H63113660	Brockhaven	Eritrea	X ▾
Sanchez-Marshall	D14116526	Curtisfort	Chile	X ▾
Rice, Barrera and Dorsey	J39600031	East April	Samoa	X ▾
Bridges Ltd	A23356970	Williamsview	Solomon Islands	✓ ▾
Petty, Hill and Fletcher	V86342109	Georgefurt	Saint Lucia	✓ ▾
Cook, Long and Gonzalez	R16757699	Nelsonshire	Yemen	X ▾

The following fields are displayed in the list view:

- Title: The title or subject of the meeting, summarizing its purpose.
- Location: The place where the meeting is held, or the online platform link if virtual.
- Start Time: Scheduled starting date and time of the meeting.
- Customer: Customer associated with the meeting, if applicable.

5.3 Form view

This view is used for creating, editing or viewing a lead.

In **create** mode, the form is empty and ready to enter new data.

SaltOS Dashboard Applications Admin

Name	CIF	City	Country	Active
Stone-Adkins	D94941433	Kennethland	Central African Republic	<input checked="" type="checkbox"/>
Contreras-Rivera	U94364956	Cannonside	Papua New Guinea	<input checked="" type="checkbox"/>
Chase-Greene	H32823338	Gouldfurt	Kazakhstan	<input checked="" type="checkbox"/>
Trevino Inc	R56494464	Rachelville	Nicaragua	<input checked="" type="checkbox"/>
Clark-Miller	F72056995	Latoyaburgh	Paraguay	<input checked="" type="checkbox"/>
Evans, Bradshaw and Nelson	R47993097	East Seanhaven	Brunel Darussalam	<input checked="" type="checkbox"/>
Miller-Munoz	D82664839	Marquezchester	Fiji	<input checked="" type="checkbox"/>
Wilson-Ferguson	A28692334	Port Mallory	Timor-Leste	<input checked="" type="checkbox"/>
Garcia and Sons	C56742395	Lake Amberport	Latvia	<input checked="" type="checkbox"/>
Cabrera-Anderson	J41628766	New Markview	New Caledonia	<input checked="" type="checkbox"/>
Goodman-Gross	N94229473	East Lauramouth	Trinidad and Tobago	<input checked="" type="checkbox"/>
Warner, Barnes and Alexander	B88318612	Lake Jennifer	El Salvador	<input checked="" type="checkbox"/>
Cortez LLC	C62178936	Lawsonstad	United States Minor Outlying Islands	<input checked="" type="checkbox"/>
Anderson LLC	C12089270	Delgadoshire	Netherlands	<input checked="" type="checkbox"/>
Bell, Vance and Charles	J45935308	Port Kimberlyhaven	Argentina	<input checked="" type="checkbox"/>
Riggs-Church	G39983179	Michaelville	New Zealand	<input checked="" type="checkbox"/>
Petersen-Walker	H63113660	Brockhaven	Eritrea	<input checked="" type="checkbox"/>
Sanchez-Marshall	D14116526	Curtisfort	Chile	<input checked="" type="checkbox"/>
Rice, Barrera and Dorsey	J39600031	East April	Samoa	<input checked="" type="checkbox"/>
Bridges Ltd	A23350670	Williamsview	Solomon Islands	<input checked="" type="checkbox"/>
Petty, Hill and Fletcher	V86342109	Georgefurt	Saint Lucia	<input checked="" type="checkbox"/>
Cook, Long and Gonzalez	R16757699	Nelsonshire	Yemen	<input checked="" type="checkbox"/>

Active CIF
 Name: CIF:
 Address: City: Province / State:
 Zip: Country:
 Email: Phone: Website:
 Notes:
 Contact: Source: Status: Assigned To:

In **view** mode, the fields are filled with the selected record and cannot be edited.

SaltOS Dashboard Applications Admin

Name	CIF	City	Country	Active
Stone-Adkins	D94941433	Kennethland	Central African Republic	<input checked="" type="checkbox"/>
Contreras-Rivera	U94364956	Cannonside	Papua New Guinea	<input checked="" type="checkbox"/>
Chase-Greene	H32823338	Gouldfurt	Kazakhstan	<input checked="" type="checkbox"/>
Trevino Inc	R56494464	Rachelville	Nicaragua	<input checked="" type="checkbox"/>
Clark-Miller	F72056995	Latoyaburgh	Paraguay	<input checked="" type="checkbox"/>
Evans, Bradshaw and Nelson	R47993097	East Seanhaven	Brunel Darussalam	<input checked="" type="checkbox"/>
Miller-Munoz	D82664839	Marquezchester	Fiji	<input checked="" type="checkbox"/>
Wilson-Ferguson	A28692334	Port Mallory	Timor-Leste	<input checked="" type="checkbox"/>
Garcia and Sons	C56742395	Lake Amberport	Latvia	<input checked="" type="checkbox"/>
Cabrera-Anderson	J41628766	New Markview	New Caledonia	<input checked="" type="checkbox"/>
Goodman-Gross	N94229473	East Lauramouth	Trinidad and Tobago	<input checked="" type="checkbox"/>
Warner, Barnes and Alexander	B88318612	Lake Jennifer	El Salvador	<input checked="" type="checkbox"/>
Cortez LLC	C62178936	Lawsonstad	United States Minor Outlying Islands	<input checked="" type="checkbox"/>
Anderson LLC	C12089270	Delgadoshire	Netherlands	<input checked="" type="checkbox"/>
Bell, Vance and Charles	J45935308	Port Kimberlyhaven	Argentina	<input checked="" type="checkbox"/>
Riggs-Church	G39983179	Michaelville	New Zealand	<input checked="" type="checkbox"/>
Petersen-Walker	H63113660	Brockhaven	Eritrea	<input checked="" type="checkbox"/>
Sanchez-Marshall	D14116526	Curtisfort	Chile	<input checked="" type="checkbox"/>
Rice, Barrera and Dorsey	J39600031	East April	Samoa	<input checked="" type="checkbox"/>
Bridges Ltd	A23350670	Williamsview	Solomon Islands	<input checked="" type="checkbox"/>
Petty, Hill and Fletcher	V86342109	Georgefurt	Saint Lucia	<input checked="" type="checkbox"/>
Cook, Long and Gonzalez	R16757699	Nelsonshire	Yemen	<input checked="" type="checkbox"/>

Active CIF
 Name: CIF:
 Address: City: Province / State:
 Zip: Country:
 Email: Phone: Website:
 Notes:
 Contact: Source: Status: Assigned To:

In **edit** mode, the form is pre-filled and allows modifications.

The screenshot shows the SaltOS application interface. On the left, there is a list view of leads with columns for Name, CIF, City, Country, and Active status. A modal window on the right provides a detailed view of a specific lead record for 'Stone-Adkins'.

Name	CIF	City	Country	Active
Stone-Adkins	D94941433	Kennethland	Central African Republic	<input checked="" type="checkbox"/>
Contreras-Rivera	U94364956	Cannonside	Papua New Guinea	<input checked="" type="checkbox"/>
Chase-Greene	H32823338	Gouldfurt	Kazakhstan	<input checked="" type="checkbox"/>
Trevino Inc	R56494464	Rachelville	Nicaragua	<input checked="" type="checkbox"/>
Clark-Miller	F72056905	Latoyaburgh	Paraguay	<input checked="" type="checkbox"/>
Evans, Bradshaw and Nelson	R47993697	East Seanhaven	Brunel Darussalam	<input checked="" type="checkbox"/>
Miller-Munoz	D82664839	Marquezchester	Fiji	<input checked="" type="checkbox"/>
Wilson-Ferguson	A28692334	Port Mallory	Timor-Leste	<input checked="" type="checkbox"/>
Garcia and Sons	C56742395	Lake Amberport	Latvia	<input checked="" type="checkbox"/>
Cabrera-Anderson	J41628796	New Markview	New Caledonia	<input checked="" type="checkbox"/>
Goodman-Gross	N94229473	East Lauramouth	Trinidad and Tobago	<input checked="" type="checkbox"/>
Warner, Barnes and Alexander	B88318612	Lake Jennifer	El Salvador	<input checked="" type="checkbox"/>
Cortez LLC	C62178936	Lawsonstad	United States Minor Outlying Islands	<input checked="" type="checkbox"/>
Anderson LLC	C12089279	Delgadoshire	Netherlands	<input checked="" type="checkbox"/>
Bell, Vance and Charles	J45935308	Port Kimberlyhaven	Argentina	<input checked="" type="checkbox"/>
Riggs-Church	G39983179	Michaelville	New Zealand	<input checked="" type="checkbox"/>
Petersen-Walker	H63113660	Brockhaven	Eritrea	<input checked="" type="checkbox"/>
Sanchez-Marshall	D14116526	Curtisfort	Chile	<input checked="" type="checkbox"/>
Rice, Barrera and Dorsey	J39600031	East April	Samoa	<input checked="" type="checkbox"/>
Bridges Ltd	A23350070	Williamsview	Solomon Islands	<input checked="" type="checkbox"/>
Petty, Hill and Fletcher	V86342109	Georgefurt	Saint Lucia	<input checked="" type="checkbox"/>
Cook, Long and Gonzalez	R16757099	Nelsonshire	Yemen	<input checked="" type="checkbox"/>

Lead Details (Modal View):

- Name:** Stone-Adkins
- CIF:** D94941433
- Address:** 5969 Stacey Land Suite 564
- City:** Kennethland
- Province / State:** South Carolina
- Zip:** 25510
- Country:** Central African Republic
- Email:** welliott@king.com
- Phone:** 962.694.4285x49271
- Website:** <https://spears.com>
- Notes:** Through capital box dog rich successful south sister table office bar fly.
- Contact:** Michael Rivera
- Source:** Referral
- Status:** New
- Assigned To:** Douglas Neal
- New files:** Choose Files (No file chosen)
- New note:** (Empty text area)

Buttons: ✓ Save | ✘ Cancel

The form includes the following fields:

- Title: The title or subject of the meeting, summarizing its purpose.
- Location: The place where the meeting is held, or the online platform link if virtual.
- Start Time: Scheduled starting date and time of the meeting.
- End Time: Planned ending date and time of the meeting.
- Related Customer: Customer associated with the meeting, if applicable.
- Participants: List of users or external contacts invited to the meeting.
- Agenda: The topics or plan intended to be covered during the meeting.
- Topics Approved: Items discussed in the meeting that were approved.
- Topics Rejected: Items discussed that were not approved or postponed.
- Topics Pending: Items discussed that require further action or decision.

5.4 Delete

Records can be deleted from the list view via the delete action. A confirmation prompt will appear before the operation is executed.


This action is irreversible and requires appropriate permissions.

6 Leads Status

6.1 Description

The Leads Status application defines the possible stages or states of a lead during the qualification process. These statuses are used in the Leads module to track the sales funnel and organize follow-up efforts. Typical statuses might include "New", "Contacted", "Qualified", or "Rejected".

6.2 List view



Name	Description	Active
Unreachable	Could not be contacted	✓
Recycled	Revived from previous loss	✓
Archived	No longer active	✓
Lost	Lead lost	✓
Won	Deal closed successfully	✓
Negotiation	Under negotiation	✓
Proposal Sent	Proposal has been delivered	✓
Qualified	Qualified lead	✓
Contacted	Initial contact made	✓
New	Lead just created	✓

Total: 10 [+ Load more](#)

The following fields are displayed in the list view:

- Name: The label of the lead status (e.g., Contacted, Qualified).
- Description: Explanation or criteria for using this status.
- Active: Indicates if the status is currently available for selection.

6.3 Form view

This view is used to create, view or edit lead status records.

In **create** mode, the form is empty and ready to enter new data.

The screenshot shows the SaltOS application interface. On the left, there is a sidebar with a logo and navigation links: Dashboard, Applications, and Admin. The main area has a blue header bar with the SaltOS logo, a search bar, and a reset button. Below the header is a table titled "Active" with columns: Name, Description, and Active. The table lists ten lead statuses: Unreachable, Recycled, Archived, Lost, Won, Negotiation, Proposal Sent, Qualified, Contacted, and New. Each row includes a green checkmark icon, a search icon, an edit icon, and a delete icon. To the right of the table is a detailed view form for "Unreachable". It has fields for "Name" (set to "Unreachable") and "Description" (set to "Could not be contacted"). There is also a "Info" dropdown menu and buttons for "Edit", "Delete", and "Close". At the bottom right of the view form are "Create" and "Cancel" buttons.

Name	Description	Active
Unreachable	Could not be contacted	✓
Recycled	Revived from previous loss	✓
Archived	No longer active	✓
Lost	Lead lost	✓
Won	Deal closed successfully	✓
Negotiation	Under negotiation	✓
Proposal Sent	Proposal has been delivered	✓
Qualified	Qualified lead	✓
Contacted	Initial contact made	✓
New	Lead just created	✓

Total: 10

+ Load more

In **view** mode, the fields are filled with the selected record and cannot be edited.

This screenshot is similar to the one above, but the "Unreachable" status is selected in the list, indicated by a blue background. In the detailed view form, the "Name" field is pre-filled with "Unreachable" and the "Description" field is pre-filled with "Could not be contacted". The "Info" dropdown menu is open, and the "Edit" button is highlighted in blue, while the "Delete" and "Close" buttons are red.

Name	Description	Active
Unreachable	Could not be contacted	✓
Recycled	Revived from previous loss	✓
Archived	No longer active	✓
Lost	Lead lost	✓
Won	Deal closed successfully	✓
Negotiation	Under negotiation	✓
Proposal Sent	Proposal has been delivered	✓
Qualified	Qualified lead	✓
Contacted	Initial contact made	✓
New	Lead just created	✓

Total: 10

+ Load more

In **edit** mode, the form is pre-filled and allows modifications.

Name	Description	Active
Unreachable	Could not be contacted	<input checked="" type="checkbox"/>
Recycled	Revived from previous loss	<input checked="" type="checkbox"/>
Archived	No longer active	<input checked="" type="checkbox"/>
Lost	Lead lost	<input checked="" type="checkbox"/>
Won	Deal closed successfully	<input checked="" type="checkbox"/>
Negotiation	Under negotiation	<input checked="" type="checkbox"/>
Proposal Sent	Proposal has been delivered	<input checked="" type="checkbox"/>
Qualified	Qualified lead	<input checked="" type="checkbox"/>
Contacted	Initial contact made	<input checked="" type="checkbox"/>
New	Lead just created	<input checked="" type="checkbox"/>

Total: 10

+ Load more

The form includes the following fields:

- Active: Controls whether the status appears in dropdowns.
- Name: Title of the status as shown in the Leads app.
- Description: Internal guidance for when to use this status.

6.4 Delete

Lead statuses can only be deleted if no leads are currently assigned to them.

Otherwise, the status should be marked as inactive.

7 Meetings

7.1 Description

The Meetings application allows you to schedule, organize, and track meetings with leads, customers, or internal staff. It supports planning both face-to-face and online meetings, storing relevant details such as date, time, participants, notes, and status. This module is essential for keeping a history of client interactions, improving follow-up, and maintaining team coordination.

7.2 List view

Title	Location	Start Time	Customer
Optimized bifurcated capability	Robertfurt	2024-06-16 10:10:12	Murphy, Glenn and Perez
Realigned incremental forecast	Lake Alexander	2024-05-07 12:03:54	Collins, Martinez and Chambers
Down-sized leadingedge algorithm	Port Erika	2024-04-22 11:57:23	Brown LLC
Open-source needs-based access	Codyville	2025-01-05 17:02:03	Summers Ltd
Customizable optimizing process Improvement	Richardsonmouth	2025-01-11 15:43:24	Brown Ltd
Decentralized fault-tolerant budgetary management	Julieview	2025-03-30 03:27:01	Sandoval, Kim and Shea
Digitized zero-defect neural-net	West David	2024-08-25 08:30:42	Day, Munoz and Ferguson
Intuitive dynamic encryption	East Garymouth	2024-10-23 18:29:51	Holder Inc
Diverse actuating support	Angelaberg	2024-05-03 00:56:33	Harrison-Medina
Stand-alone optimizing array	Kellermouth	2024-08-28 11:49:54	Scott Group
Re-engineered multi-state paradigm	Markland	2025-02-17 18:56:15	Dennis-Casey
Implemented Incremental ability	Lake Michael	2025-04-01 20:10:52	Wang-Miller
Cross-platform needs-based open system	Joshuaville	2024-09-18 18:55:34	Estes and Sons
Optimized context-sensitive framework	Joelhaven	2024-12-04 14:04:41	Erickson-Rocha

The following fields are displayed in the list view:

- Title: The title or subject of the meeting, summarizing its purpose.
- Location: The place where the meeting is held, or the online platform link if virtual.
- Start Time: Scheduled starting date and time of the meeting.
- Customer: Customer associated with the meeting, if applicable.

7.3 Form view

This view is used for creating, editing or viewing a meeting entry.

In **create** mode, a new meeting is scheduled.

SaltOS Dashboard Applications ▾ Admin ▾

Title				Location	Start Time	Customer
<input type="checkbox"/>	Optimized bifurcated capability	Robertfurt	2024-06-16 10:16:12	Murphy, Glenn and Perez		
<input type="checkbox"/>	Realigned incremental forecast	Lake Alexander	2024-05-07 12:03:54	Collins, Martinez and Chambers		
<input type="checkbox"/>	Down-sized leadingedge algorithm	Port Erika	2024-04-22 11:57:23	Brown LLC		
<input type="checkbox"/>	Open-source needs-based access	Codyville	2025-01-05 17:02:03	Summers Ltd		
<input type="checkbox"/>	Customizable optimizing process improvement	Richardsonmouth	2025-01-11 15:43:24	Brown Ltd		
<input type="checkbox"/>	Decentralized fault-tolerant budgetary management	Julieview	2025-03-30 03:27:91	Sandoval, Kim and Shea		
<input type="checkbox"/>	Digitized zero-defect neural-net	West David	2024-08-25 08:36:42	Day, Munoz and Ferguson		
<input type="checkbox"/>	Intuitive dynamic encryption	East Garymouth	2024-10-23 18:29:51	Holder Inc		
<input type="checkbox"/>	Diverse actuating support	Angelaberg	2024-05-03 09:56:33	Harrison-Medina		
<input type="checkbox"/>	Stand-alone optimizing array	Kellermouth	2024-08-28 11:49:54	Scott Group		
<input type="checkbox"/>	Re-engineered multi-state paradigm	Markland	2025-02-17 18:58:15	Dennis-Casey		
<input type="checkbox"/>	Implemented incremental ability	Lake Michael	2025-04-01 20:10:52	Wang-Miller		
<input type="checkbox"/>	Cross-platform needs-based open system	Joshuaville	2024-08-18 18:55:34	Estes and Sons		
<input type="checkbox"/>	Optimized context-sensitive framework	Joelhaven	2024-12-04 14:04:41	Erickson-Rocha		

Title: Optimized bifurcated capability
 Location: Robertfurt
 Start Time: 06/16/2024, 10:16:12 AM
 End Time: 06/16/2024, 12:10:12 PM
 Related Customer: Murphy, Glenn and Perez
 Participants: Brian Good, Rhonda Brown, Brittany Carter
 Agenda: Carry wall include child break. Kitchen number language standard culture production purpose. Prepare hot box class force office. Onto house note consumer question.
 Topics Approved: Himself out recent full. Religious history wrong require.
 Topics Rejected: Wonder dream me above work. Participant thank big trip example conference head. Around someone necessary evidence front. Order claim mind want artist.
 Topics Pending: Cup be by anyone bad executive bit. Book us even. Guy father chair analysis popular student decade three.
 New files: Choose Files (No file chosen)
 New note:
 ✓ Create ✖ Cancel

In **view** mode, details are shown read-only for reference or audit.

SaltOS Dashboard Applications ▾ Admin ▾

Title				Location	Start Time	Customer
<input type="checkbox"/>	Optimized bifurcated capability	Robertfurt	2024-06-16 10:16:12	Murphy, Glenn and Perez		
<input type="checkbox"/>	Realigned incremental forecast	Lake Alexander	2024-05-07 12:03:54	Collins, Martinez and Chambers		
<input type="checkbox"/>	Down-sized leadingedge algorithm	Port Erika	2024-04-22 11:57:23	Brown LLC		
<input type="checkbox"/>	Open-source needs-based access	Codyville	2025-01-05 17:02:03	Summers Ltd		
<input type="checkbox"/>	Customizable optimizing process improvement	Richardsonmouth	2025-01-11 15:43:24	Brown Ltd		
<input type="checkbox"/>	Decentralized fault-tolerant budgetary management	Julieview	2025-03-30 03:27:91	Sandoval, Kim and Shea		
<input type="checkbox"/>	Digitized zero-defect neural-net	West David	2024-08-25 08:36:42	Day, Munoz and Ferguson		
<input type="checkbox"/>	Intuitive dynamic encryption	East Garymouth	2024-10-23 18:29:51	Holder Inc		
<input type="checkbox"/>	Diverse actuating support	Angelaberg	2024-05-03 09:56:33	Harrison-Medina		
<input type="checkbox"/>	Stand-alone optimizing array	Kellermouth	2024-08-28 11:49:54	Scott Group		
<input type="checkbox"/>	Re-engineered multi-state paradigm	Markland	2025-02-17 18:58:15	Dennis-Casey		
<input type="checkbox"/>	Implemented incremental ability	Lake Michael	2025-04-01 20:10:52	Wang-Miller		
<input type="checkbox"/>	Cross-platform needs-based open system	Joshuaville	2024-08-18 18:55:34	Estes and Sons		
<input type="checkbox"/>	Optimized context-sensitive framework	Joelhaven	2024-12-04 14:04:41	Erickson-Rocha		

Title: Optimized bifurcated capability
 Location: Robertfurt
 Start Time: 06/16/2024, 10:16:12 AM
 End Time: 06/16/2024, 12:10:12 PM
 Related Customer: Murphy, Glenn and Perez
 Participants: Brian Good, Rhonda Brown, Brittany Carter
 Agenda: Carry wall include child break. Kitchen number language standard culture production purpose. Prepare hot box class force office. Onto house note consumer question.
 Topics Approved: Himself out recent full. Religious history wrong require.
 Topics Rejected: Wonder dream me above work. Participant thank big trip example conference head. Around someone necessary evidence front. Order claim mind want artist.
 Topics Pending: Cup be by anyone bad executive bit. Book us even. Guy father chair analysis popular student decade three.
 New files: Info ▾ PDF ▾
 New note:
 ✓ Edit ✖ Delete ✖ Close

In **edit** mode, the meeting details can be modified if needed.

The form includes the following fields:

- Title: The title or subject of the meeting, summarizing its purpose.
- Location: The place where the meeting is held, or the online platform link if virtual.
- Start Time: Scheduled starting date and time of the meeting.
- End Time: Planned ending date and time of the meeting.
- Related Customer: Customer associated with the meeting, if applicable.
- Participants: List of users or external contacts invited to the meeting.
- Agenda: The topics or plan intended to be covered during the meeting.
- Topics Approved: Items discussed in the meeting that were approved.
- Topics Rejected: Items discussed that were not approved or postponed.
- Topics Pending: Items discussed that require further action or decision.

7.4 Delete

Meetings can be deleted from the list view if created in error or no longer relevant.

Records are usually kept for historical traceability unless explicit removal is needed.

8 Quotes

8.1 Description

The Quotes application is used to create and manage commercial proposals sent to customers. Each quote contains line items with products or services, pricing, taxes, and conditions. This module is tightly integrated

with Customers and Products, and allows for tracking the status of each quote (e.g., Draft, Sent, Accepted). When a quote is accepted, it can be converted into an invoice.

8.2 List view

Customer	CIF	Quote	Date	Total
Cohen, Hill and Smith	P82569546	Q2025-0100	2025-03-05	713.36
Johnson, Floyd and Weeks	D87626925	Q2025-0099	2025-03-10	6048.39
Bruce, Lee and Munoz	C15192137	Q2025-0098	2025-03-11	794.72
Santos, Clark and Jacobson	W63402535	Q2025-0097	2025-04-17	1545.49
Patel Ltd	B37981168	Q2025-0096	2025-04-09	241.76
Hobbs-Harvey	R89729959	Q2025-0095	2025-03-16	23356.9
Patel-Stewart	V15470612	Q2025-0094	2025-02-23	3372.8
Alvarez, Valenzuela and Chambers	R84858103	Q2025-0093	2025-04-17	13212.8
Casey PLC	W21673781	Q2025-0092	2025-03-15	4714.34
Stewart, Scott and Wilson	N94728752	Q2025-0091	2025-02-22	2550.37
Dawson Group	E12327993	Q2025-0090	2025-03-20	23097.4
Hoffman Group	U92769751	Q2025-0089	2025-03-30	21215.8
Miller Ltd	H59899283	Q2025-0088	2025-04-12	27171.4
Booker-Douglas	J96464607	Q2025-0087	2025-04-01	19128.7
Wood, Donaldson and Hansen	B75663474	Q2025-0086	2025-04-20	8918.35
Booker, Rivas and Hines	Q43491155	Q2025-0085	2025-03-07	10145.4
Johnson, Stevenson and Lindsey	S45949218	Q2025-0084	2025-02-22	3666.7
Henderson-Bullock	G43558532	Q2025-0083	2025-03-22	5062.41
Hayden, Harmon and McDonald	A91244486	Q2025-0082	2025-03-22	321.41
Dunlap, Johnson and Rojas	E72564747	Q2025-0081	2025-03-22	26614.7
Perez, Rodriguez and Rollins	E89508055	Q2025-0080	2025-03-18	5335.02
Serrano-Cohen	V87638734	Q2025-0079	2025-03-12	15277.3

The following fields are displayed in the list view:

- Customer: The client to whom the quote is addressed.
- CIF: The customer's tax identification code (e.g., VAT, CIF, NIF).
- Quote: The internal reference or code used to identify the quote.
- Date: The official date the quote was created or issued.
- Total: The total monetary value of the quote, including all taxes and discounts.

8.3 Form view

This view is used for creating, editing or viewing a quote.

In **create** mode, the form is empty and allows you to build a new quote.

SaltOS Dashboard Applications Admin

Customer	CIF	Quote	Date	Total
□ Cohen, Hill and Smith	P82569546	Q2025-0100	2025-03-05	713.36
□ Johnson, Floyd and Weeks	D87626925	Q2025-0099	2025-03-10	6048.39
□ Bruce, Lee and Munoz	C15192137	Q2025-0098	2025-03-11	794.72
□ Santos, Clark and Jacobson	W63402535	Q2025-0097	2025-04-17	1545.49
□ Patel Ltd	B37981168	Q2025-0096	2025-04-09	241.76
□ Hobbs-Harvey	R89729959	Q2025-0095	2025-03-16	23356.9
□ Patel-Stewart	V15470612	Q2025-0094	2025-02-23	3372.8
□ Alvarez, Valenzuela and Chambers	R84858103	Q2025-0093	2025-04-17	13212.8
□ Casey PLC	W21673781	Q2025-0092	2025-03-15	4714.34
□ Stewart, Scott and Wilson	N94728752	Q2025-0091	2025-02-22	2550.37
□ Dawson Group	E1232793	Q2025-0090	2025-03-26	2397.4
□ Hoffman Group	U92709751	Q2025-0089	2025-03-30	21215.8
□ Miller Ltd	H59899283	Q2025-0088	2025-04-12	27171.4
□ Booker-Douglas	J96464607	Q2025-0087	2025-04-01	19128.7
□ Wood, Donaldson and Hansen	B75663474	Q2025-0086	2025-04-26	8918.35
□ Booker, Rivas and Hines	Q43401155	Q2025-0085	2025-03-07	10145.4
□ Johnson, Stevenson and Lindsey	S45949218	Q2025-0084	2025-02-22	3666.7
□ Henderson-Bullock	G43558532	Q2025-0083	2025-03-22	5062.41
□ Hayden, Harmon and McDonald	A91244486	Q2025-0082	2025-03-22	321.41
□ Dunlap, Johnson and Rojas	E72564747	Q2025-0081	2025-03-22	26614.7
□ Perez, Rodriguez and Rollins	E89568055	Q2025-0080	2025-03-18	5335.62
□ Serrano-Cohen	V87638734	Q2025-0079	2025-03-12	15277.3

Quote: Q2025-0100 Date: 03/05/2025

Customer: Cohen, Hill and Smith CIF: P82569546

Address: 9385 Stevens Ports, Lake Christophermouth, MI 92292 City: Peterburgh Province / State: Nebraska

Zip: 33155 Country: Christmas Island

Notes: Leader treat contain notice hour watch. Those citizen think Mrs project. Recently reveal describe management. Building hard sense mean single Improve close.

Customer: CIF: City: Province / State:

Address: Zip: Country: Notes:

Taxes: Subtotal: Tax: Total:

Payment method: Valid until: Status:

New files: Choose Files: No file chosen

New note:

In **view** mode, it displays a finalized quote without editing capabilities.

SaltOS Dashboard Applications Admin

Customer	CIF	Quote	Date	Total
□ Cohen, Hill and Smith	P82569546	Q2025-0100	2025-03-05	713.36
□ Johnson, Floyd and Weeks	D87626925	Q2025-0099	2025-03-10	6048.39
□ Bruce, Lee and Munoz	C15192137	Q2025-0098	2025-03-11	794.72
□ Santos, Clark and Jacobson	W63402535	Q2025-0097	2025-04-17	1545.49
□ Patel Ltd	B37981168	Q2025-0096	2025-04-09	241.76
□ Hobbs-Harvey	R89729959	Q2025-0095	2025-03-16	23356.9
□ Patel-Stewart	V15470612	Q2025-0094	2025-02-23	3372.8
□ Alvarez, Valenzuela and Chambers	R84858103	Q2025-0093	2025-04-17	13212.8
□ Casey PLC	W21673781	Q2025-0092	2025-03-15	4714.34
□ Stewart, Scott and Wilson	N94728752	Q2025-0091	2025-02-22	2550.37
□ Dawson Group	E1232793	Q2025-0090	2025-03-26	2397.4
□ Hoffman Group	U92709751	Q2025-0089	2025-03-30	21215.8
□ Miller Ltd	H59899283	Q2025-0088	2025-04-12	27171.4
□ Booker-Douglas	J96464607	Q2025-0087	2025-04-01	19128.7
□ Wood, Donaldson and Hansen	B75663474	Q2025-0086	2025-04-26	8918.35
□ Booker, Rivas and Hines	Q43401155	Q2025-0085	2025-03-07	10145.4
□ Johnson, Stevenson and Lindsey	S45949218	Q2025-0084	2025-02-22	3666.7
□ Henderson-Bullock	G43558532	Q2025-0083	2025-03-22	5062.41
□ Hayden, Harmon and McDonald	A91244486	Q2025-0082	2025-03-22	321.41
□ Dunlap, Johnson and Rojas	E72564747	Q2025-0081	2025-03-22	26614.7
□ Perez, Rodriguez and Rollins	E89568055	Q2025-0080	2025-03-18	5335.62
□ Serrano-Cohen	V87638734	Q2025-0079	2025-03-12	15277.3

Quote: Q2025-0100 Date: 03/05/2025

Customer: CIF: City: Province / State:

Address: Zip: Country: Notes:

Taxes: Subtotal: Tax: Total:

Payment method: Valid until: Status:

Info: PDF: Edit: Delete: Close:

In **edit** mode, it shows a draft quote ready for modification.

The screenshot shows a quote creation form in the SaltOS application. On the left, there is a list of customers with their names and IDs. The main form on the right contains fields for Quote ID, Date, Customer information (Customer, CIF, Address, City, Province / State, Zip, Country), Notes, Concepts (a table for products or services with columns: Description, Quantity, Price, Discount, Tax, Total), Taxes (a table for taxes with columns: Tax, Base, Total, Subtotal, Tax, Total), Payment method (with fields for Valid until and Status), and sections for New files and New note. At the bottom right are Save and Cancel buttons.

The form includes the following fields:

- Quote: The internal reference or code used to identify the quote.
- Date: The official date the quote was created or issued.
- Customer: The client to whom the quote is addressed.
- CIF: The customer's tax identification code (e.g., VAT, CIF, NIF).
- Address: The customer's address at the time of issuing the quote.
- City: The city associated with the customer in the quote.
- Province / State: The region or state linked to the customer's location.
- Zip: The postal code of the customer's address.
- Country: The customer's country of residence or business.
- Notes: Additional internal notes or observations attached to the quote.
- Concepts: The list of products or services included in the quote.
- Taxes: Breakdown of applicable taxes for the quoted items.
- Totals: Subtotal, taxes, and final amount displayed in a structured summary.
- Payment method: The selected method for payment if the quote is accepted.
- Valid until: The expiration date until which the quote remains valid.
- Status: The current lifecycle state of the quote (e.g., draft, sent, accepted).

Quote lines are also included as a subtable, where each line contains product, quantity, price, tax, and discount.

8.4 Delete

Quotes can be deleted from the list view if they are not yet accepted. A confirmation prompt will appear before deletion.

This action is irreversible and subject to user permissions.

9 Quotes Status

9.1 Description

The Quotes Status application is used to define the different states that a sales quote can have during its lifecycle. These statuses help sales teams track progress, filter records, and identify which quotes are active, accepted, rejected, or archived.

Examples of common statuses include "Draft", "Sent", "Accepted", and "Declined".

9.2 List view



Name	Description	Active
Closed	Closed without result	✓   
Converted	Converted to invoice	✓   
Reviewed	Reviewed by manager	✓   
Pending	Awaiting response	✓   
Cancelled	Manually cancelled	✓   
Expired	Quote validity expired	✓   
Rejected	Customer rejected the quote	✓   
Accepted	Customer accepted the quote	✓   
Sent	Quote sent to customer	✓   
Draft	Quote in preparation	✓   

The following fields are displayed in the list view:

- Name: Label of the status (e.g., Draft, Accepted).
- Description: Explanation of when this status is applied.
- Active: Indicates whether the status is selectable in the Quotes module.

9.3 Form view

This view is used to create, view or edit quote status entries.

In **create** mode, the form is empty and allows you to build a new quote.

The screenshot shows the SaltOS application interface. At the top, there is a blue header bar with the SaltOS logo, a navigation menu with 'Dashboard' and 'Applications', and a user dropdown labeled 'Admin'. Below the header is a search bar with 'Search', 'Q Search', and 'Reset' buttons. To the left of the search bar is a 'New' button. On the right side of the search bar are three buttons: a green one with a checkmark labeled 'Create', a red one with a minus sign labeled 'Cancel', and a grey one with a question mark labeled 'Info'. The main area contains a table with columns 'Name', 'Description', and 'Active'. The table lists ten status types: Closed, Converted, Reviewed, Pending, Cancelled, Expired, Rejected, Accepted, Sent, and Draft. Each row has a green checkmark icon in the 'Active' column and edit/delete icons in the last column. A message 'Total: 10' is at the bottom of the table. Below the table is a blue 'Load more' button. To the right of the table, there are input fields for 'Name' and 'Description', both with placeholder text 'Closed without result'. The 'Active' checkbox is checked. At the bottom right are 'Edit' (blue), 'Delete' (red), and 'Close' (grey) buttons.

In **view** mode, it displays a finalized quote without editing capabilities.

This screenshot is identical to the previous one, showing the 'Create' mode for a quote. The only difference is the state of the quote being viewed. The 'Name' field is now populated with 'Closed' and the 'Description' field with 'Closed without result'. The 'Active' checkbox is still checked. The other elements like the table, search bar, and buttons remain the same.

In **edit** mode, it shows a draft quote ready for modification.

The screenshot shows the SaltOS application interface. On the left, there is a list of quote statuses with columns for Name, Description, and Active. The 'Active' column contains a toggle switch, a checkmark, a search icon, and edit/delete icons. The 'Name' column lists various status types like Closed, Converted, Reviewed, Pending, etc. The 'Description' column provides a brief explanation for each status. A total of 10 items are listed. On the right, a modal window is open for the 'Closed' status. It has fields for 'Name' (set to 'Closed') and 'Description' (set to 'Closed without result'). There is also a 'Save' button and a 'Cancel' button.

Name	Description	Active
Closed	Closed without result	<input checked="" type="checkbox"/>
Converted	Converted to invoice	<input checked="" type="checkbox"/>
Reviewed	Reviewed by manager	<input checked="" type="checkbox"/>
Pending	Awaiting response	<input checked="" type="checkbox"/>
Cancelled	Manually cancelled	<input checked="" type="checkbox"/>
Expired	Quote validity expired	<input checked="" type="checkbox"/>
Rejected	Customer rejected the quote	<input checked="" type="checkbox"/>
Accepted	Customer accepted the quote	<input checked="" type="checkbox"/>
Sent	Quote sent to customer	<input checked="" type="checkbox"/>
Draft	Quote in preparation	<input checked="" type="checkbox"/>

Total: 10 [+ Load more](#)

The form includes the following fields:

- Active: Toggles the visibility of this status in dropdowns.
- Name: Name of the status as it appears in the interface.
- Description: Optional explanation for internal reference.

9.4 Delete

Quote statuses can be deleted only if they are not currently in use.

Deactivation is preferred to preserve consistency in historical records.

10 Invoices

10.1 Description

The Invoices application is used to issue and manage customer billing records. Each invoice contains product or service lines, quantities, unit prices, taxes, and discounts. This module supports both pro forma and finalized invoices, tracks payment status, and integrates with the Customers, Products, and Taxes modules. It also provides traceability for due dates, payment dates, and links to related documents.

10.2 List view

Customer	CIF	Invoice	Date	Total	Closed	Paid
Walker, Foster and Medina	P80873247	P2025-0100	2025-04-01	16687.6	✗	✗
Hayes-Parks	V36652432	F2025-0099	2025-04-08	12886.5	✓	✓
Alexander-Durham	W56886873	P2025-0098	2025-04-20	5483.32	✗	✗
Mccoy-Rhodes	E43222337	F2025-0097	2025-04-19	9399.21	✓	✗
Thompson, James and Torres	W99456336	F2025-0096	2025-03-31	1662.88	✓	✗
Ramos Inc	J86415312	P2025-0095	2025-04-18	3492.23	✓	✗
Barrett LLC	F88972617	F2025-0094	2025-04-01	6859.89	✓	✗
Davidson, Moran and Prince	C8151177	P2025-0093	2025-04-12	615.18	✗	✗
Cooper-Ross	C92483881	F2025-0092	2025-04-17	2056.47	✓	✗
Fox PLC	H23319370	P2025-0091	2025-03-29	4261.76	✗	✗
Porter Ltd	F38625870	P2025-0090	2025-04-18	5696.69	✗	✗
Payne LLC	A18164586	F2025-0089	2025-04-17	1763.59	✓	✓
Norton and Sons	U68180334	F2025-0088	2025-04-15	12690.3	✓	✗
Sandoval, Thomas and Young	N64707069	F2025-0087	2025-03-27	7504.76	✓	✓
Foster, Kane and Carroll	G57664212	P2025-0086	2025-03-04	20366.2	✗	✗
Mitter-Fields	N82450561	P2025-0085	2025-03-27	13391.1	✗	✗
White, Smith and Buchanan	B56629426	F2025-0084	2025-03-23	5749.18	✓	✓
Poole-Miller	E72630228	F2025-0083	2025-03-24	17851.4	✓	✗
Gutierrez-Ortiz	C42283849	P2025-0082	2025-03-01	10986.4	✗	✗
Martinez and Sons	B84339204	F2025-0081	2025-03-17	38.1	✓	✗
Smith Inc	N62629325	F2025-0080	2025-04-07	21984.8	✓	✓
Moore, Evans and Owen	C66662486	P2025-0079	2025-03-31	15250	✗	✗

The following fields are displayed in the list view:

- Customer: The client who receives the invoice and is responsible for payment.
- CIF: The fiscal identification code of the customer at the time of invoicing.
- Invoice: The internal reference or invoice number assigned to the document.
- Date: The official issue date of the invoice.
- Total: The total amount due, including taxes and discounts.
- Closed: Indicates whether the invoice has been finalized and is no longer editable.
- Paid: Indicates whether the invoice has been marked as paid.

10.3 Form view

This view is used for creating, editing or viewing an invoice.

In **create** mode, the form is empty and allows the user to generate a new invoice, including pro forma invoices.

SaltOS Dashboard Applications ▾ Admin ▾

Customer		CIF	Invoice	Date	Total	Closed	Paid
<input type="checkbox"/>	Walker, Foster and Medina	P80873247	P2025-0100	2025-04-01	16687.6	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Hayes-Parks	V36652432	F2025-0099	2025-04-08	12886.5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Alexander-Durham	W5686673	P2025-0098	2025-04-20	5483.32	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Mccoy-Rhodes	E4322237	F2025-0097	2025-04-19	9399.21	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Thompson, James and Torres	W99456336	F2025-0096	2025-03-31	1662.88	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Ramos Inc	J86415312	F2025-0095	2025-04-18	3492.23	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Barrett LLC	F88972617	F2025-0094	2025-04-01	6859.89	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Davidson, Moran and Prince	C81511177	P2025-0093	2025-04-12	615.18	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Cooper-Ross	C92483881	F2025-0092	2025-04-17	2056.47	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Fox PLC	H23319370	P2025-0091	2025-03-29	4261.76	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Porter Ltd	F38025879	P2025-0090	2025-04-18	5696.69	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Payne LLC	A18164586	F2025-0089	2025-04-17	1763.59	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Norton and Sons	U68180334	F2025-0088	2025-04-15	12690.3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Sandoval, Thomas and Young	N64707069	F2025-0087	2025-03-27	7564.76	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Foster, Kane and Carroll	G57664212	P2025-0086	2025-03-04	20366.2	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Miller-Fields	N82450561	P2025-0085	2025-03-27	13391.1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	White, Smith and Buchanan	B56629426	F2025-0084	2025-03-23	5749.18	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Poole-Miller	E72630228	F2025-0083	2025-03-24	17851.4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Gutierrez-Ortiz	C42283849	P2025-0082	2025-03-01	10986.4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Martinez and Sons	B84339204	F2025-0081	2025-03-17	38.1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Smith Inc	N62629325	F2025-0080	2025-04-07	21984.8	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Moore, Evans and Owen	C66662486	P2025-0079	2025-03-31	15250	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

<input checked="" type="radio"/> Closed	<input checked="" type="radio"/> Paid
Proforma	Date
P2025-0100	04/01/2025
Customer	CIF
Walker, Foster and Medina	P80873247
Address	City
3772 Thomas Shores, New Lukehaven, UT 16683	Wendyshire
Zip	Province / State
83217	New Mexico
Notes	Factor whom arrive special check respond summer. Red apply tend condition maintain.
Concepts	

Description	Quantity	Price	Discount	Tax	Total
strategize seamless web services	4.52	110.29	0	10	498.51
redefine granular web-readiness	7.31	114.12	0	4	834.22
engage Impactful supply-chains	7.77	120.27	10	4	841.65
brand collaborative convergence	5.12	41.1	0	0	216.43
engineer Impactful Interfaces	3.62	37.52	0	10	135.82
optimize front-end technologies	7.62	11.74	5	21	84.99
scale dynamic schemas	7.1	197.81	0	0	1404.45
strategize mission-critical channels	7.12	41.96	0	4	298.76
harness scalable content	9.77	44.13	0	4	431.15
target granular networks	6.34	194.25	0	0	1231.55
enable visionary Info-mediarlies	3.21	32.57	0	4	104.55
envisioneer B2B e-tallers	7.19	191.37	0	0	1375.95
architect 24/365 experiences	7.98	198.32	0	21	1582.59
implement bricks-and-clicks networks	8	174.33	0	4	1394.64
transform B2B architectures	6.69	94.57	0	21	632.67
brand frictionless markets	1.74	102.95	0	10	179.13
transform synergistic Info-mediarlies	1.21	118.87	0	4	143.83
reinvent scalable initiatives	7.24	27.97	0	0	202.5
deliver cross-platform applications	5.36	132.47	0	10	710.04

The form includes the following fields:

- Closed: Indicates whether the invoice has been finalized and is no longer editable.
- Paid: Indicates whether the invoice has been marked as paid.
- Proforma: Reference or marker indicating the invoice originated from a pro forma.
- Date: The official issue date of the invoice.
- Invoice: The internal reference or invoice number assigned to the document.
- Customer: The client who receives the invoice and is responsible for payment.
- CIF: The fiscal identification code of the customer at the time of invoicing.
- Address: The customer's address used for invoicing purposes.
- City: City corresponding to the customer's invoicing address.
- Province / State: Province or state in the billing address.
- Zip: Postal code in the billing address.
- Country: Country included in the customer's billing information.
- Notes: Internal comments or conditions attached to the invoice.
- Concepts: List of items or services included in the invoice.
- Taxes: Breakdown of taxes applied to the invoice.
- Totals: Final financial summary: subtotal, tax, and grand total.
- Payment method: The method of payment selected for the invoice.
- Due date: The date by which the invoice should be paid.
- Amount paid: Amount received.
- Paid date: The date on which the payment was received.

- Status: Current status of the invoice (e.g., draft, closed, cancelled).

Invoices also include line items (product, quantity, price, discount, tax) and a breakdown of applied taxes.

10.4 Delete

Invoices can only be deleted if they are in draft status. A confirmation prompt is shown before the operation.

Once an invoice is finalized and/or linked to a payment, deletion is restricted.


11 Invoices Status

11.1 Description

The Invoices Status application allows you to define the different states that an invoice can go through during its lifecycle. These statuses help distinguish between draft, issued, paid, or cancelled invoices, enabling better financial tracking and reporting.

Common statuses may include "Draft", "Pending", "Paid", or "Cancelled".

11.2 List view



The screenshot shows a list of invoice statuses in a SaltOS application. The interface includes a header with the SaltOS logo, a search bar, and an 'Admin' dropdown. The main area displays a table with columns for Name, Description, and Active status. The table lists ten statuses: Closed, Archived, Refunded, Disputed, Cancelled, Overdue, Paid, Partially Paid, Issued, and Draft. Each row contains a green checkmark in the Active column and icons for search, edit, and delete. A large blue decorative graphic of a stylized figure is visible on the right side of the screen.

Name	Description	Active
Closed	Invoice closed with no further action	✓
Archived	Archived for historical reference	✓
Refunded	Invoice was refunded	✓
Disputed	Client raised an issue	✓
Cancelled	Invoice was cancelled	✓
Overdue	Payment is overdue	✓
Paid	Invoice fully paid	✓
Partially Paid	Invoice partially paid	✓
Issued	Invoice has been issued	✓
Draft	Invoice not finalized	✓

Total: 10

+ Load more

The following fields are displayed in the list view:

- Name: The name of the invoice status (e.g., Paid, Cancelled).
- Description: Explanation of the status usage or meaning.
- Active: Indicates whether this status is currently in use.

11.3 Form view

This view is used to create, view or edit invoice status entries.

In **create** mode, a new tax rule can be defined.

The screenshot shows the SaltOS application interface for creating a new invoice status entry. The top navigation bar includes the SaltOS logo, Dashboard, Applications, and Admin. The main area has a blue header bar with 'Active' status and a search bar. Below is a table of existing status entries:

Name	Description	Active
Closed	Invoice closed with no further action	✓
Archived	Archived for historical reference	✓
Refunded	Invoice was refunded	✓
Disputed	Client raised an issue	✓
Cancelled	Invoice was cancelled	✓
Overdue	Payment is overdue	✓
Paid	Invoice fully paid	✓
Partially Paid	Invoice partially paid	✓
Issued	Invoice has been issued	✓
Draft	Invoice not finalized	✓

Total: 10

Below the table is a 'Load more' button. To the right, there are fields for 'Name' (set to 'Closed') and 'Description' (set to 'Invoice closed with no further action'). At the bottom are 'Create' and 'Cancel' buttons.

In **view** mode, tax details are visible but not editable.

The screenshot shows the SaltOS application interface for viewing an invoice status entry. The top navigation bar includes the SaltOS logo, Dashboard, Applications, and Admin. The main area has a blue header bar with 'Active' status and a search bar. Below is a table of existing status entries, identical to the create mode table:

Name	Description	Active
Closed	Invoice closed with no further action	✓
Archived	Archived for historical reference	✓
Refunded	Invoice was refunded	✓
Disputed	Client raised an issue	✓
Cancelled	Invoice was cancelled	✓
Overdue	Payment is overdue	✓
Paid	Invoice fully paid	✓
Partially Paid	Invoice partially paid	✓
Issued	Invoice has been issued	✓
Draft	Invoice not finalized	✓

Total: 10

Below the table is a 'Load more' button. To the right, there is a 'Info' button followed by 'Edit', 'Delete', and 'Close' buttons. The 'Name' field is set to 'Closed' and the 'Description' field is set to 'Invoice closed with no further action'.

In **edit** mode, existing values can be updated.

The screenshot shows the SaltOS application interface. On the left, there is a list of statuses with columns for Name, Description, and Active. The Active column contains a checkbox, all of which are checked. The list includes entries like Closed, Archived, Refunded, Disputed, Cancelled, Overdue, Paid, Partially Paid, Issued, and Draft. A search bar and a 'Load more' button are at the bottom of the list. On the right, a modal window is open for creating a new status. It has fields for Name (set to 'Closed'), Description ('Invoice closed with no further action'), and Active (checkbox checked). At the bottom are 'Save' and 'Cancel' buttons.

Name	Description	Active
Closed	Invoice closed with no further action	<input checked="" type="checkbox"/>
Archived	Archived for historical reference	<input checked="" type="checkbox"/>
Refunded	Invoice was refunded	<input checked="" type="checkbox"/>
Disputed	Client raised an issue	<input checked="" type="checkbox"/>
Cancelled	Invoice was cancelled	<input checked="" type="checkbox"/>
Overdue	Payment is overdue	<input checked="" type="checkbox"/>
Paid	Invoice fully paid	<input checked="" type="checkbox"/>
Partially Paid	Invoice partially paid	<input checked="" type="checkbox"/>
Issued	Invoice has been issued	<input checked="" type="checkbox"/>
Draft	Invoice not finalized	<input checked="" type="checkbox"/>

Total: 10

+ Load more

Active

Name
Closed

Description
Invoice closed with no further action

✓ Save ✖ Cancel

The form includes the following fields:

- Active: Allows enabling or disabling the status.
- Name: Label of the status.
- Description: Optional clarification on when to use this status.

11.4 Delete

Statuses can only be deleted if no invoice is assigned to them.

Deactivation is preferred when in use, to preserve consistency across records.

12 Payment Methods

12.1 Description

The Payment Methods application is used to define and manage the types of payments accepted by the organization. These methods are later used in invoices to indicate how the customer will pay (e.g., bank transfer, credit card, cash). This module ensures consistency and traceability across the billing process.

12.2 List view

Name	Description	Active	Default
Other	Other form of payment not listed above.	✓	✗
Gift Card	Payment using a store-issued gift card.	✓	✗
Prepaid	Payment made using prepaid balance or voucher.	✓	✗
Direct Debit	Payment directly withdrawn from a bank account.	✓	✗
Cryptocurrency	Payment made using Bitcoin or other cryptocurrencies.	✓	✗
Mobile Payment	Payment made using a mobile wallet or app.	✓	✗
Cheque	Payment made using a paper cheque.	✓	✗
PayPal	Payment made using a PayPal account.	✓	✗
Bank Transfer	Payment made via wire transfer or electronic banking.	✓	✓
Debit Card	Payment made using a debit card linked to a bank account.	✓	✗
Credit Card	Payment made using a credit card.	✓	✗
Cash	Payment made in physical currency.	✓	✗

The following fields are displayed in the list view:

- Name: Name of the payment method (e.g., Cash, Bank Transfer, Credit Card).
- Description: Additional details or clarification about how the payment method is used.
- Active: Indicates whether this payment method is currently available.
- Default: Specifies if this is the default payment method when creating new records.

12.3 Form view

This view is used to create, view or edit payment method records.

In **create** mode, a new payment method is added.

The screenshot shows the SaltOS application interface. On the left, there is a sidebar with a search bar and a 'New' button. The main area displays a table of payment methods with columns for Name, Description, Active, and Default. The 'Prepaid' row is selected, highlighted in blue. To the right of the table, there is a detailed view form for the 'Prepaid' method. It includes fields for Name (Prepaid), Description (Payment made using prepaid balance or voucher.), and a file upload section for New files. A note field is also present. At the bottom right of the form are 'Create' and 'Cancel' buttons.

Name	Description	Active	Default
Other	Other form of payment not listed above.	✓	✗
Gift Card	Payment using a store-issued gift card.	✓	✗
Prepaid	Payment made using prepaid balance or voucher.	✓	✗
Direct Debit	Payment directly withdrawn from a bank account.	✓	✗
Cryptocurrency	Payment made using Bitcoin or other cryptocurrencies.	✓	✗
Mobile Payment	Payment made using a mobile wallet or app.	✓	✗
Cheque	Payment made using a paper cheque.	✓	✗
PayPal	Payment made using a PayPal account.	✓	✗
Bank Transfer	Payment made via wire transfer or electronic banking.	✓	✓
Debit Card	Payment made using a debit card linked to a bank account.	✓	✗
Credit Card	Payment made using a credit card.	✓	✗
Cash	Payment made in physical currency.	✓	✗

Total: 12

+ Load more

In **view** mode, fields are shown in read-only mode.

This screenshot shows the same application interface as the previous one, but the 'Prepaid' method is now in edit mode. The 'Edit' button is visible at the bottom right of the detailed view form. The form fields are now interactive, allowing modification of the Name and Description. The 'Info' button is also present in the top right corner of the form.

In **edit** mode, the details can be modified.

The screenshot shows two views of the SaltOS application. On the left, a list of payment methods is displayed in a table with columns for Name, Description, Active, and Default. The 'Active' column contains icons for a checkmark and an X, while the 'Default' column contains icons for a pencil and a trash can. The 'Name' column lists various payment types like Other, Gift Card, Prepaid, etc. The 'Description' column provides a brief explanation for each. On the right, a detailed view of the 'Prepaid' payment method is shown. It includes fields for 'Name' (Prepaid), 'Description' (Payment made using prepaid balance or voucher), 'New files' (Choose Files, No file chosen), and 'New note' (an empty text area). At the bottom right are 'Save' and 'Cancel' buttons.

Name	Description	Active	Default
Other	Other form of payment not listed above.	✓	✗
Gift Card	Payment using a store-issued gift card.	✓	✗
Prepaid	Payment made using prepaid balance or voucher.	✓	✗
Direct Debit	Payment directly withdrawn from a bank account.	✓	✗
Cryptocurrency	Payment made using Bitcoin or other cryptocurrencies.	✓	✗
Mobile Payment	Payment made using a mobile wallet or app.	✓	✗
Cheque	Payment made using a paper cheque.	✓	✗
PayPal	Payment made using a PayPal account.	✓	✗
Bank Transfer	Payment made via wire transfer or electronic banking.	✓	✓
Debit Card	Payment made using a debit card linked to a bank account.	✓	✗
Credit Card	Payment made using a credit card.	✓	✗
Cash	Payment made in physical currency.	✓	✗

Total: 12

+ Load more

The form includes the following fields:

- Active: Indicates whether this payment method is currently available.
- Default: Specifies if this is the default payment method when creating new records.
- Name: Name of the payment method (e.g., Cash, Bank Transfer, Credit Card).
- Description: Additional details or clarification about how the payment method is used.

12.4 Delete

Payment methods can be deleted if not used in invoices.


If already referenced, they should be marked as inactive instead of deleted.

13 Products

13.1 Description

The Products application manages the catalog of goods and services offered by the organization. It stores essential details like reference code, price, stock levels, tax rates, and classification. Products can be linked to quotes, invoices, and purchases, making this module fundamental to sales and inventory workflows.

13.2 List view



Name	Code	Description
Compatible bifurcated website	PRD-0190	Season billion street.
Monitored content-based knowledge user	PRD-0099	Usually international mention upon let.
Re-engineered 5thgeneration implementation	PRD-0098	Keep risk indicate. Edge side mean thousand.
Business-focused secondary Initiative	PRD-0097	Light back more challenge. Drug actually continue.
Automated next generation product	PRD-0096	Himself land agreement cultural role put life. Authority while perform same.
Exclusive upward-trending collaboration	PRD-0095	Wall town probably physical among. Involve begin top require. Make personal address inside.
Future-proofed cohesive approach	PRD-0094	Agree could best summer. Many area development student while area move. Goal father wide voice.
Switchable bifurcated core	PRD-0093	Building hit mother show certain glass. Something bar world fly.
Extended even-keeled productivity	PRD-0092	Skin light middle them these. Like program interview discuss. Whole name religious field and room.
Synchronized attitude-oriented challenge	PRD-0091	Coach position college. Into result while season amount. Night defense your yourself with.
Ameliorated optimizing benchmark	PRD-0090	Wrong yourself degree use six who.
Open-architected interactive initiative	PRD-0089	Do character deal. Situation production majority break all.
Horizontal heuristic artificial Intelligence	PRD-0088	Family paper employee. Ground sport federal pass skin.
Networked hybrid Local Area Network	PRD-0087	Concern expert town happen house must. Per police through international.

The following fields are displayed in the list view:

- Name: The full name of the product or service, as it will appear in listings and documents.
- Code: Internal product code used to uniquely identify the item.
- Description: Detailed explanation or specifications of the product.

13.3 Form view

This view is used for creating, editing or viewing a product entry.

In **create** mode, the form is empty for entering a new product.

SaltOS Dashboard Applications Admin

Name	Code	Description
Compatible bifurcated website	PRD-0100	Season billion street.
Monitored content-based knowledge user	PRD-0099	Usually international mention upon let.
Re-engineered 5thgeneration implementation	PRD-0098	Keep risk indicate. Edge side mean thousand.
Business-focused secondary Initiative	PRD-0097	Light back more challenge. Drug actually continue.
Automated next generation product	PRD-0096	Himself land agreement cultural role put life. Authority while perform same.
Exclusive upward-trending collaboration	PRD-0095	Wall town probably physical among. Involve begin top require. Make personal address inside.
Future-proofed cohesive approach	PRD-0094	Agree could best summer. Many area development student while area move. Goal father wide voice.
Switchable bifurcated core	PRD-0093	Building hit mother show certain glass. Something bar world fly.
Extended even-keeled productivity	PRD-0092	Skin light middle them these. Like program interview discuss. Whole name religious field and room.
Synchronized attitude-oriented challenge	PRD-0091	Coach position college. Into result while season amount. Night defense your yourself with.
Ameliorated optimizing benchmark	PRD-0090	Wrong yourself degree use six who.
Open-architected interactive initiative	PRD-0089	Do character deal. Situation production majority break all.
Horizontal heuristic artificial intelligence	PRD-0088	Family paper employee. Ground sport federal pass skin.
Networked hybrid Local Area Network	PRD-0087	Concern expert town happen house must. Per police through international.

Active
 Name:
 Price: Cost: Margin: Type:
 Description:
 Category: Measure unit: Brand: Model:
 Barcode: Stock: Min stock: Max stock:
 Location: Image Url:
 New files: No file chosen
 New note:

In **view** mode, all fields are read-only and show detailed information.

SaltOS Dashboard Applications Admin

Name	Code	Description
Compatible bifurcated website	PRD-0100	Season billion street.
Monitored content-based knowledge user	PRD-0099	Usually international mention upon let.
Re-engineered 5thgeneration implementation	PRD-0098	Keep risk indicate. Edge side mean thousand.
Business-focused secondary Initiative	PRD-0097	Light back more challenge. Drug actually continue.
Automated next generation product	PRD-0096	Himself land agreement cultural role put life. Authority while perform same.
Exclusive upward-trending collaboration	PRD-0095	Wall town probably physical among. Involve begin top require. Make personal address inside.
Future-proofed cohesive approach	PRD-0094	Agree could best summer. Many area development student while area move. Goal father wide voice.
Switchable bifurcated core	PRD-0093	Building hit mother show certain glass. Something bar world fly.
Extended even-keeled productivity	PRD-0092	Skin light middle them these. Like program interview discuss. Whole name religious field and room.
Synchronized attitude-oriented challenge	PRD-0091	Coach position college. Into result while season amount. Night defense your yourself with.
Ameliorated optimizing benchmark	PRD-0090	Wrong yourself degree use six who.
Open-architected interactive initiative	PRD-0089	Do character deal. Situation production majority break all.
Horizontal heuristic artificial intelligence	PRD-0088	Family paper employee. Ground sport federal pass skin.
Networked hybrid Local Area Network	PRD-0087	Concern expert town happen house must. Per police through international.

Active
 Name: Code: Type:
 Price: Cost: Margin: Tax:
 Description:
 Category: Measure unit: Brand: Model:
 Barcode: Stock: Min stock: Max stock:
 Location: Image Url:

In **edit** mode, the product data can be updated or corrected.

Name	Code	Description
Compatible bifurcated website	PRD-0100	Season billion street.
Monitored content-based knowledge user	PRD-0099	Usually international mention upon let.
Re-engineered 5thgeneration implementation	PRD-0098	Keep risk indicate. Edge side mean thousand.
Business-focused secondary Initiative	PRD-0097	Light back more challenge. Drug actually continue.
Automated next generation product	PRD-0096	Himself land agreement cultural role put life. Authority while perform same.
Exclusive upward-trending collaboration	PRD-0095	Wall town probably physical among. Involve begin top require. Make personal address inside.
Future-proofed cohesive approach	PRD-0094	Agree could best summer. Many area development student while area move. Goal father wide voice.
Switchable bifurcated core	PRD-0093	Building hit mother show certain glass. Something bar world fly.
Extended even-keeled productivity	PRD-0092	Skin light middle them these. Like program interview discuss. Whole name religious field and room.
Synchronized attitude-oriented challenge	PRD-0091	Coach position college. Into result while season amount. Night defense your yourself with.
Ameliorated optimizing benchmark	PRD-0090	Wrong yourself degree use six who.
Open-architected interactive initiative	PRD-0089	Do character deal. Situation production majority break all.
Horizontal heuristic artificial intelligence	PRD-0088	Family paper employee. Ground sport federal pass skin.
Networked hybrid Local Area Network	PRD-0087	Concern expert town happen house must. Per police through international.

Active

Name	Code	Type
Compatible bifurcated website	PRD-0100	License
Price	Cost	Margin
390.82	289.65	34.93
Exempt / Not subject		
Description		
Season billion street.		
Category	Measure unit	Brand
Software	h	Raymond and Sons
Barcode	Stock	Min stock
1650495302350	465.91	Max stock
Location	Image Url	
Almacén Kra - Estantería It	https://cdn.example.com/products/0100.jpg	
New files		
Choose Files	No file chosen	
New note		

Save Cancel

The form includes the following fields:

- Active: Indicates whether the product is available for use in transactions.
- Name: The full name of the product or service, as it will appear in listings and documents.
- Code: Internal product code used to uniquely identify the item.
- Type: The classification of the product, such as item, service, or subscription.
- Price: The selling price per unit, excluding taxes or discounts.
- Cost: The internal purchase or manufacturing cost, used to calculate margins.
- Margin: Calculated profit margin based on price and cost.
- Tax: Default tax rate applied when the product is used in sales.
- Description: Detailed explanation or specifications of the product.
- Category: Product family or group, used for classification or filtering.
- Measure unit: Unit of measurement (e.g., unit, kg, hour).
- Brand: Brand name or manufacturer of the product.
- Model: Model number or variant of the product.
- Barcode: Barcode associated with the product, used for scanning or labeling.
- Stock: Current stock level available in the inventory.
- Min stock: Minimum stock threshold for restocking alerts.
- Max stock: Maximum stock level allowed in storage.
- Location: Physical or logical storage location of the product.
- Image Url: Link or path to an image representing the product.

13.4 Delete

Products can be deleted from the list view if they are not referenced in active documents. A confirmation prompt will appear before deletion.

Products linked to invoices, quotes or purchases are protected from deletion.

14 Product Categories

14.1 Description

The Product Categories application is used to group products into families or collections for easier classification. Categories are helpful for filtering, reporting, organizing catalogs, and applying common business rules.

Typical categories might include "Hardware", "Software", "Services", or "Accessories".

14.2 List view



Name	Description	Active
Other	Unclassified category	✓   
Consumables	Items that are used and replaced	✓   
Accessories	Complementary items	✓   
Cloud	Hosted online services	✓   
Maintenance	Post-sale repair or update services	✓   
Training	Courses and educational content	✓   
Licenses	Software or intellectual property licenses	✓   
Services	Technical or support services	✓   
Software	Applications and systems	✓   
Hardware	Physical devices and equipment	✓   


The following fields are displayed in the list view:

- Name: Name of the category.
- Description: Description of what products the category includes.
- Active: Indicates whether this category can be assigned to products.

14.3 Form view

This view is used to create, view or edit product category records.

In **create** mode, a new tax rule can be defined.




The screenshot shows the SaltOS application categories creation screen. At the top, there's a navigation bar with the SaltOS logo, 'Dashboard', 'Applications', and 'Admin' dropdown. Below the navigation is a search bar with 'Search', 'Q Search', and 'X Reset' buttons. A 'Active' toggle switch is also present. The main area contains a table with columns 'Name', 'Description', and 'Active'. The 'Active' column includes icons for search, edit, and delete. The table lists categories like 'Other', 'Consumables', 'Accessories', etc. A message 'Total: 10' is at the bottom left, and a 'Load more' button is at the bottom right. On the right side, there's a form for creating a new category with fields for 'Name' and 'Description', and buttons for 'Create' and 'Cancel'.

Name	Description	Active
Other	Unclassified category	<input checked="" type="checkbox"/>
Consumables	Items that are used and replaced	<input checked="" type="checkbox"/>
Accessories	Complementary Items	<input checked="" type="checkbox"/>
Cloud	Hosted online services	<input checked="" type="checkbox"/>
Maintenance	Post-sale repair or update services	<input checked="" type="checkbox"/>
Training	Courses and educational content	<input checked="" type="checkbox"/>
Licenses	Software or intellectual property licenses	<input checked="" type="checkbox"/>
Services	Technical or support services	<input checked="" type="checkbox"/>
Software	Applications and systems	<input checked="" type="checkbox"/>
Hardware	Physical devices and equipment	<input checked="" type="checkbox"/>

Total: 10 [Load more](#)

Name:
Description:
[Create](#) [Cancel](#)

In **view** mode, tax details are visible but not editable.



The screenshot shows the SaltOS application categories view screen. The interface is similar to the creation screen, with a navigation bar, search bar, and active toggle. The table of categories is identical. On the right, the 'Other' category is selected, showing its details: 'Name' is 'Other' and 'Description' is 'Unclassified category'. A 'Info' button is available, and buttons for 'Edit', 'Delete', and 'Close' are shown.

Name	Description	Active
Other	Unclassified category	<input checked="" type="checkbox"/>
Consumables	Items that are used and replaced	<input checked="" type="checkbox"/>
Accessories	Complementary Items	<input checked="" type="checkbox"/>
Cloud	Hosted online services	<input checked="" type="checkbox"/>
Maintenance	Post-sale repair or update services	<input checked="" type="checkbox"/>
Training	Courses and educational content	<input checked="" type="checkbox"/>
Licenses	Software or intellectual property licenses	<input checked="" type="checkbox"/>
Services	Technical or support services	<input checked="" type="checkbox"/>
Software	Applications and systems	<input checked="" type="checkbox"/>
Hardware	Physical devices and equipment	<input checked="" type="checkbox"/>

Total: 10 [Load more](#)

Name: Other
Description: Unclassified category
[Info](#) [Edit](#) [Delete](#) [Close](#)

In **edit** mode, existing values can be updated.

The screenshot shows the SaltOS application's 'Categories' section. On the left, there is a list of categories with columns for Name, Description, and Active status. A modal window on the right shows a detailed view of a selected category, with fields for Name (set to 'Other'), Description ('Unclassified category'), and Active status (checked). Buttons for Save and Cancel are at the bottom of the modal.

Name	Description	Active
Other	Unclassified category	<input checked="" type="checkbox"/>
Consumables	Items that are used and replaced	<input checked="" type="checkbox"/>
Accessories	Complementary Items	<input checked="" type="checkbox"/>
Cloud	Hosted online services	<input checked="" type="checkbox"/>
Maintenance	Post-sale repair or update services	<input checked="" type="checkbox"/>
Training	Courses and educational content	<input checked="" type="checkbox"/>
Licenses	Software or Intellectual property licenses	<input checked="" type="checkbox"/>
Services	Technical or support services	<input checked="" type="checkbox"/>
Software	Applications and systems	<input checked="" type="checkbox"/>
Hardware	Physical devices and equipment	<input checked="" type="checkbox"/>

Total: 10

+ Load more

The form includes the following fields:

- Active: Enables or disables the category for selection.
- Name: Label of the category as shown in the product form.
- Description: Optional clarification or notes about this category.

14.4 Delete

Categories can only be deleted if they are not assigned to any product.

When in use, they should be disabled instead.

15 Product Types

15.1 Description

The Product Types application is used to classify products and services based on their nature or behavior. This classification helps distinguish between physical goods, services, subscriptions, or other internal categories used for reporting or automation.

Examples of types include "Product", "Service", "Subscription", or "Bundle".

15.2 List view

Name	Description	Active
Other	Miscellaneous	✓
Consulting	Professional consulting	✓
Training	Course or educational service	✓
Maintenance	Post-sale service	✓
Digital	Downloadable or virtual product	✓
Kit	Grouped set of products	✓
Subscription	Recurring billed item	✓
License	Software or intellectual license	✓
Service	Service provided to customer	✓
Good	Physical product	✓

Total: 10 [+ Load more](#)

The following fields are displayed in the list view:

- Name: Label of the product type.
- Description: Optional description to clarify the purpose of the type.
- Active: Indicates whether the type is available when creating products.

15.3 Form view

This view is used to create, view or edit product type records.

In **create** mode, a new tax rule can be defined.

The screenshot shows a list of service categories on the left and a detailed view of the 'Other' category on the right.

Left Panel (List View):

- Header: SaltOS Dashboard Applications ▾
- Buttons: ⌂ New, Search, Q Search, X Reset
- Table Headers: Name, Description, Active
- Table Data:

Name	Description	Active
Other	Miscellaneous	✓ <input type="checkbox"/>
Consulting	Professional consulting	✓ <input type="checkbox"/>
Training	Course or educational service	✓ <input type="checkbox"/>
Maintenance	Post-sale service	✓ <input type="checkbox"/>
Digital	Downloadable or virtual product	✓ <input type="checkbox"/>
Kit	Grouped set of products	✓ <input type="checkbox"/>
Subscription	Recurring billed item	✓ <input type="checkbox"/>
License	Software or intellectual license	✓ <input type="checkbox"/>
Service	Service provided to customer	✓ <input type="checkbox"/>
Good	Physical product	✓ <input type="checkbox"/>
- Total: 10
- + Load more

Right Panel (Detail View - Other Category):

- Active checkbox (checked)
- Name input field: Other
- Description input field: Miscellaneous
- Buttons: ✓ Create, X Cancel

In **view** mode, tax details are visible but not editable.

The screenshot shows a list of service categories on the left and a detailed view of the 'Other' category on the right, similar to the previous view but with edit buttons.

Left Panel (List View):

- Header: SaltOS Dashboard Applications ▾
- Buttons: ⌂ New, Search, Q Search, X Reset
- Table Headers: Name, Description, Active
- Table Data:

Name	Description	Active
Other	Miscellaneous	✓ <input type="checkbox"/>
Consulting	Professional consulting	✓ <input type="checkbox"/>
Training	Course or educational service	✓ <input type="checkbox"/>
Maintenance	Post-sale service	✓ <input type="checkbox"/>
Digital	Downloadable or virtual product	✓ <input type="checkbox"/>
Kit	Grouped set of products	✓ <input type="checkbox"/>
Subscription	Recurring billed item	✓ <input type="checkbox"/>
License	Software or intellectual license	✓ <input type="checkbox"/>
Service	Service provided to customer	✓ <input type="checkbox"/>
Good	Physical product	✓ <input type="checkbox"/>
- Total: 10
- + Load more

Right Panel (Detail View - Other Category):

- Active checkbox (checked)
- Name input field: Other
- Description input field: Miscellaneous
- Info button: ⓘ Info ▾
- Buttons: ⚙ Edit, 🗑 Delete, X Close

In **edit** mode, existing values can be updated.

The screenshot shows the SaltOS application's 'Types' list and a detailed view of a type named 'Other'. The list on the left includes columns for Name, Description, and Active status. The 'Active' column contains a blue switch icon. The 'Name' column lists various service types like Consulting, Training, Maintenance, etc. The 'Description' column provides a brief description for each. The 'Active' column for 'Other' has a green checkmark. On the right, a modal window is open for the 'Other' type. It has fields for 'Name' (set to 'Other') and 'Description' (set to 'Miscellaneous'). There is also a 'Active' toggle switch which is currently active (blue). At the bottom of the modal are two buttons: a green 'Save' button and a red 'Cancel' button.

The form includes the following fields:

- Active: Controls availability in product forms.
- Name: Name shown in the type selection when creating a product.
- Description: Notes about the type's intended use.

15.4 Delete

Types can be deleted only if they are not linked to any product.

Otherwise, deactivation is the recommended action.

16 Taxes

16.1 Description

The Taxes application is used to define and manage tax rates applied to products, quotes, and invoices. It serves as a central repository of tax types such as VAT, sales tax, or exemptions. Each record includes the name, rate, and status, ensuring consistent tax application across the entire ERP system.

16.2 List view

Name	Description	Value	Active	Default
Exempt / Not subject	Operations exempt or not subject to VAT	0	✓	✗
VAT 4%	Super-reduced VAT rate of 4%	4	✓	✗
VAT 10%	Reduced VAT rate of 10%	10	✓	✗
VAT 21%	Standard VAT rate of 21%	21	✓	✓

Total: 4

+ Load more

The following fields are displayed in the list view:

- Name: Name or label used to identify the tax (e.g., VAT 21%).
- Description: Optional explanation or additional details about the tax rule or context of use.
- Value: Percentage value of the tax to be applied (e.g., 21 for 21%).
- Active: Indicates whether this tax is available for selection in documents.
- Default: Indicates whether this tax is selected automatically when creating new documents.

16.3 Form view

This view is used to create, view or edit tax entries.

In **create** mode, a new tax rule can be defined.

The screenshot shows the SaltOS application interface. On the left, there is a list of VAT rates with columns for Name, Description, Value, Active, and Default. The 'Active' column contains green checkmarks for most rows, except for 'Exempt / Not subject' which has a red 'X'. The 'Default' column also contains green checkmarks. A search bar and a 'Load more' button are at the bottom of the list.

On the right, a detailed view modal is open for the VAT rate 'VAT 21%'. It shows the 'Name' (VAT 21%), 'Value' (21), and 'Description' (Standard VAT rate of 21%). There are tabs for 'Active' and 'Default'. Below the description is a 'New files' section with a 'Choose Files' button and a note that says 'No file chosen'. There is also a 'New note' input field. At the bottom right of the modal are 'Create' and 'Cancel' buttons.

In **view** mode, tax details are visible but not editable.

This screenshot is similar to the previous one, showing the VAT rates list and the detailed view for 'VAT 21%'. However, the 'Value' field in the modal is now set to '21' instead of '21'. The 'Edit' and 'Delete' buttons are visible at the bottom right of the modal.

In **edit** mode, existing values can be updated.

The screenshot shows the SaltOS Tax Management application interface. On the left, there is a list of VAT rates with columns for Name, Description, Value, Active, and Default. The VAT 21% row is selected. On the right, a detailed view of the VAT 21% tax is shown, including fields for Name (VAT 21%), Value (21), Description (Standard VAT rate of 21%), New files (Choose Files, No file chosen), and New note (empty). At the bottom right are Save and Cancel buttons.

Name	Description	Value	Active	Default
Exempt / Not subject	Operations exempt or not subject to VAT	0	✓	✗
VAT 4%	Super-reduced VAT rate of 4%	4	✓	✗
VAT 10%	Reduced VAT rate of 10%	10	✓	✗
VAT 21%	Standard VAT rate of 21%	21	✓	✓

Total: 4

+ Load more

Active Default

Name: VAT 21% Value: 21

Description: Standard VAT rate of 21%

New files: Choose Files No file chosen

New note:

✓ Save ✗ Cancel

The form includes the following fields:

- Active: Indicates whether this tax is available for selection in documents.
- Default: Indicates whether this tax is selected automatically when creating new documents.
- Name: Name or label used to identify the tax (e.g., VAT 21%).
- Value: Percentage value of the tax to be applied (e.g., 21 for 21%).
- Description: Optional explanation or additional details about the tax rule or context of use.

16.4 Delete

Taxes can only be deleted if they are not used in any invoice or product.


If a tax is in use, it must be deactivated instead to preserve system integrity.

17 Workorders

17.1 Description

The Workorders application is used to register, plan, and track work tasks or service jobs requested by customers. Each work order includes information about the requester, the service required, status, dates, assigned staff, and associated notes or attachments. This module is essential for managing operational activities, such as technical support, installations, or field services.

17.2 List view



Date	Worker	Client
2024-11-10	Matthew Reeves	Meyer Ltd
2025-04-12	Darlene Brooks	Sheppard-Bradley
2025-01-06	Sara Hernandez	Riggs, Mills and Ortega
2024-12-11	Paul Murphy	Mosley Inc
2025-01-12	Lisa Garcia	Moore, Chen and Cruz
2025-03-24	Douglas Neal	Mosley Inc
2025-01-23	Mr. Randy White	Howell, Allen and Willis
2024-12-22	Sharon Pearson	Mitchell Ltd
2025-03-08	Cristian Shannon	Howell, Allen and Willis
2025-02-26	Sharon Rogers	Bennett-Carlson
2025-01-20	Shirley Freeman	Gates Ltd
2025-03-27	Sharon Rogers	Boyd Group
2025-01-12	Paul Murphy	Cook-Elliott
2025-02-28	Christine Middleton	Bridges, Anderson and Kerr
2025-01-24	Nancy Waller	Robertson, Flowers and Martinez
2025-03-03	Douglas Neal	Zimmerman LLC
2025-01-21	Benjamin Williams	Meyer Ltd
2025-01-01	Edward Moon	Stevenson, Taylor and West
2025-01-02	Lisa Garcia	Sandoval, Kim and Shea
2025-02-06	Cristian Shannon	Cook-Elliott
2025-02-16	Shane Cooper	Gomez and Sons
2024-10-27	Erin McDonald	Nolan-Anderson

The following fields are displayed in the list view:

- Date: The date when the work order was created or scheduled.
- Worker: The employee or technician assigned to carry out the task.
- Client: The customer who requested the service or task.

17.3 Form view

This view is used to create, edit, or view a work order.

In **create** mode, the form allows registering a new task to be performed.

SaltOS Dashboard Applications Admin

<input type="checkbox"/>	Date	Worker	Client
<input type="checkbox"/>	2024-11-10	Matthew Reeves	Meyer Ltd
<input type="checkbox"/>	2025-04-12	Darlene Brooks	Sheppard-Bradley
<input type="checkbox"/>	2025-01-06	Sara Hernandez	Riggs, Mills and Ortega
<input type="checkbox"/>	2024-12-11	Paul Murphy	Mosley Inc
<input type="checkbox"/>	2025-01-12	Lisa Garcia	Moore, Chen and Cruz
<input type="checkbox"/>	2025-03-24	Douglas Neal	Mosley Inc
<input type="checkbox"/>	2025-01-23	Mr. Randy White	Howell, Allen and Willis
<input type="checkbox"/>	2024-12-22	Sharon Pearson	Mitchell Ltd
<input type="checkbox"/>	2025-03-08	Cristian Shannon	Howell, Allen and Willis
<input type="checkbox"/>	2025-02-26	Sharon Rogers	Bennett-Carlson
<input type="checkbox"/>	2025-01-29	Shirley Freeman	Gates Ltd
<input type="checkbox"/>	2025-03-27	Sharon Rogers	Boyd Group
<input type="checkbox"/>	2025-01-12	Paul Murphy	Cook-Elliott
<input type="checkbox"/>	2025-02-28	Christine Middleton	Bridges, Anderson and Kerr
<input type="checkbox"/>	2025-01-24	Nancy Waller	Robertson, Flowers and Martinez
<input type="checkbox"/>	2025-03-03	Douglas Neal	Zimmerman LLC
<input type="checkbox"/>	2025-01-21	Benjamin Williams	Meyer Ltd
<input type="checkbox"/>	2025-01-01	Edward Moon	Stevenson, Taylor and West
<input type="checkbox"/>	2025-01-02	Lisa Garcia	Sandoval, Kim and Shea
<input type="checkbox"/>	2025-02-06	Cristian Shannon	Cook-Elliott
<input type="checkbox"/>	2025-02-16	Shane Cooper	Gomez and Sons
<input type="checkbox"/>	2024-10-27	Erin McDonald	Nolan-Anderson

Date: mm/dd/yyyy
 Worker:
 Client:
 Description:
 Hours: Price: Total: Invoice:
 New files: Choose Files No file chosen
 New note:

In **view** mode, the information is shown as read-only.

SaltOS Dashboard Applications Admin

<input type="checkbox"/>	Date	Worker	Client
<input type="checkbox"/>	2024-11-10	Matthew Reeves	Meyer Ltd
<input type="checkbox"/>	2025-04-12	Darlene Brooks	Sheppard-Bradley
<input type="checkbox"/>	2025-01-06	Sara Hernandez	Riggs, Mills and Ortega
<input type="checkbox"/>	2024-12-11	Paul Murphy	Mosley Inc
<input type="checkbox"/>	2025-01-12	Lisa Garcia	Moore, Chen and Cruz
<input type="checkbox"/>	2025-03-24	Douglas Neal	Mosley Inc
<input type="checkbox"/>	2025-01-23	Mr. Randy White	Howell, Allen and Willis
<input type="checkbox"/>	2024-12-22	Sharon Pearson	Mitchell Ltd
<input type="checkbox"/>	2025-03-08	Cristian Shannon	Howell, Allen and Willis
<input type="checkbox"/>	2025-02-26	Sharon Rogers	Bennett-Carlson
<input type="checkbox"/>	2025-01-29	Shirley Freeman	Gates Ltd
<input type="checkbox"/>	2025-03-27	Sharon Rogers	Boyd Group
<input type="checkbox"/>	2025-01-12	Paul Murphy	Cook-Elliott
<input type="checkbox"/>	2025-02-28	Christine Middleton	Bridges, Anderson and Kerr
<input type="checkbox"/>	2025-01-24	Nancy Waller	Robertson, Flowers and Martinez
<input type="checkbox"/>	2025-03-03	Douglas Neal	Zimmerman LLC
<input type="checkbox"/>	2025-01-21	Benjamin Williams	Meyer Ltd
<input type="checkbox"/>	2025-01-01	Edward Moon	Stevenson, Taylor and West
<input type="checkbox"/>	2025-01-02	Lisa Garcia	Sandoval, Kim and Shea
<input type="checkbox"/>	2025-02-06	Cristian Shannon	Cook-Elliott
<input type="checkbox"/>	2025-02-16	Shane Cooper	Gomez and Sons
<input type="checkbox"/>	2024-10-27	Erin McDonald	Nolan-Anderson

Date: 11/10/2024
 Worker: Matthew Reeves
 Client: Meyer Ltd
 Description: Week course bad despite whether factor night. Box off method information.
 Hours: 4.58 Price: 76.53 Total: 350.51 Invoice: F2025-0089

In **edit** mode, the data can be updated based on progress or feedback.

The screenshot shows the SaltOS application interface for creating a new workorder. On the left, there is a list of previous workorders with columns for Date, Worker, and Client. On the right, there is a detailed form for a new workorder. The form includes fields for Date, Worker, Client, Description, Hours, Price, Total, Invoice, New files, and New note. At the bottom, there are Save and Cancel buttons.

The form includes the following fields:

- Date: The date when the work order was created or scheduled.
- Worker: The employee or technician assigned to carry out the task.
- Client: The customer who requested the service or task.
- Description: Details about the nature or objective of the work to be done.
- Hours: Estimated or actual number of hours allocated to the task.
- Price: Hourly rate or fixed price agreed for the work.
- Total: Final amount calculated based on price and hours.
- Invoice: Invoice number or reference associated with the completed work.

17.4 Delete

Workorders can be deleted only if they are not linked to completed services or logged actions.

A confirmation prompt is displayed before deletion. Deactivation is preferred if you want to retain history without exposing the record.

18 Purchase

18.1 Description

The Purchase application is used to register and track purchases made from suppliers. Each purchase record includes invoice details, total amount, purchase date, and associated notes or attachments. This module ensures traceability of expenses and is linked to the Suppliers module to maintain consistency.

18.2 List view



SaltOS Dashboard Applications Admin

+ New Search Q Search X Reset

Order date	Supplier	Invoice	Paid
2025-04-03	Yates-Thompson	PO-0100	✓ ▾
2025-02-10	Lin, Stevens and Wall	PO-0099	✗ ▾
2025-02-02	Davies, Rodgers and Zavala	PO-0098	✓ ▾
2024-12-24	Davenport Inc	PO-0097	✓ ▾
2025-03-20	Olson Group	PO-0096	✗ ▾
2025-02-27	Simmons-Moreno	PO-0095	✗ ▾
2025-01-23	Herrera, Floyd and Williams	PO-0094	✗ ▾
2025-03-25	Rogers-Campbell	PO-0093	✓ ▾
2024-12-16	Johnson-Jones	PO-0092	✓ ▾
2025-03-31	Williams LLC	PO-0091	✓ ▾
2025-01-31	Mccoy, Martin and Nelson	PO-0090	✓ ▾
2024-11-04	Rice LLC	PO-0089	✗ ▾
2025-01-02	Flores and Sons	PO-0088	✓ ▾
2025-01-14	Hood-Browning	PO-0087	✓ ▾
2025-01-19	Davis Ltd	PO-0086	✗ ▾
2025-03-15	Allen LLC	PO-0085	✗ ▾
2025-02-15	White-Williams	PO-0084	✓ ▾
2025-03-19	Marquez LLC	PO-0083	✗ ▾
2024-11-15	Cooper Inc	PO-0082	✓ ▾
2025-02-18	Aguilar PLC	PO-0081	✗ ▾
2024-11-24	Rice LLC	PO-0080	✓ ▾
2024-11-09	Waiker LLC	PO-0079	✗ ▾

The following fields are displayed in the list view:

- Order date: The date when the purchase order was registered in the system.
- Supplier: The vendor or provider from whom goods or services were acquired.
- Invoice: The invoice number or reference issued by the supplier.
- Paid: Indicates whether the purchase has been fully paid.

18.3 Form view

This view is used for creating, editing or viewing a purchase record.

In **create** mode, the form is used to enter a new purchase linked to a supplier.

SaltOS Dashboard Applications Admin

Order date	Supplier	Invoice	Paid
2025-04-03	Yates-Thompson	PO-0100	✓ ▾
2025-02-10	Lin, Stevens and Wall	PO-0099	✗ ▾
2025-02-02	Davies, Rodgers and Zavala	PO-0098	✓ ▾
2024-12-24	Davenport Inc	PO-0097	✓ ▾
2025-03-26	Olson Group	PO-0096	✗ ▾
2025-02-27	Simmons-Moreno	PO-0095	✗ ▾
2025-01-23	Herrera, Floyd and Williams	PO-0094	✗ ▾
2025-03-25	Rogers-Campbell	PO-0093	✓ ▾
2024-12-16	Johnson-Jones	PO-0092	✓ ▾
2025-03-31	Williams LLC	PO-0091	✓ ▾
2025-01-31	Mccoy, Martin and Nelson	PO-0090	✓ ▾
2024-11-04	Rice LLC	PO-0089	✗ ▾
2025-01-02	Flores and Sons	PO-0088	✓ ▾
2025-01-14	Hood-Browning	PO-0087	✓ ▾
2025-01-19	Davis Ltd	PO-0086	✗ ▾
2025-03-15	Allen LLC	PO-0085	✗ ▾
2025-02-15	White-Williams	PO-0084	✓ ▾
2025-03-19	Marquez LLC	PO-0083	✗ ▾
2024-11-15	Cooper Inc	PO-0082	✓ ▾
2025-02-18	Aguilar PLC	PO-0081	✗ ▾
2024-11-24	Rice LLC	PO-0080	✓ ▾
2024-11-09	Walker LLC	PO-0079	✗ ▾

Order date: mm/dd/yyyy Supplier:

 Description:

 Subtotal: Tax: Total: Status:

 Invoice Code: Invoice Date: Paid: Paid date: mm/dd/yyyy

 Notes:

 New files: Choose Files: No file chosen

In **view** mode, it shows the details of the recorded purchase, in read-only mode.

SaltOS Dashboard Applications Admin

Order date	Supplier	Invoice	Paid
2025-04-03	Yates-Thompson	PO-0100	✓ ▾
2025-02-10	Lin, Stevens and Wall	PO-0099	✗ ▾
2025-02-02	Davies, Rodgers and Zavala	PO-0098	✓ ▾
2024-12-24	Davenport Inc	PO-0097	✓ ▾
2025-03-26	Olson Group	PO-0096	✗ ▾
2025-02-27	Simmons-Moreno	PO-0095	✗ ▾
2025-01-23	Herrera, Floyd and Williams	PO-0094	✗ ▾
2025-03-25	Rogers-Campbell	PO-0093	✓ ▾
2024-12-16	Johnson-Jones	PO-0092	✓ ▾
2025-03-31	Williams LLC	PO-0091	✓ ▾
2025-01-31	Mccoy, Martin and Nelson	PO-0090	✓ ▾
2024-11-04	Rice LLC	PO-0089	✗ ▾
2025-01-02	Flores and Sons	PO-0088	✓ ▾
2025-01-14	Hood-Browning	PO-0087	✓ ▾
2025-01-19	Davis Ltd	PO-0086	✗ ▾
2025-03-15	Allen LLC	PO-0085	✗ ▾
2025-02-15	White-Williams	PO-0084	✓ ▾
2025-03-19	Marquez LLC	PO-0083	✗ ▾
2024-11-15	Cooper Inc	PO-0082	✓ ▾
2025-02-18	Aguilar PLC	PO-0081	✗ ▾
2024-11-24	Rice LLC	PO-0080	✓ ▾
2024-11-09	Walker LLC	PO-0079	✗ ▾

Order date: 04/03/2025 Supplier: Yates-Thompson

Description: Husband size fly.

Subtotal: 1031.73 Tax: 216.66 Total: 1248.39 Status: Ordered

Invoice Code: PO-0100 Invoice Date: 04/07/2025 Paid: 469.06 Paid date: 05/15/2025

Notes: Particular impact study feel side debate.

In **edit** mode, the information can be updated if necessary.

The screenshot shows a two-panel interface. The left panel displays a grid of purchase orders with columns for Order date, Supplier, Invoice, and Paid status. The right panel shows a detailed view of a selected purchase order (PO-0100) from Yates-Thompson. It includes fields for Order date (04/03/2025), Supplier (Yates-Thompson), Description (Husband size fly.), Subtotal (1031.73), Tax (216.66), Total (1248.39), Status (Ordered), Invoice Code (PO-0100), Invoice Date (04/07/2025), Paid (469.06), Paid date (05/15/2025), Notes (Particular impact study feel side debate.), New files (Choose Files - No file chosen), and a footer with Save and Cancel buttons.

Order date	Supplier	Invoice	Paid
2025-04-03	Yates-Thompson	PO-0100	✓
2025-02-19	Lin, Stevens and Wall	PO-0099	✗
2025-02-02	Davies, Rodgers and Zavala	PO-0098	✓
2024-12-24	Davenport Inc	PO-0097	✓
2025-03-26	Olson Group	PO-0096	✗
2025-02-27	Simmons-Moreno	PO-0095	✗
2025-01-23	Herrera, Floyd and Williams	PO-0094	✗
2025-03-25	Rogers-Campbell	PO-0093	✓
2024-12-16	Johnson-Jones	PO-0092	✓
2025-03-31	Williams LLC	PO-0091	✓
2025-01-31	Mccoy, Martin and Nelson	PO-0090	✓
2024-11-04	Rice LLC	PO-0089	✗
2025-01-02	Flores and Sons	PO-0088	✓
2025-01-14	Hood-Brownling	PO-0087	✓
2025-01-19	Davis Ltd	PO-0086	✗
2025-03-15	Allen LLC	PO-0085	✗
2025-02-15	White-Williams	PO-0084	✓
2025-03-19	Marquez LLC	PO-0083	✗
2024-11-15	Cooper Inc	PO-0082	✓
2025-02-18	Aguilar PLC	PO-0081	✗
2024-11-24	Rice LLC	PO-0080	✓
2024-11-09	Walker LLC	PO-0079	✗

The form includes the following fields:

- Order date: The date when the purchase order was registered in the system.
- Supplier: The vendor or provider from whom goods or services were acquired.
- Description: A short explanation or summary of the purchase content.
- Subtotal: The total amount before taxes and discounts.
- Tax: The total value of taxes applied to the purchase.
- Total: The final total of the purchase, including taxes and discounts.
- Status: The current status of the purchase (e.g., draft, ordered, received).
- Invoice Code: The invoice number or reference issued by the supplier.
- Invoice Date: The official date of the supplier's invoice.
- Paid: Indicates whether the purchase has been fully paid.
- Paid Date: The date when the payment was made to the supplier.
- Notes: Internal observations or relevant administrative information.

18.4 Delete

Purchase records can be deleted only if they are not linked to accounting records or processes. A confirmation dialog will appear before proceeding.

Once registered and finalized, deletion is restricted based on system permissions and traceability.


19 Purchase Status

19.1 Description

The Purchase Status application defines the stages a purchase record can go through. It allows categorizing purchases according to their state, such as "Draft", "Ordered", "Received", or "Cancelled".

These statuses help in tracking the progress of procurement processes and improve clarity in the Purchase module.

19.2 List view



Name	Description	Active
Other	Other status	✓
Archived	Marked for historical reference	✓
Returned	Goods returned to supplier	✓
Cancelled	Order was cancelled	✓
Partially Paid	Partial payment made	✓
Paid	Payment completed	✓
Invoiced	Invoice has been received	✓
Received	Goods or services have been received	✓
Ordered	Order has been placed with supplier	✓
Draft	Purchase not yet confirmed	✓

Total: 10 [+ Load more](#)

The following fields are displayed in the list view:

- Name: Name of the status (e.g., Received, Cancelled).
- Description: Clarifies how or when this status is used.
- Active: Indicates if the status is currently selectable.

19.3 Form view

This view is used to create, view or edit purchase status entries.

In **create** mode, the form is used to enter a new purchase linked to a supplier.

The screenshot shows a list of purchase statuses on the left and a detailed view of the 'Other' status on the right.

List View (Left):

Name	Description	Active
Other	Other status	✓
Archived	Marked for historical reference	✓
Returned	Goods returned to supplier	✓
Cancelled	Order was cancelled	✓
Partially Paid	Partial payment made	✓
Paid	Payment completed	✓
Invoiced	Invoice has been received	✓
Received	Goods or services have been received	✓
Ordered	Order has been placed with supplier	✓
Draft	Purchase not yet confirmed	✓

Total: 10 [+ Load more](#)

Detail View (Right):

- Active:
- Name: Other
- Description: Other status
- Action buttons: ✓ Create, ✖ Cancel

In **view** mode, it shows the details of the recorded purchase, in read-only mode.

The screenshot shows a list of purchase statuses on the left and a detailed view of the 'Other' status on the right, with edit buttons visible.

List View (Left):

Name	Description	Active
Other	Other status	✓
Archived	Marked for historical reference	✓
Returned	Goods returned to supplier	✓
Cancelled	Order was cancelled	✓
Partially Paid	Partial payment made	✓
Paid	Payment completed	✓
Invoiced	Invoice has been received	✓
Received	Goods or services have been received	✓
Ordered	Order has been placed with supplier	✓
Draft	Purchase not yet confirmed	✓

Total: 10 [+ Load more](#)

Detail View (Right):

- Active:
- Name: Other
- Description: Other status
- Action buttons: ⚙ Edit, ✖ Delete, ✖ Close

In **edit** mode, the information can be updated if necessary.

The screenshot shows the SaltOS application interface. On the left, there is a list of purchase statuses with columns for Name, Description, and Active. The 'Active' column contains a green checkmark icon. The 'Name' column lists various statuses like Other, Archived, Returned, Cancelled, etc. The 'Description' column provides a brief explanation for each status. A search bar at the top right allows filtering by name or description. On the right, a detailed view of the 'Other' status is shown. It includes fields for Name (set to 'Other'), Description (set to 'Other status'), and an Active checkbox which is checked. At the bottom right of this view are 'Save' and 'Cancel' buttons.

Name	Description	Active
Other	Other status	✓
Archived	Marked for historical reference	✓
Returned	Goods returned to supplier	✓
Cancelled	Order was cancelled	✓
Partially Paid	Partial payment made	✓
Paid	Payment completed	✓
Invoiced	Invoice has been received	✓
Received	Goods or services have been received	✓
Ordered	Order has been placed with supplier	✓
Draft	Purchase not yet confirmed	✓

Total: 10

+ Load more

Active
Name
Description
✓ Save X Cancel

The form includes the following fields:

- Active: Controls availability in the status dropdown.
- Name: Status label as it appears in the purchase form.
- Description: Internal notes about its use case.

19.4 Delete

Statuses can only be deleted if no purchases are currently using them.


In most cases, deactivation is preferred.

20 Suppliers

20.1 Description

The Suppliers application is used to manage the list of vendors or external providers the organization works with. It stores essential information such as identification, contact details, tax code, and classification. This module is linked to purchase workflows, allowing you to associate suppliers with purchases and maintain full traceability.

20.2 List view



Name	CIF	City	Country	Active
Salazar Group	H75361502	Brendahaven	Malta	X ▾
Simmons-Moreno	H62237466	Port Michael	United States of America	X ▾
Ramos and Sons	B98389231	Lake Kelly	Oman	X ▾
Hood-Browning	P15524973	Skinnerton	Moldova	X ▾
Reeves LLC	D80417534	Brownburgh	Uruguay	X ▾
Rosales, Hamilton and Campbell	P39659227	New Jeffrey	Western Sahara	✓ ▾
Evans, Osborne and Olsen	E27469869	Amberhaven	Uganda	X ▾
Gilbert Ltd	D49230977	North Michael	Comoros	✓ ▾
Stanley-Alexander	A14810695	South Listatown	Madagascar	✓ ▾
Grant Group	E87249356	Port Kristenside	Norfolk Island	X ▾
Freeman, Lee and Hubbard	S78579349	Brianton	Argentina	X ▾
Wilcox Group	V69337362	Lake Anne	France	X ▾
Johnson-Jones	D45446951	Port Gail	Sweden	X ▾
Marquez LLC	S78341283	Jenniferville	Burkina Faso	X ▾
Leblanc-Moran	S87666180	Gloriaburgh	United States Minor Outlying Islands	✓ ▾
Henderson-West	V80113376	South Christopher	Namibia	✓ ▾
Welch, Brown and Parks	D25864247	Cynthiatown	Georgia	✓ ▾
Robinson-Berry	V62056247	North Willam	Denmark	X ▾
Harris, Chapman and Soto	U366042863	Lake Victorlemouth	Cayman Islands	X ▾
Norman, May and Harrison	P12465958	Lake Adriennestad	Bahrain	✓ ▾
Russell, Young and Boone	F85493033	Lake Keith	Saudi Arabia	X ▾

The following fields are displayed in the list view:

- Name: Name or legal entity of the supplier.
- CIF: Tax identification code of the supplier (e.g., VAT, NIF, CIF).
- City: City associated with the supplier's address.
- Country: Country where the supplier is located or registered.
- Active: Indicates whether the supplier is currently active in the system.

20.3 Form view

This view is used for creating, editing or viewing supplier records.

In **create** mode, the form is blank to add a new supplier.

SaltOS Dashboard Applications Admin

Name	CIF	City	Country	Active
Salazar Group	H75361502	Brendahaven	Malta	<input type="checkbox"/> <input type="radio"/>
Simmons-Moreno	H62237466	Port Michael	United States of America	<input type="checkbox"/> <input type="radio"/>
Ramos and Sons	B98389231	Lake Kelly	Oman	<input type="checkbox"/> <input type="radio"/>
Hood-Browning	P15524973	Skinnerton	Moldova	<input type="checkbox"/> <input type="radio"/>
Reeves LLC	D86417534	Brownburgh	Uruguay	<input type="checkbox"/> <input type="radio"/>
Rosales, Hamilton and Campbell	P39659227	New Jeffrey	Western Sahara	<input checked="" type="checkbox"/> <input type="radio"/>
Evans, Osborne and Olsen	E27469869	Amberhaven	Uganda	<input type="checkbox"/> <input type="radio"/>
Gilbert Ltd	D49238977	North Michael	Comoros	<input checked="" type="checkbox"/> <input type="radio"/>
Stanley-Alexander	A14816965	South Lisatown	Madagascar	<input checked="" type="checkbox"/> <input type="radio"/>
Grant Group	E87246356	Port Kristenside	Norfolk Island	<input type="checkbox"/> <input type="radio"/>
Freeman, Lee and Hubbard	S78579340	Brianton	Argentina	<input type="checkbox"/> <input type="radio"/>
Wilcox Group	V66037362	Lake Anne	France	<input type="checkbox"/> <input type="radio"/>
Johnson-Jones	D45446951	Port Gail	Sweden	<input type="checkbox"/> <input type="radio"/>
Marquez LLC	S78341283	Jenniferville	Burkina Faso	<input type="checkbox"/> <input type="radio"/>
Leblanc-Moran	S87666180	Gloriaburgh	United States Minor Outlying Islands	<input checked="" type="checkbox"/> <input type="radio"/>
Henderson-West	V80113376	South Christopher	Namibia	<input checked="" type="checkbox"/> <input type="radio"/>
Welch, Brown and Parks	D25864247	Cynthiatown	Georgia	<input checked="" type="checkbox"/> <input type="radio"/>
Robinson-Berry	V62056247	North Willam	Denmark	<input type="checkbox"/> <input type="radio"/>
Harris, Chapman and Soto	U36642863	Lake Victorlamouth	Cayman Islands	<input type="checkbox"/> <input type="radio"/>
Norman, May and Harrison	P12465958	Lake Adriennestad	Bahrain	<input checked="" type="checkbox"/> <input type="radio"/>
Russell, Young and Boone	F85493033	Lake Keith	Saudi Arabia	<input type="checkbox"/> <input type="radio"/>

Active
 Name:
 CIF:
 Address:
 City:
 Province / State:
 Zip:
 Country:
 Email:
 Phone:
 Website:
 Notes:
 Type:

In **view** mode, the fields are shown in read-only mode.

SaltOS Dashboard Applications Admin

Name	CIF	City	Country	Active
Salazar Group	H75361502	Brendahaven	Malta	<input type="checkbox"/> <input type="radio"/>
Simmons-Moreno	H62237466	Port Michael	United States of America	<input type="checkbox"/> <input type="radio"/>
Ramos and Sons	B98389231	Lake Kelly	Oman	<input type="checkbox"/> <input type="radio"/>
Hood-Browning	P15524973	Skinnerton	Moldova	<input type="checkbox"/> <input type="radio"/>
Reeves LLC	D86417534	Brownburgh	Uruguay	<input type="checkbox"/> <input type="radio"/>
Rosales, Hamilton and Campbell	P39659227	New Jeffrey	Western Sahara	<input checked="" type="checkbox"/> <input type="radio"/>
Evans, Osborne and Olsen	E27469869	Amberhaven	Uganda	<input type="checkbox"/> <input type="radio"/>
Gilbert Ltd	D49238977	North Michael	Comoros	<input checked="" type="checkbox"/> <input type="radio"/>
Stanley-Alexander	A14816965	South Lisatown	Madagascar	<input checked="" type="checkbox"/> <input type="radio"/>
Grant Group	E87246356	Port Kristenside	Norfolk Island	<input type="checkbox"/> <input type="radio"/>
Freeman, Lee and Hubbard	S78579340	Brianton	Argentina	<input type="checkbox"/> <input type="radio"/>
Wilcox Group	V66037362	Lake Anne	France	<input type="checkbox"/> <input type="radio"/>
Johnson-Jones	D45446951	Port Gail	Sweden	<input type="checkbox"/> <input type="radio"/>
Marquez LLC	S78341283	Jenniferville	Burkina Faso	<input type="checkbox"/> <input type="radio"/>
Leblanc-Moran	S87666180	Gloriaburgh	United States Minor Outlying Islands	<input checked="" type="checkbox"/> <input type="radio"/>
Henderson-West	V80113376	South Christopher	Namibia	<input checked="" type="checkbox"/> <input type="radio"/>
Welch, Brown and Parks	D25864247	Cynthiatown	Georgia	<input checked="" type="checkbox"/> <input type="radio"/>
Robinson-Berry	V62056247	North Willam	Denmark	<input type="checkbox"/> <input type="radio"/>
Harris, Chapman and Soto	U36642863	Lake Victorlamouth	Cayman Islands	<input type="checkbox"/> <input type="radio"/>
Norman, May and Harrison	P12465958	Lake Adriennestad	Bahrain	<input checked="" type="checkbox"/> <input type="radio"/>
Russell, Young and Boone	F85493033	Lake Keith	Saudi Arabia	<input type="checkbox"/> <input type="radio"/>

Active
 Name:
 CIF:
 Address:
 City:
 Province / State:
 Zip:
 Country:
 Email:
 Phone:
 Website:
 Notes:
 Type:

In **edit** mode, supplier data can be updated.

The screenshot shows a web-based application interface for managing suppliers. On the left, there is a grid of supplier records with columns for Name, CIF, City, Country, and Active status. A modal window on the right provides a detailed view and edit form for a single supplier. The form includes fields for Name, CIF, Address, City, Province / State, Zip, Country, Email, Phone, Website, Notes, and Type. It also features sections for New files and New note, and Save/Cancel buttons.

Name	CIF	City	Country	Active
Salazar Group	H75361502	Brendahaven	Malta	<input checked="" type="checkbox"/>
Simmons-Moreno	H62237466	Port Michael	United States of America	<input checked="" type="checkbox"/>
Ramos and Sons	B98389231	Lake Kelly	Oman	<input checked="" type="checkbox"/>
Hood-Browning	P15524973	Skinnerton	Moldova	<input checked="" type="checkbox"/>
Reeves LLC	D86417534	Brownburgh	Uruguay	<input checked="" type="checkbox"/>
Rosales, Hamilton and Campbell	P39659227	New Jeffrey	Western Sahara	<input checked="" type="checkbox"/>
Evans, Osborne and Olsen	E27469869	Amberhaven	Uganda	<input checked="" type="checkbox"/>
Gilbert Ltd	D49230977	North Michael	Comoros	<input checked="" type="checkbox"/>
Stanley-Alexander	A14810695	South Lisatown	Madagascar	<input checked="" type="checkbox"/>
Grant Group	E87249356	Port Kristenside	Norfolk Island	<input checked="" type="checkbox"/>
Freeman, Lee and Hubbard	S78579340	Brianton	Argentina	<input checked="" type="checkbox"/>
Wilcox Group	V660337362	Lake Anne	France	<input checked="" type="checkbox"/>
Johnson-Jones	D45446951	Port Gail	Sweden	<input checked="" type="checkbox"/>
Marquez LLC	S78341283	Jenniferville	Burkina Faso	<input checked="" type="checkbox"/>
Leblanc-Moran	S87606180	Gloriaburgh	United States Minor Outlying Islands	<input checked="" type="checkbox"/>
Henderson-West	V80113376	South Christopher	Namibia	<input checked="" type="checkbox"/>
Welch, Brown and Parks	D25864247	Cynthiatown	Georgia	<input checked="" type="checkbox"/>
Robinson-Berry	V62056247	North Willam	Denmark	<input checked="" type="checkbox"/>
Harris, Chapman and Soto	U36042863	Lake Victoriamouth	Cayman Islands	<input checked="" type="checkbox"/>
Norman, May and Harrison	P12465958	Lake Adriennestad	Bahrain	<input checked="" type="checkbox"/>
Russell, Young and Boone	F85493033	Lake Keith	Saudi Arabia	<input checked="" type="checkbox"/>

The form includes the following fields:

- Active: Indicates whether the supplier is currently active in the system.
- Name: Name or legal entity of the supplier.
- CIF: Tax identification code of the supplier (e.g., VAT, NIF, CIF).
- Address: Street or billing address of the supplier.
- City: City associated with the supplier's address.
- Province / State: Province or region linked to the supplier's address.
- ZIP: Postal code of the supplier's address.
- Country: Country where the supplier is located or registered.
- Email: Primary contact email address for the supplier.
- Phone: Main contact number for the supplier.
- Website: Website or external link associated with the supplier.
- Notes: Additional internal information or remarks about the supplier.
- Type: Category or classification of the supplier.

20.4 Delete

Supplier records can be deleted if not referenced in purchases or documents. A confirmation dialog appears before deletion.

Once linked to purchases or financial records, the supplier becomes protected from removal.


21 Supplier Types

21.1 Description

The Supplier Types application is used to classify suppliers by category, industry, or relationship. This classification helps filter and organize suppliers, and may be used for segmentation or reporting purposes.

Examples of types include "Distributor", "Manufacturer", "Service Provider", etc.

21.2 List view



Name	Description	Active
Other	Unspecified type of supplier	✓
Government	Public sector entity	✓
Partner	Strategic or long-term provider	✓
Service Provider	Offers support or maintenance	✓
Agency	Acts on behalf of other suppliers	✓
Freelancer	Individual supplier or technician	✓
Transporter	Logistics and shipping provider	✓
Distributor	Distributes products regionally	✓
Wholesaler	Sells large quantities to resellers	✓
Manufacturer	Produces goods directly	✓

Total: 10 [+ Load more](#)

The following fields are displayed in the list view:

- Name: Name of the supplier type.
- Description: Optional clarification or internal note.
- Active: Indicates whether the type can be assigned to suppliers.

21.3 Form view

This view is used to create, view or edit supplier type entries.

In **create** mode, a new tax rule can be defined.

The screenshot shows a list of supplier types on the left and a detailed view of the 'Other' type on the right.

List View (Left):

Name	Description	Active
Other	Unspecified type of supplier	✓
Government	Public sector entity	✓
Partner	Strategic or long-term provider	✓
Service Provider	Offers support or maintenance	✓
Agency	Acts on behalf of other suppliers	✓
Freelancer	Individual supplier or technician	✓
Transporter	Logistics and shipping provider	✓
Distributor	Distributes products regionally	✓
Wholesaler	Sells large quantities to resellers	✓
Manufacturer	Produces goods directly	✓

Total: 10 [+ Load more](#)

Detail View (Right):

- Active status:
- Name: Other
- Description: Unspecified type of supplier
- Action buttons:

In **view** mode, tax details are visible but not editable.

The screenshot shows a list of supplier types on the left and a detailed view of the 'Other' type on the right, with edit buttons visible.

List View (Left):

Name	Description	Active
Other	Unspecified type of supplier	✓
Government	Public sector entity	✓
Partner	Strategic or long-term provider	✓
Service Provider	Offers support or maintenance	✓
Agency	Acts on behalf of other suppliers	✓
Freelancer	Individual supplier or technician	✓
Transporter	Logistics and shipping provider	✓
Distributor	Distributes products regionally	✓
Wholesaler	Sells large quantities to resellers	✓
Manufacturer	Produces goods directly	✓

Total: 10 [+ Load more](#)

Detail View (Right):

- Active status:
- Name: Other
- Description: Unspecified type of supplier
- Action buttons:

In **edit** mode, existing values can be updated.

Name	Description	Active
Other	Unspecified type of supplier	<input checked="" type="checkbox"/>
Government	Public sector entity	<input checked="" type="checkbox"/>
Partner	Strategic or long-term provider	<input checked="" type="checkbox"/>
Service Provider	Offers support or maintenance	<input checked="" type="checkbox"/>
Agency	Acts on behalf of other suppliers	<input checked="" type="checkbox"/>
Freelancer	Individual supplier or technician	<input checked="" type="checkbox"/>
Transporter	Logistics and shipping provider	<input checked="" type="checkbox"/>
Distributor	Distributes products regionally	<input checked="" type="checkbox"/>
Wholesaler	Sells large quantities to resellers	<input checked="" type="checkbox"/>
Manufacturer	Produces goods directly	<input checked="" type="checkbox"/>

Total: 10 [+ Load more](#)

Active

Name: Other

Description: Unspecified type of supplier

Save Cancel

The form includes the following fields:

- Active: Enables or disables the type for selection.
- Name: Descriptive label for the type.
- Description: Additional information or context.

21.4 Delete

Supplier types can only be deleted if not currently assigned to any supplier.

If in use, they should be disabled instead of removed.


22 Departments

22.1 Description

The Departments application is used to define the organizational structure of the company by grouping employees into departments. It supports hierarchies, allowing a department to belong to a parent department, and helps organize users and permissions accordingly.

Examples of departments include "Sales", "IT", "HR", or "Logistics".

22.2 List view



The screenshot shows a SaltOS application window titled 'SaltOS' with a blue header bar. The header includes the title, a 'Dashboard' link, an 'Applications' dropdown, and a user icon labeled 'Admin'. Below the header is a search bar with a placeholder 'Search' and a 'Reset' button. To the left of the main content area is a sidebar containing a 'Y' icon and a '+ New' button. The main content area displays a table with four columns: 'Name', 'Code', 'Parent', and 'Active'. The table lists various department names, their codes, parent departments, and active status. A large, stylized blue graphic of a person's head and shoulders is overlaid on the right side of the page.

Name	Code	Parent	Active
Dietitian	DPT-0100	Engineer, building services	X ▾
Designer, ceramics/pottery	DPT-0099	Psychiatric nurse	X ▾
Loss adjuster, chartered	DPT-0098	Editor, film/video	✓ ▾
Fitness centre manager	DPT-0097	Immunologist	X ▾
Multimedia specialist	DPT-0096	Local government officer	✓ ▾
Administrator	DPT-0095	Exhibition designer	✓ ▾
Equality and diversity officer	DPT-0094	Energy engineer	X ▾
Research officer, government	DPT-0093	Production assistant, television	X ▾
Civil Service fast streamer	DPT-0092	Careers adviser	✓ ▾
Museum/gallery curator	DPT-0091	Multimedia programmer	X ▾
Engineer, civil (consulting)	DPT-0090	Dealer	✓ ▾
Network engineer	DPT-0089	Editor, film/video	✓ ▾
Product manager	DPT-0088	Accounting technician	✓ ▾
TEFL teacher	DPT-0087	Photographer	X ▾
Neurosurgeon	DPT-0086	Housing manager/officer	X ▾
Advice worker	DPT-0085	Commercial horticulturist	X ▾
Operational researcher	DPT-0084	Chief Marketing Officer	✓ ▾
Dance movement psychotherapist	DPT-0083	Editor, film/video	X ▾
Multimedia programmer	DPT-0082	Engineer, chemical	✓ ▾
Call centre manager	DPT-0081	Planning and development surveyor	✓ ▾
Producer, television/film/video	DPT-0080	Pilot, airline	X ▾
Air broker	DPT-0079	Hospital pharmacist	X ▾

The following fields are displayed in the list view:

- Name: Name of the department or organizational unit.
- Code: Unique identifier or reference code for the department.
- Parent: Parent department, if this one is part of a hierarchy.
- Active: Indicates whether this department is currently in use.

22.3 Form view

This view is used to create, view or edit departments.

In **create** mode, a new tax rule can be defined.

SaltOS Dashboard Applications Admin

Name	Code	Parent	Active
Dietitian	DPT-0100	Engineer, building services	<input checked="" type="checkbox"/>
Designer, ceramics/pottery	DPT-0099	Psychiatric nurse	<input checked="" type="checkbox"/>
Loss adjuster, chartered	DPT-0098	Editor, film/video	<input checked="" type="checkbox"/>
Fitness centre manager	DPT-0097	Immunologist	<input checked="" type="checkbox"/>
Multimedia specialist	DPT-0096	Local government officer	<input checked="" type="checkbox"/>
Administrator	DPT-0095	Exhibition designer	<input checked="" type="checkbox"/>
Equality and diversity officer	DPT-0094	Energy engineer	<input checked="" type="checkbox"/>
Research officer, government	DPT-0093	Production assistant, television	<input checked="" type="checkbox"/>
Civil Service fast streamer	DPT-0092	Careers adviser	<input checked="" type="checkbox"/>
Museum/gallery curator	DPT-0091	Multimedia programmer	<input checked="" type="checkbox"/>
Engineer, civil (consulting)	DPT-0090	Dealer	<input checked="" type="checkbox"/>
Network engineer	DPT-0089	Editor, film/video	<input checked="" type="checkbox"/>
Product manager	DPT-0088	Accounting technician	<input checked="" type="checkbox"/>
TEFL teacher	DPT-0097	Photographer	<input checked="" type="checkbox"/>
Neurosurgeon	DPT-0086	Housing manager/officer	<input checked="" type="checkbox"/>
Advice worker	DPT-0085	Commercial horticulturist	<input checked="" type="checkbox"/>
Operational researcher	DPT-0084	Chief Marketing Officer	<input checked="" type="checkbox"/>
Dance movement psychotherapist	DPT-0083	Editor, film/video	<input checked="" type="checkbox"/>
Multimedia programmer	DPT-0082	Engineer, chemical	<input checked="" type="checkbox"/>
Call centre manager	DPT-0081	Planning and development surveyor	<input checked="" type="checkbox"/>
Producer, television/film/video	DPT-0080	Pilot, airline	<input checked="" type="checkbox"/>
Air broker	DPT-0079	Hospital pharmacist	<input checked="" type="checkbox"/>

Active

Name: Dietitian, Code: DPT-0100, Parent: Engineer, building services

Notes: Must gun business young too indicate bit.

New files: Choose Files, No file chosen

New note:

Create Cancel

In **view** mode, tax details are visible but not editable.

SaltOS Dashboard Applications Admin

Name	Code	Parent	Active
Dietitian	DPT-0100	Engineer, building services	<input checked="" type="checkbox"/>
Designer, ceramics/pottery	DPT-0099	Psychiatric nurse	<input checked="" type="checkbox"/>
Loss adjuster, chartered	DPT-0098	Editor, film/video	<input checked="" type="checkbox"/>
Fitness centre manager	DPT-0097	Immunologist	<input checked="" type="checkbox"/>
Multimedia specialist	DPT-0096	Local government officer	<input checked="" type="checkbox"/>
Administrator	DPT-0095	Exhibition designer	<input checked="" type="checkbox"/>
Equality and diversity officer	DPT-0094	Energy engineer	<input checked="" type="checkbox"/>
Research officer, government	DPT-0093	Production assistant, television	<input checked="" type="checkbox"/>
Civil Service fast streamer	DPT-0092	Careers adviser	<input checked="" type="checkbox"/>
Museum/gallery curator	DPT-0091	Multimedia programmer	<input checked="" type="checkbox"/>
Engineer, civil (consulting)	DPT-0090	Dealer	<input checked="" type="checkbox"/>
Network engineer	DPT-0089	Editor, film/video	<input checked="" type="checkbox"/>
Product manager	DPT-0088	Accounting technician	<input checked="" type="checkbox"/>
TEFL teacher	DPT-0097	Photographer	<input checked="" type="checkbox"/>
Neurosurgeon	DPT-0086	Housing manager/officer	<input checked="" type="checkbox"/>
Advice worker	DPT-0085	Commercial horticulturist	<input checked="" type="checkbox"/>
Operational researcher	DPT-0084	Chief Marketing Officer	<input checked="" type="checkbox"/>
Dance movement psychotherapist	DPT-0083	Editor, film/video	<input checked="" type="checkbox"/>
Multimedia programmer	DPT-0082	Engineer, chemical	<input checked="" type="checkbox"/>
Call centre manager	DPT-0081	Planning and development surveyor	<input checked="" type="checkbox"/>
Producer, television/film/video	DPT-0080	Pilot, airline	<input checked="" type="checkbox"/>
Air broker	DPT-0079	Hospital pharmacist	<input checked="" type="checkbox"/>

Active

Name: Dietitian, Code: DPT-0100, Parent: Engineer, building services

Notes: Must gun business young too indicate bit.

Info Edit Delete Close

In **edit** mode, existing values can be updated.

Name	Code	Parent	Active
Dietitian	DPT-0100	Engineer, building services	<input checked="" type="checkbox"/>
Designer, ceramics/pottery	DPT-0099	Psychiatric nurse	<input checked="" type="checkbox"/>
Loss adjuster, chartered	DPT-0098	Editor, film/video	<input checked="" type="checkbox"/>
Fitness centre manager	DPT-0097	Immunologist	<input checked="" type="checkbox"/>
Multimedia specialist	DPT-0096	Local government officer	<input checked="" type="checkbox"/>
Administrator	DPT-0095	Exhibition designer	<input checked="" type="checkbox"/>
Equality and diversity officer	DPT-0094	Energy engineer	<input checked="" type="checkbox"/>
Research officer, government	DPT-0093	Production assistant, television	<input checked="" type="checkbox"/>
Civil Service fast streamer	DPT-0092	Careers adviser	<input checked="" type="checkbox"/>
Museum/gallery curator	DPT-0091	Multimedia programmer	<input checked="" type="checkbox"/>
Engineer, civil (consulting)	DPT-0090	Dealer	<input checked="" type="checkbox"/>
Network engineer	DPT-0089	Editor, film/video	<input checked="" type="checkbox"/>
Product manager	DPT-0088	Accounting technician	<input checked="" type="checkbox"/>
TEFL teacher	DPT-0097	Photographer	<input checked="" type="checkbox"/>
Neurosurgeon	DPT-0086	Housing manager/officer	<input checked="" type="checkbox"/>
Advice worker	DPT-0085	Commercial horticulturist	<input checked="" type="checkbox"/>
Operational researcher	DPT-0084	Chief Marketing Officer	<input checked="" type="checkbox"/>
Dance movement psychotherapist	DPT-0083	Editor, film/video	<input checked="" type="checkbox"/>
Multimedia programmer	DPT-0082	Engineer, chemical	<input checked="" type="checkbox"/>
Call centre manager	DPT-0081	Planning and development surveyor	<input checked="" type="checkbox"/>
Producer, television/film/video	DPT-0080	Pilot, airline	<input checked="" type="checkbox"/>
Air broker	DPT-0079	Hospital pharmacist	<input checked="" type="checkbox"/>

The form includes the following fields:

- Active: Indicates whether this department is currently in use.
- Name: Name of the department or organizational unit.
- Code: Unique identifier or reference code for the department.
- Parent: Parent department, if this one is part of a hierarchy.
- Notes: Additional details about the department's structure, responsibility or purpose.

22.4 Delete

Departments can only be deleted if no employees are currently assigned to them.


If in use, deactivation is recommended instead.

23 Employees

23.1 Description

The Employees application is used to register and manage the personnel working in the organization. It stores personal and professional data including name, contact information, position, department, and system user link. This module is typically used in HR workflows to organize staff and optionally associate them with users of the system.

23.2 List view



Name	Department	Job Title	Active
Morgan Price	Meteorologist	Physicist, medical	X ▾
Robert Harris	Police officer	Minerals surveyor	X ▾
David Morris	Product manager	Engineer, agricultural	X ▾
George Miller	Legal executive	Engineer, electrical	✓ ▾
Nathaniel Williams	Buyer, retail	Water engineer	X ▾
Sean Miller	Police officer	Engineer, maintenance (IT)	✓ ▾
Edward Alexander	Amenity horticulturist	Database administrator	✓ ▾
Vickie Meza	Buyer, retail	Therapist, art	X ▾
Gary Russo	Heritage manager	Drilling engineer	X ▾
Andrea Horton	Police officer	Editor, commissioning	✓ ▾
Tiffany Brennan	Engineer, chemical	Haematologist	X ▾
James Drake DDS	Editor, film/video	Exhibitions officer, museum/gallery	X ▾
Emily Miles	Teacher, early years/pre	Fast food restaurant manager	X ▾
Kimberly Rich	Engineer, chemical	Pharmacologist	✓ ▾
Raymond Rice	Engineer, building services	Contracting civil engineer	✓ ▾
Amy Gilbert	Engineer, building services	Psychotherapist, child	X ▾
Cheryl Martinez	Engineer, building services	Holiday representative	X ▾
Michael Rodriguez	Legal executive	Insurance underwriter	✓ ▾
Desiree Marquez	Manufacturing engineer	Radio producer	✓ ▾
Daniel Jones	Hospital pharmacist	Civil engineer, contracting	X ▾
Elizabeth Miller	Drilling engineer	Intelligence analyst	X ▾
Jennifer Bailey	Product manager	Geochemist	X ▾

The following fields are displayed in the list view:

- Name: Full name of the employee.
- Department: Department the employee belongs to.
- Job Title: Official job title or position held by the employee.
- Active: Indicates whether the employee is currently active.

23.3 Form view

This view is used to create, view or edit employee records.

In **create** mode, a new employee profile is added.

SaltOS Dashboard Applications ▾ Admin

Name	Department	Job Title	Active
Morgan Price	Meteorologist	Physicist, medical	<input checked="" type="checkbox"/>
Robert Harris	Police officer	Minerals surveyor	<input checked="" type="checkbox"/>
David Morris	Product manager	Engineer, agricultural	<input checked="" type="checkbox"/>
George Miller	Legal executive	Engineer, electrical	<input checked="" type="checkbox"/>
Nathaniel Williams	Buyer, retail	Water engineer	<input checked="" type="checkbox"/>
Sean Miller	Police officer	Engineer, maintenance (IT)	<input checked="" type="checkbox"/>
Edward Alexander	Amenity horticulturist	Database administrator	<input checked="" type="checkbox"/>
Vickie Meza	Buyer, retail	Therapist, art	<input checked="" type="checkbox"/>
Gary Russo	Heritage manager	Drilling engineer	<input checked="" type="checkbox"/>
Andrea Horton	Police officer	Editor, commissioning	<input checked="" type="checkbox"/>
Tiffany Brennan	Engineer, chemical	Haematologist	<input checked="" type="checkbox"/>
James Drake DDS	Editor, film/video	Exhibitions officer, museum/gallery	<input checked="" type="checkbox"/>
Emily Miles	Teacher, early years/pre	Fast food restaurant manager	<input checked="" type="checkbox"/>
Kimberly Rich	Engineer, chemical	Pharmacologist	<input checked="" type="checkbox"/>
Raymond Rice	Engineer, building services	Contracting civil engineer	<input checked="" type="checkbox"/>
Amy Gilbert	Engineer, building services	Psychotherapist, child	<input checked="" type="checkbox"/>
Cheryl Martinez	Engineer, building services	Holiday representative	<input checked="" type="checkbox"/>
Michael Rodriguez	Legal executive	Insurance underwriter	<input checked="" type="checkbox"/>
Desiree Marquez	Manufacturing engineer	Radio producer	<input checked="" type="checkbox"/>
Daniel Jones	Hospital pharmacist	Civil engineer, contracting	<input checked="" type="checkbox"/>
Elizabeth Miller	Drilling engineer	Intelligence analyst	<input checked="" type="checkbox"/>
Jennifer Bailey	Product manager	Geochemist	<input checked="" type="checkbox"/>

Active
 Name NIF
 Department Job Title Start time End time
 Address City Province / State
 Zip Country
 Email Phone
 Notes
 Type User
 No file chosen
 New note

In **view** mode, the profile is shown in read-only format.

SaltOS Dashboard Applications ▾ Admin

Name	Department	Job Title	Active
Morgan Price	Meteorologist	Physicist, medical	<input checked="" type="checkbox"/>
Robert Harris	Police officer	Minerals surveyor	<input checked="" type="checkbox"/>
David Morris	Product manager	Engineer, agricultural	<input checked="" type="checkbox"/>
George Miller	Legal executive	Engineer, electrical	<input checked="" type="checkbox"/>
Nathaniel Williams	Buyer, retail	Water engineer	<input checked="" type="checkbox"/>
Sean Miller	Police officer	Engineer, maintenance (IT)	<input checked="" type="checkbox"/>
Edward Alexander	Amenity horticulturist	Database administrator	<input checked="" type="checkbox"/>
Vickie Meza	Buyer, retail	Therapist, art	<input checked="" type="checkbox"/>
Gary Russo	Heritage manager	Drilling engineer	<input checked="" type="checkbox"/>
Andrea Horton	Police officer	Editor, commissioning	<input checked="" type="checkbox"/>
Tiffany Brennan	Engineer, chemical	Haematologist	<input checked="" type="checkbox"/>
James Drake DDS	Editor, film/video	Exhibitions officer, museum/gallery	<input checked="" type="checkbox"/>
Emily Miles	Teacher, early years/pre	Fast food restaurant manager	<input checked="" type="checkbox"/>
Kimberly Rich	Engineer, chemical	Pharmacologist	<input checked="" type="checkbox"/>
Raymond Rice	Engineer, building services	Contracting civil engineer	<input checked="" type="checkbox"/>
Amy Gilbert	Engineer, building services	Psychotherapist, child	<input checked="" type="checkbox"/>
Cheryl Martinez	Engineer, building services	Holiday representative	<input checked="" type="checkbox"/>
Michael Rodriguez	Legal executive	Insurance underwriter	<input checked="" type="checkbox"/>
Desiree Marquez	Manufacturing engineer	Radio producer	<input checked="" type="checkbox"/>
Daniel Jones	Hospital pharmacist	Civil engineer, contracting	<input checked="" type="checkbox"/>
Elizabeth Miller	Drilling engineer	Intelligence analyst	<input checked="" type="checkbox"/>
Jennifer Bailey	Product manager	Geochemist	<input checked="" type="checkbox"/>

Active
 Name NIF
 Department Job Title Start time End time
 Address City Province / State
 Zip Country
 Email Phone
 Notes

In **edit** mode, the profile can be updated.

The screenshot shows a web-based application interface for managing employees. On the left, there is a table listing various employees with columns for Name, Department, Job Title, and Active status. On the right, a detailed form is displayed for a specific employee named Morgan Price. The form includes fields for Name (Morgan Price), NIF (87085964Y), Department (Meteorologist), Job Title (Physicist, medical), Start time (64/30/2022), End time (mm/dd/yyyy), Address (8984 Schultz Motorway Apt. 045), City (Kempfurt), Province / State (Ohio), Zip (98242), Country (North Macedonia), Email (nicolas57@example.com), Phone (935.678.1850x678), Notes (News leg style and military decide.), Type (Internal), and User (Admin (admin)). There are also sections for New files (Choose Files) and New note. At the bottom right are Save and Cancel buttons.

Name	Department	Job Title	Active
Morgan Price	Meteorologist	Physicist, medical	<input checked="" type="checkbox"/>
Robert Harris	Police officer	Minerals surveyor	<input checked="" type="checkbox"/>
David Morris	Product manager	Engineer, agricultural	<input checked="" type="checkbox"/>
George Miller	Legal executive	Engineer, electrical	<input checked="" type="checkbox"/>
Nathaniel Williams	Buyer, retail	Water engineer	<input checked="" type="checkbox"/>
Sean Miller	Police officer	Engineer, maintenance (IT)	<input checked="" type="checkbox"/>
Edward Alexander	Amenity horticulturist	Database administrator	<input checked="" type="checkbox"/>
Vickie Meza	Buyer, retail	Therapist, art	<input checked="" type="checkbox"/>
Gary Russo	Heritage manager	Drilling engineer	<input checked="" type="checkbox"/>
Andrea Horton	Police officer	Editor, commissioning	<input checked="" type="checkbox"/>
Tiffany Brennan	Engineer, chemical	Haematologist	<input checked="" type="checkbox"/>
James Drake DDS	Editor, film/video	Exhibitions officer, museum/gallery	<input checked="" type="checkbox"/>
Emily Miles	Teacher, early years/pre	Fast food restaurant manager	<input checked="" type="checkbox"/>
Kimberly Rich	Engineer, chemical	Pharmacologist	<input checked="" type="checkbox"/>
Raymond Rice	Engineer, building services	Contracting civil engineer	<input checked="" type="checkbox"/>
Amy Gilbert	Engineer, building services	Psychotherapist, child	<input checked="" type="checkbox"/>
Cheryl Martinez	Engineer, building services	Holiday representative	<input checked="" type="checkbox"/>
Michael Rodriguez	Legal executive	Insurance underwriter	<input checked="" type="checkbox"/>
Desiree Marquez	Manufacturing engineer	Radio producer	<input checked="" type="checkbox"/>
Daniel Jones	Hospital pharmacist	Civil engineer, contracting	<input checked="" type="checkbox"/>
Elizabeth Miller	Drilling engineer	Intelligence analyst	<input checked="" type="checkbox"/>
Jennifer Bailey	Product manager	Geochemist	<input checked="" type="checkbox"/>

The form includes the following fields:

- Active: Indicates whether the employee is currently active.
- Name: Full name of the employee.
- NIF: Employee's national identification number used for legal or fiscal purposes.
- Department: Department the employee belongs to.
- Job Title: Official job title or position held by the employee.
- Start: Start date of employment or contract.
- End: End date of employment or contract (if applicable).
- Address: Postal address of the employee.
- City: City of residence.
- Province / State: Province or administrative region of residence.
- ZIP: Postal code.
- Country: Country of residence.
- Email: Primary contact email of the employee.
- Phone: Main contact phone number.
- Notes: Additional remarks or HR-related observations about the employee.
- Type: Type or category of employee (e.g., full-time, contractor).
- User: System user account linked to the employee.

23.4 Delete

Employees can be deleted if not linked to system users or historical records.

If in use, the profile must be deactivated instead of deleted.


24 Employee Types

24.1 Description

The Employee Types application allows you to classify employees according to their role, contract, or internal categorization. This helps structure the HR database and supports filtering, reporting, or access control.

Common types include "Full-time", "Part-time", "Contractor", "Intern", etc.

24.2 List view



Name	Description	Active
Other	Other type of employee	✓
Seasonal	Hired during peak periods	✓
Consultant	Advisor or expert hired for projects	✓
Full-time	Standard full-time employee	✓
Part-time	Limited hours per week	✓
Intern	Student or junior under training	✓
Temporary	Short-term contract employee	✓
External	Works for a third-party provider	✓
Freelance	Independent contractor	✓
Internal	Employee on company payroll	✓

Total: 10 [+ Load more](#)

The following fields are displayed in the list view:

- Name: Title of the employee type.
- Description: Explanation of the type's purpose.
- Active: Indicates whether the type is currently usable.

24.3 Form view

This view is used to create, view or edit employee type entries.

In **create** mode, a new tax rule can be defined.

Name	Description	Active
Other	Other type of employee	<input checked="" type="checkbox"/>
Seasonal	Hired during peak periods	<input checked="" type="checkbox"/>
Consultant	Advisor or expert hired for projects	<input checked="" type="checkbox"/>
Full-time	Standard full-time employee	<input checked="" type="checkbox"/>
Part-time	Limited hours per week	<input checked="" type="checkbox"/>
Intern	Student or junior under training	<input checked="" type="checkbox"/>
Temporary	Short-term contract employee	<input checked="" type="checkbox"/>
External	Works for a third-party provider	<input checked="" type="checkbox"/>
Freelance	Independent contractor	<input checked="" type="checkbox"/>
Internal	Employee on company payroll	<input checked="" type="checkbox"/>

Total: 10

+ Load more

✓ Create × Cancel

In **view** mode, tax details are visible but not editable.

Name	Description	Active
Other	Other type of employee	<input checked="" type="checkbox"/>
Seasonal	Hired during peak periods	<input checked="" type="checkbox"/>
Consultant	Advisor or expert hired for projects	<input checked="" type="checkbox"/>
Full-time	Standard full-time employee	<input checked="" type="checkbox"/>
Part-time	Limited hours per week	<input checked="" type="checkbox"/>
Intern	Student or junior under training	<input checked="" type="checkbox"/>
Temporary	Short-term contract employee	<input checked="" type="checkbox"/>
External	Works for a third-party provider	<input checked="" type="checkbox"/>
Freelance	Independent contractor	<input checked="" type="checkbox"/>
Internal	Employee on company payroll	<input checked="" type="checkbox"/>

Total: 10

+ Load more

✗ Edit ✗ Delete × Close

In **edit** mode, existing values can be updated.

The screenshot shows the SaltOS application interface. On the left, there is a list of employee types with columns for Name, Description, and Active status. A modal window on the right shows a detailed view of an employee type named 'Other'. The modal has fields for Name (set to 'Other') and Description ('Other type of employee'). It also includes a toggle for Active status (which is active), a save button, and a cancel button.

Name	Description	Active
Other	Other type of employee	<input checked="" type="checkbox"/>
Seasonal	Hired during peak periods	<input checked="" type="checkbox"/>
Consultant	Advisor or expert hired for projects	<input checked="" type="checkbox"/>
Full-time	Standard full-time employee	<input checked="" type="checkbox"/>
Part-time	Limited hours per week	<input checked="" type="checkbox"/>
Intern	Student or junior under training	<input checked="" type="checkbox"/>
Temporary	Short-term contract employee	<input checked="" type="checkbox"/>
External	Works for a third-party provider	<input checked="" type="checkbox"/>
Freelance	Independent contractor	<input checked="" type="checkbox"/>
Internal	Employee on company payroll	<input checked="" type="checkbox"/>

Total: 10

+ Load more

The form includes the following fields:

- Active: Controls if the type is selectable.
- Name: Name shown in the type dropdown in employee forms.
- Description: Notes about the type's intended usage.

24.4 Delete

Employee types can only be deleted if they are not assigned to any employee.

Otherwise, it is recommended to disable them.

25 Certificates


25.1 Description

The Certificates application is used to manage and track SSL/TLS certificates stored or monitored by the system.

This module allows administrators to register certificates, store metadata, monitor expiration dates, and ensure that security infrastructure remains up-to-date.

It is especially useful for managing certificates for custom domains, internal services, or external integrations.

25.2 List view



The screenshot shows a web-based application interface for managing certificates. At the top, there is a blue header bar with the SaltOS logo, a navigation menu with 'Dashboard' and 'Applications', and a user account icon labeled 'Admin'. Below the header is a search bar with fields for 'Search', 'Search', and 'Reset'. To the left of the search bar are two buttons: a blue one with a downward arrow and a green one with '+ New'. A large, stylized white graphic of a person's head and shoulders is positioned on the right side of the page.

Certificate nicknames available:

Name	Action
Juan Pérez - Tech Solutions S.A.	<input type="button" value=""/>
Maria López - López Consultores Ltda.	<input type="button" value=""/>
Carlos Gómez - Innovatech Inc.	<input type="button" value=""/>
Ana Rodríguez - Rodríguez & Asociados	<input type="button" value=""/>
Pedro Martínez - Martínez Global LLC	<input type="button" value=""/>
Sofía Ramírez - Ramírez Consulting Group	<input type="button" value=""/>
Luis Fernández - Fernández & Hijos S.L.	<input type="button" value=""/>
Carmen Torres - Torres Digital Services	<input type="button" value=""/>
Diego Castro - Castro Ingeniería S.A.	<input type="button" value=""/>
Elena Moreno - Moreno & Partners	<input type="button" value=""/>
Andrés Vargas - Vargas Technology	<input type="button" value=""/>
Patricia Ríos - Ríos Financial Consulting	<input type="button" value=""/>
Gabriel Soto - Soto & Co.	<input type="button" value=""/>
Fernando Álvarez - Álvarez Construcciones	<input type="button" value=""/>
Rosa Medina - Medina Asesores	<input type="button" value=""/>
Héctor Herrera - Herrera Group LLC	<input type="button" value=""/>
Laura Ortiz - Ortiz IT Solutions	<input type="button" value=""/>
Javier Guzmán - Guzmán & Asociados	<input type="button" value=""/>
Beatriz Mendoza - Mendoza Design Studio	<input type="button" value=""/>
Manuel Navarro - Navarro Tech Solutions	<input type="button" value=""/>
Clara Espinoza - Espinoza Marketing	<input type="button" value=""/>
Alberto Vega - Vega Industrial S.A.	<input type="button" value=""/>
-	<input type="button" value=""/>

The following fields are displayed in the list view:

- Certificate nicknames available:: List of certificate aliases already stored and available in the system. It is not a database-driven table, but a visual display of loaded certificates.

25.3 Form view

This view is used to add, review, or update certificate information.

In **create** mode, the form is empty and ready to enter new data.

SaltOS Dashboard Applications ▾

Admin ▾

		Search	Search	Reset
Certificate nicknames available:				
Juan Pérez - Tech Solutions S.A.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Maria López - López Consultores Ltda.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Carlos Gómez - Innovatech Inc.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Ana Rodríguez - Rodríguez & Asociados	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Pedro Martínez - Martínez Global LLC	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Sofía Ramírez - Ramírez Consulting Group	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Luis Fernández - Fernández & Hijos S.L.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Carmen Torres - Torres Digital Services	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Diego Castro - Castro Ingeniería S.A.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Elena Moreno - Moreno & Partners	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Andrés Vargas - Vargas Technology	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Patricia Ríos - Ríos Financial Consulting	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Gabriel Soto - Soto & Co.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Fernando Álvarez - Álvarez Construcciones	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Rosa Medina - Medina Asesores	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Héctor Herrera - Herrera Group LLC	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Laura Ortiz - Ortiz IT Solutions	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Javier Guzmán - Guzmán & Asociados	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Beatriz Mendoza - Mendoza Design Studio	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Manuel Navarro - Navarro Tech Solutions	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Clara Espinoza - Espinoza Marketing	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Alberto Vega - Vega Industrial S.A.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
-				

Certificate file (.p12, .pfx)

Choose Files No file chosen

Password file

Create Cancel

The form includes the following fields:

- Certificate file (.p12, .pfx): File input used to upload one or more certificates in PKCS#12 format. Required to import certificates into the system.
- Password file: Password used to decrypt the uploaded certificate file. This field is required and not autofilled for security reasons.

In **view** mode, the fields are filled with the selected record and cannot be edited.

SaltOS Dashboard Applications ▾

Admin ▾

		Search	Search	Reset
Certificate nicknames available:				
Juan Pérez - Tech Solutions S.A.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Maria López - López Consultores Ltda.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Carlos Gómez - Innovatech Inc.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Ana Rodríguez - Rodríguez & Asociados	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Pedro Martínez - Martínez Global LLC	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Sofía Ramírez - Ramírez Consulting Group	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Luis Fernández - Fernández & Hijos S.L.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Carmen Torres - Torres Digital Services	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Diego Castro - Castro Ingeniería S.A.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Elena Moreno - Moreno & Partners	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Andrés Vargas - Vargas Technology	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Patricia Ríos - Ríos Financial Consulting	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Gabriel Soto - Soto & Co.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Fernando Álvarez - Álvarez Construcciones	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Rosa Medina - Medina Asesores	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Héctor Herrera - Herrera Group LLC	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Laura Ortiz - Ortiz IT Solutions	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Javier Guzmán - Guzmán & Asociados	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Beatriz Mendoza - Mendoza Design Studio	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Manuel Navarro - Navarro Tech Solutions	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Clara Espinoza - Espinoza Marketing	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
Alberto Vega - Vega Industrial S.A.	<input type="button" value=""/>	<input type="button" value=""/>	<input type="button" value=""/>	
-				

Name

Info

```
[subject]
countryName: ES
stateOrProvinceName: Spain
localityName: Barcelona
organizationName: Tech Solutions S.A.
commonName: Juan Pérez
emailAddress: juan.perez@example.com
```

```
[info]
serialNumber: 74:01:37:EB:47:48:F9:AD:49:F8:81:A9:2C:CE:5D:30:74:6C:94:E7
validFrom: 2025-02-09 10:35:09
validTo: 2026-02-09 10:35:09
signatureType: RSA-SHA256
md5: 67:8E:15:A6:9C:55:03:0B:2A:25:56:4C:C0:4C:66:2D
sha1: 29:A4:72:8E:63:61:A9:E2:E8:AF:B8:06:2D:CF:17:A:9F:8F:CF:5D
sha256: FB:6D:BC:C9:53:91:E7:3F:66:9C:4E:43:8F:D6:D0:4C:0E:9E:95:C5:BE:AA:E1:F6:CB:1B:AA:12:84:82:A8:9A
```

Delete Close

The form includes the following fields:

- Name: Display name or alias of the certificate.
- Info: Technical details of the certificate, including issuer, expiration, and subject. Displayed in a read-only text area.

25.4 Delete

Certificates can be deleted if no longer relevant.

However, it is recommended to retain expired entries for audit purposes.

26 Company

26.1 Description

The Company application stores the identification and contact details of the organization using SaltOS4. This data is used across the system to personalize documents (quotes, invoices, emails, etc.) and define the legal and fiscal identity of the company.

It typically includes the company's name, tax code, address, logo, and preferred language.

26.2 List view

Name	CIF	City	Country	Active
SaltOS Solutions SL	B12345678	Barcelona	Spain	✓

Total: 1

+ Load more

The following fields are displayed in the list view:

- Name: Official name of the company or organization.
- CIF: Tax identification number (NIF, CIF, VAT, etc.) of the company.
- City: City where the company is located.

- **Country:** Country where the company is legally registered or operates.
- **Active:** Indicates whether this company profile is active in the system.

26.3 Form view

This view is used to define or edit the company profile.

In **create** mode, the form is empty and ready to enter new data.

Name	CIF	City	Country	Active
SaltoS Solutions SL	B12345678	Barcelona	Spain	<input checked="" type="checkbox"/> Active
Total: 1				

+ Load more

Name:

Code:

Address:

City:

Province / State:

Zip:

Country:

Phone:

Email:

Website:

IBAN:

SWIFT/BIC:

Fiscal Regime:

Activity Code:

Additional Notes:

New files: Choose Files

New note:

In **view** mode, the fields are filled with the selected record and cannot be edited.

The screenshot shows a company profile for "SaltOS Solutions SL" with the following details:

- Name:** SaltOS Solutions SL
- CIF:** B12345678
- City:** Barcelona
- Country:** Spain
- Active:** Active (checkbox checked)
- Address:** Calle Ficticia 123, 3^ºA
- Zip:** 08001
- Country:** Spain
- Phone:** +34 933 123 456
- Email:** info@saltos.org
- Website:** https://www.saltos.org
- IBAN:** ES76 1234 5678 9101 2345 6789
- SWIFT/BIC:** BESMESMMXX
- Fiscal Regime:** RE - Régimen General
- Activity Code:** 8299
- Additional Notes:** Entidad acogida al régimen general del IVA

Buttons at the bottom include: Info (dropdown), Edit (blue), Delete (red), and Close (black).

In **edit** mode, the form is pre-filled and allows modifications.

The screenshot shows the same company profile as above, but with additional sections:

- New files:** Choose Files (button) - No file chosen (text input).
- New note:** Text area (empty).

Buttons at the bottom include: Save (green) and Cancel (red).

The form includes the following fields:

- **Active:** Indicates whether this company profile is active in the system.
- **Name:** Official name of the company or organization.
- **Code:** Tax identification number (NIF, CIF, VAT, etc.) of the company.
- **Address:** Official street or mailing address of the company.

- City: City where the company is located.
- Province / State: Province, state, or region where the company is based.
- ZIP: Postal code of the company's registered address.
- Country: Country where the company is legally registered or operates.
- Phone: Main phone number for company inquiries.
- Email: Primary email address used for administrative or legal contact.
- Website: The public website or landing page of the company.
- IBAN: International Bank Account Number used for wire transfers.
- SWIFT/BIC: SWIFT/BIC code identifying the bank of the company for international transfers.
- Fiscal Regime: Tax regime under which the company operates (e.g., general, simplified, small business).
- Activity Code: Economic activity classification code (e.g., CNAE, NACE).
- Additional Notes: Internal remarks or additional information about the company.

26.4 Delete

The company profile cannot be deleted if it's the only active one in the system.

Only deactivation is allowed in most configurations.

27 Emails

27.1 Description

The Emails application is used to receive, view, and reply to emails from configured accounts within SaltOS4. It acts as a simplified integrated email client that supports reading messages from POP3 or IMAP, viewing metadata and content, and replying using internal or external SMTP servers.

Each message is presented as a visual card in the list view, showing key fields such as sender, subject, date, and a preview of the body. Emails can be viewed in detail, replied to, or deleted. This app is closely integrated with the Emails Accounts module and is essential for managing inbound communication.

27.2 List view

Recipient	Date	Status	Subject
alice@example.com	02/01/24	Read	Catching Up
alice@example.com	02/01/24	Read	Let me know if you're free for a coffee this weekend. I'd love to catch up properly. I saw yo...
manager@business.com	02/01/24	New	Business Update
manager@business.com	02/01/24	New	Hey! Just checking in. Been a while since we last talked. Hope you're doing well! He...
bob@example.com	02/01/24	New	Catching Up
bob@example.com	02/01/24	New	Hey! Just checking in. Been a while since we last talked. Hope you're doing well! 1 l...
jane.doe@business.com	02/01/24	New	Business Update
jane.doe@business.com	02/01/24	New	Hey! Just checking in. Been a while since we last talked. Hope you're doing well! 1 s...
bob@example.com	02/01/24	New	Catching Up
bob@example.com	02/01/24	New	Let me know your availability to schedule the next planning meeting. Attached is th...
jane.doe@business.com	02/01/24	Read	Business Update
jane.doe@business.com	02/01/24	Read	Let me know if you're free for a coffee this weekend. I'd love to catch up properly. Attached...
alice@example.com	02/01/24	Read	Catching Up
alice@example.com	02/01/24	Read	Let me know if you're free for a coffee this weekend. I'd love to catch up properly. I saw yo...
manager@business.com	02/01/24	Read	Business Update
manager@business.com	02/01/24	Read	Please find the attached report with all the project updates from this week. Attached l... 1 b...
alice@example.com	02/01/24	Read	Catching Up
alice@example.com	02/01/24	Read	Attached is the revised proposal for the client. Please review before our call. Attached is th...
manager@business.com	02/01/24	Read	Business Update
manager@business.com	02/01/24	Read	Let me know if you're free for a coffee this weekend. I'd love to catch up properly. Let me k...

The list view shows incoming emails as clickable buttons or cards. Each entry typically displays:

- Header: The visual summary used in the interface to represent the email message.
- Datetime: The date and time the message was received or sent.
- Subject: The title or subject line of the email message.
- Snippet: A short preview extracted from the beginning of the email body.
- Attachments: List of files attached to the message, with download options.

The interface also includes filters and a search form to filter by sender, subject, account, and date.

27.3 View message

This view shows the full content of an email message, including header metadata and attachments.

The screenshot shows the SaltOS email application. On the left, there is a list of received emails from various senders like alice@example.com, manager@business.com, bob@example.com, and jane.doe@business.com, each with a subject like 'Catching Up' or 'Business Update'. On the right, a new email is being composed to 'diana@example.com'. The compose screen includes fields for 'From' (alice@example.com), 'To' (diana@example.com), 'Datetime' (01/02/2024, 01:40:06 AM), 'UIDL' (1/email_0100), 'Priority' (Normal), 'Sensitivity' (Normal), and buttons for 'New', 'Reply', 'Forward', 'Wait', and 'SPAM'. The message body is a template email with placeholder text about catching up and project updates.

The following information is typically displayed:

- From: Sender's email address displayed in the message header.
- To: List of recipients who received the message.
- CC: Additional recipients who received a visible copy of the email.
- BCC: Recipients who received a hidden copy of the email.
- Datetime: Timestamp indicating when the email was sent or received.
- UIDL: Server-side unique identifier used for synchronization.
- Priority: Importance level set by the sender (Low, Normal, or High).
- Sensitivity: Indicates whether the message is Normal, Personal, Private, or Confidential.
- Sent: Confirms that the email was successfully sent.
- New: Marks whether the email is unread or newly received.
- Reply: Indicates if the message was replied to.
- Forward: Indicates if the message was forwarded to another recipient.
- Wait: Flag used to track follow-up or pending response.
- SPAM: Marks whether the email is classified as spam.
- Request confirmation of receipt: Shows whether a read receipt was requested for the message.
- Error: Displays an error message if the delivery failed.
- Subject: The subject line of the email.
- Body: The main content or body of the email, displayed in an embedded viewer.
- Adjunts: List of files attached to the email message.

27.4 Reply / Compose

Users can reply to an existing message or compose a new email using a simplified form.

The screenshot shows the SaltOS email application interface. On the left, there is a list of incoming emails from various senders like alice@example.com, manager@business.com, and bob@example.com. The main area is the 'Compose' screen, which includes fields for 'From' (set to 'Admin user <admin@example.com>'), 'To', 'CC', 'BCC', 'Request confirmation of receipt' (unchecked), 'Priority' (set to 'Normal'), 'Sensitivity' (set to 'Normal'), 'Subject', and a rich-text 'Message' editor. Below the message editor is a note: 'Email sent from my SaltOS'. The 'Attachments' section shows a 'Choose Files' button and a 'No file chosen' message. At the bottom right are 'Send' and 'Cancel' buttons.

The reply and compose form includes:

- From: Email account used as the sender for this message.
- To: Primary recipient(s) of the email message.
- CC: Recipients to receive a carbon copy (CC) of the message.
- BCC: Recipients to receive a blind carbon copy (BCC), not visible to others.
- Request confirmation of receipt: Option to request a read receipt confirmation from the recipient.
- Priority: Importance level assigned to the email: Low, Normal, or High.
- Sensitivity: Confidentiality level: Normal, Personal, Private, or Confidential.
- Subject: Subject line of the message, describing its purpose.
- Body: Rich-text content written in the email message.
- Attachments: Files selected to be included along with the message.

27.5 Delete

Emails can be deleted from the list view using the delete icon or action.


Messages are usually deleted locally or flagged for deletion, depending on the server configuration.

28 Emails Accounts

28.1 Description

The Emails Accounts application is used to configure and manage the email accounts connected to SaltOS4. Each account can be used to send and receive emails via SMTP, IMAP or POP3 protocols. This module allows integration with external email providers and supports authentication, folders, and synchronization options.

28.2 List view



User	Name	Email	Enabled
Admin (admin)	Admin user	admin@example.com	✓

Total: 1

+ See more emails

The following fields are displayed in the list view:

- User: User who owns or uses this email account.
- Name: Descriptive label used to identify the email account within the system.
- Email: The email address configured for this account.
- Enabled: Marks the account as active; synchronization will occur.

28.3 Form view

This view is used to create, view or edit an email account.

In **create** mode, a new account is configured from scratch.

The screenshot shows the SaltOS application interface. At the top, there is a navigation bar with the SaltOS logo, Dashboard, Applications, and Admin options. Below the navigation bar is a search bar with fields for Search, Reset, and a language selector. On the left, there is a sidebar with a list of users: Admin (admin) and Admin user. The Admin user is selected, showing their details: Name (Admin user), Email (admin@example.com), and Enabled status (checked). A button '+ See more emails' is visible. To the right, there are three main configuration sections: 'Main configuration', 'Incoming server configuration', and 'Outgoing server configuration'. In 'Main configuration', the user is set to Admin (admin), and there are fields for Name, Email, and Signature (with a rich text editor). In 'Incoming server configuration', fields for Host, Port (995), Extra (TLS), User (admin), and Password (*****) are shown, along with Delete and Days dropdowns. In 'Outgoing server configuration', similar fields for Host, Port (587), Extra (TLS), User, and Password are shown.

In **view** mode, account settings are shown without allowing changes.

This screenshot is identical to the one above, showing the SaltOS application interface. The main difference is that the Admin user's account is in edit mode. This is indicated by the fact that the Name, Email, and Signature fields are now grayed out and cannot be edited. The other sections (Incoming and Outgoing server configurations) remain functional and editable.

In **edit** mode, the configuration can be updated or corrected.

The screenshot shows the SaltOS application interface with the following sections:

- Main configuration:** Includes fields for User (Admin (admin)), Name (Admin user), Email (admin@example.com), and Enabled (checkmark). It also features a Signature editor with a toolbar and a preview area containing "Email sent from my SaltOS".
- Incoming server configuration:** Includes fields for Host (example.com), Port (995), Extra (TLS), User (admin), Password (*****), Delete (Yes), and Days (90).
- Outgoing server configuration:** Includes fields for Host (example.com), Port (587), Extra (TLS), User (empty), and Password (empty).

The form includes the following fields:

- User: User who owns or uses this email account.
- Name: Display name or label used to identify the account.
- Email: Actual email address configured for this account.
- Signature: Text or HTML signature added automatically to outgoing messages.
- Host: POP3 server hostname used to receive emails.
- Port: Network port used to connect to the POP3 server (e.g., 110, 995).
- Extra: Additional POP3 connection settings, such as TLS.
- User: Username for POP3 authentication.
- Password: Password for the POP3 account.
- Delete: Whether messages are deleted from the server after download.
- Days: Number of days to keep messages on the server.
- Host: SMTP server hostname used to send emails.
- Port: Network port used for SMTP communication (e.g., 25, 465, 587).
- Extra: SMTP encryption method: none, SSL, or TLS.
- User: Username for SMTP authentication.
- Password: Password for the SMTP server account.
- Disabled: Marks the account as inactive; no synchronization will occur.
- Private: Restricts access to the account to its owner only.
- Default: Sets this account as the default for sending emails.
- Add me to CC: Automatically includes the sender in the CC field.

- Confirm reading to: Sends a read receipt request with each email.

28.4 Delete

Accounts can be deleted if they are not in use or connected to recent email activity.

Disabling is preferred when preserving configuration for future use or audit.

29 Groups

29.1 Description

The Groups application is used to define roles or user categories within SaltOS4. Each group aggregates permissions that determine what its members can see or do in the system. Groups simplify the administration of access control by allowing permission management at the group level instead of per user.

29.2 List view

Code	Name	Description	Active
admin	Admin	Admin group	✓

Total: 1

+ More groups

The following fields are displayed in the list view:

- Code: Internal identifier or reference code of the group.
- Name: Name or title used to identify the group.
- Description: Explanation of the purpose or scope of the group.
- Active: Indicates whether this group is enabled for use.

29.3 Form view

This view is used to create, view or edit user groups.

In **create** mode, a new group is defined.

Code	Name	Description	Active
admin	Admin	Admin group	✓

Total: 1

+ More groups

Code: Active

Name: Admin

Description:

Users: Admin (admin)

Applications and permissions:

	main	menu	create	widget	action	config	help
login	Allow						
dashboard	Allow					Allow	Allow
tester	Allow	Allow	Allow				
users	Allow	Allow	Allow	Allow	Allow	Allow	Allow
groups	Allow	Allow	Allow	Allow	Allow	Allow	Allow
dashboard_widgets	Allow					Allow	Allow
wIDGETS						Allow	Allow
emails	Allow	Allow	Allow	Allow	Allow	Allow	Allow
emails_accounts	Allow	Allow	Allow	Allow	Allow	Allow	Allow
pushlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
cronlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
uploadlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
configlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
trashlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
tokenslog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
certs	Allow	Allow	Allow	Allow	Allow	Allow	Allow
filelog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
customers	Allow	Allow	Allow	Allow	Allow	Allow	Allow

In **view** mode, the group details and assigned permissions are shown.

Code	Name	Description	Active
admin	Admin	Admin group	✓

Total: 1

+ More groups

Code: Active

Name: Admin

Description: Admin group

Users: Admin (admin)

Applications and permissions:

	main	menu	create	widget	action	config	help
login	Allow						
dashboard	Allow					Allow	Allow
tester	Allow	Allow	Allow	Allow	Allow	Allow	Allow
users	Allow	Allow	Allow	Allow	Allow	Allow	Allow
groups	Allow	Allow	Allow	Allow	Allow	Allow	Allow
dashboard_widgets	Allow					Allow	Allow
wIDGETS						Allow	Allow
emails	Allow	Allow	Allow	Allow	Allow	Allow	Allow
emails_accounts	Allow	Allow	Allow	Allow	Allow	Allow	Allow
pushlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
cronlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
uploadlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
configlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
trashlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
tokenslog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
certs	Allow	Allow	Allow	Allow	Allow	Allow	Allow
filelog	Allow	Allow	Allow	Allow	Allow	Allow	Allow
customers	Allow	Allow	Allow	Allow	Allow	Allow	Allow

In **edit** mode, you can update the group's name, description, and permission set.

The screenshot shows the SaltOS application interface. At the top, there's a navigation bar with the SaltOS logo, 'Dashboard', 'Applications', and a user dropdown. Below the navigation is a search bar with 'Search', 'Search', and 'Reset' buttons.

The main area has a table titled 'Groups' with columns: 'Code', 'Name', 'Description', and 'Active'. One row is shown: 'admin', 'Admin', 'Admin group', and an active checkmark. There are buttons for '+ New group', 'Search', 'Reset', and a magnifying glass icon.

To the right, a detailed view of the 'admin' group is displayed. It includes fields for 'Code' (admin), 'Name' (Admin), 'Description' (Admin group), and a 'Users' section listing 'Admin (admin)' with a sync icon. Below this is a large empty box.

At the bottom, there's a section titled 'Applications and permissions' with a grid of allowed operations for various services like login, dashboard, tester, etc., across categories like main, menu, create, etc.

The form includes the following fields:

- Active: Indicates whether this group is enabled for use.
- Code: Internal identifier or reference code of the group.
- Name: Name or title used to identify the group.
- Description: Explanation of the purpose or scope of the group.
- Users: List of users assigned to this group.
- Applications and permissions: Matrix of allowed apps and operations granted to this group.

29.4 Delete

Groups can be deleted only if no users are assigned to them.

If the group is in use, it is recommended to disable it to preserve historical access information.

30 Users

30.1 Description

The Users application is used to manage the accounts that have access to the SaltOS4 system. Each user is assigned credentials, roles, and permissions, and can optionally be linked to an employee profile. This module is essential for access control, personalization, and audit tracking.

30.2 List view

Username	Name	Description	Group	Active
admin	Admin	Admin user	Admin (admin)	✓

Total: 1

+ More users

The following fields are displayed in the list view:

- Username: Unique login name used to access the system.
- Name: Full name of the user, used for display and identification.
- Description: Internal comments or notes about the user profile.
- Group: User group or role assigned for permission control.
- Active: Indicates whether the user account is currently enabled.

30.3 Form view

This view is used to create, view or edit user accounts.

In **create** mode, the form is used to register a new user with login credentials.

SaltOS Dashboard Applications Admin

Username	Name	Description	Group	Active
admin	Admin	Admin user	Admin (admin)	✓

Total: 1 + More users

Active

Username:

Name:

Description:

Start time:

End time:

Days: <>

Groups: <>

Group:

New password:

Retype new password:

	main	menu	create	widget	action	config	help
login	Allow						
dashboard	Allow						
tester	Allow	Allow					
users			Allow				
groups							
dashboard_widgets	Allow					Allow	Allow
widgets							
emails							
emails_accounts							
pushlog							

In **view** mode, the account details are shown without edit capability.

SaltOS Dashboard Applications Admin

Username	Name	Description	Group	Active
admin	Admin	Admin user	Admin (admin)	✓

Total: 1 + More users

Active

Username:

Name:

Description:

Start time:

End time:

Days: <>

Groups: <>

Group:

New password:

Retype new password:

	main	menu	create	widget	action	config	help
login	Allow						
dashboard	Allow						
tester	Allow	Allow					
users	Allow	Allow	Allow	Allow	Allow	Allow	Allow
groups	Allow	Allow	Allow	Allow	Allow	Allow	Allow
dashboard_widgets	Allow			Allow			
widgets				Allow			
emails	Allow	Allow	Allow	Allow	Allow	Allow	Allow
emails_accounts	Allow	Allow	Allow	Allow	Allow	Allow	Allow
pushlog	Allow	Allow	Allow	Allow	Allow	Allow	Allow

In **edit** mode, you can update user information or reset credentials.

The screenshot shows the SaltOS user management interface. On the left, there is a table listing existing users with columns: Username, Name, Description, Group, and Active. A search bar and a 'New user' button are at the top. On the right, a detailed form for creating a new user 'admin'. The form includes fields for Username (admin), Group (Admin (admin)), Name (Admin), New password, Retype new password, Description (Admin user), Start time (12:00:00 AM), End time (11:59:59 PM), Days (Monday through Sunday), Groups (Admin (admin)), and Applications and permissions (a grid table). The Applications and permissions table has columns: main, menu, create, widget, action, config, and help. It lists various system components like login, dashboard, tester, etc., with permission levels (Allow or Deny) across these categories.

The form includes the following fields:

- Active: Indicates whether the user account is currently enabled.
- Username: Unique login name used to access the system.
- Group: User group or role assigned for permission control.
- Name: Full name of the user, used for display and identification.
- New password: New password to assign to the user (for resets or changes).
- Retype password: Confirmation of the new password to avoid typos.
- Description: Internal comments or notes about the user profile.
- Start: Start date from which the user account is valid.
- End: Expiration date after which the user cannot log in.
- Days: Days of the week on which the user is allowed to access the system.
- Groups: Additional groups or roles associated with this user.
- Applications and permissions: Detailed matrix of app access and specific actions allowed for the user.
- Passwords history: List of previously used passwords for audit and reuse prevention.

30.4 Delete

User accounts can be deleted if they have not logged in or are not linked to any activity log.

Otherwise, it is recommended to disable them instead of deletion for audit purposes.

31 Config Log

31.1 Description

The Config Log application provides a trace of all configuration changes made within SaltOS4. It is used to monitor modifications to system parameters, app settings, or internal preferences. This module is essential for administrators who want to audit changes and ensure consistent system behavior over time.

31.2 List view

User	Key	Actions
Admin (admin)	app/workorders/filter/last	
Admin (admin)	app/quotes/filter/last	
Admin (admin)	app/certs/filter/last	
Admin (admin)	app/purchase_status/filter/last	
Admin (admin)	app/suppliers_types/filter/last	
Admin (admin)	app/purchase/filter/last	
Admin (admin)	app/suppliers/filter/last	
Admin (admin)	app/fileslog/filter/last	
Admin (admin)	app/tokenslog/filter/last	
Admin (admin)	app/trashlog/filter/last	
Admin (admin)	app/configlog/filter/last	
Admin (admin)	app/uploadlog/filter/last	
Admin (admin)	app/cronlog/filter/last	
Admin (admin)	app/pushlog/filter/last	
Admin (admin)	app/groups/filter/last	
Admin (admin)	app/users/filter/last	
Admin (admin)	app/employees_types/filter/last	
Admin (admin)	app/departments/filter/last	
Admin (admin)	app/employees/filter/last	
Admin (admin)	app/emails_accounts/filter/last	
Admin (admin)	app/emails/filter/last	
Admin (admin)	app/products_categories/filter/last	

The following fields are displayed in the list view:

- User: User who made the configuration change.
- Key: Configuration key that was modified.

31.3 View entry

This view displays the full details of a single configuration change record.

In **create** mode, the form is empty and ready to enter new data.

The screenshot shows a list of items in view mode. On the left is a table with columns 'User' and 'Key'. The 'User' column lists 'Admin (admin)' multiple times, and the 'Key' column lists various URLs such as 'app/workorders/filter/last', 'app/quotes/filter/last', etc. To the right of the table are two input fields: 'User' and 'Key'. Below these fields is a code editor containing the JSON object:


```

    1 {
    2     "page": "0",
    3     "search": "",
    4     "search_extra": ""
    5 }
    
```

 At the bottom right are buttons for 'Create' (green) and 'Cancel' (red).

In **view** mode, the fields are filled with the selected record and cannot be edited.

The screenshot shows a form in edit mode. On the left is a table with columns 'User' and 'Key'. The 'User' column lists 'Admin (admin)' multiple times, and the 'Key' column lists various URLs such as 'app/workorders/filter/last', 'app/quotes/filter/last', etc. To the right of the table are two input fields: 'User' and 'Key'. The 'User' field contains 'Admin (admin)' and the 'Key' field contains 'app/company/filter/last'. Below these fields is a code editor containing the JSON object:


```

    1 {
    2     "page": "0",
    3     "search": "",
    4     "search_extra": ""
    5 }
    
```

 At the bottom right are buttons for 'Edit' (blue), 'Delete' (red), and 'Close' (black).

In **edit** mode, the form is pre-filled and allows modifications.

User	Key
Admin (admin)	app/workorders/filter/last
Admin (admin)	app/quotes/filter/last
Admin (admin)	app/certs/filter/last
Admin (admin)	app/purchase_status/filter/last
Admin (admin)	app/suppliers_types/filter/last
Admin (admin)	app/purchase/filter/last
Admin (admin)	app/suppliers/filter/last
Admin (admin)	app/fileslog/filter/last
Admin (admin)	app/tokenlog/filter/last
Admin (admin)	app/trashlog/filter/last
Admin (admin)	app/configlog/filter/last
Admin (admin)	app/uploadlog/filter/last
Admin (admin)	app/cronlog/filter/last
Admin (admin)	app/pushlog/filter/last
Admin (admin)	app/groups/filter/last
Admin (admin)	app/users/filter/last
Admin (admin)	app/employees_types/filter/last
Admin (admin)	app/departments/filter/last
Admin (admin)	app/employees/filter/last
Admin (admin)	app/emails_accounts/filter/last
Admin (admin)	app/emails/filter/last
Admin (admin)	app/products_categories/filter/last

It includes:

- User: User who made the configuration change.
- Key: Configuration key that was modified.
- Value: New value assigned to the configuration key.

31.4 Delete

Entries in the config log cannot be deleted under normal circumstances.

This log is designed to ensure full traceability and auditability of administrative actions.

32 Cron Log

32.1 Description

The Cron Log application stores the execution history of scheduled tasks (cron jobs) within SaltOS4. It allows administrators to monitor background processes such as email retrieval, data imports, backups, or custom jobs. This module is essential for troubleshooting and verifying that scheduled operations are running correctly.

32.2 List view

The screenshot shows the SaltOS dashboard with the title "SaltOS" and a navigation bar for "Dashboard" and "Applications". On the left, there's a sidebar with a "Y" icon. The main area has a search bar with "Search" and "Reset" buttons. Below the search is a table with the following columns: "Command", "Start time", "Out", and "Err". A message "Data not found" is displayed below the table. At the bottom right of the table area is a blue button labeled "+ Load more". To the right of the table is a large, light blue background image featuring a white, stylized graphic of a person in motion.

The following fields are displayed in the list view:

- Command: Command or script executed by the cron system.
- Start: Start time of the scheduled task execution.
- Out: Short version or preview of the standard output.
- Err: Short version or preview of the error output.

32.3 View entry

This view displays the full result of a single cron job execution.

It includes:

- Command: Command or script executed by the cron system.
- PID: Process ID assigned to the running cron task.
- Start: Start time of the scheduled task execution.
- Stop: Time when the task finished running.
- STDOUT: Standard output generated by the task during execution.
- STDERR: Standard error output generated by the task.

32.4 Delete

Cron log entries are not meant to be deleted regularly.


Automatic cleanup or manual purge may be configured to remove older entries.

33 Files Log

33.1 Description

The Files Log application records all file access events within SaltOS4. It tracks when files are viewed, downloaded, or otherwise accessed by users, including associated metadata. This module provides a complete audit trail for document activity, supporting traceability and data governance policies.

33.2 List view



The screenshot shows the SaltOS Files Log application interface. At the top, there is a blue header bar with the SaltOS logo, the text "Dashboard Applications", and an "Admin" dropdown menu. Below the header is a search bar with fields for "Search", "Q Search", and "Reset". A large, light blue rectangular area contains a white stylized logo consisting of three curved lines forming a figure-eight shape with a small circle at the top. To the left of this logo is a smaller, dark blue rectangular area containing a table with three columns: "Name", "Type", and "Size". The table has a single row with the text "There are no files logs available" and a blue "Load more" button below it.

The following fields are displayed in the list view:

- Name: Name of the accessed or managed file within the system.
- Type: File format or classification (e.g., PDF, image, text).
- Size: Size of the file in bytes.

33.3 View entry

This view shows detailed information about a file access event.

It includes:

- Name: Name of the accessed or managed file within the system.
- Type: File format or classification (e.g., PDF, image, text).
- Size: Size of the file in bytes.
- Data: Internal content, metadata or serialized structure representing the file access or action.

33.4 Delete

File log entries are usually not deleted manually.

They are retained for accountability and security monitoring, and may be purged automatically based on system settings.

34 Push Log

34.1 Description

The Push Log application records all push notifications triggered by the system. These notifications are typically sent to users to alert them about actions, updates, or system events in real time. This module allows administrators to monitor the flow of notifications and diagnose potential issues in the delivery process.

34.2 List view

User	Datetime	Type
Data not found		

+ Load more

The following fields are displayed in the list view:

- User: User who triggered or received the push notification.
- Datetime: Date and time when the push notification was recorded.
- Type: Category of the push message (e.g., info, warning, error).

34.3 View entry

This view shows full details of a single push notification.

It includes:

- User: User who triggered or received the push notification.
- Datetime: Date and time when the push notification was recorded.
- Type: Category of the push message (e.g., info, warning, error).
- Message: Content or summary of the push message sent.
- Timestamp: Internal system timestamp when the event was logged.

34.4 Delete

Push log entries are generally not deleted and are kept for audit purposes.

In specific maintenance scenarios, old records may be purged, but this requires explicit permissions.

35 Tokens Log

35.1 Description

The Tokens Log application tracks the usage of authentication tokens across the system. These tokens are typically used in API calls, automated scripts, or temporary login sessions. This module allows administrators to monitor access to the system and detect potential misuse or unauthorized attempts.

35.2 List view

User	Created	Token	Active
Admin (admin)	2025-04-23 02:23:18	3315acc4-8b37-0e49-a146-f4a272d42dcc	✓
Admin (admin)	2025-04-23 02:23:01	a432d04d-39be-bb07-284d-5c354e1f78b8	✗
Admin (admin)	2025-04-23 02:22:55	fcafb671-c33a-9230-922f-30681a03e712	✗
Admin (admin)	2025-04-23 02:22:50	0bd03db0-4f09-c059-505a-baad2aba9825	✗
Admin (admin)	2025-04-23 02:22:41	3c6bb74f-a0fc-1e13-5101-d7cd4e63ff7a	✗
Admin (admin)	2025-04-23 02:21:54	f0b60058-e-a0eb-a9da-96cc-6db1c7d9c284	✗
Admin (admin)	2025-04-23 02:18:43	cbedfec5-6085-93ea-e934-04b69cf1f150	✗
Admin (admin)	2025-04-23 02:17:39	447ba2d7-6c5c-6151-e1d5-f929b6160189	✗
Admin (admin)	2025-04-23 02:16:21	37d774e7-ddf1-8a5e-9035-1c3b9867b04ad	✗
Admin (admin)	2025-04-23 02:16:13	26f14b8e-1c31-b54c-2a43-f02704d45190	✗
Admin (admin)	2025-04-23 02:16:09	7462f0b8-816e-dddd-9bda-ebf69a7d4619	✗
Admin (admin)	2025-04-23 02:15:21	406677da-ac85-5e66-9d77-b31c6d33a1f7	✗
Admin (admin)	2025-04-23 02:15:15	0eb5b98f-5eaa-d4bd-2d84-03c9f7ee3991	✗
Admin (admin)	2025-04-23 02:14:37	f6668a27-2aad-792d-9902-7cd132007716	✗
Admin (admin)	2025-04-23 02:09:43	62c5a7d2-3a36-b7a1-6469-bd486a50c251	✗
Admin (admin)	2025-04-23 02:08:39	62874f59-7bc7-e1e2-0eef-b8f8ed6ee772	✗
Admin (admin)	2025-04-23 02:07:51	0948a7af-6e13-d3ef-3c02-31380cb7f1402	✗
Admin (admin)	2025-04-23 02:07:12	46ff2811-68f5-fd1c-4f2b-ccaa46fac5a5	✗
Admin (admin)	2025-04-23 02:07:06	0122abb9-9da0-f997-3abb-a6335807fab2	✗
Admin (admin)	2025-04-23 02:07:01	32269be1-9442-3fe5-b830-85b4e233d431	✗
Admin (admin)	2025-04-23 00:44:07	218e73dc-0b3e-b89e-4e5b-52bf7f9238d8	✗
Admin (admin)	2025-04-23 00:44:03	c76c4312-a750-88aa-16fc-f08b96423b7c	✗

The following fields are displayed in the list view:

- User: User associated with the token.
- Created: Date and time when the token was created.
- Token: The token string used for authentication or access.
- Active: Indicates whether the token is currently valid and usable.

35.3 View entry

This view displays all information related to a specific token access.

The screenshot shows the SaltOS dashboard with the 'Applications' tab selected. A search bar at the top right contains the text 'Active'. Below it is a table with columns: User, Created, Token, and Active. The 'Active' column contains icons for each row. To the right of the table, a detailed view panel is open for a selected entry. This panel includes fields for User (Admin (admin)), Created (04/22/2025, 07:47:16 PM), Updated (04/22/2025, 07:59:22 PM), Remote Address (127.0.0.1), User Agent (Mozilla/5.0 (X11; Linux x86_64; rv:137.0) Gecko/20100101 Firefox/137.0), Token (9aa99e8-b443-2fe3-c878-625c9b8ff1c3), and Expires (04/23/2025, 07:50:22 PM). A 'Close' button is at the bottom right of the panel.

User	Created	Token	Active
Admin (admin)	2025-04-23 02:23:18	3315acc4-8b37-0e49-a146-f4a272d42dcc	<input checked="" type="checkbox"/>
Admin (admin)	2025-04-23 02:23:01	a432d04d-39be-bb07-284d-5c354e1178b8	
Admin (admin)	2025-04-23 02:22:55	fca6b671-c33a-9230-022f-30681a03e7f2	
Admin (admin)	2025-04-23 02:22:50	0bd03dbd-4f09-cd59-505a-baad2aba9825	
Admin (admin)	2025-04-23 02:22:41	3c6bb74f-afcc-1e13-5101-d7cd4e63ff7a	
Admin (admin)	2025-04-23 02:21:54	10b0058e-a0eb-a9da-96cc-6dbf1c7d9c284	
Admin (admin)	2025-04-23 02:18:43	cbedfec5-6085-93ea-e934-04b69cdf1f50	
Admin (admin)	2025-04-23 02:17:39	447ba2d7-65c-6151-1d15-1929b6f60189	
Admin (admin)	2025-04-23 02:16:21	37df774e7-ddf1-8a5e-9035-1c3b9867b4ad	
Admin (admin)	2025-04-23 02:16:13	2614b8e-1c31-b54c-2a43-f02704b45190	
Admin (admin)	2025-04-23 02:16:09	7462fd6b-816e-dddd-9bda-ebf69a7d4619	
Admin (admin)	2025-04-23 02:15:21	408677da-ac85-5e66-9d77-b31c6d33a1f7	
Admin (admin)	2025-04-23 02:15:15	0eb5b98f-5eaa-d4bd-2d84-03c9f7ee3991	
Admin (admin)	2025-04-23 02:14:37	f6668a27-2aad-792d-9902-7cd132097716	
Admin (admin)	2025-04-23 02:08:43	62c5ad2d-3a36-b7a1-6469-bd486a50c251	
Admin (admin)	2025-04-23 02:08:39	62874f59-7bc7-e1e2-0eef-b8fbed6ee772	
Admin (admin)	2025-04-23 02:07:51	6948a7af-6e13-d3ef-3c02-31386cb7f402	
Admin (admin)	2025-04-23 02:07:12	40f12811-68f5-1dfc-4f2b-ccaa46fac5a5	
Admin (admin)	2025-04-23 02:07:06	0122abb9-9da0-f997-3abb-a6335807fab2	
Admin (admin)	2025-04-23 02:07:01	32269be1-9442-3fe5-ba30-85b4e233d431	
Admin (admin)	2025-04-23 02:04:07	218e73dc-6b3e-b39e-4eb5-52bf7f79238d8	
Admin (admin)	2025-04-23 02:04:03	c76c4312-a750-88aa-16fc-f08b96423b7c	

It includes:

- Active: Indicates whether the token is currently valid and usable.
- User: User associated with the token.
- Created: Date and time when the token was created.
- Updated: Date and time of the last update to the token's state.
- Remote Address: IP address from which the token was used or created.
- User Agent: Browser or client used when the token was generated or accessed.
- Token: The token string used for authentication or access.
- Expires: Expiration date and time of the token, after which it is no longer valid.

35.4 Delete

Token log entries are not meant to be deleted manually.


They form part of the system's audit and access control history, and are subject to automatic cleanup if configured.

36 Trash Log

36.1 Description

The Trash Log application records all deletions performed in the system, acting as a recycle bin for SaltOS4. It allows administrators and advanced users to inspect what data has been removed, when, by whom, and from where. This module is key for auditability and helps identify accidental deletions or unauthorized actions.

36.2 List view

A screenshot of the SaltOS application interface. The top navigation bar shows the SaltOS logo, Dashboard, Applications, and Admin. The main content area is titled "Trash Log". It features a search bar with fields for "Search", "Reset", and "Reset". Below the search bar is a table header with columns "User", "Datetime", and "Name". A message "Data not found" is displayed below the table. At the bottom right of the content area is a large, stylized white logo consisting of a circle and three curved shapes.

The following fields are displayed in the list view:

- User: User who performed the deletion.
- Datetime: Exact date and time when the record was deleted.
- Name: Descriptive name of the deleted record or file.

36.3 View entry

This view displays all recorded information about a deleted item.

It includes:

- Old ID: Original identifier of the record before deletion.
- User: User who performed the deletion.

- Datetime: Exact date and time when the record was deleted.
- Reg ID: Internal registry ID assigned to the deleted record.
- App: Application or module from which the record was removed.
- Uniq ID: System-wide unique identifier for the deleted item.
- Name: Descriptive name of the deleted record or file.
- Size: File size in bytes, if the deleted item was a file.
- Type: MIME type or classification of the deleted file or record.
- File: Original filename or path of the deleted file.
- Hash: Checksum used to verify the content of the deleted item.

36.4 Delete

Trash log entries cannot be deleted directly from the interface.

SaltOS4 retains them for accountability and legal traceability unless automatic pruning is configured.

37 Upload Log

37.1 Description

The Upload Log application registers all file uploads made through SaltOS4, whether manual or automated. It helps track the origin, user, and context of each uploaded file, and is useful for auditing, debugging, and verifying that uploads are being processed correctly.

37.2 List view

The screenshot shows a web-based application interface for SaltOS. At the top, there's a navigation bar with the SaltOS logo, a 'Dashboard' link, and an 'Applications' dropdown. On the far right of the top bar is an 'Admin' link. Below the top bar is a search bar with a placeholder 'Search', a 'Search' button, and a 'Reset' button. To the left of the search bar is a small blue square icon with a downward arrow. The main content area features a table with four columns: 'User', 'Datetime', 'App', and 'Name'. Below the table, a message says 'Data not found'. At the bottom of the table area is a blue button labeled '+ Load more'. To the right of the table, there is a large, semi-transparent blue rectangular area containing a white, stylized graphic of a person in motion, possibly running or jumping.

The following fields are displayed in the list view:

- User: User who uploaded the file.
- Datetime: Timestamp when the file was uploaded to the system.
- App: Module or application from which the upload was triggered.
- Name: Original filename as provided by the user.

37.3 View entry

This view shows full details of a single uploaded file log entry.

It includes:

- User: User who uploaded the file.
- Datetime: Timestamp when the file was uploaded to the system.
- Uniq ID: Unique identifier internally assigned to the upload entry.
- App: Module or application from which the upload was triggered.
- Name: Original filename as provided by the user.
- Size: Size of the uploaded file in bytes.
- Type: MIME type or format of the uploaded file.
- File: Stored filename used by the system to manage the file internally.
- Hash: Checksum (e.g., MD5 or SHA) to verify file integrity or detect duplicates.

37.4 Delete

Upload log entries are normally preserved for historical traceability.

If needed, old entries may be deleted manually or through automatic maintenance routines.