

DB Stats

Description

The DB Stats application shows the per-query usage statistics collected by SaltOS4 when the debug/slowquerystats configuration flag is enabled. It tracks, for each distinct query call site, how many times it was executed and how much time it took, allowing developers to spot usage patterns such as repeated queries (N+1 issues) while debugging.

This data is stored in its own isolated SQLite file, separate from the main application database, and the list is empty until the debug/slowquerystats flag has been enabled and the application has processed some queries.

List view

SaltOS

Dashboard Applications

List - DB stats

Admin

Y

Search

Search

Reset

Source	Count	Avg	Sum	Datetime
test_dbstats?6[closure:test_dbstats:test_dbstats]{175}	3	0.000707	0.002121	2025-09-13 22:05:06
Total: 1				


+ Load more

The following fields are displayed in the list view:

- Source: Call site (file, line and function) that executed the query.
- Count: Number of times this query was executed.
- Avg: Average execution time, in seconds.
- Sum: Total accumulated execution time, in seconds.

View entry

This view shows detailed information about a single query call site.



It includes:

- Source: Call site (file, line and function) that executed the query.
- Count: Number of times this query was executed.
- Min: Fastest recorded execution time, in seconds.
- Max: Slowest recorded execution time, in seconds.
- Avg: Average execution time, in seconds.
- Sum: Total accumulated execution time, in seconds.
- Datetime: Date and time of the last recorded execution.

Delete

DB stats entries cannot be deleted individually from this application; they are only reset by clearing the underlying SQLite file.