
Emails

Description

The Emails application is used to receive, view, and reply to emails from configured accounts within SaltOS4. It acts as a simplified integrated email client that supports reading messages from POP3 or IMAP, viewing metadata and content, and replying using internal or external SMTP servers.

Each message is presented as a visual card in the list view, showing key fields such as sender, subject, date, and a preview of the body. Emails can be viewed in detail, replied to, or deleted. This app is closely integrated with the Emails Accounts module and is essential for managing inbound communication.

List view



The list view shows incoming emails as clickable buttons or cards. Each entry typically displays:

- Header: The visual summary used in the interface to represent the email message.
- Datetime: The date and time the message was received or sent.
- Subject: The title or subject line of the email message.
- Snippet: A short preview extracted from the beginning of the email body.
- Attachments: List of files attached to the message, with download options.

The interface also includes filters and a search form to filter by sender, subject, account, and date.

Folders

The folders button opens a panel with the folders tree, with the accounts and its folders. Selecting an account shows all its emails except the ones of the trash and the junk, and selecting a folder shows only its emails.


The All button shows the emails of all the accounts together in the same list, except the ones of the trash and the junk, keeping the other filters of the search form. The Options menu allows to create, rename, move and delete folders and, for

the IMAP accounts, to choose the folders of the server that are synchronized (Server folders), and the Empty menu deletes permanently the emails of the trash or the junk. The special folders (Inbox, Sent, Trash and Junk) can not be modified.

The folders of the POP3 accounts exist only in SaltOS. The folders of the IMAP accounts are the folders of the server (the Sent, Trash and Junk folders are created in the server if they do not exist), and the actions on the emails and on the folders are applied in the server too: the emails with changes not yet applied in the server show the Pending label until the next synchronization.

View message

This view shows the full content of an email message, including header metadata and attachments.




The following information is typically displayed:

- From: Sender's email address displayed in the message header.
- To: List of recipients who received the message.
- CC: Additional recipients who received a visible copy of the email.
- BCC: Recipients who received a hidden copy of the email.
- Datetime: Timestamp indicating when the email was sent or received.
- UIDL: Server-side unique identifier used for synchronization.
- Priority: Importance level set by the sender (Low, Normal, or High).
- Sensitivity: Indicates whether the message is Normal, Personal, Private, or Confidential.
- Sent: Confirms that the email was successfully sent.
- New: Marks whether the email is unread or newly received.
- Reply: Indicates if the message was replied to.
- Forward: Indicates if the message was forwarded to another recipient.
- Wait: Flag used to track follow-up or pending response.

- Request confirmation of receipt: Shows whether a read receipt was requested for the message.
- Error: Displays an error message if the delivery failed.
- Subject: The subject line of the email.
- Body: The main content or body of the email, displayed in an embedded viewer.
- Adjunts: List of files attached to the email message.

Reply / Compose

Users can reply to an existing message or compose a new email using a simplified form.



The reply and compose form includes:


- From: Email account used as the sender for this message.
- To: Primary recipient(s) of the email message.
- CC: Recipients to receive a carbon copy (CC) of the message.
- BCC: Recipients to receive a blind carbon copy (BCC), not visible to others.
- Request confirmation of receipt: Option to request a read receipt confirmation from the recipient.
- Priority: Importance level assigned to the email: Low, Normal, or High.
- Sensitivity: Confidentiality level: Normal, Personal, Private, or Confidential.
- Subject: Subject line of the message, describing its purpose.
- Body: Rich-text content written in the email message.
- Attachments: Files selected to be included along with the message.

Delete

Emails can be deleted from the list view using the delete icon or action.

Deleting an email moves it to the trash of its account, and deleting an email that is in the trash deletes it permanently. With the IMAP accounts, the email is moved or deleted in the server too.

PDF generation



From the individual view of a record (view), the user can generate and download a PDF containing all relevant data of that entry.

From the list view (list), it is possible to select multiple records using the checkboxes and generate a single PDF that includes all of them.

Widget on the dashboard

The email application (‘emails‘) publishes a widget on the main dashboard that displays a compact list with the 5 most recently received emails.

This widget allows users to quickly review their most recent messages without entering the full application, improving visibility of recent activity and enabling direct access to each email.