

Reconocimiento de Patrones


Version 2022-2

Carácterísticas de Intensidad

[Capítulo 2]

Dr. José Ramón Iglesias

DSP-ASIC BUILDER GROUP Director Semillero TRIAC Ingenieria Electronica Universidad Popular del Cesar



a) Grayscale image


b) Segmentation


c) 3D representation of a)


There are two categories of features: Geometric Features and Intensity Features

Geometric Features give information about location, orientation, shape and size. Intensity Features give information about how are the grayvalues.

Intensity Features







Average

$$G = \frac{1}{A} \sum_{i,j \in \Re} x[i,j]$$

Standard deviation, etc.


Mean gradient

$$C = \frac{1}{L} \sum_{i,j \in \ell} x'[i,j]$$


Mean 2nd gradient

$$D = \frac{1}{A} \sum_{i,j \in \Re} x''[i,j]$$

Contrast Features



Contrast Features



Contrast

$$G = rac{1}{A} \sum_{i,j \in \Re} x[i,j]$$
 $G_e = rac{1}{A_e} \sum_{i,j \in \Re_e} x[i,j]$ $K_1 = rac{G - G_e}{G_e}$ $K_2 = rac{G - G_e}{G + G_e}$ $K_3 = \ln(G/G_e)$

Contrast Features

```
I = imread('onerice.bmp');
R = I>120;
J = imdilate(R,ones(11,11));
Re = and(not(R),J);
i = find(R==1);
ie = find(Re==1);
G = mean(I(i));
Ge = mean(I(ie));
```

```
K1 = abs(G-Ge)/Ge % 0.85

K2 = abs(G-Ge)/(G+Ge) % 0.30

K3 = log(G/Ge) % 0.62
```

