

Manual Test Cases

Test Case ID	Title	Steps	Expected Result	Priority
TC-UI-001	Page loads successfully	1. Open app URL2. Observe page load	Page loads without errors; list and form are visible	P0
TC-UI-002	Default form state (Create mode)	1. Open page	Form shows Create Item button; no item pre-selected	P0
TC-UI-003	List rendering	1. Observe items list	Items display with image, text, Edit/Delete buttons	P0
Create item				
TC-CRT-001	Create item (happy path)	1. Upload valid image (PNG/JPG)2. Enter valid text (<300 chars)3. Click Create	Item appears in list with correct image & text	P0
TC-CRT-002	Create item without image	1. Leave image empty 2. Enter text 3. Click Create Item	Validation error shown	P0
TC-CRT-003	Create item without text	1. Upload image2. Leave text empty3. Click Create	Create item button should be disabled	P0
TC-CRT-004	Create item with max text length	1. Enter exactly 300 chars2. Submit	Item created successfully	P1
TC-CRT-005	Create item exceeding max length	1. Enter >300 chars2. Submit	Create item button should be disabled	P0

TC-CRT-006	Upload invalid file type	1. Try to Upload .txt/.pdf file2.	You shouldn't be able to upload a non image file	P0
TC-CRT-007	Upload large image	1. Upload very large image (>5MB)	You shouldn't be able to upload a very large image	P1
TC-CRT-008	Rapid multiple submissions	1. Click Create repeatedly	Only one item created (no duplicates)	P0
TC-CRT-009	Create item with special characters	1. Enter special characters in the text field 2. Select a valid image 3. Click Create item	Text renders correctly without breaking UI	P1
TC-CRT-010	Create item with script injection	1. Enter in text field <code><script>alert(1)</script></code> 2. Select a valid image 3. Click create item	Script is escaped; no execution	P0
TC-UX-001	Form resets after create	1. Create item	Form clears inputs	P1
Edit Item				
TC-EDT-001	Edit item (text only)	1. Click Edit button next to an item in the list 2. Modify text 3. Click Update item	Text updated in list	P0
TC-EDT-002	Edit item (image + text)	1. Click Edit button next to an item in the	Both fields updated	P0

		list 2. Change image & text 3. Update		
TC-EDT-003	Edit cancel flow	1. Click Edit button next to an item in the list 2. Modify fields 3. Click Cancel	Changes discarded; form resets	P0
TC-EDT-004	Edit with empty text	1. Click Edit button next to an item in the list 2. Clear text 3. Click Update	Update item button should be disabled	P0
TC-EDT-005	Edit with invalid image	1. Click Edit button next to an item in the list 2. Upload invalid file 3. Click Update item	You shouldn't be able to upload an invalid file	P0
TC-EDT-006	Switch edit between items	1. Click Edit button on item A 2. Click Edit button on item B	Form switches correctly without stale data	P1
TC-EDT-007	Update without changes	1. Click Edit button 2. Click Update without changes	No unintended side effects	P2
TC-EDT-008	Edit after delete attempt	1. Click Edit 2. Trigger delete on same item	State handled correctly (no crash)	P1
TC-EDT-009	Form resets after update	1. Edit & update item	Form returns to create mode	P0

Delete Item

TC-DEL-001	Delete item (confirm)	1. Click Delete 2. Confirm	Item removed from list	P0
TC-DEL-002	Delete item (cancel)	1. Click Delete 2. Cancel	Item remains	P0
TC-DEL-003	Delete multiple items sequentially	1. Delete several items	All removed correctly	P1
TC-DEL-004	Delete last item	1. Delete final item in list	List updates to empty state	P1
TC-DEL-005	Modal behavior	1. Open delete modal 2. Click outside/ESC	Modal closes correctly	P2


Responsiveness & Compatibility

TC-RESP-001	Mobile layout	1. Open in mobile view	Layout adapts correctly	P1
TC-RESP-002	Tablet layout	1. Resize screen	UI scales properly	P2
TC-RESP-003	Cross-browser	1. Test Chrome, Safari, Firefox	Consistent behavior	P1

Bugs:

- **BUG-001 - Typo in Delete Confirmation Message**

- **Severity:** Low
- **Area:** Delete confirmation modal
- **Priority:** Low
- **Evidence:**



- **Steps to reproduce:**
 1. Navigate to <http://immense-hollows-74271.herokuapp.com/##top>
 2. Click 'Delete' on any existing item.
 3. Observe the confirmation modal text.
EXPECTED RESULT: It should show a confirmation message, written properly, for example Are you sure you want to delete this item?
ACTUAL RESULT: It shows the confirmation message but the message has a typo. Message says ¿Are you shure you want to delete this item?
- **Regression test case (TC-BUG-001):**
 1. Navigate to <http://immense-hollows-74271.herokuapp.com/##top>
 2. Click 'Delete' on any item.
 3. Verify the confirmation message text.
 4. Close or cancel the modal.
EXPECTED RESULT:
Text is grammatically correct and does not contain `shure`.

• BUG-002 - Image Input Is Not Cleared After Saving

- **Severity:** Medium
- **Area:** Create/Edit form state management
- **Priority:** Medium
- **Evidence:**

- **Steps to reproduce:**
 1. Navigate to <http://immense-hollows-74271.herokuapp.com/###top>
 2. Select an image and enter text.
 3. Save the item (`Create Item` or `Update Item`).
 4. Return to create mode and inspect the image input state.

EXPECTED RESULT: Image input should be cleared after a successful save, so the next operation starts with a clean form.

ACTUAL RESULT: The file selection remains populated after saving.
- **Regression test case (TC-BUG-002):**
 1. Navigate to <http://immense-hollows-74271.herokuapp.com/###top>
 2. Create or update an item with an image.
 3. After save, check file input value/state.
 4. Start a new create flow without selecting a new image.

EXPECTED RESULT: File input is empty after save. User must explicitly pick a new image for the next item.

• BUG-003 - Edit Form Keeps Stale Data After Deleting the Edited Item

- **Severity:** High
- **Area:** Edit/Delete interaction and form synchronization
- **Priority:** High
- **Evidence:**

- **Steps to reproduce:**
 1. Navigate to <http://immense-hollows-74271.herokuapp.com/###top>
 2. Click `Edit` on an existing item.
 3. Without canceling edit mode, delete the same item from the list.
 4. Observe the form on the right side.


EXPECTED RESULT: Form should reset to create mode or clear the deleted item context immediately.

ACTUAL RESULT: Edit form still shows data from an item that no longer exists.
- **Regression test case (TC-BUG-003):**
 1. Navigate to <http://immense-hollows-74271.herokuapp.com/###top>
 2. Enter edit mode for an item.
 3. Delete that same item.
 4. Verify form state and buttons.

EXPECTED RESULT: Form exits edit mode automatically. No stale text/image is shown from the deleted item.

- **BUG-004 - Incorrect Error Message When Creating Without Image**

- **Severity:** Low
- **Area:** Validation message copy
- **Priority:**
- **Evidence:**



- **Steps to reproduce:**
 1. Navigate to <http://immense-hollows-74271.herokuapp.com/##top>
 2. Enter text in the form.
 3. Try to create an item without selecting an image.
 4. Observe the displayed validation message/alert.

EXPECTED RESULT: Correct message, for example: 'You must select an image.'

ACTUAL RESULT: Message shown: 'You must to select an image'

- **Regression test case (TC-BUG-002):**
 1. Navigate to <http://immense-hollows-74271.herokuapp.com/##top>
 2. Fill text only.
 3. Without adding an image click Create item button
 4. Verify validation message text.

EXPECTED RESULT: Message is grammatically correct and clearly instructs the user to select an image.

Release Test Plan - Create and Edit Features

1. Objective

Validate that `Create` and `Edit` features are stable, usable, and releasable on desktop and mobile before production deployment.

2. Release Scope

- Primary in-scope coverage:
 - Create item with image and text.
 - Edit existing item text and image.
 - Create/Edit validation rules and form state behavior.
- Supporting in-scope coverage for this release:
 - Foundational UI checks required before Create/Edit execution.
 - Edit/Delete interaction sanity (to protect Edit state consistency).
- Out of scope as release blockers for this plan:
 - Full Delete feature regression pack as a standalone sign-off track.
 - Full non-functional performance benchmarking.
 - Security deep testing.

3. Test Strategy

- Execute manual test cases as the primary release gate for Create/Edit.
- Use automated E2E WebdriverIO regression to provide quick feedback in CI.
- Validate on desktop and mobile profile:
 - Desktop Chrome
 - Chrome mobile emulation (iPhone X)

4. Test Types

- a. Smoke:
 - i. Basic app load and form state
 - ii. Create happy path
 - iii. Edit happy path
- b. Functional:
 - i. Required fields
 - ii. Character limit
 - iii. Validation messaging
 - iv. Form reset and state transitions
- c. Regression:
 - i. Re-run core Create/Edit test cases after each candidate fix
- d. UI/Responsive:
 - i. Critical responsive checks for mobile profile

5. Manual Test Case Baseline (Must Be Considered)

Core release-gating manual cases (mandatory):

- Foundational UI:
 - `TC-UI-001`, `TC-UI-002`, `TC-UI-003`
- Create P0:
 - `TC-CRT-001`, `TC-CRT-002`, `TC-CRT-003`, `TC-CRT-005`, `TC-CRT-006`, `TC-CRT-008`, `TC-CRT-010`
- Edit P0:
 - `TC-EDT-001`, `TC-EDT-002`, `TC-EDT-003`, `TC-EDT-004`, `TC-EDT-005`, `TC-EDT-009`

Extended Create/Edit coverage for this release window (strongly recommended):

- Create P1:
 - `TC-CRT-004`, `TC-CRT-007`, `TC-CRT-009`, `TC-UX-001`
- Edit P1/P2:
 - `TC-EDT-006`, `TC-EDT-007`, `TC-EDT-008`
- Responsive critical:
 - `TC-RESP-001`

Tracked but non-gating for this specific Create/Edit sign-off:

- Delete suite:
 - `TC-DEL-001`, `TC-DEL-002`, `TC-DEL-003`, `TC-DEL-004`, `TC-DEL-005`
- Additional compatibility checks:
 - `TC-RESP-002`, `TC-RESP-003`

Manual Execution Matrix (Template)

Use this matrix during execution and update `Status` and `Notes`.

ID	Scope	Priority	Gating	Status	Notes
TC-UI-001	UI	P0	Yes	Not Run	
TC-UI-002	UI	P0	Yes	Not Run	
TC-UI-003	UI	P0	Yes	Not Run	
TC-CRT-001	Create	P0	Yes	Not Run	
TC-CRT-002	Create	P0	Yes	Not Run	
TC-CRT-003	Create	P0	Yes	Not Run	
TC-CRT-004	Create	P1	Recommended	Not Run	
TC-CRT-005	Create	P0	Yes	Not Run	
TC-CRT-006	Create	P0	Yes	Not Run	
TC-CRT-007	Create	P1	Recommended	Not Run	
TC-CRT-008	Create	P0	Yes	Not Run	
TC-CRT-009	Create	P1	Recommended	Not Run	

TC-CRT-010	Create	P0	Yes	Not Run	
TC-UX-001	Create/UX	P1	Recommended	Not Run	
TC-EDT-001	Edit	P0	Yes	Not Run	
TC-EDT-002	Edit	P0	Yes	Not Run	
TC-EDT-003	Edit	P0	Yes	Not Run	
TC-EDT-004	Edit	P0	Yes	Not Run	
TC-EDT-005	Edit	P0	Yes	Not Run	
TC-EDT-006	Edit	P1	Recommended	Not Run	
TC-EDT-007	Edit	P2	Recommended	Not Run	
TC-EDT-008	Edit	P1	Recommended	Not Run	
TC-EDT-009	Edit	P0	Yes	Not Run	
TC-DEL-001	Delete	P0	No	Not Run	Tracked, non-gating in this plan
TC-DEL-002	Delete	P0	No	Not Run	Tracked, non-gating in this plan
TC-DEL-003	Delete	P1	No	Not Run	Tracked, non-gating in this plan
TC-DEL-004	Delete	P1	No	Not Run	Tracked, non-gating in this plan
TC-DEL-005	Delete	P2	No	Not Run	Tracked, non-gating in this plan
TC-RESP-001	Responsive	P1	Recommended	Not Run	
TC-RESP-002	Responsive	P2	No	Not Run	Tracked, non-gating in this plan
TC-RESP-003	Compatibility	P1	No	Not Run	Tracked, non-gating in this plan

6. Automated Regression Coverage

WebdriverIO regression in this repository covers:

- Create flow
- Edit flow
- Delete flow

- Bug regression cases linked to reported defects

Automation is complementary and does not replace mandatory manual P0/P1 release checks.

7. Environments

- QA URL: `https://immense-hollows-74271.herokuapp.com/`
- Browsers:
 - Chrome (desktop)
 - Chrome mobile emulation (iPhone X)
- CI:
 - GitHub Actions Ubuntu runner

8. Test Data

- Unique text generated per run (timestamp + random suffix).
- JPG fixture image for deterministic uploads.
- Existing seeded items from the environment for Edit flow.

9. Entry Criteria

- Target environment available and reachable.
- Create/Edit changes deployed to the test environment.
- Manual test cases reviewed and approved.
- Automation suite executable locally and in CI.

10. Exit Criteria

- 100% of mandatory Create/Edit P0 manual cases executed.
- 100% pass on mandatory P0 manual cases.
- P1 Create/Edit cases executed with documented results and risk acceptance if any fail.
- No open Critical or High defects in Create/Edit scope.
- CI automation results attached (desktop + mobile jobs).

11. Risks and Mitigation

Risk	Impact	Mitigation
------	--------	------------

Environment data resets periodically	Can invalidate expected results	Use unique test data and rerun impacted cases
Flaky UI timing during upload/save	False negatives in E2E tests	Use explicit waits and stable selectors
Browser/dependency mismatch in CI	Pipeline instability	Pin Node version and install Chrome in workflow

12. Execution Plan

1. Run foundational UI cases (`TC-UI-\*`).
2. Execute mandatory Create/Edit P0 manual cases.
3. Execute extended P1/P2 Create/Edit manual cases.
4. Run automated regression in CI and local verification as needed.
5. Triage failures (bug vs test vs environment), retest, and close.

13. Deliverables

1. Manual execution matrix by Test Case ID (Pass/Fail/Blocked + evidence).
2. Defect list linked to failing cases.
3. Automated run artifacts from CI.
4. Final release recommendation for Create/Edit.