


Diante por minha parte que este diagrama foi realizado apenas pelos elementos que constituem o grupo do Projeto e José Antônio Lopes, m^o 203938, data: 01/17



As classes Label, Message e Broadcast
 possuem métodos para que possam
 serem instanciadas:

pro-act-client

Do Disable Client Notifications

Do Enable Client Notifications

Do Register Client

Do Show All Clients

Do Show Client

Do Show Client Payments And Deficits

pro-act-lookups

Do Show All Communications

Do Show Clients With Deficits

Do Show Client, With Out Deficits

Do Show Communication From Client

Do Show Communication To Client

Do Show Existing Balance

Do Show Unpaid Terminally

pro-act-terminal

Do Add Friend

Do End Interactive Communication

Do End Payment

Do Remove Friend

Do Send Text Communication

Do Show Ongoing Communication

Do Show Terminal Balance

Do Show Terminal

Do Show Interactive Communication

Do Turn Off Terminal

Do Turn On Terminal



Terminal Command

#_values: Nextwert

pro-act-main

Do Open File

Do Save File

Do Show Selected Balance

Do Open New Client

Do Open New Terminal

Do Open New Lookups

DerivedException

DerivedTerminalException

FileOpenErrorException

InvalidTerminalException

UnknownLinkerException

UnknownTerminalKeyException

«abstract»

CommandException