
WALL OF SOUND — MASTER SCORE

VOLTAGE & WAVE // 11-VOICE KORG MS-10 ORCHESTRATION


KEY: A Natural Minor (Am – F – G – Em)
TEMPO: ♩ = 135 BPM | **METER:** 4/4 | **FORM:** 32 Bars (56.89 s)

SYSTEM I — PRIMARY 4-BAR HARMONIC & MELODIC LOOP



Notation Note: Sounding pitch shown for Lead (16') and Pads (8'). Flute Arpeggio (4') is written one octave below sounding pitch (*8va*). Synth Bass (32') sounds two octaves below written bass clef (*16vb*). Hi-Hat shifts from 8th notes (Bars 5–8) to continuous 16th notes (Bars 9–32).

SYSTEM II — SECTION B SYNCOPATED PAD VARIATION (BARS 17–24)



Section B Articulation (Bars 17–24): Lead Synth rests while Pads 1–3 shift from sustained whole notes to a 3+2+3 eighth-note tresillo figure (beats 1, 2-and, and 3-and) underneath the continuous 16th-note Flute arpeggio.

32-BAR STRUCTURAL ARRANGEMENT ROADMAP

MS-10 Voice	Bars 1–4 Count-In	Bars 5–8 Groove Intro	Bars 9–16 Section A (Theme)	Bars 17–24 Section B (Arp)	Bars 25–32 Section A' (Climax)
01. Lead Synth	—	—	Main Theme (System I)	—	Main Theme (System I)
02. Flute / Pluck	—	—	—	16th Arp (System I)	16th Arp (System I)
03–05. Pads 1–3	—	—	Sustained Whole Notes	Tresillo Stabs (Sys II)	Sustained Whole Notes
06. Synth Bass	—	Octave Groove	Octave Groove	Octave Groove	Octave Groove
07. Kick Drum	—	4-on-the-floor (1–4)	4-on-the-floor (1–4)	4-on-the-floor (1–4)	4-on-the-floor (1–4)
08. Snare Drum	—	Beats 2 & 4 (+4a Bar 8)	Beats 2 & 4 (+4a Bar 16)	Beats 2 & 4 (+4a Bar 24)	Beats 2 & 4 (+4a 28, 32)
09. Hi-Hat	—	Steady 8th Notes	Driving 16th Notes	Driving 16th Notes	Driving 16th Notes
10–11. FX Cues	—	Laser Sweep (Bar 8, bt 4)	Star (9:1); Laser (16:4)	Laser Sweep (Bar 24, bt 4)	Falling Star (Bar 25, bt 1)

KORG MS-10 PATCH & CONSOLE ARCHITECTURE (11 INSTANCES)

Track / Channel	Scale / Wave	VCF (fc / PEAK)	Modulation (MG / EG)	Envelope (H-A-D-S-R)	Patch Cables	Mix Gain
01. KIK (Kick)	**32' / Tri**	fc 4.5 | PEAK 7.0	Pitch sweep 150→46 Hz	**0 – 0 – 2.0 – 0 – 2.0**	**PINK > EXT**	**1.00**
02. SNR (Snare)	**Noise (Wht)**	fc 6.0 | PEAK 3.0	fc EG 5.0 | EXT 6.0	**0 – 0 – 3.2 – 0 – 2.5**	**PINK > EXT**	**0.75**
03. HAT (Hi-Hat)	**Noise (Wht)**	fc 8.0 | PEAK 0.0	fc EG 3.0 | EXT 0.0	**0 – 0 – 1.4 – 0 – 1.0**	**PINK > EXT**	**0.28**
04. BAS (Bass)	**32' / Saw**	fc 5.0 | PEAK 7.0	fc EG 6.0	**0 – 0 – 1.5 – 3.0 – 1.0**	—	**0.95**
05. LED (Lead)	**16' / PWM 5**	fc 5.5 | PEAK 8.0	FM EG 3 | fc EG 10 | MG 4	**0 – 1.0 – 1.0 – 7.0 – 1.0**	**WHL > FM**	**0.40**
06. FLU (Flute)	**4' / Tri**	fc 6.0 | PEAK 2.0	FM 1/1 | fc MG 3, EG 8	**0 – 1.0 – 2.0 – 7.0 – 1.0**	**WHT > FM**	**0.55**
07–09. PD1–PD3	**8' / Saw (×3)**	fc 6.5 | PEAK 4.0	MG Tri 3.5 Hz	**0 – 5.0 – 0 – 10.0 – 4.0**	—	**0.17 × 3**
10. GUN (Laser)	**Osc Off / S-Osc**	fc 4.0 | PEAK 10.0	fc MG 10.0 (Sq 6.0 Hz)	**0 – 0 – 0 – 10.0 – 0**	—	**0.40**
11. STR (Star)	**Osc Off / S-Osc**	fc 6.0 | PEAK 10.0	fc MG 6, EG 8 (Sq 5.0 Hz)	**7.0 – 0 – 5.0 – 0 – 0**	—	**0.40**

Master Bus & Synthesis Architecture: All 11 monophonic MS-10 voices sum through individual channel faders into a master dynamics compressor and master output gain stage (**`MST = 0.80`**). Both *Laser Sweep* and *Falling Star* utilize Korg-35 filter self-oscillation (**`PEAK = 10`**) modulated by the square-wave Modulation Generator rather than a primary VCO pitch source.