

Results

Best Option: GREY PLYWOOD (2440 x 1220 mm) - 97 sheets

Dimension Unit: mm | Kerf: 3 mm

Panel Area: 191.596 m2 (2062.32 ft2)

Sheet Area: 288.750 m2 (3108.07 ft2)


Waste: 97.154 m2 (1045.76 ft2) | Yield: 66.4%


Cut #	Cut Name	Size	Qty	Per Sheet	Sheets	Best Fit
1	C450DR	444 x 605 mm	1	10	1	Normal
2	C450LR	480 x 650 mm	2	6	1	Rotated
3	C450BT	480 x 410 mm	2	10	1	Normal
4	C450RS	480 x 410 mm	1	10	1	Normal
5	C900DR	446 x 605 mm	76	10	8	Normal
6	C900LR	480 x 650 mm	76	6	13	Rotated
7	C900BT	480 x 860 mm	76	5	16	Normal
8	S800DR	396 x 605 mm	2	12	1	Normal
9	S800LR	480 x 650 mm	2	6	1	Rotated
10	S800BOT	480 x 760 mm	1	6	1	Rotated
11	S800BP	760 x 630 mm	1	3	1	Normal
12	S900DR	446 x 605 mm	32	10	4	Normal
13	S900LR	480 x 650 mm	32	6	6	Rotated
14	S900BOT	480 x 860 mm	16	5	4	Normal
15	S900BP	860 x 630 mm	16	3	6	Rotated
16	SC450DR	444 x 555 mm	3	10	1	Normal
17	SC450LR	300 x 600 mm	6	16	1	Normal
18	SC450BT	300 x 410 mm	6	20	1	Rotated
19	SC450RS	280 x 410 mm	3	20	1	Rotated
20	SC600DR	594 x 555 mm	2	8	1	Normal
21	SC600LR	300 x 600 mm	4	16	1	Normal
22	SC600BT	300 x 560 mm	4	16	1	Normal
23	SC600RS	280 x 560 mm	2	16	1	Normal
24	SC800DR	396 x 555 mm	4	12	1	Normal
25	SC800LR	300 x 600 mm	4	16	1	Normal
26	SC800BT	300 x 760 mm	4	12	1	Rotated
27	SC800RS	280 x 760 mm	2	12	1	Rotated
28	SC900DR	446 x 555 mm	60	10	6	Normal
29	SC900LR	300 x 600 mm	60	16	4	Normal
30	SC900BT	300 x 860 mm	60	8	8	Normal



Cut #	Cut Name	Size	Qty	Per Sheet	Sheets	Best Fit
31	SC900RS	280 x 360 mm	30	24	2	Normal
32	SC1200DR	596 x 555 mm	24	8	3	Normal
33	SC1200LR	300 x 600 mm	24	16	2	Normal
34	SC1200BT	300 x 1160 mm	24	8	3	Normal
35	SC1200CR	280 x 560 mm	12	16	1	Normal
36	SC1200RS	280 x 570 mm	24	16	2	Normal



Visual View (GREY PLYWOOD)



Raw Sheet 1 of 97 - 10 pieces











































































SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm
SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm

SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm
SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm	SC1200DR 596 x 555 mm



C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm

C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm

C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm



C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm

C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm

C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm

C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm

C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm	C900BT 480 x 860 mm



S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	
S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	

S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	
S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	

S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	
S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	S900DR 446 x 605 mm	

S900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	
C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	

C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	
C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	

C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	
C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	

C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	
C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	

C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	
C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	

C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	
C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	

C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	
C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	

C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	C900DR 446 x 605 mm	
C900DR 446 x 605 mm	C900DR 446 x 605 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	


SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	
SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	

SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	
SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	

SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	
SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	

SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	
SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	

SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	
SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	SC900DR 446 x 555 mm	



SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm

SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm	SC1200BT 300 x 1160 mm

SC900BT 300 x 860 mm	SC900BT 300 x 860 mm	SC900BT 300 x 860 mm	SC600LR 300 x 600 mm	SC600LR 300 x 600 mm	SC600LR 300 x 600 mm	SC600LR 300 x 600 mm	SC800LR 300 x 600 mm
--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------	--------------------------------

[illegible]

SC1200LR 300 x 600 mm	SC1200LR 300 x 600 mm	SC1200LR 300 x 600 mm	SC1200LR 300 x 600 mm	SC1200LR 300 x 600 mm	SC1200LR 300 x 600 mm	SC1200LR 300 x 600 mm	SC600BT 300 x 560 mm
SC600BT 300 x 560 mm	SC600BT 300 x 560 mm	SC600BT 300 x 560 mm	SC1200RS 280 x 570 mm	SC1200RS 280 x 570 mm	SC1200RS 280 x 570 mm	SC1200RS 280 x 570 mm	SC1200RS 280 x 570 mm

[illegible]

[illegible]