Autonomous Agricultural Microdrone

Daily Inspection Report

Generated: 2026-08-23 16:52:55

Summary

Total plants inspected: 63

Healthy: 0 Diseased: 63

Irrigation events: 2 (pump activated 2 times)

Disease Breakdown

- Tomato___Late_blight: 47
- Grape___Esca_(Black_Measles): 8
- Tomato___Leaf_Mold: 5
- Corn_(maize)___Common_rust_: 2
- Strawberry___Leaf_scorch: 1

Diseased Plant Locations

- Row 2 - Tree 5 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.
- Row 3 - Tree 1 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.
- Row 2 - Tree 5 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.
- Row 2 - Tree 5 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.
- Row 3 - Tree 1 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.
- Row 2 - Tree 5 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.
- Row 2 - Tree 5 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.
- Row 2 - Tree 5 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.
- Row 2 - Tree 5 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.
- Row 2 - Tree 5 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.
- Frame 1 - Tomato___Late_blight
  Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 2 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 3 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 4 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 5 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 6 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 7 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 8 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 9 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 10 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 11 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 12 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 13 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 14 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 15 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 16 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 17 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 18 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 19 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 20 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 21 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 1 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 2 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 3 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 4 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 5 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 6 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 7 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 8 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 9 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 10 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 11 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 12 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 13 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 14 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

Frame 15 - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

unknown - Corn_(maize)___Common_rust_

Recommended: Apply fungicide (azoxystrobin); use rust-resistant hybrids next season.

unknown - Corn_(maize)___Common_rust_

Recommended: Apply fungicide (azoxystrobin); use rust-resistant hybrids next season.

unknown - Tomato___Late_blight

Recommended: Apply fungicide immediately (chlorothalonil); destroy infected plants to prevent spread.

unknown - Strawberry___Leaf_scorch

Recommended: Apply fungicide (captan); remove infected leaves after harvest.

Frame 1 - Tomato___Leaf_Mold

Recommended: Improve ventilation; apply chlorothalonil fungicide.

Frame 2 - Tomato___Leaf_Mold

Recommended: Improve ventilation; apply chlorothalonil fungicide.

Frame 3 - Tomato___Leaf_Mold

Recommended: Improve ventilation; apply chlorothalonil fungicide.

Frame 4 - Tomato___Leaf_Mold

Recommended: Improve ventilation; apply chlorothalonil fungicide.

Frame 5 - Tomato___Leaf_Mold

Recommended: Improve ventilation; apply chlorothalonil fungicide.

Frame 6 - Grape___Esca_(Black_Measles)

Recommended: No curative treatment; remove and destroy infected wood, avoid pruning in wet weather.

Frame 7 - Grape___Esca_(Black_Measles)

Recommended: No curative treatment; remove and destroy infected wood, avoid pruning in wet weather.

Frame 8 - Grape___Esca_(Black_Measles)

Recommended: No curative treatment; remove and destroy infected wood, avoid pruning in wet weather.

Frame 9 - Grape___Esca_(Black_Measles)

Recommended: No curative treatment; remove and destroy infected wood, avoid pruning in wet weather.

Frame 10 - Grape___Esca_(Black_Measles)

Recommended: No curative treatment; remove and destroy infected wood, avoid pruning in wet weather.

Frame 11 - Grape___Esca_(Black_Measles)

Recommended: No curative treatment; remove and destroy infected wood, avoid pruning in wet weather.

Frame 12 - Grape___Esca_(Black_Measles)

Recommended: No curative treatment; remove and destroy infected wood, avoid pruning in wet weather.

Frame 13 - Grape___Esca_(Black_Measles)

Recommended: No curative treatment; remove and destroy infected wood, avoid pruning in wet weather.

Repeat Offenders - Flagged More Than Once

Row 2 - Tree 5: 8 of 8 visits diseased - trend: steady

unknown: 4 of 4 visits diseased - trend: worsening

Frame 1: 3 of 3 visits diseased - trend: improving

Frame 10: 3 of 3 visits diseased - trend: worsening

Frame 11: 3 of 3 visits diseased - trend: worsening

Frame 12: 3 of 3 visits diseased - trend: worsening

Frame 13: 3 of 3 visits diseased - trend: worsening

Frame 2: 3 of 3 visits diseased - trend: worsening

Frame 3: 3 of 3 visits diseased - trend: improving

Frame 4: 3 of 3 visits diseased - trend: improving

Frame 5: 3 of 3 visits diseased - trend: improving

Frame 6: 3 of 3 visits diseased - trend: improving

Frame 7: 3 of 3 visits diseased - trend: worsening

Frame 8: 3 of 3 visits diseased - trend: worsening

Frame 9: 3 of 3 visits diseased - trend: worsening

Frame 14: 2 of 2 visits diseased - trend: improving

Frame 15: 2 of 2 visits diseased - trend: improving

Row 3 - Tree 1: 2 of 2 visits diseased - trend: worsening

Detection Log

2026-08-22T17:41:14.364326+00:00 | Row 2 - Tree 5 | Tomato___Late_blight | Diseased | 57.9%

2026-08-22T17:41:14.411396+00:00 | Row 3 - Tree 1 | Tomato___Late_blight | Diseased | 57.8%

2026-08-23T08:38:25.513227+00:00 | Row 2 - Tree 5 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T08:38:25.560909+00:00 | Row 2 - Tree 5 | Tomato___Late_blight | Diseased | 57.8%

2026-08-23T08:38:25.608328+00:00 | Row 3 - Tree 1 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:00:51.051514+00:00 | Row 2 - Tree 5 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:03:03.865205+00:00 | Row 2 - Tree 5 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:03:40.656938+00:00 | Row 2 - Tree 5 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:03:45.986654+00:00 | Row 2 - Tree 5 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:20:35.248017+00:00 | Row 2 - Tree 5 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:31.084905+00:00 | Frame 1 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:32.485848+00:00 | Frame 2 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:33.790843+00:00 | Frame 3 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:35.334318+00:00 | Frame 4 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:37.276168+00:00 | Frame 5 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:38.507539+00:00 | Frame 6 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:39.965302+00:00 | Frame 7 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:41.528785+00:00 | Frame 8 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:42.531870+00:00 | Frame 9 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:43.778605+00:00 | Frame 10 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:45.421315+00:00 | Frame 11 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:46.756598+00:00 | Frame 12 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:48.613454+00:00 | Frame 13 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:50.343528+00:00 | Frame 14 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:52.216964+00:00 | Frame 15 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:54.128054+00:00 | Frame 16 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:55.443796+00:00 | Frame 17 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:57.079381+00:00 | Frame 18 | Tomato___Late_blight | Diseased | 57.9%

2026-08-23T10:44:58.263348+00:00 | Frame 19 | Tomato___Late_blight | Diseased | 57.8%

2026-08-23T10:44:59.552503+00:00 | Frame 20 | Tomato___Late_blight | Diseased | 57.8%

2026-08-23T10:45:00.824194+00:00 | Frame 21 | Tomato___Late_blight | Diseased | 57.8%

2026-08-23T10:53:13.273599+00:00 | Frame 1 | Tomato___Late_blight | Diseased | 58.1%

2026-08-23T10:53:14.891136+00:00 | Frame 2 | Tomato___Late_blight | Diseased | 58.1%

2026-08-23T10:53:15.799371+00:00 | Frame 3 | Tomato___Late_blight | Diseased | 58.1%

2026-08-23T10:53:17.150794+00:00 | Frame 4 | Tomato___Late_blight | Diseased | 58.1%

2026-08-23T10:53:18.461860+00:00 | Frame 5 | Tomato___Late_blight | Diseased | 58.1%

2026-08-23T10:53:19.381533+00:00 | Frame 6 | Tomato___Late_blight | Diseased | 58.1%

2026-08-23T10:53:20.568449+00:00 | Frame 7 | Tomato___Late_blight | Diseased | 58.1%

2026-08-23T10:53:21.940135+00:00 | Frame 8 | Tomato___Late_blight | Diseased | 58.1%

2026-08-23T10:53:23.004174+00:00 | Frame 9 | Tomato___Late_blight | Diseased | 58.1%
2026-08-23T10:53:24.454277+00:00 | Frame 10 | Tomato___Late_blight | Diseased | 58.1%
2026-08-23T10:53:25.726108+00:00 | Frame 11 | Tomato___Late_blight | Diseased | 58.1%
2026-08-23T10:53:27.177499+00:00 | Frame 12 | Tomato___Late_blight | Diseased | 58.1%
2026-08-23T10:53:28.781288+00:00 | Frame 13 | Tomato___Late_blight | Diseased | 58.1%
2026-08-23T10:53:30.012452+00:00 | Frame 14 | Tomato___Late_blight | Diseased | 57.8%
2026-08-23T10:53:31.500489+00:00 | Frame 15 | Tomato___Late_blight | Diseased | 57.8%
2026-08-23T11:15:31.923701+00:00 | unknown | Corn_(maize)___Common_rust_ | Diseased | 88.3%
2026-08-23T11:15:31.972662+00:00 | unknown | Corn_(maize)___Common_rust_ | Diseased | 70.6%
2026-08-23T11:15:31.987065+00:00 | unknown | Tomato___Late_blight | Diseased | 96.6%
2026-08-23T11:15:32.006605+00:00 | unknown | Strawberry___Leaf_scorch | Diseased | 99.9%
2026-08-23T11:21:14.965213+00:00 | Frame 1 | Tomato___Leaf_Mold | Diseased | 53.3%
2026-08-23T11:21:16.066720+00:00 | Frame 2 | Tomato___Leaf_Mold | Diseased | 65.3%
2026-08-23T11:21:17.162727+00:00 | Frame 3 | Tomato___Leaf_Mold | Diseased | 46.2%
2026-08-23T11:21:18.257098+00:00 | Frame 4 | Tomato___Leaf_Mold | Diseased | 57.9%
2026-08-23T11:21:19.064611+00:00 | Frame 5 | Tomato___Leaf_Mold | Diseased | 50.7%
2026-08-23T11:21:19.867542+00:00 | Frame 6 | Grape___Esca_(Black_Measles) | Diseased | 50.8%
2026-08-23T11:21:20.671242+00:00 | Frame 7 | Grape___Esca_(Black_Measles) | Diseased | 78.7%
2026-08-23T11:21:21.469682+00:00 | Frame 8 | Grape___Esca_(Black_Measles) | Diseased | 88.0%
2026-08-23T11:21:22.265635+00:00 | Frame 9 | Grape___Esca_(Black_Measles) | Diseased | 84.5%
2026-08-23T11:21:23.067115+00:00 | Frame 10 | Grape___Esca_(Black_Measles) | Diseased | 78.0%
2026-08-23T11:21:23.870381+00:00 | Frame 11 | Grape___Esca_(Black_Measles) | Diseased | 79.8%
2026-08-23T11:21:24.729296+00:00 | Frame 12 | Grape___Esca_(Black_Measles) | Diseased | 81.3%
2026-08-23T11:21:25.526408+00:00 | Frame 13 | Grape___Esca_(Black_Measles) | Diseased | 80.9%

Irrigation Log

2026-08-22T17:41:14.418458+00:00 | Moisture: 20.0% | Pump: ON
2026-08-23T10:20:05.413272+00:00 | Moisture: 22.0% | Pump: ON