

Joshua Brewster
October 2020

Open Source, Low Cost, Scalable fNIRS/HEG Whitepaper

Contents

Abstract	2
Acronyms	2
fNIRS Overview	3
HEG Biofeedback Overview	9
List of HEG Case Studies	17
HEG Alpha	18
Citations from Hyperlinks	24
My Story	29

Abstract:

This whitepaper is to cover what I've learned from functional Near Infrared Spectroscopy (fNIRS) and Hemoencephalography (HEG) biofeedback as well as my development progress on open source low cost tools for anyone to jump into this space and benefit from it either for education or home therapy. These are important emerging imaging and therapeutic technologies as they offer a low cost and low abstraction method to work with live or recorded information from the brain. This is paired with a type of brain blood flow training for biofeedback therapy that allows users to increase their baseline brain perfusion in their prefrontal cortex and beyond. This field promises even more interesting monitoring methods and psychiatric tools with the use of tomography (DOT), laser interferometry (OCT), and deep learning feature decoders to understand brain activity akin to functional Magnetic Resonance Imaging (fMRI). Our goal is to carve a path for open source efforts in this area by developing low cost tools and free software through reproducing different public domain hardware and experiments by sharing working and tested plans free, and hardware low cost.

Acronyms:

fNIRS - Functional Near Infrared Spectroscopy

HEG - Hemoencephalography

EEG - Electroencephalography

HbO₂ - Oxygenated Hemoglobin

Hb - Deoxygenated Hemoglobin

SpO₂ - Pulsatile Oxygen Saturation

CBF - Cerebral Blood Flow

DOT - Diffuse Optical Tomography

fMRI - Functional Magnetic Resonance Imaging

OCT - Optical Coherence Tomography

fNIRS overview:

Here will give a brief overview of the essential concepts of Functional Near Infrared Spectroscopy (fNIRS) and brain blood flow biofeedback. The Hemoencephalography (HEG) device is simply a single sensor fNIRS device with red and infrared wavelengths standard to pulse oximetry, and 3 cm spacing for depth readings. Alternatively it has been done with thermocouples to just measure IR radiation off your forehead, while photodiodes also include optical wavelengths. You can view the original patent 5995857 by Hershel Toomim and Bob Marsh, now public domain, [online](#).

fNIRS is the application of near infrared light, and more generally optical wavelengths, for the purpose of imaging the surface of the brain and monitoring Cerebral Blood Flow (CBF). It is much cheaper but not as complete as a functional Magnetic Resonance Imaging (fMRI) scan with tracer injections, though it can still elucidate a ton of useful structural and functional data about the brain. The skull is highly translucent and even lends itself well for optical imaging of the brain using tomography. This is accomplished by placing LED or laser emitters with specific wavelengths at specific distances from photosensors on the scalp or forehead and flashing them repeatedly while reading the response on the photodiode. Your pulse for example is plainly visible by this method and blood oxygen can be calculated.




Figure 4. Light absorption diagram

The pulse oximeter analyzes the light absorption of two wavelengths from the pulsatile-added volume of oxygenated arterial blood (AC/DC) and calculates the absorption ratio using the following equation.

Equation 1:

$$\frac{(A_{660}/I_{660})}{(A_{940}/I_{940})}$$

We borrow typical methods from pulse oximetry, with a unique sensor shape to achieve depth readings.

Redder = More O2





Figure 3. Hemoglobin light absorption graph

A photodetector in the sensor perceives the non-absorbed light from the LEDs. This signal is inverted using an inverting operational amplifier (OpAmp) and the result is a signal like the one in Figure 4. This signal represents the light that has been absorbed by the finger and is divided in a DC component and an AC component. The DC component represents the light absorption of the tissue, venous blood, and non-pulsatile arterial blood. The AC component represents the pulsatile arterial blood.

Optical wavelengths between Green - usually Red or Far Red - and Near-Infrared are generally chosen, one above 810nm and one below as Hb and HbO2 have opposing absorption indexes above and


below that point, and are identical at that point. This creates a relationship that can be used to empirically calculate oxygen saturation and monitor blood flow. Pulse oximeters are probably the most universal application of fNIRS used for skin surface or fingertip pulse and pulsatile oxygen (SpO₂) measurement.

This goes much further however, some optical wavelengths have deeper penetration than others, peaking apparently at [1064nm](#) in the Near-Infrared spectrum. Photodiode and emitter pairs can even be densely arrayed to enable image reconstruction, and the curvature of the skull allows estimation of light paths between source and sensor pairs to perform 2D or 3D reconstruction using techniques similarly seen in geological surveying or electrical tomography. With tomography techniques especially demonstrated by Diffuse Optical Tomography (DOT), we can begin to functionally image the brain and spatially monitor metabolic and blood flow activity.




Source: [Retinotopic mapping of adult human visual cortex with high-density diffuse optical tomography](#)
 - Ben Zeff, Brian White, Hamid Deghani, Bradley Schlagger, Joseph Culver (2007)

In the above image you can clearly see the two hemispheres of the visual cortex activating using only 28 sensors and 24 emitter pairs in the near-infrared range. My favorite study involving fMRI data involves deep learning reconstructions of images and videos from visual cortex activation patterns as seen in the next image, which ideally can be accomplished using fNIRS. In the next image you can see how deep learning of fMRI activity gets vaguely close to what the person was looking at, and that's spooky enough. There are other [impressive studies](#) out there involving similar data for doing video reconstruction from the visual cortex.




Source: [Deep image reconstruction from human brain activity](#) - Guohua Shen, Tomoyasu Horikawa, Kei Majima, Yukiyasu Kamitani (2017)

This deep image reconstruction technique gets more interesting the more you look:



Source: [Deep image reconstruction from human brain activity](#) - Guohua Shen, Tomoyasu Horikawa, Kei Majima, Yukiyasu Kamitani (2017)

Even rough information can lead to fairly accurate categorizations by deep learning networks, which are picking signal out of noise and comparing it to a learned image database. What is striking to me, when paying special attention to the church window reconstruction in the above image, is that the visual cortex may also blend that image with categorical archetypes encoded within the visual cortex. The church window looks like it gets painted onto an obelisk in a grassy field from the looks of it, and to me that suggests Jungian-like object archetypes existing within our sensory processing field when dealing with visual input or any input for that matter, likely for efficiency. It's a weird idea, but this can be related to a [recent publication](#) looking at how convolutional neural networks (CNNs) encode different categories into its neurons by visualizing what those neurons actually have encoded, where CNNs are heavily based off of the structure of the human visual cortex:




Source: [CNN Explainer: Learning Convolutional Neural Networks with Interactive Visualization](#). Wang, Zijie J., Robert Turko, Omar Shaikh, Haekyu Park, Nilaksh Das, Fred Hohman, Minsuk Kahng, and Duen Horng Chau. (2020)

You can see how the different parts of the car get encoded as amalgams of different labeled feature sets that look like trippy fractal meta images, representing all of the different images exposed to the neural network during training. This all suggests a powerful imaging tool for gaining some much deeper insights into human visuospatial psychology and more by live decoding the brain's actual activity, though that's pretty out there. Using machine learning decoding comes with a lot of potential confirmation bias problems, too.


“What we call ‘reality,’ consists of an elaborate papier-mâché construction of imagination and theory filled in between a few iron posts of observation.” - [Donald Hoffman](#) in [The Case Against Reality: Why Evolution Hid the Truth from our Eyes](#)

This is just what's possible with diffuse optical imaging or [Fast Optical Signal](#) spatial mapping by another name, and uses a lot of mathemagic to make it happen. It is also constrained by the speed of your processing and LED routines, and sensor array density. A commercial example of this is the NIRSIT device for frontal lobe monitoring. So what about modern laser scanning tech? This leads to even more interesting but much more difficult infrared imaging featuring interferometry. This is best demonstrated using Optical Coherence Tomography (OCT), where you apply the similar fNIRS principles to microscopy and get freaky with mirrors, beam splitters. and interferograms.



Source: [*Assessment of natural enamel lesions with optical coherence tomography in comparison with microfocus X-ray computed tomography*](#) - Espigaras et. al. (2015)

OCT provides another level of optical imaging and is currently only used for microscopic applications, requiring very high coherence lasers and lenses and other expensive optical equipment. This is able to perform miracles like high res 3D fingerprint detection or 3D angiography to image dense capillary networks, and more. A couple main applications are in eye clinics to look for issues in your cornea layers or in high security zones for extra fingerprint verification.



Source: [*Automated spoof-detection for fingerprints using optical coherence tomography*](#) - Luke Nicholas Darlow, Leandra Webb, Natasha Botha (2016)

And who said modern science isn't cool enough? This of course comes on the heels of massively improved manufacturing techniques and computer technology which can handle the high resolution and high processing speeds required for this 3D microscopy. What if you can scale this up, however, to effectively create a much higher resolution DOT image that is halfway in-between the high resolution microscopy and the rough 28 sensor DOT image (which still highlights brain hemispheres and some gyrations as seen above)? This has many engineering challenges associated, but it probably can be done. This would improve resolution especially at deeper layers, and can be enhanced even further with the use of [dynamic focus](#) and more tricks from RF and astronomy.

HEG Biofeedback Overview

First, familiarize yourself with various Cerebral Blood Flow (CBF) studies in this informal list, which demonstrate how different physical and psychological stresses, not to mention aging, have significant impacts on CBF. This helps stage an argument for why therapies targeting this process may be so significant to improving overall wellbeing:

Perfusion MRI to study CBF under psychological stress - Wang et. al.

<https://www.pnas.org/content/102/49/17804.short>

Cerebral Blood Flow changes in socially phobic people during stressful speaking tasks - Tillfors et. al.

<https://ajp.psychiatryonline.org/doi/full/10.1176/appi.ajp.158.8.1220>

CBF changes in cops with PTSD - Lindauer et. al.

<https://www.sciencedirect.com/science/article/abs/pii/S0006322304008546>

Cerebral Hypoperfusion in migraine patients - Woods et. al.

<https://www.nejm.org/doi/full/10.1056/NEJM199412223312505>

Cerebral Hypoperfusion and the onset of dementia - Ruitenberg et. al.

<https://onlinelibrary.wiley.com/doi/abs/10.1002/ana.20493>

Cerebral Hypoperfusion in children with dysphasia and ADD - Lou et. al.

<https://jamanetwork.com/journals/jamaneurology/article-abstract/583298>

Cerebral Hypoperfusion accelerates Alzheimer's - Okamoto et. al.

<https://link.springer.com/article/10.1007/s00401-011-0925-9>

Effects of Aging on Cerebral Blood Flow - Ances et. al.

<https://onlinelibrary.wiley.com/doi/full/10.1002/hbm.20574>

Sympathetic nervous system effects on CBF - Seifert et. al.

<https://www.ncbi.nlm.nih.gov/pubmed/21963551>

Cognitive training to improve resting Cerebral Blood Flow in the PFC in adults - Mozolic et. al.

<https://www.frontiersin.org/articles/10.3389/neuro.09.016.2010/full>

Exercise increases CBF, NIRS study - Ide and Secher

<https://www.sciencedirect.com/science/article/pii/S030100829900057X>


CBF changes with volitional breathing - Colebatch et. al.

<https://physoc.onlinelibrary.wiley.com/doi/abs/10.1113/jphysiol.1991.sp018824>


Tasty-looking food increases cerebral blood flow - Koyama et. al.

<https://www.tandfonline.com/doi/abs/10.3109/09637486.2015.1118618>


What makes the HEG device special and rather unorthodox is that it's a purposefully stripped down tool meant to capture general rises and falls in blood oxygen and the corresponding metabolic action in the targeted area of your brain. Breathing patterns for example are fairly clear, as well as when the user is paying attention or stressed out. These are all clearly marked by slow or even rapid changes in blood oxygen content in the prefrontal cortex. Increased activity corresponds with increased regional CBF when neurons draw on capillaries to meet their energy demands to fire. Compared to EEG the results are immediately apparent without any complex information processing required and happens slowly enough to be quite visible to the naked eye. This allows users to perform a type of brain exercise by breathing and paying attention to their thought patterns and seeing how prefrontal cortex oxygen saturation changes. Remember this is the same tech used for that cool imaging in the last section, just totally stripped down to remove any abstraction.




The Biofeedback Institute of LA had a few hundred SPECT scans performed on dozens of patients over several month periods while training with their HEG device several times per week. BILA noted how often issues like hypofrontality, i.e. reduced frontal lobe metabolism, show up in so many studies of mental disorders, and this therapy offered a direct remediation method quite unique to this technology. They recorded and reported fairly dramatic increases in average perfusion in the brain by population mean (see bottom right in the image below) after several months of HEG training.



To begin to explain the breathing exercise's effects, we need to talk about volitional breathing. Volitional breathing, i.e. controlled breathing, is a time-tested tactic to redirect oneself in the moment as well as strengthen one's overall sense of clarity and presence. It's obvious that optimal breathing patterns will enable better oxygen delivery and therefore bodily functioning, and different breathing styles can stress or relax the body in interesting ways as practiced by a lot of yogis or notably by [Wim Hof](#). Oh but there's more to this story.



A [2018 study](#) with implantable EEG in a seizure patient found that the anterior cingulate cortex (ACC) would oscillate in correspondence with controlled breathing patterns then stop cohering nearly as much when automatically breathing. This shows that the ACC among many others is quite involved when controlling and paying attention to our breath, and this networks with the rest of our frontal lobe as well as plays important roles in regulating the limbic system - notably the amygdala. A [2018 mouse brain study](#) in Nature magazine discovered that stimulating the ACC reduced instinctual fear responses due to its direct connection to the amygdala and other related areas for fear (same with the [olfactory bulb](#)). Lack of activity in the ACC conversely increased instinctual fear response. This helps demonstrate how the frontal cortex plays a role in inhibiting instinctive reactions, which is a well known idea. However, this corresponds with regions of the brain that we now know we have direct influence on via controlled breathing, with several other networks probed in the volitional breathing study also correlating to either *controlling* breathing and/or being *aware* of breathing.



Source: [Breathing above the brainstem: volitional control and attentional modulation in humans](#) - Jose Herrero, Simon Khuvis, Erin Yeagle, Moran Cerf, Ashesh Mehta (2018)

Now let's talk about energy use for a minute and how stimulating the neocortex enables healthier cortical growth. This may help us understand why a direct brain stimulation method via controlled breathing may be so significant and help explain why it's been such a long held practice. This is also how we can begin to establish the idea of "brain exercise" as a real thing and something with a lot of nuance and potential benefits along with technologically-assisted psychotherapy.

The brain directs energy where it needs. It's like a water balloon with limited blood supply and it's squeezing itself in different places to direct that blood supply to the most-needed areas so that they can operate, recover, and self-clean. Your brain also eats at least a steady [20% of the body's resting state](#)


[calories](#) or about 300 calories/day - making it the most high demand organ in your body when compared to body mass. Young children's brains have been hypothesized to burn [as high as 2/3rds](#) of the body's energy with all of the major growth the brain undergoes, making it that much more sensitive to changes in the developmental environment.



Human brain vascular system. Source: Carnegie Science Center in Pennsylvania

High demand means high [vascularization](#) i.e. density of blood flow networks - a process managed by our glial and endothelial cells. Without that process, brain cells can't grow, heal, or fire on demand, while the demand also encourages more vascularization by signaling capillaries to grow into the networks as part of the reinforcement process. [Astrocytes](#), which make metabolites and neurotransmitters for neurons, manage hundreds of thousands of synaptic clefts each, and help perform vasodilation - which can be [stimulated](#) with [diaphragmatic breathing](#) (a tried and true stress and anxiety relief technique)- to regulate regional blood supply like a baroreceptor, are another fundamental yet [underrepresented](#) part of this process too. Exercise and stimulation also induces [astrocyte plasticity](#) along with [neuroplasticity](#) and [angiogenesis](#) to meet the new demands on the neurons as they form new connections and modify old ones. It all happens all at once as a complex system, and the non-neuronal cell structures might still be doing much more to contribute to

consciousness and memory beyond maintaining homeostasis. What we can take away, however, is that we have the full ability to influence this whole system through exercise.



Astrocytes stimulated (orange) to induce arterial vasodilation (green). Source: [*Astrocyte-mediated control of cerebral blood flow* - Takano et. al. \(2006\)](#)

These different cellular phenomena in the brain demonstrate a clear and verifiable precedent for how breathing and increasing blood flow via exercise can have real structural and functional changes in many key areas of the brain, related to all kinds of mental processes and psychiatric issues. It shows how intense the cellular processes really are for just building the infrastructure that supports your biological neural network, and how it must adapt at every step of the way to keep up with your learning and living.

Breathing exercise specifically has several well-mapped and interesting relationships to mental processing via breathing's specific coupling with many different important brain systems. This is likely due to its big role in keeping us alive, sensing, and communicating. It's just like how all of the other functions we perform are now being found to have specific networks in our brain, and we can stimulate those networks to grow and reinforce by performing and practicing those functions. This also offers a way to interact with and remediate many of the involuntary CBF changes cited in the studies at the beginning of this section. The brain is like a muscle in that sense, and must "fire together to wire together." This exercise can also increase uptake of different types of learning and memorization as a priming method.

With this all in mind, what I suggest is simply that we have a very interesting and universal way to better understand and reinforce many systems in our brain. It offers the opportunity to reinforce our mind-body connection very pragmatically, just with simple controlled breathing exercises. It's nothing new, but I am attempting to link it with clinical evidence down to the cellular level so there is much less doubt about this reality and more dignity for its practitioners. However, with a clearer holistic model developed as more related physiological studies come out, we ought to be able to use this as a kind of old-school but valid [deep brain stimulation](#). We can likely learn to very specifically regulate activity in different parts of the brain associated with different mental processes - places otherwise out of reach - with the aid of different breathing techniques, and see how functional, morphological, and psychological changes may occur in response. The point is to better understand how we may provide people more relief from mental illnesses and a chance to excel in themselves by more noninvasive, non-pharmacological means so that there are more options and more prevention (of which there are few). This can and should be done with the assistance of low cost monitoring technology like fNIRS for maintaining objectivity as well as introducing new ways to interact with ourselves directly or indirectly.

With regards to the self-interaction allowed by technology, not all of this is conscious and our body is able to interact with much more complex sensory information to inform itself than we may initially realize due to our limited top-down awareness. A great [2015 TED talk](#) with David Eagleman highlights his contributions on measuring information throughput [via vibrations on the skin](#) (akin to how we read braille). His team found that within days a deaf person could learn to interpret vibrations on a vest, corresponding to audio inputs encoded in specific vibratory patterns, and could interpret spoken words very easily without lip reading. What we can extrapolate from this is that our bodies are processing and encoding much more information and are capable of internalizing all kinds of abstract models for language and self-regulation. This helps indicate that biofeedback - or adding some extra sensors to better indicate our physiological states - has real implications at both the conscious and unconscious levels. Taking this further, our bodies use all of the sensory input it can get to help regulate its internal processing and form new communication pathways to itself and the external world in tandem via reinforcement learning. We are like cybernetic octopuses disguised as apes or something.

Bringing this back down a peg, dozens of case studies over the past two and a half decades indicate repeatable, predictable responses to HEG biofeedback across hundreds of users either considered healthy or with different major symptom profiles like [PTSD](#) and [ADHD](#). The next section contains a list of case studies (most of the ones I can find on the internet) and show positive results across the board.

List of HEG Case Studies

Here is an informal list of links to many widely varied case studies across many institutions and describe many testable treatment protocols for using the HEG effectively:

Intentional Increase of Cerebral Blood Oxygenation Using Hemoencephalography (HEG): An Efficient Brain Exercise Therapy - Toomim et. al.

https://www.tandfonline.com/doi/abs/10.1300/J184v08n03_02?src=recsys

Effects of HEG training at three prefrontal locations - Sherrill

https://www.tandfonline.com/doi/abs/10.1300/J184v08n03_05?src=recsys

HEG Neurofeedback Mechanism of Action (ASD focused) - Shoshev

https://www.researchgate.net/profile/Mitko_Shoshev/publication/323699457_Hemoencephalography_neurofeedback_-_mechanism_of_action/links/5ab8b34045851515f59f8fc9/Hemoencephalography-neurofeedback-mechanism-of-action.pdf

Clinical Usefulness of HEG - Serra Sala et. al

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4869785/>

Passive Infrared HEG: 4 years and 100 migraines - Carmen

https://www.tandfonline.com/doi/abs/10.1300/J184v08n03_03

HEG Case studies - Toomim and Carmen

https://www.brainchanger.co/wp-content/uploads/2018/07/heg_case_studies.pdf

HEG A New Therapy for ADHD: Case Report - Mize

https://www.tandfonline.com/doi/abs/10.1300/J184v08n03_06

Evaluation of PFC activation and emotional processing with HEG - Gallart

<https://www.tandfonline.com/doi/abs/10.1080/10874208.2012.705754>

Passive Infrared HEG - Carmen

https://www.eeginfo-neurofeedback.se/fileadmin/images/was_ist_neurofeedback/literatur/pIR_HEG_article_10_25_01.pdf

HEG for Dyslexia - Pecyna

https://link.springer.com/chapter/10.1007/978-94-007-6627-3_26

HEG for Schizophrenia vs Healthy participants - Gomes et. al.

<https://www.sciencedirect.com/science/article/abs/pii/S0920996417305200>

HEG for Migraines without aura - Walker and Lyle

<http://www.neuroregulation.org/article/view/16213>

HEG training for improving brain function with EEG comparisons - Bartosinski et. al.

<http://82.139.152.144/index.php/pjas/article/download/133/110>

HEG training for children with and without ADHD - HEG and QEEG comparisons - Castro et. al.

<https://www.sciencedirect.com/science/article/abs/pii/S0924933814778095>

HEG training with EEG data compared - Sherrill


https://www.tandfonline.com/doi/abs/10.1300/J184v08n03_05

37 Migraine patients studied with EEG + HEG + Skin temperature - Stokes and Lappin


<https://link.springer.com/article/10.1186/1744-9081-6-9>

HEG Alpha


So where are we at right now? There are many emerging fNIRS technologies on the market of varying complexity and an even more variable cost, though it is dropping on average like all commercial technologies. I myself have produced a single sensor fNIRS HEG board, first as a cheap off-the-shelf kit and now a more competent and state of the art design using the MAX86141 with a modular and flexible breakout board style. It can be either a foldable fingertip pulse oximeter or fNIRS sensor. These are currently available at <https://hegalpha.com> as developer kits and come with a simple but functional headband to make it a wearable biofeedback device. The original kit was launched successfully on Crowd Supply and picked up by OpenBCI for their shop. We have sold hundreds without much budget for advertising or flashy designs due to its highly practical purpose.



The Delobotomizer kit features an ESP32 to drive the MAX86141, enabling Bluetooth, WiFi, and Serial USB data transmission and lightweight onboard software via a web server to deliver a robust HTML5 interface. This was developed over the last year and a half with the help of Brain Trainer (from Georgia) and John Chibuk (BlueberryX in Toronto) at certain phases while I helped them prototype their own designs. My own version is available open source under the MIT license or as a purchasable developer kit to support my continuing public domain work.




The MAX86141 is a dual channel 4000sps 19 bit ADC with built in amps and LED drivers to manage photodiodes and up to 6 LEDs. The MAX86141 also has its own automatic data buffering system and some nice hardware noise reduction algorithms to sweeten the deal, all for about \$5 in a barely visible BGA package (see if you can spot it above). We used the highest sensitivity photodiodes we could find - the BPW-34S and bright, fast-pulsing 650nm and 950nm LEDs, standard wavelengths for pulse oximetry using [common SpO2 algorithms](#).




HEGduino: The Delobotomizer, a homemade wearable dev kit.

Users wear this device on their heads with a simple headset and interact with our streamlined cross-platform javascript software. At the time of writing this exists as either the on-board HTML5 app or a Chrome extension which enables USB or Bluetooth connectivity via virtual COM port.




A user interacting with the software. His brain blood flow creates changes to the different visuals on-screen to help with self-guided biofeedback. Guided exercises and more sophisticated conditioning tools can be developed, while the current visualizations are all passive - which are more ideal for casual sessions.




The interface contains different 2D, 3D, audio, and video feedback options. These are coded entirely modularly via classes with a homogenized format so the API is easy to learn and more features are fairly trivial to plug in or develop on top of. With vanilla HTML5/CSS/JS as the base, it can also be plugged into phone apps or websites to offer robust cross-platform accessibility or remote play.

The goal with the software was to make the beginnings of an open and relevantly formatted BCI software API and simple game engine (including easy and lightweight plugins like ThreeJS). Each class contains default instantiations of the contained visual features so it's easier to build a UI and then modify it with CSS. Everything is handled with document fragments for creating highly performant webapps. Web and game engines have also improved dramatically with many standard communication protocols now on hand to interact with hardware streams, and the ESP32 on the HEG allows a wide variety of ways to connect to different local or remote interfaces. The more generic and reusable we make this API, the easier it is to build a professional feature set in less time on any platform (or all platforms). My goal is to be able to offer comparable software to the professional ones by this method, for free, and make it a robust and performant BCI platform as well as a launchpad for future, better iterations in a format that is not likely to become obsolete in the near future, rather even more feature-rich with Web 3.0 and the recent addition of great GPU tools like compute shaders in Chromium.



Here's a rough idea of the modular software stack. It's like a RESTful API so nothing gets wasted on the front or backend plus it prioritizes better information throughput and cleaner coding. The idea is to eventually integrate this all into a hosted web server to provide an interesting (but optional) online front end for general home BCI just to improve accessibility and make more use of the online connectivity potential between clients. A native phone application is also planned.

We are informally partnered with the [FreeEEG32 project](#) and intend to lump EEG features into our API, and we are developing our own [<\\$50 flexible DOT sensor set \(MIT license\)](#) to plug into the <\$200 FreeEEG32 board (AGPL license). This DOT set mimics the visual cortex fNIRS array back in the fNIRS overview. With the FreeEEG32 as the A/D converter and extra boards tied together as LED drivers for the 24 LED pairs on the device this will be the lowest cost and most enthusiast-friendly DOT headset to date, and the goal is to work up to repeating the image reconstruction study also cited in the fNIRS overview and see if we can begin to parse what our visual cortex is seeing.



We are trying to work our way through this weird and wonderful realm of light based sensing and brains. We are developing low cost biofeedback tools and graduating ourselves to imaging, and not leaving any stone unturned along the way so that we are continually putting out practical tools for common use and articulating important ideas as best we can. We're exploring the associated mathematics and doing as much ourselves as possible so we can safely open source it for free and low cost use, as enabling more and more inquiry and collaboration for this fascinating space is a most important goal.

Other interesting open source fNIRS projects to check out:

ninjaNIRS: <https://openfnirs.org>

OpenNIRS: <https://opennirs.org>

This will hopefully carry over into a wider coordinated effort with a lot more people involved as we explore new frontiers. Get in touch and let me know your ideas/efforts if you want to collaborate at <https://hegalpha.com>.

Citations from Hyperlinks

This section is to highlight all of the studies and articles in the embedded links throughout the paper (click on them if you are viewing on a computer). Check all of them out, there are more than 60 links throughout this article, and you haven't really learned anything if you haven't looked further beyond my paper as they contain tons of detailed information and images.

Toomim, Marsh. "Biofeedback of human central nervous system activity using radiation detection" USPTO. 1996.

<https://patents.google.com/patent/US5995857A/en>

Carp et. al. "Diffuse correlation spectroscopy measurements of blood flow using 1064nm light" Journal of Biomedical Optics. 2020.

https://www.spiedigitallibrary.org/journals/journal-of-biomedical-optics/volume-25/issue-09/097003/Diffuse-correlation-spectroscopy-measurements-of-blood-flow-using-1064nm-light/10.1117/1.JBO.25.9.097003.full?fbclid=IwAR02-l_q-xCykuuqUjc_RWJfQE7ESOEIRK0G9mqZSWaGiFhfwu1QNV42vjQ&SSO=1

Zeff et. al. "Retinotopic mapping of adult human visual cortex with high-density diffuse optical tomography" National Academy of Sciences. 2007

<https://www.pnas.org/content/104/29/12169>

Anwar. "Scientists use brain imaging to reveal the movies in our mind" Berkeley News. 2011.

<https://news.berkeley.edu/2011/09/22/brain-movies/>

Shen, Horikawa, Majima, Kamitani. "Deep image reconstruction from human brain activity" PLOS Computational Biology. 2019.

<https://journals.plos.org/ploscompbiol/article?id=10.1371/journal.pcbi.1006633>

Wang et. al. "CNN Explainer" Github. 2020.

<https://github.com/poloclub/cnn-explainer>

Wang et. al. "CNN Explainer: Learning Convolutional Neural Networks with Interactive Visualization" IEEE VIS 2020. (2020)

<https://arxiv.org/abs/2004.15004>

O’Sullivan, Hoffman, Paulson. “Reality is Not As It Seems” New York Academy of Sciences. 2019.
<https://www.youtube.com/watch?v=3MvGGjcTEpQ>

Gratton, Fabiani. “Chapter 15, Fast Optical Signals: Principles, Methods, and Experimental Results”
 In Vivo Optical Imaging of Brain Function. 2009.
<https://www.ncbi.nlm.nih.gov/books/NBK20223/#:~:text=Fast%20optical%20signals%20are%20recently,through%20the%20intact%20human%20brain.>

Espigares et al. “Assessment of natural enamel lesions with optical coherence tomography in comparison with microfocus x-ray computed tomography” Journal of Medical Imaging. 2015.
<https://pubmed.ncbi.nlm.nih.gov/26158079/>

Su et. al. “Imaging the anterior eye with dynamic-focus swept-source optical coherence tomography”
 Journal of Biomedical Optics. 2015
<https://pubmed.ncbi.nlm.nih.gov/26662065/>

“Wim Hof” Wikipedia. 2020.
https://en.wikipedia.org/wiki/Wim_Hof

Herrero, Khuvis, Yeagle, Cerf, Mehta. “Breathing above the brain stem: volitional control and attentional modulation in humans.” Journal of Neurophysiology. 2018.
<https://journals.physiology.org/doi/full/10.1152/jn.00551.2017>

Jhang et. al. “Anterior cingulate cortex and its input to the basolateral amygdala control innate fear response.” Nature Communications. 2018.
<https://www.nature.com/articles/s41467-018-05090-y>

Moberly et. al. “Olfactory inputs modulate respiration-related rhythmic activity in teh prefrontal cortex and freezing behavior” Nature Communications. 2018.
<https://www.nature.com/articles/s41467-018-03988-1>

Riachle, Gusnard. “Appraising the brain’s energy budget” National Academy of Sciences. 2002.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC124895/>

Kuzawa, Blair. “A hypothesis linking the energy demand of the brain to obesity risk” National Academy of Sciences. 2019.

<https://www.pnas.org/content/116/27/13266>

Tata, Ruhrberg, Fantin. “Vascularisation of the central nervous system” Mechanisms of Development. 2015.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4678116/>

Kim, Park, Choi. “The Role of Astrocytes in the Central Nervous System Focused on BK Channel and Heme Oxygenase Metabolites: A Review” Antioxidants. 2019.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6562853/>

Marina et. al. “Astrocytes monitor cerebral perfusion and control systemic circulation to maintain brain blood flow” Nature Communications. 2020.

<https://www.nature.com/articles/s41467-019-13956-y>

Mirgain et. al. “Whole Health: Change the Conversation. The Power of Breath: Diaphragmatic Breathing Clinical Tool” Veteran’s Health Affairs. 2016

http://projects.hsl.wisc.edu/SERVICE/modules/12/M12_CT_ThePowerOfBreathDiaphragmaticBreathing.pdf

Peteri, Niukkanen, Castren. “Astrocytes in Neuropathologies Affecting the Frontal Cortex” Frontiers in Cellular Neuroscience. 2019.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6379461/#:~:text=Astrocytes%20comprise%20of%20a%20heterogeneous,region%20especially%20susceptible%20to%20damage.>

Tatsumi et. al. “Voluntary Exercise Induces Astrocytic Structural Plasticity in the Globus Pallidus” Frontiers in Cellular Neuroscience. 2016.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4914586/>

Lin, Tsai, Kuo. “Physical Exercise Enhances Neuroplasticity and Delays Alzheimer’s Disease” Journal of Brain Plasticity. 2018

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6296269/>

Ballard. “Exercise makes your brain bigger: skeletal muscle VEGF and hippocampal neurogenesis” Journal of Physiology. 2017.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5577549/>

Takano et. al. “Astrocyte-mediated control of cerebral blood flow” Nature Neuroscience. 2006.

http://www.cns.nyu.edu/events/spf/SPF_papers/takano_etal_2006.pdf

Fenoy, Goetz, Chabardes, Xia. “Deep Brain Stimulation: Are Astrocytes a Key Driver Behind the Scene?” CNS Neuroscience & Therapeutics. 2014.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3969941/>

Eagleman. “Can we create new senses for humans?” TED. 2015.

https://www.ted.com/talks/david_eagleman_can_we_create_new_senses_for_humans?language=en

Novich, Eagleman. “Using space and time to encode vibrotactile information: toward an estimate of the skin’s achievable throughput” Experimental Brain Research. 2015.

<https://link.springer.com/article/10.1007/s00221-015-4346-1>

Reiter, Anderson, Carlsson. “Neurofeedback Treatment and Posttraumatic Stress Disorder” The Journal of Nervous and Mental Disease. 2016.

https://www.csusb.edu/sites/default/files/upload/file/2016_Reiter%2C%20Andersen%2C%20Carlsson_Neurofeedback%20Treatment%20and%20PTSD_0.pdf

Areces et. al. “Using Brain Activation (nir-HEG/Q-EEG) and Execution Measures (CPTs) in a ADHD Assessment Protocol” Journal of Visualized Experiments. 2018.

<https://pubmed.ncbi.nlm.nih.gov/29658934/>

“Guidelines for SpO2 using the MAXIM MAX32664 Sensor Hub” MAXIM Integrated. 2019

<https://www.maximintegrated.com/en/design/technical-documents/app-notes/6/6845.html>

Sukhoruchkin, Brewster, Markus. “FreeEEG32” Crowd Supply. 2020

<https://www.crowdsupply.com/neuroidss/freeeeeg32>

Brewster, “DIY Diffuse Optical Tomography” Github. 2020.

https://github.com/moorthyknight/DIY_DOT

My Story

I began working on this project about 3 years ago now after being inspired by the potential of biofeedback technology and deeply disappointed by its current inaccessibility, as well as the lack of anyone even articulating a lot of important ideas surrounding it to common people like me. I grew up in the 90's and 2000's watching the internet and technology manufacturing reach this early stage of maturity. I was sold the message that the more we invest ourselves in these as necessary infrastructure and utilities, the more we could empower each other through shared information networks and low cost high quality technology that could level the mental and physical playing field we set up to run our civilization. This is happening in some ways and it's exciting to see. However, every step is being hampered by for-profit incentives and a lack of an honest and compassionate vision for the future in favor of, I'm sad to say, vertical corporate ideologies and self-aggrandizement, and I have to mention the large degree of social awkwardness and mistrust toward each other wrought by the culture of the modern day. I'm certainly not innocent of that awkwardness and mistrust either.

I first tried the Peanut by Biocomp and Jonathan Toomim (apparently named after his peanut butter-based student diet), also sponsored by Brain Trainer, at a local biofeedback therapist. I sought it out after becoming curious about the idea of measuring hypofrontality and using that as a tool to gain deeper insight into ourselves on a more physically-grounded level than could be achieved just with spoken words and typical diagnostic profiling/surveying. I had read a lot of Jungian and modernized Buddhist ideas about things like Active Imagination and gaining deeper feeling into the connections in my mind through mind-body exercises, and found connection with these concepts to the development of biofeedback tools, especially an obscure brain blood flow biofeedback I just learned about - or brain exercise it's called. Combine cognitive-behavioral skills and breathing techniques with live brain blood flow measures and bam, you're doing state-of-the-art therapy.

My journey in learning all this was begat in order to help my long term girlfriend cope with her manic-depressive symptoms better after they had finally hospitalized her (I say finally because this was after years of me seeing weirder and weirder stuff happening and trying - unsuccessfully - to find her help) and confirmed the stark reality of the disorder for us. It also began to reveal the depth of the injustice committed against her to break her down in such a way and suppress her voice. And for my own healing I needed something to keep me grounded in reality and keep my connection to my humanity strong enough to persevere. I was terrified I would lose one of my only friends to the void underneath our fragile consciousness and to the bullshit horrors of the human world that I was becoming all too personally familiar with. I could not live with that thought without doing something about it. I knew that her own and to some extent my own suffering in all this went a lot deeper than

any mere physical weakness or imbalanced brain network or cumulative stress. I knew it was just as much if not more a crisis of spirit after so many sucker punches by life along with some real criminal injustices she will likely never see recourse for due to the muck and weeds of the legal system. That aside, with a good combination of therapy (after trying 4 or 5 therapists to find one who would take her case seriously), the right medication (and also preventing her from being put on half a dozen other meds for no good reason), and using the biofeedback along with better basic self care and cognitive behavior skills, she's not had another episode like it since - now 3 years later. The transformation has been nothing short of profound over a several year period, and we believe the HEGs I built for her have been influential in helping her learn to breathe better during stress and perform much better mood regulation because of it, as this was a small but not trivial part of the problem - and even helped her (by accident) to spontaneously recover some very dark memories. Building that mind-body connection seems so basic and yet is so essential to living and healing.

Back in the local biofeedback office, the therapist pointed out to me how much he had to pay for the thing, and how lacking the software support was in general for a lot of this hardware - especially by today's standards. I also rang him out a bit for charging me \$200 an hour just to sit and stare at me using it and making fairly shallow suggestions, though I can't say I was really there to talk to him. We talked about how lacking the technology itself was in usability and accessibility and he suggested I could get involved. I made a bet I could do this thing for less than \$20 and put him out of a job, left the office, and that turned into the HEGduino V1 after a year once a local retired engineer with his own RF equipment startup offered to help me on any ideas I had. I can now put together a HEG/fNIRS device for \$5 just off the shelf and can design hardware and PCBs a dozen different ways to do the same.

We had a working prototype within a couple weeks and I then spent months learning PCB design with some good trial and error - and now a few years learning all the mumbo jumbo required to do electronics with one decently successful release so far. My first release was cobbled together from cheap off the shelf parts and custom PCBs to connect them together in an HEG fashion as a way to demonstrate how easy it is to make this stuff and make it fairly effective. It also was significant to offer it for 50 bucks, which I think is still too high but I'd starve otherwise. It's not without its problems due to my inexperience on many things but it gets the job done and has sold ~500ish units. Now we have the new HEGduino V2: The Delobotomizer, which uses up to date hardware and is tailored specifically for the job.

The reason I began this story on a cynical note about tech business then went on a very personal ramble is because I feel I have a point to prove about what motivations *ought* to drive this kind of

technology and really all things we could ever consider important for human infrastructure. I'm going to demonstrate that by making a more ethical business and engineering model work so I can stand on my own two feet and deliver this message with some credentials that make this sound less like a bunch of hot air or just some kind of elaborate coping with my own trauma. This project didn't start because of any desire for wealth or recognition. I just wanted to be able to wake up next to the one I loved and know she was still *really* there looking back at me and meeting me as an equal. I simultaneously have been deeply dissatisfied with many of the opportunities and lack of openness I've found in the world, and knew I needed to work on something like this to gain an independent and sustainable track for myself - and connect with a lot more people in the world. This is one way good practice and good medicine ought to be inspired, as it's about helping each other not as fragile, easily exploitable animal meatbags but as deeply spiritually connected beings who all have something to say in this life and need friends and communities to look out for each other.

Reading dozens of case studies and physiology/biology papers about stress, brain blood flow, and brain plasticity blew my mind. Cognitive functioning as well as general structural health and to some extent immune functioning are all tied together quite dramatically by the interaction between blood flow and developmental or cumulative stress (and much more), and this is likely a major plot point for treating all kinds of mental disorders that are ever more prevalent. This led me to adopt the HEG as a simple and semi-preliminary tool to gain insight and interaction with this new world of neuroscience I tapped into. I got to see results first-hand, paired with all of the other things that work well in therapy and self care/self healing. One of my other good friends claimed it helped him get sober over this past year, and he's making music again. It's wonderful to hear and brings back a lot of good memories of hanging out, where we've since spent years apart due to our differences. Another friend claimed it prevented voices showing up in his head when he got stressed, and he copes with a very real schizophrenia diagnosis. These are personal anecdotes, and while you may take them with a grain of salt as you should, they're lighting a fire under my ass.

Medical technology was never really meant to be monetized and coveted. The medical tradition begins with shamans and alchemists, with the pure-intentioned student Asclepius and his great teacher Hermes who connected it to long standing wisdom traditions, and with compassionate caregivers like good parents and nurses. It begins with the need to protect each other when vulnerable and learn to overcome our limits mutually so that we may all flourish and live longer, more meaningful lives across wider spaces. It ends with us being able to make our individual spiritual journeys and find our place in life before the show's over for us.

I've realized it's only going to be those of us who have seen enough of the reality underneath all the bluster and misappropriation of important sciences, technologies, and resources who might liberate and grow their use for more people in need and open up more spaces for science and culture to grow and build on top of it. We stumble through the dark to find our way, and that does not inspire confidence or often lead to good outcomes for most people locked into a system without a community or sufficient education and health care. The promise of the future was that of abundance, yet I see little abundance here.

I see people starved of their spirits by a lack of vision and meaningful connection in their lives. I see friends abusing drugs and getting lost in their heads to the point we rarely enjoy each other's company. I've seen family members lost for decades to their addictions and illnesses or permanently with suicide, stripping them of any recognizable traits and alienating us all that much more. And I almost lost the one I love. I see a society still struggling to find itself amidst a tidal wave of changes in a larger economic and geopolitical picture that any of us can barely comprehend what with all the static, and every community is suffering for it - unable to embrace each other as the bigger family we are and instead paralyzed by fear and loathing and an impending sense of self destruction. It's real, let's face it.

I don't need to preach, we all know it, and if you don't know it you need to get out more and look around. Just ask any homeless person on the West coast of the US what got them there and what growing up was like for them. Ask the people in a ton of the countries in South and Central America, Central Africa or the Middle East, Eastern Europe, many regions of South Asia, and now half of the US what it's been like for as long as they've been alive. We are deep into [the crisis of our times](#). It's a social, resource, political power, health, and education crisis like we have never seen and the despair in our collective spirit remarkably mirrors the despair our environment is displaying through its massive loss of living biomass over the past decades that only appears to be accelerating. If we don't all give up our pretenses, our egos, our status, and our comfort - there could be nothing left but a paltry caricature of the beautiful, lush, and living world we once knew and many starting out today may never know.

Seeing the way the world is turning, and feeling the things I carry with me after a journey through a Gnostic hell, I simply don't see any other option but to give it all up and fight the tide with everything I've got. I don't "value" my life the way we're taught to value it, e.g. by seeking careers and status. It's clear it never was worth much anyway, and I'll be gone in a flash on the geological time scale. Rather, it's time that those of us who are still functioning create a radically better vision for the world and implement it without delay, and without any half-assed utopianism or further dishonesty. My piece for now is in the mental health side of things.

The HEG, while very simple, is tied to several very key bits of non-trivial wisdom and scientific facts that apply to everyone in their day to day both for coping and excelling at all the challenges that hit our fragile and meaty little brains. It's a delivery tool and a diagnostic tool. It also underscores a duty we have to teach each incoming wave of people about themselves and give each other the most prescient tools for beating life's demands and gaining more freedom. This isn't "freedom" in an airheaded "oh I can sit on the beach all day" kind of freedom, but rather the freedom to act, to choose, to remember, to see truth and beauty, and to become whoever it is we want and well deserve to be without stomping life out for everyone else. This places me firmly in the Spinoza camp, there's a reason I emphasize the ethics and yes even the annoying prose. Our place of origin, the quality of our education system, or malicious hierarchs should be no match for the vital human spirit that runs so very deep in all of us, and is plainly illustrated in our immense and ever-changing complexity as living, conscious beings.