2014 Gage Awards

Reference #	7489913
Status	Complete
Name of hospital or health system	Grady Health System
Name of project	Effect of Rapid Response Team's Initiatives on Cardiopulmonary Arrest Rate
CEO name	Mr. John Haupert
CEO approval	Check here to confirm that your CEO approves of this project being submitted for a 2014 Gage Award
Submitter name (first and last)	Ethel Santiago
Submitter title	Clinical Manager
Submitter email	esantiago@gmh.edu
Submitter phone	404-616-9103
Project contact person's name (First and Last)	Ethel Santiago
Project contact title	Clinical Manager
Project contact email	esantiago@gmh.edu
Project contact phone	404-616-9103
Within which of the two categories does your application best align?	Quality

section should resemble an abstract for a poster presentation or an abstract for a peer reviewed journal. Include an objective, data sources, study design, findings, and conclusions.) Main section should resemble an abstract for a poster presentation or an abstract for a peer reviewed in Medical Section (and the peer section of the presentation or an abstract for a poster presentation or an abstract for a peer reviewed in Medical Section (and the peer section of the presentation or an abstract for a peer reviewed in Medical Section (and the peer section of the presentation or an abstract for a peer reviewed in Medical Section (and the peer section of the presentation or an abstract for a peer reviewed in Medical Section (and the peer section of the presentation or an abstract for a peer reviewed in Medical Section (and the peer section of the presentation of the presentati	Actional Currently the focus of Rapid Response Teams (RRT) is to proactively identify lemodynamically unstable patients and initiate interventions to avoid cardiopulmonary arrests. Modified Early Warning Scores (MEWS) system and/or increased rounds (every 3 hours on day hift and 2 hours on night shift) to units outside CUs may further decrease the number of ardiopulmonary arrest for floor units (non-ICU mits). Methods: The Grady Health System started in 1006 with one registered nurse from the ICU, and in ICU respiratory therapist. Physician team members were contacted based on assessment ndings. Hospital wide education was rolled out along with ongoing orientation about the role of RRT. All healthcare workers, families, and satients were educated about triggers for calling RRT. In 2009, a number of ICU nurses were excruited to form a combined Rapid Response and Central Line Management Team. MEWS was introduced on one unit in July 2012 to February 1013, and extended to two units in March 2013. Data was collected for all RRT activities from 1010 to present. The Modified Early Warning 1011 to present. The Modified Early Warning 1012 to present. RRT rounds to all non-ICU units were 1014 activations to RRT and 15% were for 1014 activations to RRT and 15% were for 1015 or codes. In 2012, there were 1327 activations to 1016 RRT and 13% were for floor codes. In 2012, there were 1327 activations to 1017 RRT and 13% were for floor codes. In 2013 are 1510, with an annualized 15% for floor codes. In 1510 RRT in the 1
Include where, why, and how the project was accomplished. What is a complished. What is a complished.	The Modified Early Warning System (MEWS) was introduced on one unit in July 2012 to February 2013, and extended to two units in March 2013. Data was collected for all RRT activities from 2010 to present. MEWS was discontinued, and increased RRT rounds to all non-ICU units were implemented in May 2013 to present.
was used to support improvement results?	n 2010, there were 884 activations to RRT and 12% were floor codes. In 2011, there were 1034 activations to RRT and 15% were for floor codes. In 2012, there were 1327 activations to RRT and 3% were for floor codes. Annualized floor codes or 2013 are 1510, with an annualized 8% for codes.
project. Was the improvement related to the intervention? Can the project be duplicated by	The implementation of RRT in the Grady Health System has decreased the cardiopulmonary irrest rate. The project can be duplicated by other organizations.
appropriate, community was included in the work. fo	Patients and families are educated about triggers
	or calling RRT, and the number for activating RRT.
Last Update 20	

	l · - · - · - · · · ·
Finish Time	2013-12-13 11:19:04