



Release notes

Cloud Manager

NetApp
March 09, 2022

Table of Contents

Release notes	1
Cloud Manager.....	1

Release notes

Cloud Manager

What's new in Cloud Manager 3.9

Cloud Manager typically introduces a new release every month to bring you new features, enhancements, and bug fixes.



Looking for a previous release?

[What's new in 3.8](#)

[What's new in 3.7](#)

Cloud Manager 3.9.16 update (03 Mar 2022)

Cloud Backup enhancements

- Now you can back up persistent volumes from your Google GKE Kubernetes clusters to Google Cloud storage.

If your GKE cluster has NetApp Astra Trident installed, and it is using Cloud Volumes ONTAP for GCP as backend storage for the cluster, then you can back up and restore your persistent volumes to and from Google Cloud storage. [Go here for details.](#)

- The capability to use Cloud Data Sense to scan your backup files has been removed in this release.

Application Template enhancements

- Now you can build a Template to find specific working environments.

Using the "Find Existing Resources" action you can identify the working environment, and then use other template actions, such as creating a volume, to easily perform actions on existing working environments.

- The existing support for creating a Cloud Volumes ONTAP working environment in AWS has been expanded to include creating a high-availability system in addition to a single-node system. [See how to create a template for a Cloud Volumes ONTAP working environment.](#)

Cloud Manager 3.9.16 (27 Feb 2022)

This update includes enhancements to several features and services.

Cloud Volumes ONTAP enhancement

The create new volume wizard that we recently introduced is now available when creating a volume on a specific aggregate from the **Advanced allocation** option.

[Learn how to create volumes on a specific aggregate.](#)

Kubernetes enhancement

You can now add and manage managed Google Kubernetes Engine (GKE) clusters and self-managed Kubernetes clusters in Google Cloud using Cloud Manager.

[Learn how to get started with Kubernetes clusters in Google Cloud.](#)


Amazon FSx for ONTAP enhancement

When you create an FSx for ONTAP working environment, you now must provide the ARN of an IAM role that Cloud Manager can assume to create an FSx for ONTAP working environment. You previously needed to provide AWS access keys.

[Learn how to set up permissions for FSx for ONTAP.](#)

Cloud Sync enhancements

- You now sort the dashboard by sync relationship name.



- In the previous release, we introduced Cloud Sync integration with Cloud Data Sense. In this update, we enhanced the integration by making it easier to create the sync relationship. After you initiate a data sync from Cloud Data Sense, all of the source information is contained in a single step and only requires you to enter a few key details.

Sync Relationship 1 Data Sense Integration 2 Data Broker Group 3 NFS Server 4 Directories >

[How does it work?](#)

Selected Data Sense Source

Azure NetApp Files	/cifs1 Source	1.1.1.1 Host	cifs Working Environment	\\1.1.1.1\\cifs1 Volume
--------------------	------------------	-----------------	-----------------------------	----------------------------

A few more things before we continue

Define SMB Credentials:

User Name Password Domain (Optional)

Connector enhancement

When you create a new Connector in Google Cloud, Cloud Manager will now display all of your existing firewall policies. Previously, Cloud Manager wouldn't display any policies that didn't have a target tag.

[Learn how to create a Connector in Google Cloud.](#)

Digital Wallet enhancement

- A new "On-Premises ONTAP" tab is available so you can view an inventory of your on-prem ONTAP clusters along with their hardware and service contracts expiration dates. Additional details about the clusters are also available.

[See how to view this important on-prem cluster information.](#) You'll need to have a NetApp Support Site account (NSS) for the clusters, and the NSS credentials will need to be attached to your Cloud Manager account.

Cloud Manager 3.9.15 update (14 Feb 2022)

Cloud Backup enhancements

- Now you can assign backup policies for individual volumes in a single cluster.

In the past you could assign only a single backup policy to all volumes in a cluster. Now you can create multiple backup policies for a single cluster and apply different policies to different volumes. [See how to create new backup policies for a cluster and assign them to selected volumes.](#)

- A new option enables you to automatically apply a default backup policy to newly created volumes.

In the past, new volumes created in a working environment after Cloud Backup was activated required that you manually apply a backup policy. Now, regardless of if the volume was created in Cloud Manager, System Manager, the CLI, or by using APIs, Cloud Backup will discover the volume and apply the backup policy you have chosen as the default policy.

This option is available when enabling backup in a new working environment, or from the *Manage Volumes* page for existing working environments.

- New Job Monitor is available so you can see the in-process status of all backup and restore jobs.

The Job Monitor can be very helpful when you have initiated an operation against multiple volumes, like changing the backup policy, or deleting backups, so you can see when the operation has completed on all volumes. [See how to use the Job Monitor.](#)

Cloud Manager 3.9.15 build 2 (10 Feb 2022)

We updated the URL for AWS Marketplace listings.

Cloud Manager 3.9.15 update (9 Feb 2022)

This update includes enhancements to several features and services.

Cloud provider marketplace changes for Cloud Volumes ONTAP

- The Essentials package and Professional package are now available in the AWS and Google Cloud Marketplaces.

These by-capacity charging methods enable you to pay by the hour or to purchase an annual contract directly from your cloud provider. You still have the option to purchase a by-capacity license directly from NetApp.

If you have an existing subscription in a cloud marketplace, you're automatically subscribed to these new offerings as well. You can choose by-capacity charging when you deploy a new Cloud Volumes ONTAP working environment.

If you're a new customer, Cloud Manager will prompt you to subscribe when you create a new working environment.

- By-node licensing via the AWS and Google Cloud Marketplaces is deprecated and no longer available for new subscribers. This includes annual contracts and hourly subscriptions (Explore, Standard, and Premium).

This charging method is still available for existing customers who have an active subscription.

[Learn more about the licensing options for Cloud Volumes ONTAP.](#)

Cloud Data Sense enhancements

- Added support for scanning Microsoft SharePoint online accounts.

Now you can add your SharePoint online accounts to Data Sense in order to scan the documents and files from your SharePoint sites. [See how to scan your SharePoint accounts.](#)

- You can use Data Sense to copy files from a single source repository (ONTAP volume, S3 bucket, NFS share, etc.) to a target location and synchronize those files.

This is helpful for situations where you're migrating data and you want to catch any last changes that are made to the files. This action uses the [NetApp Cloud Sync](#) functionality to copy and sync data from a source to a target.

[See how to copy and sync files.](#)

- German and Spanish are now supported when searching for names of data subjects in order to create Data Subject Access Request (DSAR) reports. This report is designed to aid in your organization's requirement to comply with GDPR or similar data privacy laws.
- New personal data types. Data Sense can now find French social security numbers, French IDs, and French driver license numbers in files. [See the list of all personal data types that Data Sense finds in scans.](#)
- The security group for the Cloud Manager Connector will use port 443 instead of port 80 for inbound and outbound traffic to and from the Data Sense instance for added security. Both ports remain open at this time, so you shouldn't see any issues, but you should update the security group in any older deployments of the Connector as port 80 will be deprecated in a future release.

New Ransomware Protection service has been released for Beta

- The new Ransomware Protection service enables you to view relevant information about cybersecurity and assess how resilient your data is to a cyber attack. It also provides you with a list of alerts and remediations for making your data more secure.

[Learn more about this new service.](#)

Resource Tagging enhancements

- Now you can build a Template to find specific existing volumes and then enable Cloud Backup.

Using the new "Find Resource" action you can identify all the volumes on which you want to enable Cloud Backup, and then use the Cloud Backup action to enable backup on those volumes.

Current support is for volumes on Cloud Volumes ONTAP and on-premises ONTAP systems. [Go here for details.](#)

Cloud Manager 3.9.15 update (6 Feb 2022)

This update includes enhancements to several features and services.

Cloud Volumes ONTAP

If you have an unassigned node-based license for Cloud Volumes ONTAP that you haven't used, you can now exchange the license by converting it to a Cloud Backup license, Cloud Data Sense license, or Cloud Tiering license.


This action revokes the Cloud Volumes ONTAP license and creates a dollar-equivalent license for the service with the same expiry date.

[Learn how to exchange unassigned node-based licenses.](#)


Cloud Sync

- We changed how you interact with data brokers by emphasizing data broker *groups*.

For example, when you create a new sync relationship, you select the data broker *group* to use with the relationship, rather than a specific data broker.



In the **Manage Data Brokers** tab, we also show the number of sync relationships that a data broker group is managing.



- You can now download a PDF of a report.

[Learn about reports.](#)

Cloud Manager 3.9.15 (30 Jan 2022)

This update includes enhancements to several features and services.

Cloud Volumes ONTAP

- We redesigned the licensing selection screen when creating a new Cloud Volumes ONTAP working environment. The changes highlight the by-capacity charging methods that were introduced in July 2021 and support upcoming offerings through the cloud provider marketplaces.
- We updated the **Digital Wallet** by consolidating Cloud Volumes ONTAP licenses in a single tab.
- The maximum number of Cloud Volumes ONTAP systems is limited to 20 per NetApp account, regardless of the licensing model in use.

A *system* is either an HA pair or a single node system. For example, if you have two Cloud Volumes ONTAP HA pairs and two single node systems, you'd have a total of 4 systems, with room for 16 additional systems in your account.

If you have questions, reach out to your account rep or sales team.

[Learn more about NetApp accounts.](#)

NetApp Support Site accounts

As a reminder, NetApp now uses Microsoft Azure Active Directory as the identity provider for authentication services specific to support and licensing. As a result of this update, Cloud Manager will prompt you to update the NetApp Support Site (NSS) credentials for any existing accounts that you previously added.

If you haven't yet migrated your NSS account to IDaaS, you first need to migrate the account and then update your credentials in Cloud Manager.

- [Learn more about NetApp's use of Microsoft Azure AD for identity management.](#)
- [Learn how to update an NSS account to the new authentication method.](#)

Cloud Manager 3.9.14 (2 Jan 2022)


This update includes enhancements to several features and services.

Cloud Volumes ONTAP enhancements

- Cloud Volumes ONTAP is now supported with the following VM types in Microsoft Azure, starting with the 9.10.1 release:
 - E4ds_v4
 - E8ds_v4
 - E32ds_v4
 - E48ds_v4

Go to the [Cloud Volumes ONTAP Release Notes](#) for more details about supported configurations.

- If you use a [capacity-based license](#) for Cloud Volumes ONTAP, you are no longer charged for the capacity used by FlexClone volumes.
- Cloud Manager now shows the charging method for each Cloud Volumes ONTAP working environment in the right panel of the Canvas.



- When you create a Cloud Volumes ONTAP working environment, you now have the option to enter your preferred user name, instead of the default admin user name.

Credentials

User Name

Password

Confirm Password

- We made a few enhancements to volume creation:
 - We redesigned the create volume wizard for ease of use.
 - Tags that you add to a volume are now associated with the [Application Templates service](#), which can help you organize and simplify the management of your resources.
 - You can now choose a custom export policy for NFS.

Cloud Manager support for Kubernetes clusters in Azure (11 Jan 2022)

You can now add and manage managed Azure Kubernetes clusters (AKS) and self-managed Kubernetes clusters in Azure using Cloud Manager. [Getting started with Kubernetes clusters in Azure](#)

On-prem ONTAP cluster enhancements

Tags that you add to a volume are now associated with the [Application Templates service](#), which can help you organize and simplify the management of your resources.

Digital Wallet enhancement

If you change the capacity or term for any of your licenses, the license terms now automatically update in the Digital Wallet. You don't need to manually update the license yourself.

The automatic license update works with all types of Cloud Volumes ONTAP licenses and all licenses for data services.

Cloud Backup enhancements

- Now you can back up persistent volumes from your AKS Kubernetes clusters to Azure Blob storage.

If your AKS cluster has NetApp Astra Trident installed, and it is using Cloud Volumes ONTAP for Azure as backend storage for the cluster, then you can back up and restore volumes to and from Azure Blob storage. [Go here for details](#).

- Cloud Backup service charges have been changed in this release to align more closely with industry standards.

Instead of paying NetApp for capacity based on the size of your backup files, now you pay only for the data that you protect, calculated by the logical used capacity (before ONTAP efficiencies) of the source ONTAP volumes which are being backed up. This capacity is also known as Front-End Terabytes (FETB).

Cloud Data Sense enhancements

- Now you can integrate a global Active Directory with Cloud Data Sense to enhance the results that Data Sense reports about file owners and which users and groups have access to your files.

In addition to the Active Directory credentials you enter so that Data Sense can scan CIFS volumes from certain data sources, this new integration provides as additional integration for other users and systems. Data Sense will look in all integrated Active Directories for user and permission details. [See how to set up your global Active Directory.](#)


- Data Sense can automatically delete files that match the query that you define in a Policy. [See how to create custom Policies.](#)
- The security group for the Cloud Manager Connector will use port 443 instead of port 80 for inbound and outbound traffic to and from the Data Sense instance for added security. Both ports remain open at this time, so you shouldn't see any issues, but you should update the security group in any older deployments of the Connector as port 80 will be deprecated in a future release.

Cloud Sync enhancements

- Two new sync relationships are supported:
 - Box to Azure NetApp Files
 - Box to Amazon FSx for ONTAP

[View the complete list of supported sync relationships.](#)

- You can now provide a meaningful name to each of your sync relationships to more easily identify the purpose of each relationship. You can add the name when you create the relationship and any time after.




- When you sync data to or from Amazon S3, you can choose whether to use an S3 private link. When the data broker copies data from the source to the target, it goes through the private link.

Note that the IAM role associated with your data broker will need the following permission to use this feature:

```
"ec2:DescribeVpcEndpoints"
```

This permission is automatically added to any new data brokers that you create.

- You can now choose the *Glacier Instant Retrieval* storage class when Amazon S3 is the target in a sync relationship.
- Cloud Sync now supports copying ACLs from object storage to SMB shares. Previously, we only supported copying ACLs from an SMB share to object storage.
- Creating a sync relationship from SFTP to Amazon S3 is now supported in the user interface. This sync relationship was previously supported with the API only.
- We redesigned the table view on the Dashboard for ease of use. If you click **More info**, Cloud Sync filters the dashboard to show you more information about that specific relationship.



Name	Source	Target	Sync Status	More
hill	s3://phoebe	ibm://1.1.1.1:80/medium/test	Sync Completed	More info
test	s3://small	s3://phoebe	Sync Completed	More info
Name your relationship	s3://medium	s3://joey	Sync Completed	More info
Name your relationship	s3://small	s3://joey	Sync Completed	More info

- Cloud Sync now supports deploying the data broker in the AWS Asia Pacific (Jakarta) region.

Connector enhancements

- We reduced the number of endpoints that a Connector needs to contact in order to manage resources and processes within your public cloud environment.

[View the list of required endpoints.](#)

- When you deploy a new Connector in AWS from Cloud Manager, you can now choose to encrypt the Connector's EBS disks using the default master key or a managed key.

✓ Get Ready

✓ AWS Credentials

3 Details

4 Network

5 Security Group

6 Review

Details

Connector Instance Name

Connector1

Connector Role

Create Role

Select an existing Role

Role Name

Cloud-Manager-Operator-9yils3K

+ Add Tags to Connector Instance

AWS Managed Encryption

Master Key: aws/ebs (default)

Change Key

Support Dashboard enhancements

Cloud Manager can now display the email address that's associated with a NetApp Support Site account.



Cloud Manager 3.9.13 update (16 Dec 2021)

This update includes enhancements to several features and services.

Cloud Manager and Cloud Data Sense enhancements

This update provides support for Cloud Manager and Cloud Data Sense to be deployed in an on-premises site that doesn't have internet access. Now your secure sites can use Cloud Manager to manage your on-prem ONTAP clusters, replicate data between clusters, and scan data from those clusters using Cloud Data Sense.

- [See how to deploy the Cloud Manager Connector in a site with no internet access.](#)
- [See how to deploy Cloud Data Sense in a site with no internet access.](#)

SnapCenter Service 1.0.1 (21 Dec)

This update includes security fixes for Apache Log4j vulnerabilities.

SnapCenter Service 1.0.1 upgrades Apache Log4j from version 2.9.1 to 2.17 to address the following vulnerabilities: CVE-2021-44228, CVE-2021-4104, and CVE-2021-45105.

The SnapCenter Service cluster should auto-update to the latest version. You should ensure that the version in the SnapCenter Service UI shows that the cluster is 1.0.1.1251 or later.

Cloud Manager 3.9.13 (28 Nov 2021)

This update includes enhancements to several features and services.

Cloud Volumes ONTAP enhancements

- Cloud Manager can now deploy and manage Cloud Volumes ONTAP 9.10.1.

[Learn about the new features included in this release of Cloud Volumes ONTAP.](#)

- You can now use Keystone Flex Subscriptions to pay for Cloud Volumes ONTAP HA pairs.

A Keystone Flex Subscription is a pay-as-you-grow subscription-based service that delivers a seamless hybrid cloud experience for those preferring OpEx consumption models to upfront CapEx or leasing.

A Keystone Flex Subscription is supported with all new versions of Cloud Volumes ONTAP that you can deploy from Cloud Manager.

- [Learn more about Keystone Flex Subscriptions.](#)
- [Learn how to get started with Keystone Flex Subscriptions in Cloud Manager.](#)

- Cloud Volumes ONTAP is now supported in the AWS Asia Pacific (Osaka) region (ap-northeast-3).
- Ports 8023 and 49000 are no longer open on Cloud Volumes ONTAP systems in Azure for both single node systems and HA pairs.

This change applies to *new* Cloud Volumes ONTAP systems starting with the 3.9.13 release of the Connector.

On-prem ONTAP cluster enhancements

We redesigned the create volume wizard for ease of use and you can now choose a custom export policy.

Add volume in onprem

1 Details & Protection

2 Protocol

3 Usage Profile

4 Review

Volume Details and Protection

Volume Name

vol2

Aggregate

aggr1

Volume Size

100

Unit

GIB

Storage VM (SVM)

svm_onprem

Snapshot Policy

default

default policy

Next

Cloud Sync enhancements

- Cloud Sync can now copy access control lists (ACLs) when setting up a sync relationship from a source SMB share to object storage (except for ONTAP S3).

Cloud Sync doesn't support copying ACLs from object storage to SMB shares.

[Learn how to copy ACLs from an SMB share.](#)

- You can now update Cloud Sync licenses that you extended.

If you extended a Cloud Sync license that you purchased from NetApp, you can add the license again to refresh the expiration date.

[Learn how to update a license.](#)

- You can now update the Box credentials for an existing sync relationship.

[Learn how to update credentials.](#)

New Kubernetes support

You can now add your managed-Kubernetes clusters to Cloud Manager's Canvas for advanced data management.

- Discover Amazon EKS clusters
- Back up persistent volumes using Cloud Backup

[Learn more about Kubernetes support.](#)



The existing Kubernetes service (available through the **K8s** tab) has been deprecated and will be removed in a future release.

Cloud Backup enhancements

- Now you can back up persistent volumes from your Kubernetes clusters to Amazon S3.

If your EKS cluster has NetApp Astra Trident installed, and it is using Cloud Volumes ONTAP for AWS as backend storage for the cluster, then you can back up and restore volumes to and from Amazon S3. [Go here for details.](#)

- Cloud Backup now supports creating backups of DP volumes that exist on the target ONTAP system in an SVM-DR relationship. There are a few restrictions, so see [the limitations](#) for details.

Cloud Data Sense enhancements

- You can use Data Sense to clone an ONTAP volume, but include only selected files from the source volume in the new cloned volume. This is helpful for situations where you're migrating data and you want to exclude certain files, or if you want to create a copy of a volume for testing.

[See how to clone a volume.](#)

- The [GCP Marketplace subscription for Cloud Manager](#) now includes support for Cloud Data Sense. So now you can use this pay-as-you-go (PAYGO) subscription to scan data from Cloud Volumes ONTAP systems deployed on Google Cloud storage in addition to using a BYOL license from NetApp.
- Now you can view the status of your long-running compliance actions.

When you run an action from the Investigation Results pane across many files, for example, deleting 50 files, the process can take some time. Now you can monitor the status of these asynchronous actions so you'll know when it has been applied to all files.

[See how to view the status of your ongoing compliance actions.](#)

- Data Sense can now find the personal data types "British Passport" and "National Health Service (NHS) Number" in files. [See the list of all personal data types that Data Sense finds in scans.](#)
- When filtering data in the Data Investigation page, a new filter for "Working Environment Type" has been added. This allows you to filter the Results for Cloud Volumes ONTAP systems, FSx for ONTAP systems, on-premises ONTAP systems, and more.

Full Active IQ Digital Advisor integration

[Active IQ Digital Advisor](#) is integrated into the Cloud Manager UI so that you can optimize the operations, security, and performance of your ONTAP clusters in a single pane of glass. Just select the "Active IQ" service in Cloud Manager.

You may need to register, or update, your NSS account in Cloud Manager. [Go here for details.](#)

NetApp Support Site account enhancements

- Starting in December 2021, NetApp now uses Microsoft Azure Active Directory as the identity provider for authentication services specific to support and licensing. As a result of this update, Cloud Manager will prompt you to update the credentials for any existing NetApp Support Site accounts that you previously added.

- [Learn how to update an NSS account to the new authentication method.](#)
- [Learn more about NetApp's use of Microsoft Azure AD for identity management.](#)
- If your organization has multiple NetApp Support Site accounts, you can now change which account is associated with a Cloud Volumes ONTAP system.

[Learn how to attach a working environment to a different NSS account.](#)

Cloud Manager 3.9.12 build 2 (10 Nov 2021)

This patch update includes bug fixes.

Cloud Manager 3.9.12 update (5 Nov 2021)

Cloud Backup enhancements

- When restoring a volume to an on-premises ONTAP system from a backup file that resides on Amazon S3 or Azure Blob, now you can select a private endpoint that connects to your on-prem system privately and securely.
- Now you can tier older backup files to archival storage after a certain number of days to save costs.

If your cluster is running ONTAP 9.10.1 or greater, and you are using AWS or Azure cloud storage, you can enable tiering of backups to archival storage. See more information about [AWS S3 archival storage classes](#) and [Azure Blob archival access tiers](#).

- BYOL licensing for Cloud Backup has moved from the Cloud Backup Licenses tab to the Data Services Licenses tab in the Cloud Manager Digital Wallet.

Cloud Data Sense enhancements (7 Nov)

- Now you can choose to map or classify individual volumes in your working environments.

In the past you could either map all volumes or map & classify all volumes in each working environment. Now you can choose to map *or* map & classify individual volumes. This option is available for Cloud Volumes ONTAP volumes, ANF volumes, on-prem ONTAP volumes, and FSx for ONTAP volumes.

- You can copy any source files that Data Sense is scanning to a destination NFS share. This is helpful if you want to make a copy of certain data and move it to a different NFS location. [Learn more.](#)
- Now you can scan data protection volumes on FSx for ONTAP file systems. [Learn more.](#)
- A new Filter in the Investigation page called "Discovered Time" enables you to view files by the date range when Data Sense first discovered the files. Discovered Time has also been added to the File Details page and to reports that you output in CSV format for a file.

Recent updates (4 Nov 2021)

- [SOC 2 Type 2 certification](#)
- [Connector no longer supported as a proxy](#)

SOC 2 Type 2 certification

An independent certified public accountant firm and services auditor examined Cloud Manager, Cloud Sync, Cloud Tiering, Cloud Data Sense, and Cloud Backup (Cloud Manager platform), and affirmed that they have achieved SOC 2 Type 2 reports based on the applicable Trust Services criteria.

[View NetApp's SOC 2 reports.](#)

Connector no longer supported as a proxy

You can no longer use the Cloud Manager Connector as a proxy server to send AutoSupport messages from Cloud Volumes ONTAP. This functionality has been removed and is no longer supported. You will need to provide AutoSupport connectivity through a NAT instance or your environment's proxy services.

[Learn more about configuring AutoSupport with Cloud Volumes ONTAP.](#)

Cloud Manager 3.9.12 (31 Oct 2021)

This update includes enhancements to several features and services.

Amazon FSx for ONTAP enhancements

- You can create iSCSI volumes for FSx for ONTAP using the Cloud Manager API and manage them in your working environment.
- You can [select volume units \(GiB or TiB\) when creating volumes](#) in FSx for ONTAP.

Cloud Sync enhancements

- Box support is now available in the Cloud Sync user interface as a preview.

Box can be the source or target in several types of sync relationships. [View supported sync relationships.](#)

- When an SMB server is the source, a new sync relationship setting called *Date Created* enables you to sync files that were created after a specific date, before a specific date, or between a specific time range.

[Learn more about Cloud Sync settings.](#)

Connector enhancements

When you create a new Connector in Microsoft Azure, you can now authenticate with an Azure service principal, rather than with Azure account credentials.

[Learn how to authenticate with an Azure service principal.](#)

Resource Tagging enhancement

Now you can tag your Sync relationships so you can group or categorize them for easy access. [Learn more about resource tagging.](#)

Credentials enhancement

We redesigned the Credentials page for ease of use and to match the current look and feel of the Cloud Manager interface.

Cloud Manager 3.9.11 (4 Oct 2021)

This update includes enhancements to several features and services.

Amazon FSx for ONTAP enhancements

- Now you can [create CIFS volumes in FSx for ONTAP using Cloud Manager](#).
- Now you can [edit FSx for ONTAP volumes using Cloud Manager](#).

Cloud Volumes ONTAP enhancements

- Cloud Manager can now deploy and manage Cloud Volumes ONTAP 9.10.0.

[Learn about the new features included in this release of Cloud Volumes ONTAP.](#)

- We reduced the amount of time that it takes to deploy a Cloud Volumes ONTAP working environment in Microsoft Azure or in Google Cloud when normal write speed is enabled. The deployment time is now 3-4 minutes shorter on average.

Cloud Backup enhancements

- The size of each backup file is now displayed in the Backup List page and when performing a volume or file restore operation.

This is useful if you want to delete large backup files that are unnecessary, or so you can compare backup file sizes to identify any abnormal backup files that could be the result of a malicious software attack.

- A new TCO calculator is available to help you understand the total cost of ownership for Cloud Backup, and to compare these costs to traditional backup solutions and estimate potential savings. Check it out [here](#).
- Now you can easily [unregister Cloud Backup for a working environment](#) if you no longer want to use backup functionality (or be charged) for that working environment.

Cloud Sync enhancements

- Cloud Sync now supports additional sync relationships for [Box](#) when using the Cloud Sync API:
 - Amazon S3 to Box
 - IBM Cloud Object Storage to Box
 - StorageGRID to Box
 - Box to an NFS server
 - Box to an SMB server

[Learn how to set up a sync relationship using the API.](#)

- You can now [create a report](#) for SFTP paths.

Cloud Data Sense enhancements

- Support for BYOL licensing from NetApp.

In addition to licensing Data Sense through your cloud provider marketplaces, now you can purchase a bring-your-own-license (BYOL) from NetApp that you can use across all your working environments and data sources in your Cloud Manager account.

[Learn more about the new Cloud Data Sense BYOL license.](#)

- Support for the Google Cloud Platform.

Now Cloud Data Sense can scan data from your Cloud Volumes ONTAP systems that are deployed on GCP. Data Sense must be deployed on GCP, and the Connector must be deployed on GCP or on-premises.

The GCP service account associated with the Connector needs the latest permissions to deploy Cloud Data Sense to GCP. [See the 3 new permissions that are required.](#)

- Data Sense can now scan CIFS volumes from FSx for ONTAP systems. [See how to scan Amazon FSx for ONTAP volumes.](#)

Application Templates enhancements (11 Oct)

- Now you can create a duplicate of an existing template. This can save a lot of time in case you want to create a new template that is very similar to an existing template. Just make the duplicate with a new name and change the couple items that make the template unique. [See how to create a copy of a template.](#)
- Enabling services on volumes created with templates is much easier now. Before you needed to select variables to identify the working environment, storage VM, and volume name. Now the template adds this information for you. This simplifies adding services for Cloud Backup, Cloud Compliance, and Replication to newly created volumes.

Resource Tagging enhancements (11 Oct)

- Support has been added so you can label certain GCP resources.

Now you can manage labels on your GCP resources using the Cloud Manager Tagging service. You can view GCP labels and label values that have been applied to resources, and you can apply those labels to other GCP resources that you are managing. [See the GCP resources that you can label.](#)

Support for SnapCenter Service (13 Oct)

- SnapCenter Service provides data protection capabilities for applications running on NetApp® Cloud Storage. SnapCenter Service enabled within NetApp Cloud Manager offers efficient, application consistent, policy-based backup and restore of SAP HANA® Systems residing on Azure NetApp Files (ANF).

[Learn about SnapCenter Service](#)

- You should create a Connector, enable SnapCenter Service, add SAP HANA systems, and then perform backup and restore operations.

[Get started](#)

Cloud Manager 3.9.10 build 2 (12 September 2021)

We fixed a Cloud Backup bug where a volume restore operation failed when the language code for the volume was different than the language code for the storage VM.

Cloud Manager 3.9.10 (2 September 2021)

This update includes enhancements to several features and services.

Support for Amazon FSx for ONTAP

- [Amazon FSx for ONTAP](#) is a fully managed service allowing customers to launch and run file systems powered by NetApp's ONTAP storage operating system. FSx for ONTAP provides the same features, performance, and administrative capabilities NetApp customers use on premises, with the simplicity, agility, security, and scalability of a native AWS service.

[Learn about Amazon FSx for ONTAP.](#)

- You can configure an FSx for ONTAP working environment in Cloud Manager.

[Create an Amazon FSx for ONTAP working environment.](#)

- Using a Connector in AWS and Cloud Manager, you can create and manage volumes, replicate data, and integrate FSx for ONTAP with NetApp cloud services, such as Data Sense and Cloud Sync.

[Get started with Cloud Data Sense for Amazon FSx for ONTAP.](#)

Cloud Volumes ONTAP enhancement

Data is automatically encrypted on Cloud Volumes ONTAP in Azure using [Azure Storage Service Encryption](#) with a Microsoft-managed key. But you can now use your own customer-managed encryption key instead by completing the following steps:

1. From Azure, create a key vault and then generate a key in that vault.
2. From Cloud Manager, use the API to create a Cloud Volumes ONTAP working environment that uses the key.

[Learn more about these steps.](#)

Cloud Data Sense enhancements

- Added support for scanning data on NFS volumes on Amazon FSx for ONTAP systems. [See how to configure scanning for your FSx for ONTAP systems.](#)
- The capability to add "Status" information to your files using Data Sense has changed terminology to use "Tags". These are file level tags - not to be confused with resource level tagging that can be applied to volumes, EC2 instances, virtual machines, etc.

Cloud Sync enhancements

You can now sync data to or from an Amazon FSx for ONTAP file system.

- [Learn about Amazon FSx for ONTAP](#)
- [View supported sync relationships](#)
- [Learn how to create a sync relationship for Amazon FSx for ONTAP](#)

Cloud Tiering enhancements

- New Cloud Tiering BYOL license replaces FabricPool license

A new **Cloud Tiering** license is now available for tiering configurations that are supported within Cloud Manager using the Cloud Tiering service. It is a floating license that you can use across multiple on-premises ONTAP clusters. The **FabricPool** license that you may have used in the past is retained only for configurations that aren't supported within Cloud Manager.

[Learn more about the new Cloud Tiering license.](#)

- Now you can tier inactive data from your on-prem ONTAP clusters to any Object Storage service which uses the Simple Storage Service (S3) protocol.

[See how to tier data to S3-compatible object storage.](#)

Replication enhancements

You can now replicate data from a Cloud Volumes ONTAP system or an on-premises ONTAP cluster to an Amazon FSx for ONTAP file system.

[Learn about the Replication service.](#)

Cloud Backup enhancements

- Now you can create an on-demand backup at any time to capture the current state of a volume. This is useful if important changes have been made to a volume and you don't want to wait for the next scheduled backup to protect that data.

[See how to create an on-demand backup.](#)

- When configuring backups to Amazon S3 from an on-premises ONTAP system, now you can define a connection to a Private Interface Endpoint in the activation wizard. This allows you to use a network interface that connects your on-prem system privately and securely to a service powered by AWS PrivateLink. [See details about this option.](#)
- For additional security and control, you can choose your own customer-managed keys for data encryption in the activation wizard instead of using the default Amazon S3 encryption keys.

This is available when configuring backups from an on-premises ONTAP system or from a Cloud Volumes ONTAP system in AWS.

- The restriction of being able to browse a single directory with flat files up to a maximum of 30,000 files has been removed. Now you can restore files from directories that have a larger number of files.

Resource Tagging enhancements

- Now you can manage tags on your Azure resources using the Cloud Manager Tagging service. You can view Azure tags and tag values that have been applied to resources, and you can apply those tags to other Azure resources that you are managing.

[See the Azure resources that you can tag.](#)

The Cloud Manager Operator IAM role associated with the Connector needs the latest permissions to tag Azure resources. [See the new permissions that are required.](#)

- Some additional AWS EC2 resources can now be tagged. [See the AWS resources that you can tag.](#)

The Cloud Manager IAM role associated with the Connector needs the latest permissions to tag AWS EC2 instances. [See the new permissions that are required.](#)

A new Notification Service has been added

The Notification service has been introduced so you can view the status of Cloud Manager operations that you

have initiated during your current login session. You can verify whether the operation was successful, or if it failed. [See how to monitor operations in your account.](#)

Cloud Manager 3.9.9 build 2 (18 Aug 2021)

This patch update includes bug fixes.

Cloud Manager 3.9.9 update (8 Aug 2021)

This update includes enhancements to several features and services.

Application Template enhancements

- Now you can create a Cloud Volumes ONTAP working environment, and your first volume, using templates. This support is provided only for AWS environments at this time, and only for single-node clusters. See how to [create a template for a Cloud Volumes ONTAP working environment](#).
- A new feature enables you to add tags to a volume in a volume template. Tagging enables you to group different resources to identify applications, regions, or departments in order to perform automation or to allocate costs to certain departments or regions.

Resource Tagging enhancements

Now you can manage tags from your AWS EC2 Instances in Cloud Manager. You can view AWS tags and tag values that have been applied to EC2 Instances, and you can apply those tags to other EC2 Instances that you are managing. [Learn more about tagging.](#)

Cloud Manager 3.9.9 (1 Aug 2021)

This update includes enhancements to several features and services.

Cloud Backup enhancements

- When configuring backups to Azure Blob from an on-premises ONTAP system, you can define a connection to an Azure Private Endpoint in the activation wizard. This allows you to use a network interface that connects you privately and securely to a service powered by Azure Private Link.
- An Hourly backup policy is now supported in addition to the existing Daily, Weekly, and Monthly policies. The Hourly backup policy provides a minimal Recovery Point Objective (RPO).

Cloud Sync enhancements

- Cloud Sync now enables you to update the data broker with the latest credentials of the source or target in an existing sync relationship.

This enhancement can help if your security policies require you to update credentials on a periodic basis. [Learn how to update credentials.](#)



- When creating a sync relationship, you can now add tags to the object storage target in a sync relationship.

Adding tags is supported with Amazon S3, Azure Blob, Google Cloud Storage, IBM Cloud Object Storage, and StorageGRID.

- Cloud Sync now supports [Box](#) as the source in a sync relationship to Amazon S3, StorageGRID, and IBM Cloud Object Storage when using the Cloud Sync API.

[Learn how to set up a sync relationship using the API.](#)

- When you deploy a data broker in Google Cloud, you can now choose whether to enable or disable a public IP address for the virtual machine instance.

[Learn how to deploy a data broker in Google Cloud.](#)

- When you choose the source or target volume for Azure NetApp Files, Cloud Sync now displays a dual-protocol volume no matter which protocol you chose for the sync relationship.

Cloud Data Sense enhancements

- Ability to manage file settings for multiple files at a time.

In earlier versions of Cloud Data Sense you could perform the following actions on one file at a time: add a status tag, assign a user, and add an AIP label. Now you can select multiple files from the Data Investigation page and perform these actions on multiple files.

- When viewing the Age of Data graph in the Governance dashboard, in addition to viewing data based on the last time it was modified, now you can view the data by when it was created or by when it was last accessed (when it was read).

This information is provided in the Data Mapping Report as well.

- When deploying Data Sense on-premises, now you can install scanning software on additional on-prem hosts when you plan to scan configurations that include petabytes of data. These additional *scanner nodes* provide increased processing power when scanning very large configurations.

See how to [deploy Data Sense software on multiple hosts](#).

Monitoring enhancement

We changed the default name of the Acquisition Unit instance to CloudInsights-AU-*UUID* so that the name is more descriptive (the UUID is a generated hash).

Cloud Manager deploys this instance when you enable the Monitoring service on a Cloud Volumes ONTAP working environment.

[Learn more about the Monitoring service.](#)

Connector enhancement

The Connector is now supported on a host that's running Red Hat Enterprise Linux 7.9.

[View system requirements for the Connector.](#)

Cloud Manager 3.9.8 build 3 (25 July 2021)

This patch update includes bug fixes and security improvements.

Cloud Manager 3.9.8 update (13 July 2021)

This update includes enhancements to several features and services.

Application Template enhancements

- Support has been added so you can add in the template that you want to [replicate the data in the volume you are creating](#) to another volume using the [Replication service](#). When you replicate data to other NetApp storage systems and continually update the secondary data, your data is kept current and remains available whenever you need it.

- Now you can download a report that includes all the volumes that have "drifted" from your template settings instead of just viewing this information for a single volume in the Dashboard. In this manner you can identify these volumes and assign someone to bring the volumes back into compliance. See [how to download your drift report](#).

New Resource Tagging feature

- A new Cloud Manager feature enables you to apply tags to your existing ONTAP resources to help organize and manage those resources. Tags are metadata that you can use to group resources to identify applications, environments, regions, billing codes, cloud providers, and more.

[Learn more about tagging](#).

Cloud Manager 3.9.8 (7 July 2021)

This update includes enhancements to several features and services.

Cloud Volumes ONTAP enhancements

This release of Cloud Manager includes enhancements to the management of Cloud Volumes ONTAP.

Enhancements available in all cloud providers

- New charging methods are available for Cloud Volumes ONTAP.
 - **Capacity-based BYOL:** A capacity-based license enables you to pay for Cloud Volumes ONTAP per TiB of capacity. The license is associated with your NetApp account and enables you to create as multiple Cloud Volumes ONTAP systems, as long as enough capacity is available through your license. Capacity-based licensing is available in the form of a package, either *Essentials* or *Professional*.
 - **Freemium offering:** Freemium enables you to use all Cloud Volumes ONTAP features free of charge from NetApp (cloud provider charges still apply). You're limited to 500 GiB of provisioned capacity per system and there's no support contract. You can have up to 10 Freemium systems.

[Learn more about these licensing options](#).

Here's an example of the charging methods that you can choose from when deploying a new Cloud Volumes ONTAP system in Azure:

Cloud Volumes ONTAP Charging Methods

[Learn more about our charging methods](#)

☐ Pay-As-You-Go by the hour

☒ Bring your own license

Bring your own license type

Capacity-Based

Package

Professional

☐ Freemium (Up to 500GB)

- Write once, read many (WORM) storage is no longer in Preview and is now available for general use with Cloud Volumes ONTAP. [Learn more about WORM storage](#).

Enhancements available in AWS

Starting with the 9.9.1 release, Cloud Volumes ONTAP now supports the m5dn.24xlarge instance type with the following charging methods: PAYGO Premium, bring your own license (BYOL), and Freemium.

[View supported configurations for Cloud Volumes ONTAP in AWS.](#)

Enhancements available in Azure

- When creating a Cloud Volumes ONTAP system in Azure, you now have the option to select an existing resource group for the VM and its associated resources.

Location & Connectivity

Location

Azure Region

WEST US

Availability Zone (Optional)

Select an Availability Zone

Connectivity

Resource Group

☐ Create a new group ☒ Use an existing group

Resource Group Name

RG1

The following permissions enable Cloud Manager to remove Cloud Volumes ONTAP resources from a resource group, in case of deployment failure or deletion:

```
"Microsoft.Network/privateEndpoints/delete",
"Microsoft.Compute/availabilitySets/delete",
```

Be sure to provide these permissions to each set of Azure credentials that you've added to Cloud Manager. You can find the latest list of permissions on the [Cloud Manager policies page](#).

- As a security enhancement, Cloud Manager now disables **Blob public access** when creating a storage account for Cloud Volumes ONTAP.
- By default, Cloud Manager now enables an Azure Private Link connection on the boot diagnostics storage account for new Cloud Volumes ONTAP systems.

This means *all* storage accounts for Cloud Volumes ONTAP will now use a private link.

[Learn more about using an Azure Private Link with Cloud Volumes ONTAP.](#)

Enhancements available in Google Cloud

- Starting with the 9.9.1 release, Cloud Volumes ONTAP now supports Balanced persistent disks (pd-balanced).

These SSDs balance performance and cost by providing lower IOPS per GiB.

- The custom-4-16384 machine type is no longer supported with new Cloud Volumes ONTAP systems.

If you have an existing system running on this machine type, you can keep using it, but we recommend switching to the n2-standard-4 machine type.

[View supported configurations for Cloud Volumes ONTAP in GCP.](#)

Cloud Backup enhancements

- Cloud Backup now allows you to create backups using a different account/subscription than the one you

are using for your Cloud Volumes ONTAP system. You can also create backup files in a different region than the one in which your Cloud Volumes ONTAP system is deployed.

This capability is available when using when using AWS or Azure, and only when enabling backup on an existing working environment - it is not available when creating a new Cloud Volumes ONTAP working environment.

- For additional security and control, you can choose your own customer-managed keys for data encryption in the activation wizard instead of using the default Microsoft-managed encryption keys.

This is available when configuring backups from an on-premises ONTAP system or from a Cloud Volumes ONTAP system in Azure.

- The restriction of restoring only 8 files at a time using single-file restore from your backup files has been removed. Now you can restore up to 100 files at a time.

Cloud Tiering enhancements

When tiering data to Azure Blob storage, now your Connector can be running on your premises. You are no longer required to use a Connector installed in an Azure VNet.

Cloud Data Sense enhancements

- A new feature enables you to [move any source files that Data Sense is scanning to any NFS share](#). This allows you to move sensitive or security-related files to a special area so you can do more analysis.
- You can now choose to quickly map data into categories instead of doing a full classification scan. This enables you to [view the Data Mapping report](#) from the Governance Dashboard to get an overview of your data when there are certain data sources that you do not need to run a complete scan on.
- Now you can [assign a file to a specific Cloud Manager user](#) so that person can be responsible for any follow-up actions that need to be done on the file. This capability can be used with the existing feature to add custom Status tags to a file.

A new Filter in the Investigation page enables you to easily view all files that have the same person in the "Assigned To" field.

- Some users with smaller scanning requirements have asked to be able to use a smaller Cloud Data Sense instance. Now you can. There are some limitations when using these smaller instances, so [see what these restrictions are first](#).
- Data scans have a negligible impact on your storage systems and on your data. However, if you are concerned with even a very small impact, you can configure Data Sense to perform "slow" scans now.
- The Last Accessed Time value has been added to the File Details page and to reports that you output in CSV format so you can see when users have last accessed the file.

Cloud Sync enhancements

- Cloud Sync now supports sync relationships between ONTAP S3 Storage and a Google Cloud Storage bucket from the user interface.

[View supported sync relationships.](#)

- Cloud Sync can now copy object metadata and tags between object-based storage when you create a sync relationship and enable a setting.

[Learn more about the Copy for Objects setting.](#)

- You can now set up the data broker to access credentials from an external HashiCorp Vault by authenticating with a Google Cloud service account.

[Learn more about using a HashiCorp Vault with a data broker.](#)

- When setting up a sync relationship to an AWS S3 bucket, the Sync Relationship wizard now enables you to define the tags or metadata that you want to save on the objects in the target S3 bucket.

The tagging option was previously part of the sync relationship's settings.


Connector enhancement

We redesigned the **Add Connector** wizard to add new options and to make it easier to use. You can now add tags, specify a role (for AWS or Azure), upload a root certificate for a proxy server, view code for Terraform automation, view progress details, and more.

- [Create a Connector in AWS](#)
- [Create a Connector in Azure](#)
- [Create a Connector in GCP](#)

Support Dashboard enhancement

NetApp Support Site (NSS) accounts are now managed from the Support Dashboard, rather than from the Settings menu. This change makes it easier to find and manage all support-related information from a single location.




The screenshot shows the NetApp Support Dashboard interface. At the top, there are tabs: "Support Dashboard" (active), "Resources", "NSS Management", and "Connector". Below the tabs, there is a section for "NSS Management" with a link "Learn about NSS Accounts" and a button "Add NSS Account". Below this, there is a table with the heading "1 Account". The table has three columns: "NSS User Name", "NSS User ID", and "Attached Working Environments". The table contains one row with the following data: "testcloud2", "61e6b48b-371e-4681-a...", and a dash. There is a search icon in the top right corner of the table area.

NSS User Name	NSS User ID	Attached Working Environments
testcloud2	61e6b48b-371e-4681-a...	—

Digital Wallet enhancement

The Digital Wallet page is now located in its own tab under the Resources section. [Learn how to manage licenses from your Digital Wallet.](#)



Cloud Manager 3.9.7 update (7 June 2021)

This update includes enhancements to several features and services.

Cloud Sync support for storage classes in Google Cloud

When a Google Cloud Storage bucket is the target in a sync relationship, you can now choose the storage class that you want to use. Cloud Sync supports the following storage classes:

- Standard
- Nearline
- Coldline
- Archive

Cloud Tiering enhancements

- In earlier releases you could transition tiered data from the Standard storage class to another storage class after 30 days when using Amazon S3 or Google Cloud object storage. This release adds some new functionality:
 - You can choose the number of days when tiered data will move to a more cost-effective tier. This is called data "life cycle management".
 - Azure Blob now supports the *Cool* access tier.
 - Google Cloud Storage supports moving tiered data to multiple storage tiers over time. For example, you can move tiered data from the *Standard* class to the *Nearline* class after 45 days, and then to the *Coldline* class after 75 days, and then to the *Archive* class after 270 days.
- Now you can proactively move data back to the performance tier from the cloud tier if you want to stop using tiering on a volume, or if you decide to keep all user data on the performance tier, but keep Snapshot copies on the cloud tier. This capability is available when using ONTAP 9.8 and greater.

See how to [migrate data back to the performance tier](#).

Cloud Backup enhancements

- Two known limitations for backing up data protection (DP) volumes have been resolved. Your systems must have ONTAP 9.8 or greater installed:
 - Before, cascaded backup worked only if the SnapMirror relationship type was Mirror-Vault or Vault. Now you can make backups if the relationship type is MirrorAllSnapshots.
 - Cloud Backup now can use any label for the backup as long as it is configured in the SnapMirror policy. The restriction of requiring labels with the names daily, weekly, or monthly is gone.

Application Templates enhancements

- A new feature enables you to conditionally enable certain actions when the user is running the template.

For example, if a Cloud Volumes ONTAP volume is created with NetApp storage efficiency enabled, then Cloud Backup is also enabled on that volume. If storage efficiency is not enabled, then Cloud Backup is not enabled.

- You can now create a volume on an on-premises ONTAP system using templates.
- New functionality called "drift" has been added as an option when creating your templates.

This feature enables Cloud Manager to monitor the hard-coded values you entered for a parameter in a template. After a storage admin has created a volume using that template, if Cloud Manager later sees that the parameter value has been changed so that it no longer aligns with the template definition, you can see all the volumes that have "drifted" from the designed template. In this manner you can identify these volumes and make changes to bring them back into compliance.

- Now you can run a template from the Template Dashboard instead of having to open a working environment to launch the template there.

Cloud Data Sense (Cloud Compliance) enhancements

- Cloud Compliance has been renamed as **Cloud Data Sense** as of this release. With all the new Governance and other capabilities that have been included in the product, the Compliance name was not promoting the full set of capabilities.
- A new *Full Data Mapping* report is available from the Governance Dashboard to provide an overview of the data being stored in your corporate data sources to assist you with decisions of migration, back up, security, and compliance processes.

The report provides overview pages that summarize all your working environments and data sources, and then provides a breakdown for each working environment. Go [here](#) for more details.

- A new filter in the Data Investigation page enables you to view a list of all files that are duplicated across your storage systems.

This is helpful to identify areas where you can save storage space, or identify files that have specific permissions or sensitive information that you do not want duplicated across your storage. [See how to viewing all duplicated files.](#)

- You can add a custom Status tags to files that Data Sense is scanning. The Status is not added to the file in the same way as AIP Labels are added. The Status is just seen by Cloud Manager users so you can indicate if a file needs to be deleted, or checked for some reason. [See how to apply and view Status tags in your files.](#)

A new Filter in the Investigation page enables you to easily view all files that have a Status assigned.

- Cloud Data Sense can scan for Personal Identifiable Information (PII) in two additional types of files: .DCM and .DICOM.
- The File Size, Created Date, and Last Modified Date values have been added to reports that you output in CSV format. Created Date is also a new filter you can use to narrow down Investigation page search results.

Global File Cache enhancements

Global File Cache software version 1.1.0 has been released. A new "Edge Synchronization" feature is available that keeps multiple Edges at a remote office synchronized. When a file is fetched at one Edge, then the same file on all Edges participating in Edge Sync is updated and cached. See the [new and fixed issues in this release](#).

Cloud Manager 3.9.7 (30 May 2021)

This update includes enhancements to several features and services.

Cloud Volumes ONTAP enhancements

This release of Cloud Manager includes enhancements to the management of Cloud Volumes ONTAP.

Enhancements available in AWS

- A new Professional Package enables you to bundle Cloud Volumes ONTAP and Cloud Backup Service by using an annual contract from the AWS Marketplace. Payment is per TiB. This subscription doesn't enable you to back up on-prem data.

If you choose this payment option, you can provision up to 2 PiB per Cloud Volumes ONTAP system through EBS disks and tiering to S3 object storage (single node or HA).

Go to the [AWS Marketplace page](#) to view pricing details and go to the [Cloud Volumes ONTAP Release Notes](#) to learn more about this licensing option.

- Cloud Manager now adds tags to EBS volumes when it creates a new Cloud Volumes ONTAP working environment. The tags were previously created after Cloud Volumes ONTAP was deployed.

This change can help if your organization uses service control policies (SCPs) to manage permissions.

Enhancements available in all cloud providers

- If you enabled data tiering on a volume using the *auto* tiering policy, you can now adjust the minimum cooling period using the API.

[Learn how to adjust the minimum cooling period.](#)

- When you create a new NFS volume, Cloud Manager now displays custom export policies in ascending order, making it easier for you to find the export policy that you need.
- Cloud Manager now deletes older cloud snapshots of root and boot disks that are created when a Cloud Volumes ONTAP system is deployed and every time its powered down. Only the two most recent snapshots are retained for both the root and boot volumes.

This enhancement helps reduce cloud provider costs by removing snapshots that are no longer needed.

Note that a Connector requires a new permission to delete Azure snapshots. [View the latest Cloud Manager policy for Azure](#).

```
"Microsoft.Compute/snapshots/delete"
```

Digital Wallet

A new **Digital Wallet** feature enables you to more easily view and manage your Cloud Volumes ONTAP licenses and Cloud Backup licenses from a single location.

[Learn more about Digital Wallet.](#)



Cloud Manager 3.9.6 update (24 May 2021)

Cloud Manager was updated to include the latest version of Cloud Volumes ONTAP.

Cloud Volumes ONTAP 9.9.1

Cloud Manager can now deploy and manage Cloud Volumes ONTAP 9.9.1.

[Learn about the new features included in this release of Cloud Volumes ONTAP.](#)

Cloud Manager 3.9.6 build 2 (11 May 2021)

We fixed a bug that caused failures when creating a Cloud Volumes ONTAP working environment in Azure.

Cloud Manager 3.9.6 update (5 May 2021)

This update includes enhancements to several features and services.

Cloud Backup enhancements

- The separate Backup and Restore Dashboards have been combined under a new **Backup & Restore** tab to make it easier for you to manage all your backup and restore operations from a single location. See [the Backup & Restore Dashboard](#) for details.
- Now you can create backups from your on-premises ONTAP systems to Google Cloud Storage or to your NetApp StorageGRID systems. See [Backing up to Google Cloud Storage](#) and [Backing up to StorageGRID](#) for details.

- A new feature in ONTAP 9.9.1 enables you to use System Manager to send backups of your on-premises ONTAP volumes to object storage you've set up through Cloud Backup. [See how to use System Manager to back up your volumes to the cloud using Cloud Backup.](#)
- Backup policies have been improved with the following enhancements:
 - Now you create a custom policy that includes a combination of daily, weekly, and monthly backups.
 - When you change a backup policy, the change applies to all new backups **and** to all volumes using the original backup policy. In the past the change only applied to new volume backups.
- Some smaller improvements have also been made:
 - When configuring the cloud destination for your backup files, now you can select a different region than the region in which the Cloud Volumes ONTAP system resides.
 - The number of backup files you can create for a single volume has been increased from 1,019 to 4,000.
 - In addition to the earlier ability to delete all backup files for a single volume, now you can delete just a single backup file for a volume, or you can delete all backup files for an entire working environment, if needed.


Monitoring enhancements

- You can now enable the Monitoring service on a Cloud Volumes ONTAP working environment even if you have an existing Cloud Insights tenant.
- When you enable the Monitoring service, Cloud Manager sets up a free trial of Cloud Insights. On the 29th day, your plan now automatically transitions from the Trial Version to the [Basic Edition](#).

[Learn more about using the Monitoring service with Cloud Volumes ONTAP.](#)

Replication enhancement

We redesigned the Replication tab for ease of use and to match the current look and feel of the Cloud Manager user interface.



Account enhancement

The Timeline in Cloud Manager now shows actions and events related to account management. The actions include things like associating users, creating workspaces, and creating Connectors. Checking the Timeline can be helpful if you need to identify who performed a specific action, or if you need to identify the status of an action.

[Learn how to filter the Timeline to the Tenancy service.](#)

Cloud Compliance enhancements

- Cloud Compliance has been renamed to “Governance & Compliance”. There are two tabs in Cloud Manager: “Governance” and “Compliance”. The “Governance” tab brings you to the [Governance Dashboard](#) within the “Governance & Compliance” service, and the “Compliance” tab brings you to the [Compliance Dashboard](#).
- Scanning of data stored on Azure Blob is now supported when using the [MinIO service](#). See [Scanning object storage that uses S3 protocol](#) for details.
- New personal data type. Cloud Compliance can now find Austrian SSNs in files.

Cloud Manager 3.9.6 (2 May 2021)

This update includes enhancements to several features and services.

Cloud Tiering enhancements

- When selecting the volumes that you want to tier from an ONTAP system, now there's a checkbox in the Tier Volumes page to select **all** volumes to make it easier to apply the same policy to all volumes. [See how to select all volumes in the cluster.](#)
- If you need to change the number of "cooling days" that determine how long data in a volume must remain inactive before it is moved to object storage, now you can specify up to 183 days (up from 63 days) when using ONTAP 9.8 or greater.

Application Template enhancements

- The user interface has been enhanced in the AppTemplates service so that it is easier for template designers to move between actions and to see which action they are currently defining.
- Now you can integrate Cloud Compliance when creating a volume template for either Cloud Volumes ONTAP or Azure NetApp Files. So you can enable Compliance for each newly created volume, or enable Cloud Backup for each newly created volume... or create a template that enables both Backup and Compliance on the created volume.

Cloud Sync enhancements

- You can now view the errors found in reports and you can delete the last report or all reports.

[Learn more about creating and viewing reports to tune your configuration.](#)

- A new **Compare by** setting is now available for each sync relationship.

This advanced setting enables you to choose whether Cloud Sync should compare certain attributes when determining whether a file or directory has changed and should be synced again.

[Learn more about changing the settings for a sync relationship.](#)

Cloud Manager 3.9.5 (11 Apr 2021)

This update includes enhancements to several features and services.

Cloud Volumes ONTAP enhancements

This release of Cloud Manager includes enhancements to the management of Cloud Volumes ONTAP.

Enhancement available in all cloud providers

Cloud Manager now enables logical space reporting on the initial storage VM that it creates for Cloud Volumes ONTAP.

When space is reported logically, ONTAP reports the volume space such that all the physical space saved by the storage efficiency features are also reported as used.

Enhancements available in AWS

- Cloud Volumes ONTAP now supports *General Purpose SSD (gp3)* disks, starting with the 9.7 release. gp3 disks are the lowest-cost SSDs that balance cost and performance for a broad range of workloads.

[Learn more about using gp3 disks with Cloud Volumes ONTAP.](#)

- Cloud Volumes ONTAP no longer supports Cold HDD (sc1) disks.

Enhancement available in Azure

When Cloud Manager creates storage accounts in Azure for Cloud Volumes ONTAP, the TLS version for the storage account is now version 1.2.

Cloud Sync enhancements


- The standalone Cloud Sync service has been retired. You should now access Cloud Sync directly from Cloud Manager where all of the same features and functionality are available.

After logging in to Cloud Manager, you can switch to the Sync tab at the top and view your relationships, just like before.


- When setting up a sync relationship, you can choose from Google Cloud buckets in different projects, if you provide the required permissions to the data broker's service account.

[Learn how to set up the service account.](#)

- Cloud Sync now copies metadata between Google Cloud Storage and S3 providers (AWS S3, StorageGRID, and IBM Cloud Object Storage).
- You can now restart a data broker from Cloud Sync.



- Cloud Sync now identifies when a data broker isn't running the latest software release. This message can help to ensure that you're getting the latest features and functionalities.



Cloud Compliance enhancements

- Added support for scanning NFS or CIFS file shares that reside on-premises or in the cloud.

Now you can scan file shares that reside on non-NetApp storage systems. See [scanning file shares](#) for details.

- Added support for scanning object storage that uses the S3 protocol.

In addition to scanning Amazon S3 buckets, now you can scan data from any Object Storage service which uses the S3 protocol. This includes NetApp StorageGRID, IBM Cloud Object Store, and more. See [scanning object storage](#) for details.

- The feature called "Highlights" has been renamed to "Policies". See [how to use Policies](#) to help in your compliance and governance efforts.
- Now you can see if there are duplicates of certain files in your storage systems. This is useful to identify areas where you can save storage space. It can also help to ensure that files containing sensitive information are not unnecessarily duplicated in your storage systems.

Learn how to [search for duplicate files](#).

- The [Governance dashboard](#) has added charts to show [top data repositories listed by data sensitivity](#) and [data listed by types of Open Permissions](#).

New Application Templates feature

Templates enable you to standardize resource creation in your working environments. For example, you can hard-code required parameters in a "volume template" that are later applied when a storage admin creates a

volume. This can include required disk type, size, protocol, cloud provider, and more. You can also turn on certain services, like Cloud Backup, for every created volume.

This makes it easy for your storage admins to create volumes that are optimized for specialized workload requirements; such as databases or streaming services. And it makes life easier for your storage architects knowing that each volume is created optimally for each application. Learn about [Application Templates](#) and how you can use them in your environment.

Connector enhancement

If you configured a proxy server, you can now enable an option to send API calls directly to Cloud Manager without going through the proxy. This option is supported with Connectors that are running in AWS or in Google Cloud.

[Learn more about this setting.](#)

Account enhancements

- You can now create a service account user.

A service account acts as a "user" that can make authorized API calls to Cloud Manager for automation purposes. This makes it easier to manage automation because you don't need to build automation scripts based on a real person's user account who can leave the company at any time. And if you're using federation, you can create a token without generating a refresh token from the cloud.

[Learn more about using service accounts.](#)

- You can now allow private previews in your account to get access to new NetApp cloud services as they are made available as a preview in Cloud Manager.
- You can also allow third-party services in your account to get access to third-party services that are available in Cloud Manager.

[Learn more about these options.](#)

Cloud Manager 3.9.4 update (8 Apr 2021)

Active IQ enhancements

- If Active IQ discovers unused Cloud Volumes ONTAP licenses in your account, you can click a button to create a new Cloud Volumes ONTAP system using the license. Or you can apply the license to an existing Cloud Volumes ONTAP system to extend the capacity of that license by 368 TB.

See [how to use your available licenses](#).

Cloud Manager 3.9.4 update (15 Mar 2021)

Cloud Compliance enhancements

- A new [Governance dashboard](#) is now available so that you can increase the efficiency and control the costs related to the data on your organizations' storage resources.

For example, the dashboard identifies the amount of stale data, non-business data, and very large files in your systems so you can decide whether you want to move, delete, or tier some files to less expensive object storage.

- You can view a list of [all users or groups who have access to a file](#).
- Cloud Compliance is now supported in Government regions in AWS.

Cloud Manager 3.9.4 (8 Mar 2021)

This update includes enhancements to several features and services.

Cloud Volumes ONTAP enhancements

This release of Cloud Manager includes enhancements to the management of Cloud Volumes ONTAP.

Enhancement available in all cloud providers

Cloud Manager can now deploy and manage Cloud Volumes ONTAP 9.9.0.

[Learn about the new features included in this release of Cloud Volumes ONTAP.](#)

Enhancements available in AWS

- You can now deploy Cloud Volumes ONTAP 9.8 in the AWS Commercial Cloud Services (C2S) environment.

[Learn how to get started in C2S.](#)

- Cloud Manager has always enabled you to encrypt Cloud Volumes ONTAP data using the AWS Key Management Service (KMS). Starting with Cloud Volumes ONTAP 9.9.0, data on EBS disks and data tiered to S3 are encrypted if you select a customer-managed CMK. Previously, only EBS data would be encrypted.

Note that you'll need to provide the Cloud Volumes ONTAP IAM role with access to use the CMK.

[Learn more about setting up the AWS KMS with Cloud Volumes ONTAP.](#)

Enhancement available in Azure

You can now deploy Cloud Volumes ONTAP 9.8 in the Azure Department of Defense (DoD) Impact Level 6 (IL6).

Enhancements available in Google Cloud

- We've reduced the number of IP addresses that are required for Cloud Volumes ONTAP 9.8 and later in Google Cloud. By default, one less IP address is required (we unified the intercluster LIF with the node management LIF). You also have the option to skip the creation of the SVM management LIF when using the API, which would reduce the need for an additional IP address.

[Learn more about IP address requirements in Google Cloud.](#)

- When you deploy a Cloud Volumes ONTAP HA pair in Google Cloud, you can now choose shared VPCs for VPC-1, VPC-2, and VPC-3. Previously, only VPC-0 could be a shared VPC. This change is supported with Cloud Volumes ONTAP 9.8 and later.

[Learn more about Google Cloud networking requirements.](#)

Connector enhancements

- Cloud Manager now notifies Admin users through an email when a Connector isn't running.

Keeping your Connectors up and running helps to ensure the best management of Cloud Volumes ONTAP and other NetApp Cloud Services.

- Cloud Manager now displays a notification if you need to change the instance type for your Connector.

Changing the instance type ensures that you can use the new features and capabilities that you're currently missing. [Learn more about machine type changes.](#)

Cloud Sync enhancements

- Cloud Sync now supports sync relationships between ONTAP S3 Storage and SMB servers:
 - ONTAP S3 Storage to an SMB server
 - An SMB server to ONTAP S3 Storage

[View supported sync relationships.](#)

- Cloud Sync now enables you to unify a data broker group's configuration directly from the user interface.

We don't recommend changing the configuration on your own. You should consult with NetApp to understand when to change the configuration and how to change it.

[Learn more about defining a unified configuration.](#)

Cloud Tiering enhancements

- When tiering to Google Cloud Storage, you can apply a lifecycle rule so that the tiered data transitions from the Standard storage class to lower-cost Nearline, Coldline, or Archive storage after 30 days.
- Cloud Tiering now displays if you have any undiscovered on-prem ONTAP clusters so that you can add them to Cloud Manager to enable tiering or other services on those clusters.

[Learn how to discover these additional clusters.](#)

Active IQ enhancements

- When Active IQ displays the list of your on-prem clusters (based on your NSS account), you can click a button to [discover the cluster](#) and add it to the Cloud Manager Canvas. This makes it easier to manage all your storage systems from Cloud Manager.
- When Active IQ determines that one or more clusters require firmware updates, you can click a button to [download the Ansible playbook and upgrade the cluster firmware.](#)
- A new [Cloud-Ready Workloads](#) tab provides a list of the workloads or volumes that we have identified as ideal to move to the cloud from your on-prem ONTAP clusters. Moving some of these volumes could reduce your costs and improve performance and resiliency.

See [What is Lift and Shift?](#)

ANF enhancements

- Now you can dynamically change the service level for a volume to meet workload needs and optimize your costs. The volume is moved to the other capacity pool with no impact to the volume. [Learn more](#).

Cloud Manager 3.9.3 update (16 Feb 2021)

Cloud Backup Service enhancements

- Now you can restore volumes to on-premises ONTAP systems from backup files that reside in Amazon S3, Azure Blob, and Google Cloud Storage.
- A new Restore Dashboard has been added that provides details about all the volumes and files you have restored.

The Dashboard is also the starting place to perform all volume and file restore operations. See [the Restore Dashboard](#) for details. In previous releases the restore volumes option was included in the Backup Dashboard.

- Cloud Backup is now supported on Cloud Volumes ONTAP HA systems in Google Cloud.

Cloud Manager 3.9.3 update (14 Feb 2021)

Cloud Compliance enhancements

- View and manage Azure Information Protection (AIP) labels in files you are scanning.
 - After you integrate the AIP label functionality into Cloud Compliance, you can view the labels that are assigned to files, add labels to files, and change labels. See [how to integrate AIP labels](#) in your workspace.
 - Assign labels individually to files, or use the Policies functionality to [add labels to all files that match the Policy criteria](#). With Policies, labels are updated continuously as Cloud Compliance finds matches in your files.
 - Filter data in the Investigation page by AIP label to view all files that match the label.
- Send email alerts to Cloud Manager users (daily, weekly, or monthly) when any of your Policies return results so you can get notifications to protect your data.

Select this option when [creating or editing any Policy](#).

- View File Owner and Permission information when [viewing individual file details](#).

You can also use this criteria to further filter your data in the Investigation page.

- Delete files directly from Cloud Compliance.

You can [permanently remove files](#) that seem insecure or risky to leave in your storage system.

Cloud Manager 3.9.3 update (10 Feb 2021)


This update includes enhancements to several features and services.

Cloud Tiering enhancements

- Cloud Tiering now activates write-back prevention on a cluster when an aggregate is at >90% capacity (70% for ONTAP 9.6 and earlier). By preventing cold data write-backs on heavily utilized local tiers, Cloud

Tiering preserves the local tier for active data.

When this happens, an indication appears in the Manage Aggregates table.



6 Aggregates


Aggregate Name	Total Size	Used Size	Cold Data	Tiered Size
agg10fg1	0 B	0 B	0 B (Estimated)	0 B
agg11fg1	0 B	0 B	0 B (Estimated)	0 B
agg12fg2soft	3.52 GB	3.28 GB	2.96 GB	5.62 GB
	0 B	0 B	0 B (Estimated)	0 B
	2.64 GB	2.52 GB	1.76 GB (Estimated)	0 B
	2.64 GB	1.52 GB	1.06 GB (Estimated)	0 B

Notice: If the local tier is at >90% capacity, cold data is read directly from the cloud tier without being written back to the local tier. By preventing cold data write-backs on heavily utilized local tiers, FabricPool preserves the local tier for active data. To resolve that, you can change the value (0-99%), add disks to the aggregate, or move volumes.

- You can now add on-prem ONTAP clusters more easily from the Cloud Tiering service.

When you click **Add cluster** from the Cloud Tiering page, you're now sent directly to the **Add Working Environment** wizard.

- You can now filter the Timeline to show actions specific to the Cloud Tiering service.



Cloud Sync enhancements

- We've simplified the process for syncing data to or from Cloud Volumes ONTAP. You can now select a Cloud Volumes ONTAP working environment and choose an option to sync data to or from this working environment.



- In the last release, we introduced a new Reports feature that provides information that you can use with the help of NetApp personnel to tune a data broker's configuration and improve performance. These reports are now supported with object storage.

Cloud Manager 3.9.3 (9 Feb 2021)

This update includes enhancements to several features and services.

Monitoring enhancements


- The Monitoring service is now supported with Cloud Volumes ONTAP for Azure.
- The Monitoring service is also supported in Government regions in AWS and Azure.

The Monitoring service gives you complete visibility into your Cloud Volumes ONTAP infrastructure. Enable the service to monitor, troubleshoot, and optimize your Cloud Volumes ONTAP resources.

[Learn more about the Monitoring service.](#)

Support improvements

We've updated the Support Dashboard by enabling you to add your NetApp Support Site credentials, which registers you for support. You can also initiate a NetApp Support case directly from the dashboard. Just click the Help icon and then **Support**.



Cloud Manager 3.9.2 update (11 Jan 2021)

This update includes enhancements to several features and services.

Cloud Compliance enhancements

- Added support for scanning Microsoft OneDrive accounts.

Now you can add your corporate OneDrive accounts to Cloud Compliance in order to scan folders and files from all your OneDrive users. See [scanning OneDrive accounts](#) for details.

- The "Policies" feature now allows you can create your own custom Policies that provide results for searches specific to your organization.

In the last release, Cloud Compliance provided a set predefined Policy filters that all users could use. Now you can create your own Policies to return specific scan results in the Investigation page. See how to [create your own custom policies](#).

- Ability to scan backup files from on-premises ONTAP systems for free.

If you don't want Cloud Compliance to scan volumes directly on your on-prem ONTAP systems, a new Beta feature released this month allows you to run compliance scans on backup files created from your on-prem ONTAP volumes. So if you're already creating backups of your on-prem ONTAP volumes using [Cloud Backup](#), you can use this new feature to run compliance scans on those backup files - for **FREE**.

See how to [back up on-prem ONTAP volumes to object storage](#) and how you can [scan those backup files](#).

- Cloud Compliance can now find the personal data type "IP Address" in files. See the list of all [personal data types](#) that Cloud Compliance finds in scans.

Cloud Backup enhancements

You can restore individual files to additional destination working environments:

- Backup files in Azure Blob can be used to restore individual files to Cloud Volumes ONTAP systems installed on Azure, and to on-premises ONTAP systems.
- Backup files in Amazon S3 can be used to restore individual files to on-premises ONTAP systems (restoring files to Cloud Volumes ONTAP systems installed on AWS was already supported).

View the [backup and restore matrix](#) to see which working environments are supported for creating backups, restoring volumes, and restoring files.

Cloud Manager 3.9.2 (4 Jan 2021)

This update includes enhancements to several features and services.

Cloud Volumes ONTAP enhancements

This release of Cloud Manager introduces the following enhancements for Cloud Volumes ONTAP.

Support for AWS Outposts

A few months ago, we announced that Cloud Volumes ONTAP had achieved the Amazon Web Services (AWS) Outposts Ready designation. Today, we're pleased to announce that we've validated Cloud Manager and Cloud Volumes ONTAP with AWS Outposts.

If you have an AWS Outpost, you can deploy Cloud Volumes ONTAP in that Outpost by selecting the Outpost VPC in the Working Environment wizard. The experience is the same as any other VPC that resides in AWS. Note that you will need to first deploy a Connector in your AWS Outpost.

There are a few limitations to point out:

- Only single node Cloud Volumes ONTAP systems are supported at this time
- The EC2 instances that you can use with Cloud Volumes ONTAP are limited to what's available in your Outpost
- Only General Purpose SSDs (gp2) are supported at this time

Support for Ultra SSD VNVRAM in all supported Azure regions

Cloud Volumes ONTAP can now use an Ultra SSD as VNVRAM when you use the E32s_v3 VM type with a single node system [in any supported Azure region](#).

VNVRAM provides better write performance.

Ability to choose an Availability Zone in Azure

You can now choose the Availability Zone in which you'd like to deploy a single node Cloud Volumes ONTAP system. If you don't select an AZ, Cloud Manager will select one for you.

Location

Azure Region

West US

Availability Zone *(Optional)*

Select an Availability Zone

None

1

2

3

Subnet

Select a subnet

Support for bigger disks and new instances in GCP

- Cloud Volumes ONTAP now supports 64 TB disks in GCP.




The maximum system capacity with disks alone remains at 256 TB due to GCP limits.

- Cloud Volumes ONTAP now supports the following machine types:
 - n2-standard-4 with the Explore license and with BYOL
 - n2-standard-8 with the Standard license and with BYOL
 - n2-standard-32 with the Premium license and with BYOL

Cloud Tiering enhancements

- A new Cloud Performance Test gives you the ability to measure network latency and throughput performance from an ONTAP cluster to an object store before and after setting up data tiering.



- The Tiering Setup wizards were redesigned for ease of use.

Additional enhancements

- New Support Dashboard

In the Help menu, a new Support Dashboard includes links to resources that can enable you to get help, submit feedback, and contact NetApp Support. You can also send and download AutoSupport messages from the **Connector AutoSupport** tab.



- Visual representation between working environments

Cloud Manager makes it easier to view the relationships between the services enabled on your working environments.

For example, the following image shows an example of two working environments where data is backed up from Cloud Volumes ONTAP to Amazon S3, and where data is synced between Amazon S3 and two Cloud Volumes ONTAP systems.



Cloud Manager 3.9.1 (7 Dec 2020)

This update includes enhancements to several features and services.

General enhancements

- We've renamed the **Working Environments** tab to **Canvas**.

This tab starts as a blank canvas and enables you to add your working environments by deploying, allocating, and discovering storage across your hybrid cloud.



- It's now easier to navigate between Cloud Manager and Spot.

A new **Storage Operations** section in Spot enables you to navigate directly to Cloud Manager. After you're done, you can get back to Spot from the **Compute** tab in Cloud Manager.

Cloud Volumes ONTAP AMI change

Starting with the 9.8 release, the Cloud Volumes ONTAP PAYGO AMI is no longer available in the AWS Marketplace. If you use the Cloud Manager API to deploy Cloud Volumes ONTAP PAYGO, you'll need to [subscribe to the Cloud Manager subscription in the AWS Marketplace](#) before deploying a 9.8 system.

Cloud Backup enhancements

- You now have the ability to restore individual files from a backup file.
 - If you need to restore a few files from a certain point in time, now you can just restore those files instead of having to restore the whole volume.
 - You can restore the files to a volume in the same working environment, or to a volume in a different working environment that's using the same cloud account.
 - This single file restore option relies on a new Cloud Restore instance that is deployed in your environment. [Go here for details about this new functionality.](#)
- You can configure Cloud Backup in a Google Cloud environment now while deploying a new Cloud Volumes ONTAP system. In the past you could only configure Cloud Backup on existing Cloud Volumes ONTAP systems.
- Now you can restore volumes that you had backed up from on-prem ONTAP systems to Cloud Volumes ONTAP systems deployed in AWS or Azure.

Cloud Compliance enhancements

- Ability to scan data directly from your on-premises ONTAP clusters

If you have discovered your on-prem clusters in Cloud Manager, now you can run Compliance scans directly on those volumes. No longer do you have to copy those volumes to a Cloud Volumes ONTAP system before you can run a Compliance scan.

- Ability to install Cloud Compliance in your on-premises location

If you plan to scan on-premises ONTAP cluster data, now you can install Cloud Compliance on-premises as well. It is still integrated in the Cloud Manager UI and it can still be used to scan other working environments, including cloud based volumes, buckets, and databases.

[See the prerequisites and installation steps here.](#)

- Ability to easily scan CIFS data protection volumes

In the past you have been able to scan NFS DP volumes. This release allows you to easily scan CIFS DP volumes directly within Cloud Compliance. [Learn how.](#)

- A new "Policies" feature provides a predefined selection of combination filters that return results in the Investigation page

Ten Policies are available with this release. For example, the "HIPAA – Stale data over 30 days" Policy identifies files that contain Health information that is over 30 days old. [See the full list of predefined policies.](#)


You can select Policies from a tab in the Compliance Dashboard and as a filter in the Investigation page.

- Cloud Compliance can now find the sensitive personal data type "Political Opinions Reference" in files. See the list of all [sensitive personal data types](#) that Cloud Compliance finds in scans.
- A new filter for "file size" is available from the Investigation page to refine your search results for files of a certain size

Note that the list of required endpoints for Cloud Compliance deployments has been revised based on cloud provider. [Review this list for AWS, Azure, and on-prem requirements.](#)

Cloud Tiering enhancements

- You can now change the tiering policy and minimum cooling days for multiple volumes at the same time.



- Cloud Tiering now provides an aggregated view of data tiering from each of your on-premises clusters. This overview provides a clear picture of your environment and enables you to take proper actions. [Learn more about this page.](#)



Cloud Sync enhancements

- You can now manage data broker groups.

Grouping data brokers together can help improve the performance of sync relationships. Manage groups by adding a new data broker to a group, viewing information about data brokers, and more.

[Learn how to manage data brokers.](#)

- Cloud Sync now supports an ONTAP S3 Storage to ONTAP S3 Storage sync relationship.

[View the entire list of supported sources and targets.](#)

Cloud Manager 3.9 Update (18 Nov 2020)

Cloud Backup is now supported on Cloud Volumes ONTAP in Google Cloud. Click [here](#) for details.

Note: Only single-node systems are currently supported.

Cloud Volumes ONTAP 9.8 (16 Nov 2020)

Cloud Volumes ONTAP 9.8 is available in AWS, Azure, and Google Cloud Platform. This release includes support for [HA pairs in GCP](#).



The GCP service account associated with the Connector [needs the latest permissions](#) to deploy an HA pair in GCP.

[Learn what else is new in Cloud Volumes ONTAP 9.8.](#)

Cloud Manager 3.9 update (8 Nov 2020)

We released an enhancement to Cloud Manager 3.9.

Cloud Compliance enhancements

- Now you can create custom personal data identifiers from your databases. This gives you the full picture about where potentially sensitive data resides in **all** your files.

A feature we call "Data Fusion" allows you to scan your files to identify whether unique identifiers from your databases are found in those files—basically making your own list of "personal data" that is identified in Cloud Compliance scans.

[Learn how to create custom personal identifiers from your databases.](#)

- Added support for scanning MySQL database schemas.

Go to [scanning database schemas](#) for the list of all supported databases and for instructions.

Cloud Manager 3.9 (3 Nov 2020)

This update includes enhancements to several features and services.

Azure Private Link for Cloud Volumes ONTAP

By default, Cloud Manager now enables an Azure Private Link connection between Cloud Volumes ONTAP and its associated storage accounts. A Private Link secures connections between endpoints in Azure.

- [Learn more about Azure Private Links](#)
- [Learn more about using an Azure Private Link with Cloud Volumes ONTAP](#)

Active IQ cluster insights


Active IQ cluster insights are now available within Cloud Manager. This initial release provides the following functionality:

- Shows a list of your on-prem clusters based on your NetApp Support Site (NSS) credentials.
- Identifies which of those clusters have been discovered within Cloud Manager, and those that have not been discovered.
- Enables you to view unused Cloud Volumes ONTAP licenses.
- Identifies if any of your discovered ONTAP clusters need to have their shelf or disk firmware updated.

Go to [Monitoring ONTAP clusters](#) for details. This information is provided to Cloud Manager from the [Active IQ Digital Advisor](#).

Cloud Tiering enhancements

- When you set up data tiering from your volumes, Cloud Tiering now identifies the Snapshot used size for each volume. This information can help you decide which type of data to tier to the cloud.



The screenshot shows a web interface titled 'Tier Volumes' with a sub-header '50 Volumes'. It contains a table with the following columns: Volume Name, SVM Name, Volume Size, Used Size, Snapshot used size (highlighted with a red box), Cold Data (Estimated), Tier Status, and TieringPolicy. The first row of data shows: Volume 1, SVMNameB..., 462 TB, 100 TB, 50 TB, 70 TB | 70%, Available for Tiering, and Cold User Data.

Volume Name	SVM Name	Volume Size	Used Size	Snapshot used size	Cold Data (Estimated)	Tier Status	TieringPolicy
Volume 1	SVMNameB...	462 TB	100 TB	50 TB	70 TB 70%	Available for Tiering	Cold User Data

- Cloud Tiering now enables inactive data reporting on HDD aggregates, if the cluster is running ONTAP 9.6 or later.

This enhancement makes it easier for Cloud Tiering to show you the potential savings from tiering cold data.

- Cloud Tiering now prompts you to change thick-provisioned volumes to thin-provisioned volumes, if that's required to enable data tiering on the volumes in an aggregate.

Cloud Manager transition to SaaS

We've introduced a software-as-a-service experience for Cloud Manager. This new experience makes it easier for you to use Cloud Manager and enables us to provide additional features to manage your hybrid cloud infrastructure.

The previous Cloud Manager experience

Cloud Manager software was previously comprised of a user interface and a management layer that sent requests to cloud providers. To get started, you would deploy Cloud Manager in your cloud network or on-premises network and then access the user interface that runs on that instance.

That experience has changed.

The new SaaS experience

The Cloud Manager interface is now accessible through a SaaS-based user interface that you log in to from NetApp Cloud Central. You no longer need to access a user interface from software that runs in your network.

In most cases, you need to deploy a *Connector* in your cloud or on-premises network. The Connector is software that's needed to manage Cloud Volumes ONTAP and other cloud data services. (The Connector is actually the same as the existing Cloud Manager software that you have installed.)


Benefits

This SaaS-based approach provides several benefits:

- It enables us to offer additional management capabilities for Azure NetApp Files and Cloud Volumes Service without needing to deploy software in your environment.
- You can easily switch between your NetApp accounts.

If a user is associated with multiple NetApp accounts, they can change to a different account at any time

from the User Settings menu. They can then see the Connectors and working environments that are associated with that account.



- You can easily switch between Connectors (what you know today as the Cloud Manager software) that are installed in different networks or different cloud providers.




The local user interface

While you should perform almost all tasks from the SaaS user interface, a local user interface is still available on the Connector. This interface is needed for a few tasks that need to be performed from the Connector itself:

- Setting a proxy server
- Installing a patch
- Downloading AutoSupport messages

You can access the local user interface directly from the SaaS user interface:



Instance, VM, and machine type changes

To ensure that adequate resources are available for new and upcoming features in Cloud Manager, we've changed the minimum required instance, VM, and machine type as follows:

- AWS: t3.xlarge
- Azure: DS3 v2
- GCP: n1-standard-4

When you upgrade the machine type, you'll get access to features like a new Kubernetes experience, Global File Cache, Monitoring, and more.

These default sizes are the minimum supported [based on CPU and RAM requirements](#).

Cloud Manager will prompt you with instructions to change the machine type of the Connector.

Known issues

Known issues identify problems that might prevent you from using this release of the product successfully.

You can find known issues for Cloud Volumes ONTAP in the [Cloud Volumes ONTAP Release Notes](#) and for ONTAP software in general in the [ONTAP Release Notes](#).

Possible conflict with IP addresses in the 172 range

Cloud Manager deploys the Connector with two interfaces that have IP addresses in the 172.17.0.0/16 and 172.18.0.0/16 ranges.

If your network has a subnet configured with either of these ranges, then you might experience connectivity failures from Cloud Manager. For example, discovering on-prem ONTAP clusters in Cloud Manager might fail.

The workaround is to change the IP addresses of the Connector's interfaces. Contact NetApp Support for help.

Known limitations

Known limitations identify platforms, devices, or functions that are not supported by this release of the product, or that do not interoperate correctly with it. Review these limitations carefully.

Only an HTTP proxy server is supported

If your corporate policies require you to use a proxy server for all HTTP communication to the internet, then you must configure your Connectors to use that HTTP proxy server. The proxy server can be in the cloud or in your network.

Cloud Manager doesn't support using an HTTPS proxy with the Connector.

SSL decryption isn't supported

Cloud Manager doesn't support firewall configurations that have SSL decryption enabled. If SSL decryption is enabled, error messages appear in Cloud Manager and the Connector instance displays as inactive.

For enhanced security, you have the option to [install an HTTPS certificate signed by a certificate authority \(CA\)](#).

Blank page when loading the local UI

If you load the local user interface for a Connector, the UI might fail to display sometimes, and you just get a blank page.

This issue is related to a caching problem. The workaround is to use an incognito or private web browser session.

Pay-as-you-go not available for Azure and Google Cloud partners

If you are a Microsoft Cloud Solution Provider (CSP) partner or a Google Cloud partner, NetApp pay-as-you-go subscriptions are not available. You must purchase a license and deploy NetApp cloud solutions with a BYOL license.

Pay-as-you-go subscriptions are not available for the following NetApp cloud services:

- Cloud Volumes ONTAP
- Cloud Tiering
- Cloud Backup
- Cloud Data Sense

Only one HA pair in an Azure resource group

You must use a dedicated resource group for each Cloud Volumes ONTAP HA pair that you deploy in Azure. Only one HA pair is supported in a resource group.

Cloud Manager experiences connection issues if you try to deploy a second Cloud Volumes ONTAP HA pair in an Azure resource group.

Connectors should remain running

A Connector should remain running at all times. It's important for the continued health and operation of the services that you enable.

For example, a Connector is a key component in the health and operation of Cloud Volumes ONTAP PAYGO systems. If a Connector is powered down, Cloud Volumes ONTAP PAYGO systems will shut down after losing communication with a Connector for longer than 14 days.

SaaS platform is disabled for Government regions

If you deploy a Connector in an AWS GovCloud region, an Azure Gov region, or an Azure DoD region, access to Cloud Manager is available only through a Connector's host IP address. Access to the SaaS platform is disabled for the entire account.

This means that only privileged users who can access the end-user internal VPC/VNet can use Cloud Manager's UI or API.

It also means that the following services aren't available from Cloud Manager:

- Kubernetes
- Cloud Tiering
- Global File Cache

The SaaS platform is required to use these services.



Cloud Backup, Cloud Data Sense, and the Monitoring service are supported and available in Government regions.

Cloud Manager doesn't support downgrades of Cloud Volumes ONTAP

Cloud Manager doesn't support downgrading Cloud Volumes ONTAP to a previous version. Contact NetApp technical support for help with downgrades.

Shared Linux hosts are not supported

The Connector isn't supported on a VM that is shared with other applications. The VM must be dedicated to the Connector software.

3rd-party agents and extensions

3rd-party agents or VM extensions are not supported on the Connector VM.

Cloud Manager doesn't support FlexGroup volumes

While Cloud Volumes ONTAP supports FlexGroup volumes, Cloud Manager does not. If you create a FlexGroup volume from System Manager or from the CLI, then you should set Cloud Manager's Capacity Management mode to Manual. Automatic mode might not work properly with FlexGroup volumes.

Cloud Manager doesn't support ONTAP S3

While Cloud Volumes ONTAP in Azure supports objects using S3, Cloud Manager doesn't provide any management capabilities for this feature. Using the CLI is the best practice to configure S3 client access from

Cloud Volumes ONTAP. For details, refer to the [S3 Configuration Power Guide](#).

Copyright Information

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.