```
import os
In [1]:
        import json
        import sys
        import re
        from pathlib import Path
        import zipfile
        import email
        from email.policy import default
        from email.parser import Parser
        from datetime import timezone
        from collections import namedtuple
        import pandas as pd
        import s3fs
        from bs4 import BeautifulSoup
        from dateutil.parser import parse
        from chardet.universaldetector import UniversalDetector
        from pyspark.ml import Pipeline
        from pyspark.ml.feature import CountVectorizer
        from pyspark.ml.feature import HashingTF, Tokenizer
        from pyspark.sql import SparkSession
        from pyspark.sql.functions import col
        from pyspark.ml.pipeline import Transformer
        from pyspark.sql.functions import udf
        from pyspark.sql.types import StructType, StringType
        from pyspark.sql import functions as F
        from pyspark.sql.types import StringType
        import pandas as pd
        current dir = Path(os.getcwd()).absolute()
        results dir = current dir.joinpath('results')
        results dir.mkdir(parents=True, exist ok=True)
        data dir = current dir.joinpath('data')
        data dir.mkdir(parents=True, exist ok=True)
        enron data dir = data dir.joinpath('enron')
        output columns = [
                'payload',
                'text',
                'Message D',
                'Date',
                'From',
                'To',
                'Subject',
                'Mime-Version',
                'Content-Type',
                'Content-Transfer-Encoding',
                'X-From',
                'X-To',
                'X-cc',
                'X-bcc',
                'X-Folder',
                'X-Origin',
                'X-FileName',
                'Cc',
                'Bcc'
        ]
        columns = [column.replace('-', ' ') for column in output columns]
        ParsedEmail = namedtuple('ParsedEmail', columns)
```

```
os.environ['PYSPARK_PYTHON'] = sys.executable
os.environ['PYSPARK_DRIVER_PYTHON'] = sys.executable

spark = SparkSession \
    .builder \
    .appName("Assignment04") \
    .config("spark.executor.memory", "2g") \
    .config("spark.driver.memory", "2g") \
    .getOrCreate()
```

The following code loads data to your local JupyterHub instance. You only need to run this once.

```
In [2]: def copy_data_to_local():
    dst_data_path = data_dir.joinpath('enron.zip')
    enron_data_path = '../../../data/external/enron/enron.zip'

with zipfile.ZipFile(enron_data_path) as f_zip:
    f_zip.extractall(path=data_dir)

copy_data_to_local()
```

This code reads emails and creates a Spark dataframe with three columns.

Assignment 4.1

```
# update the enron data dir to use the proper directory now
In [3]:
        enron data dir = "data"
        def read raw email (email path):
            detector = UniversalDetector()
            try:
                with open (email path) as f:
                    original msg = f.read()
            except UnicodeDecodeError:
                detector.reset()
                with open(email path, 'rb') as f:
                    for line in f.readlines():
                        detector.feed(line)
                        if detector.done:
                            break
                detector.close()
                encoding = detector.result['encoding']
                with open (email path, encoding=encoding) as f:
                    original msg = f.read()
            return original msg
        def make spark df():
            records = []
            for root, dirs, files in os.walk(enron data dir):
                for file path in files:
                    ## Current path is now the file path to the current email.
                    ## Use this path to read the following information
                    ## original msg
                    ## username (Hint: It is the root folder)
                    ## id (The relative path of the email message)
                    current path = Path(root).joinpath(file path)
                    # Add a list of records with the username, id, and original message to the r
```

```
original msg = read raw email(current path)
                  id = os.path.relpath(current path, "data/")
                  username = id.split("\\")[0]
                  records.append({"id": id, "username": username, "original msg": original msg
           # Add the records to the dataframe
           return spark.createDataFrame(records)
       df = make spark df()
In [4]: df.show()
       +----+
                         idl
                                  original msg|username|
       +----+
       | davis-d\2 trash\1 |Message-ID: <1774...| davis-d|
       | davis-d\2 trash\2 | Message-ID: <2467...| davis-d|
       | davis-d\2 trash\3 | Message-ID: <2833...| davis-d|
       | davis-d\2 trash\4 | Message-ID: <1972...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <1964...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <7345...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <5686...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <7218...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <3016...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <1233...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <2215...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <1365...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <2251...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <8556...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <1807...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <2705...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <2977...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <3065...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <2798...| davis-d|
       |davis-d\2 trash\c...|Message-ID: <3108...| davis-d|
       +----+
       only showing top 20 rows
In [5]: df.printSchema()
       root
        |-- id: string (nullable = true)
        |-- original msg: string (nullable = true)
        |-- username: string (nullable = true)
```

Assignment 4.2

Use plain_msg_example and html_msg_example to create a function that parses an email message.

```
In [6]: plain_msg_example = """
    Message-ID: <6742786.1075845426893.JavaMail.evans@thyme>
    Date: Thu, 7 Jun 2001 11:05:33 -0700 (PDT)
    From: jeffrey.hammad@enron.com
    To: andy.zipper@enron.com
    Subject: Thanks for the interview
    Mime-Version: 1.0
    Content-Type: text/plain; charset=us-ascii
    Content-Transfer-Encoding: 7bit
    X-From: Hammad, Jeffrey </0=ENRON/OU=NA/CN=RECIPIENTS/CN=NOTESADDR/CN=CBBE377A-24F58854-X-To: Zipper, Andy </0=ENRON/OU=NA/CN=RECIPIENTS/CN=AZIPPER>
    X-cc:
```

```
X-bcc:
X-Folder: \Zipper, Andy\Zipper, Andy\Inbox
X-Origin: ZIPPER-A
X-FileName: Zipper, Andy.pst
Andy,
Thanks for giving me the opportunity to meet with you about the Analyst/ Associate progr
Thanks and Best Regards,
Jeff Hammad
html msg example = """
Message-ID: <21013632.1075862392611.JavaMail.evans@thyme>
Date: Mon, 19 Nov 2001 12:15:44 -0800 (PST)
From: insynconline.6jy5ympb.d@insync-palm.com
To: tstaab@enron.com
Subject: Last chance for special offer on Palm OS Upgrade!
Mime-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
X-From: InSync Online <InSyncOnline.6jy5ympb.d@insync-palm.com>
X-To: THERESA STAAB <tstaab@enron.com>
X-cc:
X-bcc:
X-Folder: \TSTAAB (Non-Privileged) \Staab, Theresa \Deleted Items
X-Origin: Staab-T
X-FileName: TSTAAB (Non-Privileged).pst
<html>
<html>
<head>
<title>Paprika</title>
<meta http-equiv="Content-Type" content="text/html;">
</head>
<body bqcolor="#FFFFF" TEXT="#333333" LINK="#336699" VLINK="#6699cc" ALINK="#ff9900">
<nobr><a href="http://insync-online.p04.com/u.d?BEReaQA5ec"
<img src="http://images4.postdirect.com/master-images/
 <img src="http://images4.postdirect.com/master-images/404707/clear.gif"</pre>
 <br><a href="http://insync-online.p04.com/u.d?LkReaQA5eczXL=21"><img s
 <img src="http://images4.postdirect.com/master-images/404707/clear.gif"</pre>
 <br><a href="http://insync-online.p04.com/u.d?BkReaQA5eczX0=31"><img s</pre>
 <img src="http://images4.postdirect.com/master-images/404707/clear.gif"</pre>
 <br><a href="http://insync-online.p04.com/u.d?JkReaQA5eczXRs=41"><img</pre>
 <img src="http://images4.postdirect.com/master-images/404707/clear.gif"</pre>
 <img src="http://images4.postdirect.com/master-images/</pre>
<img src="http://images4.postdirect.com/master-images/</pre>
 <br>
   <img src="http://images4.postdirect.com/master-images/404707/clear.</pre>
    <font face="verdana, arial" size="-2"color="#000000">
      <hr>
      Dear THERESA,
      <hr><hr><hr>>
```

```
Due to overwhelming demand for the Palm OS® v4.1 Upgrade with Mobile Connec
       extending the special offer of 25% off through November 30, 2001. So there's sti
       increase the functionality of your Palm™ III, IIIx, IIIxe, IIIc, V or Vx ha
       new Palm OS v4.1 through this extended special offer. You'll receive the brand n
       <b>for just $29.95 when you use Promo Code <font color="#FF0000">OS41WAVE</font>
       <b>$10 savings</b> off the list price.
       <hr><hr><hr>>
       <a href="http://insync-online.p04.com/u.d?NkReaQA5eczXRh=51">Click here to view
       <br><br><br>>
       <a href="http://insync-online.p04.com/u.d?MkReaQA5eczXRm=61"><img src="http://im</pre>
       You can do a lot more with your Palm™ handheld when you upgrade to the Palm
       favorite features just got even better and there are some terrific new additions
       <LI> Handwrite notes and even draw pictures right on your Palm&#153 handheld</LI
       <LI> Tap letters with your stylus and use Graffiti&#174; at the same time with t
       <LI> Improved Date Book functionality lets you view, snooze or clear multiple al
       <LI> You can easily change time-zone settings</LI>
       <br><br><br>>
       <a href="http://insync-online.p04.com/u.d?WkReaQA5eczXRb=71"><img src="http://im</pre>
       <hr><hr><hr>>
       <LI> <nobr>Mask/unmask</nobr> private records or hide/unhide directly within the
       <LI> Lock your device automatically at a designated time using the new Autolocki
       <LI> Always remember your password with our new Hint feature*</LI>
       <br><br><br>>
       <a href="http://insync-online.p04.com/u.d?VEReaQA5eczXRQ=81"><img src="http://im</pre>
       <hr><hr><hr>>
       <LI> Use your GSM compatible mobile phone or modem to get online and access the
       <LI> Stay connected with email, instant messaging and text messaging to GSM mobi
       <LI> Send applications or records through your cell phone to schedule meetings a
            important information to others</LI>
       <br><br><br>>
       All this comes in a new operating system that can be yours for just $29.95! <a h
       upgrade to the new Palm™ OS v4.1</a> and you'll also get the latest Palm de
       <nobr>1-800-881-7256</nobr> to order via phone.
       <br><br><br>>
       Sincerely, <br>
       The Palm Team
       <hr><hr><hr>>
       P.S. Remember, this extended offer opportunity of 25% savings absolutely ends on
       and is only available through the Palm Store when you use Promo Code <b><font co
       <br >> <br >>
       <img src="http://images4.postdirect.com/master-images/404707/bottom button.gif"</pre>
       <br><imq src="http://images4.postdirect.com/master-images/404707/clear.gif" widt</pre>
       </font>
     <img src="http://images4.postdirect.com/master-images/404707/clear.</pre>
   <img src="http://images4.postdirect.com/master-image</pre>
 \langle tr \rangle
 <img src="http://images4.postdirect.com/master-images/404707/bottom.gi</pre>
<img src="http://images4.postdirect.com/master-images/404707/clear.gi</pre>
   <font face="arial, verdana" size="-2" color="#000000"><br>
    * This feature is available on the Palm™ IIIx, Palm™ IIIxe, and Palm™
   ** Note: To use the MIK functionality, you need either a Palm OS® compatible mo
   with <nobr>built-in</nobr> modem or data capability that has either an infrared por
   are using a phone, you must have data services from your mobile service provider. <
   a list of tested and supported phones that you can use with the MIK. Cable not provi
```

```
<br><br><br>>
            -----<br>
           To modify your profile or unsubscribe from Palm newsletters, <a href="http://insync-
           Or, unsubscribe by replying to this message, with "unsubscribe" as the subject line
           <br><br><br>>
            ----<br>
           Copyright© 2001 Palm, Inc. Palm OS, Palm Computing, HandFAX, HandSTAMP, HandWEB
           HotSync, iMessenger, MultiMail, Palm.Net, PalmConnect, PalmGlove, PalmModem, PalmPoi
           and the Palm Platform Compatible Logo are registered trademarks of Palm, Inc. Palm,
           AnyDay, EventClub, HandMAIL, the HotSync Logo, PalmGear, PalmGlove, PalmPix, Palm Po
           trade dress, PalmSource, Smartcode, and Simply Palm are trademarks of Palm, Inc. All
           product names may be trademarks or registered trademarks of their respective owners.
           <img src="http://images4.postdirect.com/master-images/404707/clear.gif" width="474"</pre>
           <img src="http://images4.postdirect.com/master-images/404707/clear.gi</pre>
          <!-- The following image is included for message detection -->
       <img src="http://p04.com/1x1.dyn" border="0" alt="" width="1" height="1">
        <img src="http://p04.com/1x1.dyn?0vEGou8Ig30ba2L2bLn" width=1 height=1></body>
       </html>
        </html>
       plain msg example = plain msg example.strip()
       html msg example = html msg example.strip()
In [7]: def parse_html_payload(payload):
           This function uses Beautiful Soup to read HTML data
           and return the text. If the payload is plain text, then
           Beautiful Soup will return the original content
           soup = BeautifulSoup(payload, 'html.parser')
            return str(soup.get text()).encode('utf-8').decode('utf-8')
       def parse email(original msg):
           result = {}
           msg = Parser(policy=default).parsestr(original msg)
           ## TODO: Use Python's email library to read the payload and the headers
           ## https://docs.python.org/3/library/email.examples.html
            # Set the result by using the output column from the message.
           for output column in output columns:
               result[output column] = msg[output column]
            # Add payload and text to the results.
           result['Payload'] = original msg
           result['text'] = msg.get payload()
            # Add a space to ensure the results match the expected outcome.
           print()
            tuple result = tuple([str(result.get(column, None)) for column in columns])
           return ParsedEmail(*tuple result)
In [8]: | parsed_msg = parse_email(plain msg example)
In [9]: print(parsed msg.text)
```

Thanks for giving me the opportunity to meet with you about the Analyst/ Associate progr

Andy,

```
am. I enjoyed talking to you, and look forward to contributing to the success that the
       program has enjoyed.
       Thanks and Best Regards,
       Jeff Hammad
In [10]: parsed html msg = parse email(html msg example)
In [11]: print(parsed html msg.text)
       <html>
       <html>
       <head>
       <title>Paprika</title>
       <meta http-equiv="Content-Type" content="text/html;">
       <body bgcolor="#FFFFFF" TEXT="#333333" LINK="#336699" VLINK="#6699cc" ALINK="#ff9900">
       <nobr><a href="http://insync-online.p04.com/u.d?BEReaQA5ec</pre>
       zXB=1"><img src="http://images4.postdirect.com/master-images/404707/upper left.gif" alt
       ="" width="103" height="110" hspace="0" vspace="0" border="0"></a><a href="http://insync
       -online.p04.com/u.d?AkReaQA5eczXE=11"><img src="http://images4.postdirect.com/master-ima
       ges/404707/upper right.gif" alt="" width="479" height="110" hspace="0" vspace="0" border
       ="0"></a></nobr>
       <img src="http://images4.postdirect.com/master-images/
       404707/clear.gif" width="4" height="1" hspace="0" vspace="0" border="0" alt="">
         <img src="http://images4.postdirect.com/master-images/404707/clear.gif"</pre>
       width="20" height="1" hspace="0" vspace="0" border="0" alt="">
         <br><a href="http://insync-online.p04.com/u.d?LkReaQA5eczXL=21"><img s
       rc="http://images4.postdirect.com/master-images/404707/screen1.gif" alt="" width="165" h
       eight="159" hspace="0" vspace="0" border="0"></a><br><img src="http://images4.postdirec
       {\tt t.com/master-images/404707/screen1\_text.gif"~alt=""~width="93"~height="26"~hspace="0"~vs}
       pace="0" border="0">
        <img src="http://images4.postdirect.com/master-images/404707/clear.gif"</pre>
       width="20" height="1" hspace="0" vspace="0" border="0" alt="">
         <br><a href="http://insync-online.p04.com/u.d?BkReaQA5eczXO=31"><img s
       rc="http://images4.postdirect.com/master-images/404707/screen2.gif" alt="" width="165" h
       eight="159" hspace="0" vspace="0" border="0"></a><br><img src="http://images4.postdirec
       t.com/master-images/404707/screen2 text.gif" alt="" width="93" height="26" hspace="0" vs
       pace="0" border="0">
        <img src="http://images4.postdirect.com/master-images/404707/clear.gif"</pre>
       width="20" height="1" hspace="0" vspace="0" border="0" alt="">
        <br><a href="http://insync-online.p04.com/u.d?JkReaQA5eczXRs=41"><img</pre>
       src="http://images4.postdirect.com/master-images/404707/screen3.gif" alt="" width="165"
       height="159" hspace="0" vspace="0" border="0"></a><br><img src="http://images4.postdirec
       t.com/master-images/404707/screen3 text.gif" alt="" width="93" height="26" hspace="0" vs
       pace="0" border="0">
        <img src="http://images4.postdirect.com/master-images/404707/clear.gif"</pre>
       width="19" height="1" hspace="0" vspace="0" border="0" alt="">
         <img src="http://images4.postdirect.com/master-images/
       404707/clear.gif" width="4" height="1" hspace="0" vspace="0" border="0" alt="">
       <img src="http://images4.postdirect.com/master-images/</pre>
       404707/clear.gif" width="4" height="1" hspace="0" vspace="0" border="0" alt="">
         <br>
```

 Dear THERESA,

> Due to overwhelming demand for the Palm OS® v4.1 Upgrade with Mobile Connec tivity, we are extending the special offer of 25% off through November 30, 2001. So there's sti ll time to significantly increase the functionality of your Palm™ III, IIIx, IIIxe, IIIc, V or Vx ha ndheld. Step up to the

new Palm OS v4.1 through this extended special offer. You'll receive the brand n

ew Palm OS v4.1

for just \$29.95 when you use Promo Code OS41WAVE . That's a

\$10 savings off the list price.

>

Click here to view a full product demo now.

<

<

You can do a lot more with your Palm™ handheld when you upgrade to the Palm OS v4.1. All your

favorite features just got even better and there are some terrific new addition s:

>

 Handwrite notes and even draw pictures right on your Palm™ handheld</LI

 Tap letters with your stylus and use Graffiti® at the same time with t he enhanced onscreen keyboard

 Improved Date Book functionality lets you view, snooze or clear multiple al arms all with a single tap

 You can easily change time-zone settings

>

>

 <nobr>Mask/unmask</nobr> private records or hide/unhide directly within the application

 Lock your device automatically at a designated time using the new Autolocki ng feature

 Always remember your password with our new Hint feature*

<imq src="http://im</pre> ages4.postdirect.com/master-images/404707/title3.gif" alt="" width="461" height="31" hsp ace="0" vspace="0" border="0">

<

 Use your GSM compatible mobile phone or modem to get online and access the web

 Stay connected with email, instant messaging and text messaging to GSM mobi le phones

 Send applications or records through your cell phone to schedule meetings a nd even "beam"

important information to others

<hr><hr><hr>

All this comes in a new operating system that can be yours for just \$29.95! <a h ref="http://insync-online.p04.com/u.d?MkReaQA5eczXRV=91">Click here to

```
upgrade to the new Palm™ OS v4.1</a> and you'll also get the latest Palm de
sktop software. Or call
       \langle nobr \rangle 1-800-881-7256 \langle /nobr \rangle to order via phone.
        <hr><hr><
        Sincerely, <br>
       The Palm Team
       <br><br><
        P.S. Remember, this extended offer opportunity of 25% savings absolutely ends on
November 30, 2001
       and is only available through the Palm Store when you use Promo Code <b><font co
lor="#FF0000">OS41WAVE</font></b>.
        <br><br><br>>
        <img src="http://images4.postdirect.com/master-images/404707/bottom button.gif"</pre>
align="right" alt="" width="295" height="60" hspace="0" vspace="0" border="0">
        <br><imq src="http://images4.postdirect.com/master-images/404707/clear.gif" widt</pre>
h="474" height="1" hspace="0" vspace="0" border="0" alt="">
        </font>
      <img src="http://images4.postdirect.com/master-images/404707/clear.
qif" width="50" height="1" hspace="0" vspace="0" border="0" alt="">
```

<img src="http://images4.postdirect.com/master-image
s/404707/clear.gif" width="4" height="1" hspace="0" vspace="0" border="0" alt="">

<img src="http://images4.postdirect.com/master-images/404707/bottom.gi
f" width="582" height="67" hspace="0" vspace="0" border="0">

<img src="http://images4.postdirect.com/master-images/404707/clear.gi
f" width="54" height="1" hspace="0" vspace="0" border="0" alt="">

* This feature is available on the Palm™ IIIx, Palm™ IIIxe, and Palm™ Vx.
>

** Note: To use the MIK functionality, you need either a Palm OS® compatible mo dem or a phone

with <nobr>built-in</nobr> modem or data capability that has either an infrared por t or cable exits. If you

are using a phone, you must have data services from your mobile service provider. < a href="http://insync-online.p04.com/u.d?RkReaQA5eczXRK=101">Click here for

a list of tested and supported phones that you can use with the MIK. Cable not provided.

>

To modify your profile or unsubscribe from Palm newsletters, click here.

Or, unsubscribe by replying to this message, with "unsubscribe" as the subject line of the message.

<hr><hr><hr>

Copyright© 2001 Palm, Inc. Palm OS, Palm Computing, HandFAX, HandSTAMP, HandWE B, Graffiti,

HotSync, iMessenger, MultiMail, Palm.Net, PalmConnect, PalmGlove, PalmModem, PalmPoint, PalmPrint,

and the Palm Platform Compatible Logo are registered trademarks of Palm, Inc. Palm, the Palm logo,

AnyDay, EventClub, HandMAIL, the HotSync Logo, PalmGear, PalmGlove, PalmPix, Palm Powered, the Palm

trade dress, PalmSource, Smartcode, and Simply Palm are trademarks of Palm, Inc. All other brands and

product names may be trademarks or registered trademarks of their respective owners.

<img src="http://images4.postdirect.com/master-images/404707/clear.gif" width="474"
height="1" hspace="0" vspace="0" border="0" alt="">

Assignment 4.3

```
In [12]: ## This creates a schema for the email data
         email struct = StructType()
         for column in columns:
             email struct.add(column, StringType(), True)
In [16]: ## This creates a user-defined function which can be used in Spark
         parse email func = udf(lambda z: parse email(z), email struct)
         def parse emails(input df):
             def clean email text(text):
                 # Remove any special characters
                 return re.sub(r'[^\w\s]', '', text)
            new df = input df.select(
                'username', 'id', 'original msg', parse email func('original msg').alias('parsed
             # Define the UDF with a return type
             clean email text udf = F.udf(clean email text, StringType())
             # Clean the email text
            new df = new df.withColumn('cleaned text', clean email text udf(new df['parsed email
             for column in columns:
                new df = new df.withColumn(column, new df.parsed email[column])
             new df = new df.drop('parsed email')
             return new df
         class ParseEmailsTransformer(Transformer):
             def transform(self, dataset):
                 11 11 11
                Transforms the input dataset.
                :param dataset: input dataset, which is an instance of :py:class:`pyspark.sql.Da
                 :returns: transformed dataset
                return dataset.transform(parse emails)
         ## Use the custom ParseEmailsTransformer, Tokenizer, and CountVectorizer
         ## to create a spark pipeline; Use the libraries already added at the top and the class
         custom transformer = ParseEmailsTransformer()
         tokenizer = Tokenizer(inputCol = "cleaned text", outputCol = "words")
         count vectorizer = CountVectorizer(inputCol = "words", outputCol = "features")
         # Add the new items to the pipeline.
         email pipeline = Pipeline(stages = [
                custom transformer,
```

```
In [17]: result.select('id', 'words', 'features').show()
```

```
id|
                                words
                                                features|
+----+
| davis-d\2 trash\1 |[, , , , , , ...|(81402,[0,1,2,3,4...| |
| davis-d\2 trash\2 |[fyi, thanks, , f...|(81402,[0,1,2,3,4...|
| davis-d\2 trash\3 |[, forwarded, by,...|(81402,[0,1,2,4,6...|
| davis-d\2 trash\4 | [original, messag...| (81402, [0,2,4,6,7...|
|davis-d\2 trash\c...|[hi, mommy, , yes...|(81402,[0,1,2,4,6...|
|davis-d|^2 trash_c...|[hey, sweetie, , ...|(81402,[0,1,6,9,1...|
|davis-d\2 trash\c...|[, forwarded, by,...|(81402,[0,2,9,18,...|
|davis-d\2 trash\c...|[, forwarded, by,...|(81402,[0,1,2,3,4...|
|davis-d\2 trash\c...|[, forwarded, by,...|(81402,[0,2,3,4,6...|
|davis-d\2 trash\c...|[, forwarded, by,...|(81402,[0,1,2,3,6...|
|davis-d|^2 trash|_{c...}|_{forwarded}, by,...|_{(81402,[0,1,2,3,5...)}
|davis-d\2 trash\c...|[, forwarded, by,...|(81402,[0,2,9,18,...|
|davis-d\2 trash\c...|[, , , , forwar...|(81402,[0,2,6,9,1...|
|davis-d\2 trash\c...|[, forwarded, by,...|(81402,[0,2,9,24,...|
|davis-d\2 trash\c...|[are, you, on, th...|(81402,[0,1,6,9,2...|
|davis-d\2 trash\c...|[listen, girly, ,...|(81402,[0,2,3,6,9...|
|davis-d\2 trash\c...|[candis, all, you...|(81402,[0,1,2,3,6...|
|davis-d\2 trash\c...|[what, is, your, ...|(81402,[0,2,6,10,...|
|davis-d\2 trash\c...|[candis, , , why,...|(81402,[0,6,11,37...|
|davis-d\2 trash\c...|[, forwarded, by,...|(81402,[0,2,9,12,...|
+----+
only showing top 20 rows
```