

WEB3 BASED DECENTRALIZED CROWDFUNDING PLATFORM USING BLOCKCHAIN TECHNOLOGY

A PROJECT REPORT

Submitted by

**SUBHAKAR VADLAMANI(RA2211003030073)
AYUSH SHUKLA(RA2211003030089)
PANKAJ JOSHI(RA2211003030094)
ADITYA RASTOGI(RA2211003030101)**

Under the guidance of

Dr. Abhilasha Singh

(Associate Professor, Department of Computer Science & Engineering)

in partial fulfilment for the award of the degree of

BACHELOR OF TECHNOLOGY

in

COMPUTER SCIENCE & ENGINEERING

of

FACULTY OF ENGINEERING AND TECHNOLOGY



SRM INSTITUTE OF SCIENCE & TECHNOLOGY, NCR CAMPUS

MAY 2026

SRM INSTITUTE OF SCIENCE & TECHNOLOGY

(Under Section 3 of UGC Act, 1956)

BONAFIDE CERTIFICATE

Certified that this project report titled “**WEB3 BASED DECENTRALIZED CROWDFUNDING PLATFORM USING BLOCKCHAIN TECHNOLOGY**” is the Bonafide work of “**SUBHAKAR VADLAMANI (RA2211003030073), AYUSH SHUKLA (RA2211003030089), PANKAJ JOSHI (RA2211003030094), ADITYA RASTOGI (RA2211003030101)** who carried out the project work under my supervision. Certified further, that to the best of my knowledge the work reported herein does not form any other project re- port or dissertation based on which a degree or award was conferred on an earlier occasion on this or any other candidate.

SIGNATURE

Dr. Abhilasha Singh
Associate Professor
Dept. of Computer Science & Engineering

SIGNATURE

Dr. Neelam Singh
HEAD OF THE DEPARTMENT
Dept. of Computer Science & Engineering

Signature of the Internal Examiner

Signature of the External Examiner

ACKNOWLEDGEMENTS

It gives us a great sense of pleasure to present the report of the B. Tech Project undertaken during B. Tech. (VIII - Semester), Final Year. We owe special debt and gratitude to Dr. Abhilasha Singh for her constant support and guidance throughout the course of our work. Her sincerity, thoroughness and perseverance have been a constant source of inspiration for us. It is only his cognizant efforts that our endeavours have seen light of the day.

We also take the opportunity to acknowledge the contribution of Dr. N. Partheeban and Dr. Jitendra Singh, Project Coordinator, for his full support and assistance during the development of the project.

We are equally grateful to Dr. Pushpendra Singh, Program Coordinator, and Dr. Neelam Singh, Head of the Department, Computer Science and Engineering, for their thoughtful suggestions and motivating words, which greatly contributed to the successful completion of our project.

We extend our deepest appreciation to Dr. R. P. Mahapatra, Dean, and Dr. S. Vishwanathan, Director, SRM Institute of Science and Technology, Delhi-NCR Campus, Modinagar, UP (INDIA) for their unwavering support, encouragement, and guidance, which played a pivotal role in our accomplishment.

We are also thankful to the teaching and non-teaching staff of our department, whose direct and indirect support greatly enriched our academic experience and guided us through our project work. Last but not the least; we acknowledge our parents, family, and friends for their unwavering encouragement and moral support in the completion of the project.

Team Members

Subhakar Vadlamani	(RA2211003030073)
Ayush Shukla	(RA2211003030089)
Pankaj Joshi	(RA2211003030094)
Aditya Rastogi	(RA2211003030101)

DECLARATION

We,“ Subhakar Vadlamani [RA2211003030073], Ayush Shukla [RA2211003030089], Pankaj Joshi [RA2211003030094] and Aditya Rastogi [RA2211003030101] ” hereby declare that the work which is being presented in the project report titled “Web3 Based Decentralized Crowdfunding Platform Using Blockchain Technology” is the record of authentic work carried out by us during the period from January to May, 2026 and submitted by us in partial fulfilment for the award of the degree “Bachelor of Technology in Computer Science and Engineering” to SRM Institute of Science and Technology, Delhi-NCR Campus, Modinagar, U.P.(INDIA). This work has not been submitted to any other University or Institute for the award of any Degree/Diploma.

Signature

Name:

Reg No.:

Date:

Signature

Name:

Reg No.:

Date:

Signature

Name:

Reg No.:

Date:

Signature

Name:

Reg No.:

Date:

ABSTRACT

Most of the existing crowdfunding platforms are operated by centralized companies which dictate all the functionalities of a campaign and investment. This is prone to create the lack of visibility whereby; less transparency is enhanced yet the donor must be confident that the middleman is spending money in a sincere manner. To deal with this, researchers are tending to transition to the Blockchain technology which is a permanent and public registry where every and every transaction is publicly recorded and cannot be modified. Ethereum Smart Contracts fully automate the basics of fundraising such as personal donations collection and final funds disbursement. This does the effect of removing the need to have a third-party human manager or central authority. In this study, the design-based approach was used to develop and test a Web3 prototype on a running blockchain application. We discover that the resultant data indicates that it is much more efficient to put these underlying processes on a chain and that it is much easier to audit the result of the system. Ultimately, the findings prove that this decentralized network is far less reliant on intermediaries compared to the conventional platforms that are operational.

TABLE OF CONTENT

ACKNOWLEDGEMENT	iii
DECLARATION	iv
ABSTRACT	v
TABLE OF CONTENT	vi-vii
LIST OF TABLES	viii
LIST OF FIGURES	ix
ABBREVIATIONS	x
1. INTRODUCTION	1
1.1 Objectives	3
1.2 Primary Objective	4
1.3 Applications and Implications	7
1.4 Challenges and Future Directions	9
2. LITERATURE SURVEY	11
3. EXISTING PROBLEM AND PROPOSED SOLUTION	15
3.1 Lack of Transparency in Traditional Crowdfunding Systems	15
3.2 Dependency on Centralized Intermediaries	15
3.3 Risk of Fund Management and Fraud	16
3.4 Limited Security and Data Integrity	16
3.5 Lack of Automation in Fund Management	17
3.6 Limited User Control and Accessibility	18
4. METHODOLOGIES	21
4.1 User Interaction and Wallet Authentication	22
4.2 Smart Contract Development	23
4.3 Blockchain Integration	24

4.4 Transaction Processing and Fund Management	25
4.5 User Interface Design	26
4.6 Smart Contract-Based Transaction Recognition	27
5. IMPLEMENTATION AND RESULT	29
5.1 System Overview	29
5.2 Technology Used	30
5.2.1 Blockchain Smart Contracts	30
5.2.2 Frontend Implementations	31
5.3 Wallet Authentication	31
5.4 Network Configuration	32
5.5 Results and Analysis:	33
5.5.1 Experimental Setup	33
5.5.2 Performance Evaluation	35
5.5.3 Transparency and Trust Analysis	36
5.5.4 Comparative Analysis	36
6. CONCLUSION	38-39
7. FUTURE SCOPE	40-42
8. REFERENCES	43-44
9. ANNEXURE 1 : Proof of submission	45-46
10.ANNEXURE 2 : Research Paper	47-58
11. ANNEXURE 3 : Plagiarism Check	59-60

LIST OF TABLES

4.1 Reference Table	13-14
4.2 Result and Analysis	34

LIST OF FIGURES

Fig 1. Proposed Web3 Crowdfunding Platform Architecture	2
Fig 2. Workflow of the Proposed Web3 Crowdfunding System	18
Fig 3. Implementation a	20
Fig 4. Implementation b	20
Fig 5. Comparison of Transaction Confirmation Time	35

ABBREVIATIONS

DeFi	Decentralized Finance
NGO	Non profit organizations
CC	Campaign creation
ETN	Ethereum test network
BT	Blockchain technology
DS	Decentralized system
MM	Metamask

CHAPTER 1

INTRODUCTION

The paper shall define the development of crowdfunding since and how a decentralized solution to crowdfunding can be achieved using blockchain technology. Crowdfunding is an approach where individuals or organizations gather capital by the joint efforts of many individuals, normally via an online platform, and then the funds collected in the campaign are stored in the account of the intermediary. Such a structure tends to reduce the level of openness, prolongs the process of the transaction, fosters the evolution of an interdependency on the platform, and the increasing level of interdependency on institutional trust.

The researchers have also discovered that the contributors within a centralized crowdsourcing system are likely to be exposed to different kinds of risks because they cannot view the history of the transactions and the ultimate decision-making activities. Being a transparent, un-changeable history of transactions, blockchain can be used as a replacement of conventional crowdfunding that is decentralized. The shared record will also facilitate the increase of trust and verifiability among all subjects involved.




Fig 1. Proposed Web3 Crowdfunding Platform Architecture

Fig 1. shows the general layout of the planned Web 3 platform that will be used to make decentralized crowdfunding. The users will operate the Web3 crowdfunding platform through the use of decentralized web Ethereum Smart Contracts form the core logic of the platform that will process all contributions and audit transactions. This gives information permanence, which is verifiable proof of all the contributions on the Ethereum blockchain. Current technologies within Web3 have made it possible to develop decentralized applications, which assist in carrying out peer to peer value transfer and transparent financial transactions. In addition, Smart Contracts do not only offer unchangeable records but also allow a smooth process of verification and audit, with data integrity being ensured.

Even though there is a growing amount of literature about blockchain-based crowdfunding, there are still critical research gaps, and technical issues. Although the literature about blockchain based crowdfunding systems keeps growing, nonetheless,

some gaps and challenges in the research are observed. Many of the non-centralized systems tend to be very technical and thus can possess adverse effects on usability in addition to limiting non-technical users. Furthermore, literature says that there are no conventional design frameworks, and there are no extensive based comparisons between the experimental design and the customary centralized crowdfunding sites. Decentralization of crowdfunding is not a common practice yet because it has not undergone real world testing in terms of transparency, speed, and reliability. The loopholes should be sealed to continue with viable, safe and comfortable Web3 based crowdfunding sites.

1.1 Objectives

The fast growth of digital technologies has changed financial systems a lot, especially in the area of crowdfunding. Crowdfunding platforms have made it easy for people and groups to get money by reaching a lot of people online. But most traditional crowdfunding systems are centralized, which means that one authority controls all of the transactions, data storage, and decision-making processes. The centralized crowdfunding structure has a number of problems, such as higher operating costs, lack of transparency, less trust among participants and longer transaction times.

The rise of Web3 and blockchain technology offers a promising solution to these problems.

Blockchain makes it possible to have decentralized, safe, and open systems where transactions are stored on a ledger that can't be changed. This research concentrates on utilizing these technologies. Web3 and blockchain technology are two new technologies that could help solve these problems. Blockchain makes it possible to have

decentralized, safe, and open systems where transactions are kept on a ledger that can't be changed. This research aims to utilize these technologies to create a decentralized crowdfunding platform that eradicates the inefficiencies inherent in conventional systems. The goals in this chapter are meant to help create and test a system that is safe, reliable, and easy to use.

1.2 Primary Objective

The main goal of this study is to create, put into action, and test a decentralized crowdfunding platform based on Web3 and blockchain technology. The goal of the system is to make a trust less environment where smart contracts automatically carry out all tasks, making sure that everything is clear, fair, and efficient without the need for middlemen.

1.2.1 Elimination of Intermediaries

- Enable Direct interaction between campaign creators and contributors
- Remove the need for middlemen in crowdfunding systems
- Minimize the risk of fund misuse and frauds
- Decrease dependency on centralized systems and reduce extra transaction fee and delays

1.2.2 Automation of Core Processes

- Automate key tasks like campaign creation and fund processing
- Use smart contracts for executing actions automatically
- Reduce the involvement of humans in transactions

- Lower chances of human errors and ensure fast, accurate handling of transactions

1.2.3 Enhancement of Transparency

- Maintain public records which are immutable for all transactions
- Allow people to track real life progress of campaigns
- Enable fund usage verification and increase trust among individuals
- Reduce fraud and data tampering through openness

1.2.4 Improvement of Security and Data Integrity

- Ensure that the recorded data cannot be deleted or altered
- Use data encryption techniques for enhanced protection
- Implement secure wallet-based authentication and eliminate reliance on traditional login systems
- Protect user data from unauthorized access

1.2.5 Development of a Scalable and Modular Architecture

- Design a scalable and modular system architecture
- Organize the platform into multiple layers (user, blockchain, application, storage)
- Improve overall system structure and organization

- Simplify maintenance and future upgrades while enhancing performance and efficiency

1.2.6 Performance Evaluation and Comparative Analysis

- Evaluate the effectiveness of the proposed system
- Conduct experiments to test system performance and compare results with traditional systems
- Analyze key metrics like speed, efficiency, transparency and reliability
- Highlight advantages of decentralized systems and validate the effectiveness of the proposed solution

1.2.7 Addressing Existing Research Gaps

- Identify limitations in traditional blockchain crowdfunding systems
- Find the solution of the lack of real-world implementation in existing studies
- Research and development of a working prototype and test it in a controlled environment ‘
- Evaluate real world performance of the new system and compare it with traditional software’s

1.2.8 Enhancing User Accessibility and Experience

- Make the platform simple and user friendly
- Reduce complexity associated with blockchain systems

- Design an easy-to-understand interface and provide smooth wallet integration
- Ensure accessibility for non-technical users and improve usability and user experience

1.2.9 Promoting Adoption of Decentralized Technologies

- Encourage the use of decentralized technologies in finance
- Demonstrate benefits like security, transparency and efficiency
- Increase awareness of blockchain based crowdfunding
- Support wider adoption of web3 solutions and promote real world decentralized applications

1.2.10 Summary

At last, this research focuses on building a web3 based decentralized crowdfunding platform which works on smart contracts whose main purpose is to remove the presence of middlemen and provide a transparent and secure environment for crowdfunding campaigns and detect frauds and the test network used for this system is spolia. This research also focuses on creating a working prototype through which users can directly send their money to the crowdfunding applications which saves their middlemen fees and makes the application more secure.

1.3 Application and implication

The solution that we proposed for web3 based decentralized crowdfunding has many real-world applications which can be used in many situations where the transparency is maintained and the one of the main things is the security that should be top notch with

the trust that we will build with users. As there is no scope of middleman which can be involved in this platform and we are using the blockchain technology, the system ensures that all the transactions can be verified by users and there should be no security issue. So, this makes the system so powerful that it cannot only be used in fundraising but it can also be used in the led generations and other wider options that share the same logic of decentralized systems.

1.3.1 Transparent Fundraising Platforms:

The system that we proposed can be used for any kind of fundraising campaigns, where the users or we can say the donors can see where his money is being used and for what purpose, and this feature make the system powerful and builds trust among the users.

All this happens with the help of blockchain, and users can track their funds in real time, this increases trust and accountability.

1.3.2 Charity and Donation Systems

All kind of non-profit organizations or NGOs can use our platform to host any kind of campaigns .and they can ensure that the funds are used properly and given to those who are in need, without any

misuse of the funds. This transparent nature of our system makes it more popular and can be trusted by different kind of users. 1.3.3 Startup and Project Funding

Entrepreneurs and creators can raise the funds with the help of our platform directly from the contributors without depending on the middleman, this reduces the risk of the fund's theft or misuse in between.

1.4 Challenges and Future Directions

Our proposed web3 based crowdfunding platform offers better transparency, security and automation but then also it still faces some practical challenges that can affect the number of users that can use this platform. These challenges are mainly due to the difficulty to use this platform and some users don't understand the concept of blockchain and how to use it.

However, with continuous development and improvement, the system has strong potential to be adopted widely and will be used in most of the campaigns.

1.4.1 Technical Complexity

These platforms need the knowledge of blockchain, wallets and smart contracts, which can be not suitable for non-technical users.

Sometimes users may find it confusing to interact with MetaMask and handle private keys.

Development and debugging of smart contracts require specialized skill.

1.4.2 Scalability and Performance Issues

These blockchain networks sometimes slow down when many users are active at the same time.

Whenever there is any transaction made, a gas fee is deducted.

And sometimes these gas fees may be high during high network usage.

1.4.3 Adoption and Usability Challenges

Many users may not be familiar with Web3 technology as it is still a new technology and slowly it is being adopted.

Trust is still the factor for a decentralized system.

There are many legal and regulatory uncertainties that can affect the adoption in many countries as everywhere these rules and regulations are different.

1.4.4 Future Direction: Enhanced System and User Experience

Development of a more user-friendly interface should be done to make the platform easy for beginners.

Adding features like decentralized governance (like voting systems for contributions).

CHAPTER 2

LITERATURE SURVEY

Current research shows that blockchain technology is becoming more common in financial and transactional systems. Blockchain technology is gaining popularity because it can improve trust, transparency and security. Foundational studies introduced ideas of decentralized and unchangeable records. These enable secure peer to peer transactions without relying on centralized intermediaries. Later research examined consensus mechanisms and blockchain architecture, confirming their effectiveness in ensuring audibility, data integrity and resistance to unauthorized data tampering in distributed networks.

Blockchain systems currently rely on smart contracts. They let rules and agreements happen on their own. Early studies suggested that smart contracts diminish the need for trust among users by converting agreements into self-sufficient computer programs. Later, when smart contracts were used in real life on blockchain platforms like Ethereum, it showed that they can automate financial transactions and reduce the need for middlemen. This makes decentralized systems quicker, more dependable, and less prone to mistakes. As a result, smart contracts are now considered a key foundation of decentralized financial and transaction-based applications.

Many studies show that fundraising platforms and blockchain based crowdfunding at most times offer better traceability, transparency and user trust compared to traditional centralized crowdfunding systems. It is suggested that contract-based models automatically handle contributions and manage campaigns which helps in reducing chances of fund misuse by enforcing predefined rules. Blockchain based donation and

charity platforms also show how transparent and verifiable tracking of funds can improve accountability.

Research on web3 technologies and decentralized applications highlights the role of digital wallets and peer to peer transactions in giving users more control supporting decentralization within online platforms. However, existing studies also point out that many proposed systems are still incomplete, mainly theoretical or limited in functionality with very little experimental testing or performance evaluation to prove their effectiveness.

Even though there is an increase in research on blockchain based crowdfunding systems, several challenges and research gaps still exist. Many decentralized platforms are technically complex which makes it hard for non-technical users to understand and use. However, this complexity limits their widespread adoption. Studies also show a lack of proper experimental comparisons between traditional centralized crowdfunding platforms and standard design framework. There isn't much real-world testing to see how well the system works, how open knowledge of is, and how trustworthy it is. These problems make people less sure about decentralized crowdfunding solutions and slow down their real-world use. Filling up these gaps is important for making web3-based crowdfunding platforms that are easy to use, safe, and broadly recognized.

TABLE 1: REFERENCE TABLE

S. No.	Author(s)/Year	Study Focus	Method / Technology	Key Findings	Limitations
1	Rejeb et al. (2025)	Blockchain & crowdfunding trends	Bibliometric analysis	Shows strong potential for transforming fundraising	Lack of standard frameworks
2	Rejeb et al. (2024)	Crowdfunding research trends	Data mining techniques	Growing interest in digital funding models	Limited real-world validation
3	Mishra et al. (2024)	Decentralized crowdfunding	Blockchain model	Improves trust and economic participation	Scalability issues
4	Taherdoo st (2023)	Blockchain business models	Systematic review	Supports new financial systems	Early adoption stage
5	Procedia Study (2023)	Blockchain crowdfunding systems	Smart contracts	Automates fundraising process	Technical complexity
6	Gupta et al. (2023)	Blockchain crowdfunding review	Literature analysis	Improves transparency and trust	Usability challenges
7	Sambare et al. (2023)	Startup crowdfunding	Blockchain platform	Secure funding for startups	Limited testing
8	Lendkar et al. (2023)	Crowdfunding system	Smart contracts	Reduces fraud	Scalability concerns
10	Bibliometric Study (2023)	Research growth	Data analysis	Increase in publications	Limited blockchain focus
11	Chen et al. (2023)	Decentralized governance	Blockchain systems	Improves fairness	Complex structure
12	Vaziry et al. (2024)	Digital identity	Systematic review	Improves trust	Privacy concerns
13	Palaiokrassas et al. (2024)	Blockchain + ML	Mapping study	Better data analysis	Lack of standards

14	Web3 Studies (2024)	Web3 crowdfunding	DApps	Peer-to-peer funding	Adoption barriers
15	Smart Contract Research (2024)	Automation	Smart contracts	Reduces manual work	Security risks
16	Security Studies (2023)	Data protection	Cryptography	Strong security	High cost
17	DeFi Research (2024)	Decentralized finance	Blockchain protocols	Removes intermediaries	Regulation issues
18	UX Studies (2024)	User adoption	UI/UX design	Improves usability	Complex systems
19	Cross-chain Research (2024)	Interoperability	Multi-chain systems	Better connectivity	Integration challenges
20	Industry Research (2025)	Future of crowdfunding	Web3 + Blockchain	High innovation potential	Limited deployment

Research Gaps

The Literature Review shows that blockchain technology has a good chance of making crowdfunding systems better by making them safer, more efficient and more open. Using smart contracts, systems can cut down on their overhead costs and build more trust. Even though these are good things, the literature points out important gaps, like the fact that not many people are using them in the real world and there aren't any user interfaces. Also, the move to decentralized models have not yet fully addressed worries about checking identities and keeping an eye on money flows. Because of this, there is a clear need for the more useful user centered solutions that this research plans to look into.

CHAPTER 3

EXISTING PROBLEM AND PROPOSED SOLUTION

3.1 Lack of Transparency in Traditional Crowdfunding Systems

Majority of the traditional crowdfunding platforms are managed by the centralized authorities. Due to this centralized control the contributor does not possess a clear visibility of their money being handled. After a donation is made users cannot keep a track about how the funds are distributed or utilized. Thus, this sort of a traditional system leads to poor transparency and trust issues amongst the contributors and campaign creators.

Solution: The architecture proposes a Web3- based decentralized crowdfunding platform which makes use of blockchain technology to ensure transparency. Each transaction is kept a record of, upon the blockchain network which cannot be updated. This provides the flexibility to the contributors to track their funds and thus verify the transactions in real-time. This helps to improve the overall transparency and visibility throughout the system.

3.2 Dependency on Centralized Intermediaries

The conventional crowdfunding platform was dependent upon the third-party organizations to run the campaigns and monitor the transactions. These intermediaries used to control the entire process which includes collecting the funds and its

distribution. This leads to an increased transaction time, high operational expenses and possibility of manipulations.

Solution: The system being proposed eliminates the need of intermediaries by making use of Smart Contracts. Smart Contracts are capable enough to automate the processes such as campaign creation, campaign handling, funds transfer and donations. This eventually leads to the reduction in delays, less expensive infrastructure and software requirements. This also promotes a secure and direct transaction amongst the users.

3.3 Risk of Fund Management and Fraud

In the traditional centralized platforms, the usage of funds after successful donations cannot be done or accessed by the contributor. This ultimately leads to a high risk of fraudulent transactions taking place or even lead to the misuse of funds. Thus, campaign creators may fail to use the allocated funds effectively. Also, the contributors have a bounded control over the donations that have been made. **Solution:** The system utilizes blockchain technology which helps to prevent fraudulent transactions by storing the data of all the transactions securely. The Smart Contracts enabled ensure that funds are only released when a set of priorly defined conditions are met. This helps to enhance the overall accountability of the system and thus mitigates any possible misuse or fraud in the system.

3.4 Limited Security and Data Integrity

The conventional crowdfunding platforms used to store the user data and the information of all the transactions on a centralized server. This used to provide a huge space for the attackers making the system highly vulnerable to cyber-attacks, hacking and the data breaches. The user data and other sensitive information can be easily leaked

if the centralizer server is compromised. Additionally, the centrally managed systems might also experience system failures which leads to the loss of important transaction data. This affects the user trust and reliability of the platform.

Solution: The system architecture proposed is run upon decentralized platform using blockchain technology to enhance integrity and data security. The data stored on the blockchain is through a distributed network, where multiple nodes maintain a copy of their records. Thus, it is almost impossible for any unauthorized access to penetrate through the system and access sensitive data.

This leads to higher security, more protected user data and improved reliability.

3.5 Lack of Automation in Fund Management

In the traditional crowdfunding systems, most of the functions such as the campaign verification, distribution and collection of the fund required a manual intervention. These manual processes when implemented used to slow down the system causing delays, errors and inefficiencies. Additionally human intervention used to create a larger possibility of mistakes and biased decisions which might lead to a direct impact on the performance and the user experience.

Solution: The system being proposed makes use of Smart Contracts to make the process of fund management automatic. The Smart Contracts automatically lead to the execution of predefined set of rules to creating a campaign, processing donations and transferring the funds upon the successful meet up of the criteria the system processes the transactions without requiring any sort of manual approval. This reduces delays and thus mitigates the possibility of any human error and thus improves the overall efficiency.

3.6 Limited User Control and Accessibility

In the conventional systems using the crowdfunding methodology, users used to have little control over the funds and campaigns which they created. Contributors had to rely and depend upon the platform for handling many operations including tracking donation, managing campaigns etc. In addition, users also used to face issues such as payment restrictions, policies of the platforms etc. These restrictions ultimately lead to the creation of a less flexible system which is not suitable for the users.

Solution: The model being proposed consists of Web 3 based blockchain technology focused upon improving user control and accessibility. This is made feasible by allowing users to make use of digital wallets such as MetaMask. Here the users can directly create campaigns, donate funds and track their transactions eliminating the need for dependence on the intermediaries. These features enable the platform to be much more flexible and user friendly.




Fig. 2. Workflow of the Proposed Web3 Crowdfunding System

Fig. 2. The figure depicts the step-by-step approach of the design and execution of the Web3 based crowdfunding platform. The process initiates with the system design

followed by the development of application and the smart contracts are written and implemented on the blockchain. After deployment, the smart contracts are tested and analyzed following which a comparison is done to evaluate the performance and overall efficiency.

During the system design phase, the complete structure of the system is designed in accordance with the principles based on Web3 which primarily focuses upon the decentralization, transparency and automatic rule enforcement. Important requirements include campaigning creation, allowing contributors to participate with all the main operational logic to run directly on the blockchain so that the system works without having to trust a central authority [11]. In the implementation phase the design is put into implementation. The modular smart contracts are developed and deployed on a blockchain test network. These smart contracts are used for managing campaign registration, processing contributions and funds transfer. This approach provides improved security and thus provides ease of maintenance also facilitating reuse in the future.

During the experimental phase the prototype is tested in a controlled environment to observe the behavior of the system. Essential parameters involving transaction execution time, reliability of smart contracts and overall system response are cautiously examined. The transparency is also evaluated and examined by checking the accessibility and the unchanging nature of the record stored in the blockchain ledger. In the comparative analysis phase, the decentralized crowd funding platform is compared with traditional systems. This is based on the factors such as transparency, dependency on trust and fund security. This analysis is used to showcase the advantages of a blockchain based crowdfunding system in reducing the centralized control and improving the transparency and trust amongst the contributors.




Fig 3. Implementation a




Fig 4. Implementation b

CHAPTER 4

METHODOLOGIES

The model proposed is a Web 3 based decentralized crowdfunding platform which is developed using blockchain technology, Smart Contracts and enabling decentralized web applications. The motive of this methodology is in reference to the creation of a secure, transparency enabled and development of a crowdfunding platform that is well automated and thus eliminating the need for central dependencies and intermediate authorities. The system is constructed in a well-structured format so as to ensure that each component works efficiently and showcases seamless integration with the blockchain technology being used.

This methodology is drawn towards building a decentralized system wherein all the users can seamlessly interact with the platform, minimizing the need to depend upon the centrally monitored authorities. The systems working environment consists of user authentication, deployment of the Smart Contracts, integration with the blockchain technology and processing the transactions. All these parameters and components play a crucial role in maintaining transparency, automation and security. The system being proposed follows a multi-layer model approach which consists of user interaction, execution of Smart Contracts, blockchain storage and the front-end interface through which the user would interact. This layered and structured methodology helps to improve the system's performance in its entirety leading to a much better scalable and reliable system and platform for the users.

The following sections explain each and every stage of the system methodology in detail: -

4.1 User Interaction and Wallet Authentication

The initial and the foremost step in the model being proposed is user interaction with the decentralized system. The word user can include many stakeholders such as the campaign creators who are responsible for creation of fundraising campaigns and the next category involves the contributors who donate the funds. Both these types of users access the platform using a decentralized web application. Unlike the traditional systems which make use of credentials such as the username or password, the system being proposed uses a digital wallet (MetaMask) for the user authentication. Users then connect to the platform using their MetaMask Wallet. This corresponds to increased secure authentication through the blockchain technology. As the blockchain addresses are used rather than storing personal login details. This method when utilized efficiently enhances the privacy and leads to risk reduction of data breaches.

After the wallet is successfully connected to the system the users can gain access to all the platform features. The campaign creators could create fund raising campaigns by storing and entering some basic details such as campaign title, description and the goal of the funding. Likewise, the contributors can view the list of available campaigns and directly contribute or donate funds through their digital wallets.

Wallet authentication provides an important feature of tracking the user transactions. Each and every action performed by a user is kept as a record on the blockchain network. This eventually leads to transparency and thus provides a secure approach to manage funds. Additionally, this approach eliminates the need to depend upon centralized login systems and provides improved accessibility.

This method is made for supporting peer-to-peer interactions. Users can directly communicate with the blockchain network without the need for involving any sort of

third-party services. This approach improves the efficiency of the system and minimizes the transaction delays.

4.2 Smart Contract Development

Smart Contracts are the main functionalities or the core components of the proposed decentralized system architecture of the crowdfunding platform. Smart Contracts are self-executing programs that run upon the blockchain technology. These Smart Contracts are designed to execute the predefined rules automatically without the need of any manual intervention.

In this architecture of the system, the Smart Contracts are developed using Solidity Programming language. The Smart Contracts are deployed upon the Ethereum blockchain networks. Upon the successful deployment of the Smart Contracts, they can handle almost all the major processes of the decentralized crowdfunding platforms.

The Smart Contracts are used to perform the following tasks:

- Campaign creation
- Collecting funds
- Tracking contributions
- Funds transfer
- Recording transactions

The function of the Smart Contracts is to store the campaign details once a campaign has been created by the user. These details could include goal, timeline, deadline or description about the campaign.

After these processes contributors can then donate funds directly to the Smart Contracts. The main function of the smart contract is to record the data of each transaction securely.

Once the campaign is about to reach its funding goal, deadline or it has already reached. The smart contract then executes the predefined set of rules. The funds are then transferred to the campaign creator without the need of a manual approval from a central authority. This automation leads to fairness and trust amongst the users.

Smart Contracts also helps to reduce the possibility of human errors and eliminate the requirement of intermediaries or any centralized authority. Since the logic is priorly defined, no person could manually override or manipulate the processes. This contributes towards system reliability and trust.

4.3 Blockchain Integration

The Blockchain technology stores all of the transaction data securely in its network. The system being proposed uses an Ethereum based blockchain network for decentralized operations. The blockchain is responsible for all the transactions happening to be transparent and tamper free.

The blockchain makes sure to make an entry or keep a record of whenever a user creates a campaign or contributes funds. Each of the transaction done is verified by the blockchain network before it can be added to the ledger. Upon confirmation, the transaction cannot be modified or deleted from the network.

Blockchain integration leads to the provision of several advantages:

- It improves overall system security
- Maintains transparency of transactions
- Provides immutable data storage

- Facilitates decentralized control
- Increased reliability

The decentralized approach used by the blockchain ensures that there is no monopoly or single authority control in the system. The data is stored across various nodes, which promotes more security and reliability.

The Blockchain technology also allows the users to track their transactions in real time. It features verifiability of the funds transfer and monitoring of the campaign progress. This enables increased trust and user experience. Additionally, blockchain technology being used eliminates the risk of manipulation of the data. Since all the records could be altered, the system ensures data integrity, trust and transparency.

4.4 Transaction Processing and Fund Management

The transaction processing is one of the most crucial tasks handled through the Smart Contracts deployed on the Ethereum blockchain network. Whenever any contributor donates funds, the transactions are verified and validated by the blockchain network.

The following are the steps which are involved in the transaction process:

These automated transactions help to reduce the delays and improves the overall efficiency. As the Smart Contracts execute automatically, the need for any sort of manual approval is discarded or eliminated.

The Fund Management is also handled automatically. Only after meeting the predefined constraints, the Smart Contracts then only allow the funds to be transferred. This ensures accountability and prevents misuse of funds.

Additionally, all the transaction details are available public ally to all the users on the blockchain network. This promotes transparency and allows the contributors to track fund usage and thus verify the campaign status and progress. The transactions which

are processed through blockchain also increase the system reliability. Even at the time of high traffic, transactions are processed securely without any system failure.

4.5 User Interface Design

The user interface has a crucial component in enhancing the overall user interactions with the system. The system being proposed uses a web-based interface so that users can interact easily and effectively with the blockchain functions.

The frontend of the system is developed using React, Tailwind CSS is used for the purpose of designing. The system also makes the use of ethers.js library for establishing a seamless connection between the frontend with the blockchain Smart Contracts.

The following features are inculcated in the user interface:

- Option of Wallet Connection
- Campaign Creation Page
- Page of Campaign Listing
- Donation Page
- Transaction Tracking Dashboard

The interface is designed in such a way that it can be simple and easy to use. Users without much technical knowledge can also easily connect their wallets and perform actions. This improves accessibility and leads to a larger group of users participating.

The frontend and blockchain network communication is facilitated using Web technology. When the user performs any sort of an action, the interface sends requests to Smart Contracts. The Smart Contract in response sends the results to the desired interface by performing the execution of the transactions.

This seamless communication between the blockchain and the frontend enhances the user experience by a large extent. The platform becomes simple to use while maintaining its security and decentralization.

4.6 Smart Contract-Based Transaction Recognition

A) The web3 based crowdfunding platforms is heavily dependent on recognition of transactions based on smart contracts. Therefore, the transactions generally can be handled automatically and safely. The system knows how to use blockchain technology to process transactions in real time. Smart contracts are self-executing programs that does not use any third-party verifications or middlemen but follows rules without any help. This makes sure that in this system all the contributions, transfer of money and the formation of campaigns are clear. Smart contracts are used in decentralized crowdfunding platforms on web3 technology to make sure everything runs smoothly.

B) The main part of the crowdfunding platform is smart contract based recognition. It is in charge of all the important tasks. They are linked to the functions of the matching platform. With smart contract-based recognition, the platform knows when a user gives money, takes money out or when they start a new campaign. It is used to make sure that every transaction is recorded safely and can't be changed. This makes it easier to take part in crowdfunding projects without having to trust anyone. Users can directly talk to the system through their wallets and web3 based crowdfunding is easy to use.

C) There are certain things that has to be ready and focused upon in smart contract based transactions irrespective of how easy to use and user friendly the technology is , these are :

- Smart contracts spell out the rules
- The blockchain network makes sure that data is stored in a way that hinderance is not possible

When these parts are put together, they make sure web3 based crowdfunding platforms work reliably, openly and efficiently.

D) Another feature is that the system can guarantee that transactions can be traced and are clear. The blockchain ledger keeps track of everything that happens on the crowdfunding platform that is based on Web3. This includes taking money out and putting money in. This builds trust and responsibility in the system. Users can check the details of a transaction at any time. The blockchain makes sure that all financial transactions are safe and can't be broken into. It can't change the data it stores. This is something that the decentralized crowdfunding platform based on Web3 has.

E) The system can also respond and interact in real time. This makes the experience better for users. The contract takes care of the request right away every time a user does something like add to a campaign. The blockchain keeps track of it.

CHAPTER 5

IMPLEMENTATION AND RESULTS

5.1 System Overview

The system being proposed is based upon Web 3 decentralized crowdfunding platform which is developed using the blockchain technology. This system operates in a decentralized way where all the transactions are managed through Smart Contracts unlike the traditional crowdfunding platforms which were centralized in nature. This decentralized approach being followed eliminated the need for any sort of intermediaries and helps improve the transparency and scalability of the system. The system is based upon Ethereum blockchain which is used to manage the crowdfunding campaign, track the donations made and the funds transfer. All of these transactions are kept a record of on the blockchain network. This simple step ensures transparency and immutability. The Smart Contracts are used to make the system much more efficient and secure by helping to automate the complete process of the system.

The following are the components which the platform mainly consists of:

- Smart Contracts
- Blockchain Network
- User Friendly Frontend Application
- Wallet Authentication

All of these components work in harmony to create a system which is secure and provides transparency to the user. The system allows for two main features. 1. It allows the campaign creators to create the campaigns and 2. It allows the contributors to donate the funds in a secure manner.

5.2 Technology Used

The system being proposed is implemented using the blockchain technologies as well as the web development frameworks. The following technologies have been used in the blockchain platform to ensure a smooth and seamless experience for the user:

5.2.1 BLOCKCHAIN SMART CONTRACTS

The Ethereum Blockchain Technology is used in implementing the Blockchain layer. The Smart Contracts used for the purpose of automating the platform processes are developed using solidity programming language. These Smart Contracts being used are facilitating funds transfer, creation of campaigns, tracking the transactions and donations.

The following are the tools which have been used for development of Smart Contracts.

- Platforms used: Ethereum (Spolia Test Network)
- Programming Language used: Solidity
- Development Framework: Hardhat
- Consensus Mechanism: Proof of Stake

These Smart Contracts implement in the system ensure that every crowdfunding operation is automatically executed. This is useful for the elimination of the manual intervention, and it also reduces the chance of human error, delay and risks and thus it makes the system more reliable and secure.

5.2.2 Frontend Implementation

The frontend of the platform is developed in such a way that allows the users to interact with the blockchain platform. The frontend facilitates an easy, simple and user-friendly interface where the users can create the campaigns and also donate funds in those campaigns.

The technologies used in the frontend are as follows:

- Framework: React (Vite)
- Styling: Tailwind CSS
- Web 3 Library: [ethers.js](#)
- Wallet Integration: MetaMask Wallet

The frontend makes use of the contract ABI and the contract address for the purpose of connection. This allows the users to directly perform all the blockchain transactions from the web interface itself.

5.3 Wallet Authentication

Instead of the conventional login systems used in the centralized models. This platform utilizes wallet authentication. Users in order to access the platform have to connect through their MetaMask

Wallets. This ensures a secure authentication and also enhances privacy.

Once the wallet is connected the users can utilize the following features:

- Users can create campaigns
- Users can donate funds

- Users can view their transactions
- Track their campaign progress

The process of the wallet authentication is simple and user-friendly. The only task the user needs to do is approve the connection request from their wallet. Once they approve, they can immediately start using the platform.

The method of authentication used improves security and eliminates the need for password management and thus it enables and ensures a decentralized access to the system.

5.4 Network Configuration

The system has been deployed on the Ethereum Spolia test network. The main benefit of using this network configuration is that it is used to test the system without using real crypto currency. This proves to be a major advantage in evaluating the system carefully and safely.

The following are the benefits provided by the test network:

- It ensures a safe testing environment.
- No real money is used.
- It provides the same functionality as of a real blockchain.
- Easy deployment and testing.

The transactions performed on the network are done using the test Ether tokens. The benefit includes that these tokens do not possess any real monetary value but they are useful for the purpose of simulation of the real world. This allows developers to analyze the performance of the system and spot the errors.

The Smart Contracts which are deployed upon the test network are done using tools like Hardhat. Once they are deployed the contract address is used for the connection of frontend applications with the blockchain.

This testing environment enables the system to function well before switching on to the Ethereum main network. It thus helps improve the reliability and performance of the system.

5.5 Results and Analysis:

5.5.1 Experimental Setup

The proposed Web3-based decentralized crowdfunding platform was tested in a controlled test environment with a blockchain test network known as Spolia test network. To prevent financial, ethical, and legal issues, real money transactions were not used. Instead, the network gave test tokens, and they acted as real crowdfunding actions, allowing safe and proper evaluation of the system without any financial risk. A working prototype was created, which included smart contracts to manage campaign launch, to control contribution, and check for the milestones. Different unreal crowdfunding campaigns were created to test and run the behavior of the system in different situations, like how it behaves in fully funded campaigns, or partially funded campaigns, or how it behaves in cases where the goal is not achieved.

Table II.

Metric	Centralized Platform	Proposed Web3 Platform
Average Transaction Confirmation Time(sec)	18.4	6.2
Transaction Transparency	Limited	Full (On- Chain)
Data Immutability	No	Yes
Transaction Failure Rate (%)	3.6	0.8
Manual Intervention Required	Yes	No
User Authentication Method	Username/ Password	Wallet- Based

Comparative Performance Metrics Between Centralized and Web3-Based Crowdfunding Platforms Here, we are checking things like how open the system is, how much it is, and how it is able to verify users by looking into the structure and how it works in a real situation.




Fig 5. Comparison of Transaction Confirmation Time

Fig 5. This bar graph shows that the proposed web3 decentralized blockchain does the transaction faster than the centralized system. This is because smart contracts work automatically and there is no middleman to slow down things. This shorter time proves that decentralized transactions on the Ethereum test network can be more efficient.

5.5.2 Performance Evaluation

The study tested three things; the first one is how fast the transaction happens and second is how smart contracts automate tasks and last is how quickly the system responds. The results show that the system with blockchain-based crowdfunding works better and faster than the normal centralized platforms. Creation of the campaigns and the payments run smoothly because of the smart contract as it handles everything automatically without any manual work. Even though the real money was not used, the system performed like a real blockchain as the test network that we had used followed the same rules as the real ones. Overall, the results show the proposed decentralized

platform reduces delays, makes the payments faster and provides a clear and smooth user experience.

5.5.3 Transparency and Trust Analysis

Transparency and trust were one the important metrics to be judged. It is done by seeing how well the system tracks each and every transaction, and how perfectly the system is working, and how smoothly smart contracts are running. This is all noted without looking at the money profits. While testing every action that we perform, all are permanently recorded on the blockchain. Due to which independent checking was possible for every function like creating the campaigns, contributions and funds which were transferred were matched through public logs. This makes sure that the whole system is trustworthy as users can check all the actions without any central authority control.

Smart contracts are used to make sure that the crowdfunding rules are applied fully, and the system should work automatically, and the power admin should be removed fully. Even though real money was not used the system is built such that it can handle real money as the test network follows the same rules. None of the actions can be changed and it can be monitored in real time. Also, each transaction is saved safely, and it cannot be deleted or changed at any point of time. Users can check their past actions anytime and the ledger will provide the details to everyone as needed.

5.3.4 Comparative Analysis

A proper comparison was done between the proposed decentralized crowdfunding platform and traditional centralized crowdfunding systems carefully. In a centralized

system mostly all the words like transactions or platform tasks are managed by the middle parties, due to these delays may happen and dependencies on these parties increase by which trust and transparency also decreases on the system. In contrast the proposed system uses blockchain based smart contracts to run main crowdfunding tasks in a decentralized way such that the central control is reduced. The result of the test shows that the decentralized approach reduces manual work and lets the system work smoothly through the rules which are defined in the smart contracts. While all the test cases which the real funding platform can have are not tested, the ones which are tested show clear benefits of the system's design and how it works. The system is more open, works automatically, and users don't have to rely too much on a company or middleman to trust that everything is handled fairly.

CHAPTER 6

CONCLUSION

This research paper talks about how to make and build a decentralized crowdfunding platform built on web-3 to fix problems with trust, transparency, and inefficiency that are common in traditional centralized systems. The suggested solution removes centralized control by using smart contracts and blockchain technology, therefore automating tasks such as donation collection, fund transfer, and campaign design. This method makes people more responsible and less dependent on middlemen by making sure that all transactions are clear and stored on the blockchain.

The system is practically possible because a functioning prototype was successfully deployed on a blockchain test network and a layered decentralizing architecture was used. Experimental results show that permanent and interference-proof transaction records, higher transaction efficiency, and less need for manual intervention have all been better recorded than in traditional systems. The study shows that decentralized crowdfunding platforms based on web3 provide a clear, trustworthy, and safe alternative to traditional crowdfunding systems. They also provide a strong foundation for future work and development in decentralized financial applications.

This research has been successful in demonstrating a decentralized crowdfunding model using blockchain technology. The system has eliminated the need for centralized intermediaries, reducing dependency on third party applications. This all has been possible with the use of smart contracts which ensures automations in various fields of

work such as campaign creation, fund collection and distribution. The web-based crowdfunding system provides full transparency as they have on chain recorded all transactions. This system has data immutability which ensures that records cannot be altered or tampered with.

This blockchain system test network has significantly reduced manual intervention through automation. Technologies like wallet-based authentication has significantly improved security and privacy. After implementing this blockchain system test network the results have worked effectively in a real-world environment. The prototype proves practical feasibility using spolia (a blockchain test network) and its layered architecture improves modularity, scalability and maintainability. The test network ensures secure peer to peer financial interactions. The blockchain technology and this research focuses on improving user interactions with the crowdfunding applications and ensures safety and trust by using automation and removing all manual and third-party interventions. Overall, the model establishes a more secure, transparent and effective alternative to conventional crowdfunding models and the potential to transform financial systems.

CHAPTER 7

FUTURE SCOPE

The approach that has been suggested already makes things more open, automated, and easy to manage money, but it can still be improved. New features like decentralized governance can assist contributors make decisions, such voting on blockchain to approve project phases or settle disagreements. Connecting separate blockchains could potentially let more people join from other networks. In the future, there may be more user-friendly designs and better standards that decentralized technologies should follow to preserve both user privacy and legal needs. Using the system and testing it for a longer time will also help us learn how people are using it, how it is growing, and how much they trust it. This will help us get it ready for real-world use.

While the Web3 based decentralized crowdfunding platform has been successful in improving transparency, security and efficiency , there are a lot of factors which can be considered into further improving this technology , some of these factors include automatically identifying fake and malicious campaigns and fraud users, the campaign should only be created if the crowdfund looks real and has a genuine reason for creating a crowdfunding application, this could be done by creating constraints that specify the background check of the company/ individual and ensure they have real identity proofs. Along with these advancements, the future work should also focus on integrating advanced technologies such as machine learning and artificial intelligence which can help in detecting unusual patterns, analyze user behavior and flag suspicious campaigns.

Another significant improvement can be the introduction of DAO (Decentralized autonomous organization) models. These models are a way of managing systems without a central authority using blockchains and smart contracts. In simple words, DAO is an organization where no single person is in charge and the decisions are made by members (users / investors) in case of crowdfunding technology and the rules are written in smart contracts and everything is transparent and automated.

The working of DAO is:

- Rules are coded into smart contracts
- Users/ Investors hold tokens or voting power
- Users/ Investors can propose ideas
- Community votes on proposals
- If the proposal is approved then the action is executed automatically

Some other proposals for future work can be:

- Implementation of voting mechanisms for fund release and campaign approval
- Support for cross chain interoperability to connect multiple blockchain networks
- Development of more user-friendly interfaces to improve accessibility for non-technical users
- Deploying the entire database into a cloud network for scalability and regular updates

- Inclusion of AI Based fraud detection systems for smarter validation.
- Expansion to real world deployment with live cryptocurrency transactions

At last, to keep the system trustworthy, regular security updates and smart contract audits will be crucial. Study of regulatory and legal compliance frameworks for global adoption and improvement in scalability solutions (Layer 2 technologies) to handle large user basis are some of the things to keep in mind for future improvement in web3 based crowdfunding technology.

REFERENCES

- [1] X. Wan, Z. Teng, Q. Li, et al., “Blockchain technology empowers crowdfunding decision making,” *Expert Systems with Applications*, vol. 221, Art. no. 119685, 2023.
- [2] W. Teng, H. Xu, Z. Huang, et al., “A smart contract–based service platform for trustworthy crowdfunding,” in *Proc. IEEE ICSS*, 2022.
- [3] L. Deng, Q. Ye, D. Xu, W. Sun, and G. Jiang, “Determinants of crowdfunding success: A literature review,” *Financial Innovation*, vol. 8, no. 41, 2022.
- [4] A. A. Monrat, O. Schelén, and K. Andersson, “A survey of blockchain from the perspectives of applications, challenges, and opportunities,” *IEEE Access*, vol. 7, pp. 117134–117151, 2019.
- [5] F. Casino, T. K. Daskal’s, and C. Patsakis, “A systematic literature review of blockchain-based applications,” *Telematics and Informatics*, vol. 36, pp. 55–81, 2019.
- [6] S. Wang, X. Wang, Y. Zhang, et al., “A secure cloud storage framework with access control based on blockchain,” *IEEE Access*, vol. 7, pp. 112713–112725, 2019.
- [7] S. S. Hasan, N. H. Sultan, and F. A. Barbhuiya, “Cloud data provenance using IPFS and blockchain technology,” in *Proc. ACM Workshop on Security in Cloud Computing*, 2019.

- [8] A. R. Adamo, D. Federico, M. Intonti, et al., “Crowdfunding: Models, risks, and regulation,” in *Banking and Finance*, Intech Open, 2020.
- [9] M. S. Farooq, M. Khan, and A. Abid, “A framework to make charity collection transparent and auditable using blockchain,” *Computers & Electrical Engineering*, vol. 83, Art. no. 106588, 2020.
- [10] Y. Yuan and F.-Y. Wang, “Blockchain and cryptocurrencies: Model, techniques, and applications,” *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, vol. 48, no. 9, pp. 1421–1428, 2018.
- [11] Z. Zheng, S. Xie, H. Dai, et al., “An overview of blockchain technology: Architecture, consensus, and future trends,” in *Proc. IEEE BigData Congress*, 2017.
- [12] V. Buterin, “A next-generation smart contract and decentralized application platform,” *Ethereum White Paper*, 2014.
- [13] G. Wood, “Ethereum: A secure decentralized generalized transaction ledger,” *Ethereum Yellow Paper*, 2014.
- [14] S. Nakamoto, “Bitcoin: A peer-to-peer electronic cash system,” 2008.
- [15] N. Szabo, “Formalizing and securing relationships on public networks,” *First Monday*, vol. 2, no. 9, 1997.

ANNEXURE 1



International Conference on Data, Computing, and Network Frontiers : Submission (156) has been created.

1 message

Microsoft CMT <noreply@msr-cmt.org>
To: sv8534@srmist.edu.in

Sun, Mar 15, 2026 at 21:00

Hello,

The following submission has been created.

Track Name: ICDCNF2026

Paper ID: 156

Paper Title: Web3 Based Decentralized Crowdfunding Platform Using Blockchain Technology

Abstract:

Most of the existing crowdfunding platforms are operated by centralized companies which dictate all the functionalities of a campaign and investment. This is prone to create the lack of visibility whereby; less transparency is enhanced yet the donor must be confident that the middleman is spending money in a sincere manner. To deal with this, researchers are tending to transition to the Blockchain technology which is a permanent and public registry where every and every transaction is publicly recorded and cannot be modified. Ethereum Smart Contracts fully automate the basics of fundraising such as personal donations collection and final funds disbursement. This does the effect of removing the need to have a third-party human manager or central authority. In this study, the design-based approach was used to develop and test a Web3 prototype on a running blockchain application. We discover that the resultant data indicates that it is much more efficient to put these underlying processes on chain and that it is much easier to audit the result of the system. Ultimately, the findings prove that this decentralized network is far less reliant on intermediaries compared to the conventional platforms that are operational.

Created on: Sun, 15 Mar 2026 15:30:06 GMT

Last Modified: Sun, 15 Mar 2026 15:30:06 GMT

Authors:

- abhilass1@srmist.edu.in (Primary)
- as8786@srmist.edu.in
- pj2830@srmist.edu.in
- sv8534@srmist.edu.in
- ar7368@srmist.edu.in
- ritu4006@gmail.com

Secondary Subject Areas: Not Entered

Submission Files:

Web3 Based Decentralized Crowdfunding Platform Using Blockchain Technology.pdf (768 Kb, Sun, 15 Mar 2026 15:24:26 GMT)

Submission Questions Response:

1. Ethical Approval Status
No ethical concerns (N/A)
2. Primary Track
Secure & Sustainable Networks
3. Keywords
Web3, Blockchain, Decentralized Crowdfunding, Smart Contracts, Ethereum
4. Key Novel Contribution
Proposed decentralized network is far less reliant on intermediaries compared to the conventional platforms that are operational.
5. Conflicts Confirmation
NA
6. Reproducibility Status
Planned post-acceptance

Thanks,
CMT team.

Please do not reply to this email as it was generated from an email account that is not monitored.

To stop receiving conference emails, you can check the 'Do not send me conference email' box from your User Profile.

Microsoft respects your privacy. To learn more, please read our [Privacy Statement](#).

Microsoft Corporation
One [Microsoft Way](#)
[Redmond, WA 98052](#)

ANNEXURE 2

Web3 Based Decentralized Crowdfunding Platform Using Blockchain Technology

Ayush Shukla Department of Computer Science and Engineering SRM Institute of Science and Technology,
Delhi-NCR Campus, Modinagar, Ghaziabad, U.P., India email: as8786@srmist.edu.in

Pankaj Joshi Department of Computer Science and Engineering SRM Institute of Science and Technology, Delhi-
NCR Campus, Modinagar, Ghaziabad, U.P., India email: pj2830@srmist.edu.in

Subhakar Vadlamani Department of Computer Science and Engineering SRM Institute of Science and
Technology, Delhi-NCR Campus, Modinagar, Ghaziabad, U.P., India email: sv8534@srmist.edu.in

Aditya Rastogi Department of Computer Science and Engineering SRM Institute of Science and Technology,
Delhi-NCR Campus Modinagar, Ghaziabad, U.P., India email: ar7368@srmist.edu.in

Dr. Abilasha Singh Department of Computer Science and Engineering SRM Institute of Science and Technology,
Delhi-NCR Campus, Modinagar, Ghaziabad, U.P., India
email: abhilass1@srmist.edu.in

First Author¹[0000-1111-2222-3333] and Second Author²[1111-2222-3333-4444]

¹ Princeton University, Princeton NJ 08544, USA

² Springer Heidelberg, Tiergartenstr. 17, 69121 Heidelberg, Germany
lncs@springer.com

Abstract. Most of the existing crowdfunding platforms are operated by centralized companies which dictate all the functionalities of a campaign and investment. This is prone to create the lack of visibility whereby; less transparency is enhanced yet the donor must be confident that the middleman is spending money in a sincere manner [1-3]. To deal with this, researchers are tending to transition to the Blockchain technology which is a permanent and public registry where every and every transaction is publicly recorded and cannot be modified [4], [5]. Ethereum Smart Contracts fully automate the basics of fundraising such as personal donations collection and final funds disbursement. This does the effect of removing the need to have a third-party human manager or central authority [6]-[9]. In this study, the design-based approach was used to develop and test a Web3 prototype on a running blockchain application. We discover that the resultant data indicates that it is much more efficient to put these underlying processes on chain and that it is much easier to audit the result of the system. Ultimately, the findings prove that this decentralized network is far less reliant on intermediaries compared to the conventional platforms that are operational [10], [11].

Keywords: *Web3, Blockchain, Decentralized Crowdfunding, Smart Contracts, Ethereum, Transparency, Trustless Systems*

1 Introduction

The paper shall define the development of the crowdfunding since and how a decentralized solution to crowdfunding can be achieved using blockchain technology. Crowdfunding is an approach where individuals or organizations gather capital by the joint efforts of many individuals, normally via an online platform, and then the funds collected in the campaign are stored in the account of the intermediary. Such a structure tends to reduce the level of openness, prolongs the process of the transaction, fosters the evolution of an interdependency on the platform, and the increasing level of interdependency on institutional trust [1],[2]. The researchers have also discovered that the contributors within a centralised crowdsourcing system are likely to be exposed to different kinds of risks because they cannot view the history of the transactions and the ultimate decision making activities [3], [4]. Being a transparent, unchangeable history of transactions, blockchain can be used as a replacement of conventional crowdfunding that is decentralized. The shared record will also facilitate the increase of trust and verifiability among all subjects involved [5, 6].




Fig 1. Proposed Web3 Crowdfunding Platform Architecture

Fig 1. shows the general layout of the planned Web 3 platform that will be used to make decentralized crowdfunding. The users will operate the Web3 crowdfunding platform through the use of decentralized web Ethereum Smart Contracts form the core logic of the platform that will process all contributions and audit transactions. This gives information permanence, which is verifiable proof of all the contributions on the Ethereum blockchain [7, 8].

Current technologies within the Web3 have made it possible to develop decentralized applications, which assist in carrying out peer to peer value transfer and transparent financial transactions [9], [10], [11]. In addition, Smart Contracts do not only offer unchangeable records but also allow a smooth process of verification and audit, with data integrity being ensured [12, 13]. Even though there is a growing amount of literature about blockchain-based crowdfunding, there are still critical research gaps, and technical issues. In spite of the fact that the literature about blockchain based crowdfunding systems keeps growing, nonetheless, some gaps and challenges in the research are observed. Many of the non centralized systems tend to be very technical and thus can possess adverse effects on usability in addition to limiting non technical users [14]. Furthermore, literature says that there are no conventional design frameworks, and there is no extensive based comparisons between the experimental design and the customary centralized crowdfunding sites. Decentralization of crowdfunding is not a common practice yet because it has not undergone real world testing in terms of

transparency, speed, and reliability [15]. The loopholes should be sealed to continue with viable, safe and comfortable Web3 based crowdfunding sites.

2. Literature Survey

Current research shows that blockchain technology is becoming more common in financial and transactional systems. Blockchain technology is gaining popularity because it can improve trust, transparency and security. Foundational studies introduced ideas of decentralized and unchangeable records. These enable secure peer to peer transactions without relying on centralized intermediaries [1]. Later research examined consensus mechanisms and blockchain architecture, confirming their effectiveness in ensuring audibility, data integrity and resistance to unauthorized data tampering in distributed networks [2] [3].

Blockchain systems currently rely on smart contracts. They let rules and agreements happen on their own. Early studies suggested that smart contracts diminish the need for trust among users by converting agreements into self-sufficient computer programs [4]. Later, when smart contracts were used in real life on blockchain platforms like Ethereum, it showed that they can automate financial transactions and reduce the need for middlemen. This makes decentralized systems [5], [6] quicker, more dependable, and less prone to mistakes. As a result, smart contracts are now considered a key foundation of decentralized financial and transaction-based applications.

Many studies show that fundraising platforms and blockchain based crowdfunding at most times offer better traceability, transparency and user trust compared to traditional centralized crowdfunding systems. It is suggested that contract-based models automatically handle contributions and manage campaigns which helps in reducing chances of fund misuse by enforcing predefined rules [7], [8]. Blockchain based donation and charity platforms also show how transparent and verifiable tracking of funds can improve accountability [9]. Research on web3 technologies and decentralized applications highlights the role of digital wallets and peer to peer transactions in giving users more control supporting decentralization within online platforms [10], [11]. However, existing studies also point out that many proposed systems are still incomplete , mainly theoretical or limited in functionality with very little experimental testing or performance evaluation to prove their effectiveness [12], [13].

Even though there is an increase in research on blockchain based crowdfunding systems, several challenges and research gaps still exist. Many decentralized platforms are technically complex which makes it hard for non technical users to understand and use. [14]. However, this complexity limits their widespread adoption. Studies also show a lack of proper experimental comparisons between traditional centralized crowdfunding platforms and standard design framework. There isn't much real-world testing to see how well the system works, how open knowledge of is, and how trustworthy it is. These problems make people less sure about decentralized crowdfunding solutions and slow down their real-world use [15]. Filling up these gaps is important for making web3-based crowdfunding platforms that are easy to use, safe, and broadly recognized.

3. Proposed Model

The proposed system represents a decentralized Web3 based crowd funding platform whose goal is to enhance the security and automation without the need for centralized intermediaries. The framework is built using Blockchain technology which tends to enable smart contracts which allow the project creators and contributors to interact directly without the need of external support. With the integration of crowd funding logic with smart contracts, the financial operations such as campaign creation and fund transfer are automatically executed using the Blockchain technology which promotes the tamper resistance without manual intervention [1], [2].

The design of the system consists of four layers which are user layer, application layer, blockchain layer and storage layer. This layered architecture helps in improving the overall modularity, scalability and separation of concerns which are important component characteristics of a decentralized system [3], [4]. The user layer consists of campaign creators and contributors who interact with the platform through a decentralized web application. Instead of utilizing the conventional methods the user authentication is done through cryptographic wallet integration which allows the participants to securely engage using their blockchain addresses. This technique is useful for protecting user privacy while allowing peer to peer participation and transparency in transaction monitoring [5]. Through the user interface campaign creators define the campaign's specifications and set their funding goals. At the same time the contributors can track the funding progress and transaction history in real time using blockchain records.

The application layer serves the function of a bridge interface between the user facing application and the blockchain network. It establishes a connection between the users crypto wallet, validates the user interaction and communicates with the smart contracts that are already deployed on the blockchain. Essential functions involving campaign initialization, handling contributions and transferring funds are controlled by smart contracts. These ensure automated execution of the rules written in them which prevents unauthorized changes or manipulation.[6],

[7]. The blockchain layer is responsible for maintaining the data of all transactions in a secure and permanent manner. It stores an immutable distributed ledger where every transaction and smart contract activity is kept record off. When a contribution is made to a campaign the transaction is directly proceeded on the blockchain. All the funds 'transfers can be seen and verified publicly on the blockchain ledger. Once a record is confirmed then it cannot be changed and thus it improves the trust and transparency amongst the users [8], [9].

To improve the efficiency while preserving the decentralized system, the storage layer allows for an optional off-chain storage non- important data like campaigning descriptions, images and rest details. Even though at present essential campaign information is directly stored on the blockchain for security and transparency, the system is designed in such a manner that it can support off-chain storage solutions in the future [10]. The hybrid design used in the model helps to reduce the amount of data stored on the blockchain. It also provides the benefits of decentralization with good performance while maintaining integrity within the system.




Fig. 2. Workflow of the Proposed Web3 Crowdfunding System

Fig. 2. The figure depicts the step-by-step approach of the design and execution of the Web3 based crowdfunding platform. The process initiates with the system design followed by the development of application and the smart contracts are written and implemented on the blockchain. After deployment, the smart contracts are tested and analyzed following which a comparison is done to evaluate the performance and overall efficiency. In the final stage the results are retrieved to check the effectiveness of the system. This is used to confirm the success and the real world practicality of the proposed approach

During the system design phase the complete structure of the system is designed in accordance with the principles based on Web3 which primarily focuses upon the decentralization, transparency and automatic rule enforcement. Important requirements include campaigning creation, allowing contributors to participate with all the main operational logic to run directly on the blockchain so that the system works without having to trust a central authority [11]. In the implementation phase the design is put into implementation. The modular smart contracts are developed and deployed on a blockchain test network. These smart contracts are used for managing campaign registration, processing contributions and funds transfer. This approach provides improved security and thus provides ease of maintenance also facilitating reuse in the future.

During the experimental phase the prototype is tested in a controlled environment to observe the behavior of the system. Essential parameters involving transaction execution time, reliability of smart contracts and overall system response are cautiously examined. The transparency is also evaluated and examined by checking the accessibility and the unchanging nature of the record stored in the blockchain ledger. In the comparative analysis phase, the decentralized crowd funding platform is compared with traditional systems. This is based on the factors such as transparency, dependency on trust and fund security. This analysis is used to showcase the advantages of a blockchain based crowdfunding system in reducing the centralized control and improving the transparency and trust amongst the contributors.

4. Implementation

4.1 System Overview

The system being proposed is a decentralized crowdfunding platform using blockchain technology. This system operates in a decentralized manner unlike the traditional crowdfunding systems that depend upon the centralized servers and databases. It uses Ethereum smart contracts to handle essential tasks including creating campaigns, managing donations and funds transfer. This is crucial for preserving the transparency, security and trustless environment as all the processes happen automatically and thus the user does not depend on any central authority.

The platform has the following components:

- Smart contracts run on the Ethereum Sepolia test network.
- A frontend web application allowing users to interact with the system.
- A metamask wallet login is used for secure authentication.

4.2 Technology Used

4.2.1 Blockchain and Smart Contracts

- Platform used: Ethereum (Sepolia test network)
- Language used: Solidity
- Framework used: Hardhat
- It used proof of stake mechanism

The functions of smart contracts are:

- It is used to handle campaign creation
- Used for the purpose of donations.
- Used for funds transfers and on-chain data storage.

4.2.2 Frontend Specifications

- Framework: React (Vite)
- Styling: Tailwind CSS
- Web3 Library: ethers.js
- Wallet Integration: MetaMask

The frontend connects to the deployed smart contracts using the ABI smart contracts address thus allowing the users to perform and access the blockchain functions directly based on a web browser interface.

4.3 Network Specifications

Test Network: Sepolia Ethereum test network

Reason for usage:-

- Permits free testing using test Ether
- Prevents real time financial loss
- Suitable for academic and experimental use

All the smart contracts deployments and transactions run safely on the Sepolia network. This is a crucial step for ensuring safety during the development and testing.

4.4 Database Usage

No conventional databases such as MySQL, MongoDB or Firebase are used in this system. The blockchain acts as a decentralized data storage system.

4.4.1 On-Chain Data Storage Instead of a traditional database, the system uses blockchain as a decentralized storage system.

The following is the data stored on-chain:

- Campaign details (title, description, target, deadline)
- Campaign owner's wallet address
- Donation amounts
- Wallet address of the donors
- Total funds collected

The data is stored using Solidity structs, mappings and arrays on the blockchain permanently.

4.4.2 Off-chain Storage

- User authentication is done through metamask wallets.
- Transaction records are fetched from the blockchain using RPC calls or Etherscan.
- Images can be stored externally using URLs (IPFS or other hosting)
- The proposed system utilizes the blockchain ledger itself as a decentralized and immutable data store by avoiding the need for a centralized database.

4.5 Wallet - Based authentication

Unlike the conventional login systems the platform uses wallet based authentication.

- Users log in using MetaMask wallet connection
- Each user is identified by Ethereum wallet addresses
- All actions are cryptographically signed with the user's private key.
- No username passwords or sensitive data is stored.

This method highly aligns with the Web3 design principles And enhances security of the system.

4.6. Transaction Flow

- Users connect their wallets using MetaMask.
- Frontend sends requests using ethers.js
- Smart contracts execute the requested functions
- The validation is done by the Ethereum networks
- Transaction data is permanently stored on the blockchain

4.7. Security Considerations:

- Only the campaign owners can withdraw funds.
- All transactions are verified by the Ethereum networks.
- Wallet signing maintains secure and authorized actions.

No central server which reduces the risk of hacking.

5. Result And Discussion

5.1 Experimental Setup

The proposed Web3-based decentralized crowdfunding platform was tested in a controlled test environment with a blockchain test network known as Sepolia test network. To prevent financial, ethical, and legal issues, real money transactions were not used. Instead, the network gave test tokens and they acted as real crowdfunding actions, allowing safe and proper evaluation of the system without any financial risk.

A working prototype was created, which included smart contracts to manage campaign launch, to control contribution, and check for the milestones. Different unreal crowdfunding campaigns were created to test and run the behavior of the system in different situations, like how it behaves in fully funded campaigns, or partially funded campaigns, or how it behaves in cases where the goal is not achieved.

Metric	Centralized Platform	Proposed Web3 Platform
Average Transaction Confirmation Time(sec)	18.4	6.2
Transaction Transparency	Limited	Full (On- Chain)
Data Immutability	No	Yes
Transaction Failure Rate (%)	3.6	0.8
Manual Intervention Required	Yes	No
User Authentication Method	Username/ Password	Wallet- Based

Table I. Comparative Performance Metrics Between Centralized and Web3-Based Crowdfunding Platforms

Here, we are checking things like how open the system is, how much it is, and how it is able

to verify users by looking into the structure and how it works in a real situation.




Fig 3. Comparison of Transaction Confirmation Time

Fig 3. This bar graph shows that the proposed web3 decentralized blockchain does the transaction faster than the centralized system. This is because smart contracts work automatically and there is no middleman to slow down things. This shorter time proves that decentralized transactions on the Ethereum test network can be more efficient.

5.2 Performance Evaluation

The study tested three things, the first one is how fast the transaction happens and second is how smart contracts automate tasks and last is how quickly the system responds. The results show that the system with blockchain-based crowdfunding works better and faster than the normal centralized platforms. Creation of the campaigns and the payments runs smoothly because of the smart contract as it handles everything automatically without any manual work. Even though the real money was not used, the system performed like a real blockchain as the test network that we had used followed the same rules as the real ones. Overall, the results show the proposed decentralized platform reduces delays, makes the payments faster and provides a clear and smooth user experience.

5.3 Transparency and Trust Analysis

Transparency and trust were one the important metrics to be judged. It is done by seeing how well the system tracks each and every transaction, and how perfectly the system is working, and how smoothly smart contracts are running. This is all noted without looking at the money profits. While testing every action that we perform, all are permanently recorded on the blockchain. Due to which independent checking was possible for every function like creating the campaigns, contributions and funds which were transferred were matched through public logs. This makes sure that the whole system is trustworthy as users can check all the actions without any central authority control.

Smart contracts are used to make sure that the crowdfunding rules are applied fully, and the system should work automatically, and the power admin should be removed fully. Even though

real money was not used the system is build such that it can handle real money as the test network follows the same rules. None of the actions can be changed and it can be monitored in real time. Also each transaction is saved safely and it cannot be deleted or changed at any point of time. Users can check their past actions anytime and the ledger will provide the details to everyone as needed.

5.4 Comparative Analysis

A proper comparison was done between the proposed decentralized crowdfunding platform and traditional centralized crowdfunding systems carefully. In a centralized system mostly all the words like transactions or platform tasks are managed by the middle parties, due to this delays may happen and dependencies on these parties increases by which trust and transparency also decreases on the system. In contrast the proposed system uses blockchain based smart contracts to run main crowdfunding tasks in a decentralized way such that the central control is reduced.

The result of the test shows that the decentralized approach reduces manual work and lets the system work smoothly through the rules which are defined in the smart contracts. While all the test cases which the real funding platform can have are not tested, the ones which are tested show clear benefits of the system's design and how it works. The system is more open, works automatically, and users don't have to rely too much on a company or middleman to trust that everything is handled fairly.

6. Conclusion

This research paper talks about how to make and build a decentralized crowdfunding platform built on web-3 to fix problems with trust, transparency, and inefficiency that are common in traditional centralized systems. The suggested solution removes centralized control by using smart contracts and blockchain technology, therefore automating tasks such as donation collection, fund transfer, and campaign design. This method makes people more responsible and less dependent on middlemen by making sure that all transactions are clear and stored on the blockchain.

The system is practically possible because a functioning prototype was successfully deployed on a blockchain test network and a layered decentralizing architecture was used. Experimental results show that permanent and interference-proof transaction records, higher transaction efficiency, and less need for manual intervention have all been better recorded than in traditional systems. The study shows that decentralized crowdfunding platforms based on web3 provide a clear, trustworthy, and safe alternative to traditional crowdfunding systems. They also provide a strong foundation for future work and development in decentralized financial applications.

7. Future Scope

The approach that has been suggested already makes things more open, automated, and easy to manage money, but it can still be improved. New features like decentralized governance can assist contributors make decisions, such voting on blockchain to approve project phases or settle disagreements. Connecting separate blockchains could potentially let more people join from other networks. In the future, there may be more user-friendly designs and better standards that decentralized technologies should follow to preserve both user privacy and legal needs. Using the system and testing it for a longer time will also help us learn how people are using it, how it is growing, and how much they trust it. This will help us get it ready for real-world use.

References

1. S. Nakamoto, "Bitcoin: A peer-to-peer electronic cash system," 2008.
2. V. Buterin, "A next-generation smart contract and decentralized application platform," *Ethereum White Paper*, 2014.
3. N. Szabo, "Formalizing and securing relationships on public networks," *First Monday*, vol. 2, no. 9, 1997.
1. Y. Yuan and F.-Y. Wang, "Blockchain and cryptocurrencies: Model, techniques, and applications," *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, vol. 48, no. 9, pp. 1421–1428, 2018.
5. A. A. Monrat, O. Schelén, and K. Andersson, "A survey of blockchain from the perspectives of applications, challenges, and opportunities," *IEEE Access*, vol. 7, pp. 117134–117151, 2019.
6. F. Casino, T. K. Dasaklis, and C. Patsakis, "A systematic literature review of blockchain-based applications," *Telematics and Informatics*, vol. 36, pp. 55–81, 2019.
7. S. Wang, X. Wang, Y. Zhang, et al., "A secure cloud storage framework with access control based on blockchain," *IEEE Access*, vol. 7, pp. 112713–112725, 2019.
8. W. Teng, H. Xu, Z. Huang, et al., "A smart contract– based service platform for trustworthy crowdfunding," in *Proc. IEEE ICSS*, 2022.
9. X. Wan, Z. Teng, Q. Li, et al., "Blockchain technology empowers crowdfunding decision-making," *Expert Systems with Applications*, vol. 221, Art. no. 119685, 2023.
10. M. S. Farooq, M. Khan, and A. Abid, "A framework to make charity collection transparent and auditable using blockchain," *Computers & Electrical Engineering*, vol. 83, Art. no. 106588, 2020.
11. G. Wood, "Ethereum: A secure decentralized generalized transaction ledger," *Ethereum Yellow Paper*, 2014.
12. Z. Zheng, S. Xie, H. Dai, et al., "An overview of blockchain technology: Architecture, consensus, and future trends," in *Proc. IEEE BigData Congress*, 2017.
13. S. S. Hasan, N. H. Sultan, and F. A. Barbhuiya, "Cloud data provenance using IPFS and blockchain technology," in *Proc. ACM Workshop on Security in Cloud Computing*, 2019.
14. L. Deng, Q. Ye, D. Xu, W. Sun, and G. Jiang, "Determinants of crowdfunding success: A literature review," *Financial Innovation*, vol. 8, no. 41, 2022.
15. R. Adamo, D. Federico, M. Intonti, et al., "Crowdfunding: Models, risks, and regulation," in *Banking and Finance*. IntechOpen, 2020.

ANNEXURE 3



Page 2 of 41 - Integrity Overview

Submission ID trnoid::3618:136508616

6% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Filtered from the Report

- Bibliography
- Quoted Text
- Small Matches (less than 10 words)

Match Groups

-  **4 Not Cited or Quoted 6%**
Matches with neither in-text citation nor quotation marks
-  **0 Missing Quotations 0%**
Matches that are still very similar to source material
-  **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 6%  Internet sources
- 2%  Publications
- 5%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

No suspicious text manipulations found.

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.



Page 2 of 41 - Integrity Overview

Submission ID trnoid::3618:136508616

Match Groups

- **4 Not Cited or Quoted 6%**
Matches with neither in-text citation nor quotation marks
- **0 Missing Quotations 0%**
Matches that are still very similar to source material
- **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
- **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 6% ■ Internet sources
- 2% ■ Publications
- 5% ■ Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Submitted works	
	SRM University on 2022-01-12	3%
2	Submitted works	
	SRM University on 2017-04-19	2%
3	Internet	
	v1.overleaf.com	<1%
4	Internet	
	www.internationaljournalssrg.org	<1%