Koneru Lakshmaiah Education Foundation
(Deemed to be University estd. u/s. 3 of the UGC Act, 1956)
Off-Campus: Bachupally-Gandimaisamma Road, Bowrampet, Hyderabad, Telangana - 500 043.
Phone No: 7815926816, www.klh.edu.in

Department of CSE

B.Tech. CSE Trimester -5

2520030204
Joshi Rushitha Kasturi

Cloud Infrastructure and Services

25CS2206E

LAB RECORD

2026

Experiment -2a

AIM:


To enable Multi-Factor Authentication (MFA) to secure your AWS account access.


Description:


Multi-Factor Authentication (MFA) is a security feature that provides an additional layer of protection to an AWS account. It requires users to verify their identity using a password and a second authentication method, such as an authenticator app or security key.


Steps:


1. Sign in to the AWS Management Console.
2. Open the account menu and select Security Credentials.
3. Navigate to the Multi-Factor Authentication (MFA) section.
4. Click Assign MFA device and enter a device name.
5. Select an authentication method, such as an authenticator app, and scan the QR code.
6. Enter the two consecutive MFA codes generated by the app and click Add MFA.


eu-north-1.signin.aws.amazon.com/oauth?response_type=code&client_id=arn%3Aaws%3Asignin%3A%3A%3Aconsole%2Fcanvas&redirect_uri=https%3A%2F%2Fconsole.aws.a...
AWS sign-in is getting an update
Starting in mid-2026, Amazon Web Services (AWS) is introducing updates to the AWS sign-in and sign-up pages. These updates include new options for how you create and access your account. Learn more
Change to new experience
IAM user sign in
Account ID or alias (Don't have?)
Remember this account
IAM username
Password
Show Password
Having trouble?
Sign in
Sign in using root user email
Create a new AWS account
Amazon Lightsail
Lightsail is the easiest way to get started on AWS
Learn more »
By continuing, you agree to AWS Customer Agreement or other agreement for AWS services, and the Privacy Notice. This site uses essential cookies. See our Cookie Notice for more information.
© 2026 Amazon Web Services, Inc. or its affiliates. All rights reserved.
Passkey saved and PIN created
You can view and manage your passkeys saved in Google Password Manager
English
aws
Register passkey or security key
You have successfully assigned this passkey.
We encourage registering multiple MFA devices in case your primary method is lost or inaccessible.
Confirm your account recovery information
If you lose access to this MFA device, we will use the following information for account recovery. Please verify that your email and phone number, including country code, are correct.
Email address:
joshirushithakasturi@gmail.com
Edit
Phone number:
+91 9000076058
Edit
Register another MFA device
Confirm and Continue to console
© 2026 Amazon Web Services, Inc. or its affiliates. All rights reserved.



Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
Give your coding agent current AWS knowledge and safe resource access
Agent Toolkit for AWS provides up-to-date documentation, tested procedures, and IAM guardrails configured through a single setup prompt in your IDE.
Get setup prompt
Free | Works with Kiro, Claude Code, Codex and more
Console home Info
Reset to default layout
+ Add widgets
Recently visited Info
All services
Billing and Cost Management
IAM
Welcome to AWS
Getting started with AWS
Find out the fundamentals and valuable information to get the most out of AWS.
Training and certification
Learn from AWS experts and advance your skills and knowledge.
AWS Builder Centre
Learn, build, and connect with builders in the AWS community.
AWS Health Info
Open issues
0
Past 7 days
Scheduled changes
0
Upcoming and past 7 days
Other notifications
1
Past 7 days
Go to AWS Health
CloudShell
Agent Toolkit for AWS
Feedback
Console mobile app
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
English
Contact us
AWS Marketplace
Support
My account
aws
re:Invent
Discover AWS
Products
Solutions
Pricing
Resources
Search
Sign in to console
Create account
AWS Management Console
Overview
Features
Mobile Application
FAQs
Products › Management and Governance › Management Console
AWS Management Console
Build and deploy agentic AI with 200+ AWS services from one interface.
Sign in to get started
New to AWS? Create an account
Using a coding agent?
Copy and paste the following instructions into Cursor, Kiro, Claude Code, or any MCP-compatible coding agent to give it the tools, knowledge, and guardrails it needs to work effectively with AWS services.


us-west-2.signin.aws.amazon.com/signin?client_id=arn%3Aaws%3Asignin%3A%3A%3Aconsole%2Fcanvas&redirect_uri=https%3A%2F%2Fconsole.aws.amazon.com%2Fconsole...
AWS sign-in is getting an update
Starting in mid-2026, Amazon Web Services (AWS) is introducing updates to the AWS sign-in and sign-up pages. These updates include new options for how you create and access your account. Learn more
Change to new experience
IAM user sign in
Account ID or alias (Don't have?)
Remember this account
IAM username
Password
Show Password
Having trouble?
Sign in
Sign in using root user email
Create a new AWS account
By continuing, you agree to AWS Customer Agreement or other agreement for AWS services, and the Privacy Notice. This site uses essential cookies. See our Cookie Notice for more information.
Your path to AI production
Accelerate your AI implementation confidently, with expert guidance from AWS
Start your AI journey with AWS ›
© 2026 Amazon Web Services, Inc. or its affiliates. All rights reserved.
Provide feedback
Multi-session disabled
English
aws
Sign In
Access your AWS account by user type.
User type (not sure?)
Root user
Account owner that performs tasks requiring unrestricted access.
IAM user
User within an account that performs daily tasks.
Email address
joshirushithakasturi@gmail.com
Next
OR
New to AWS? Sign up
AWS Builder Center
Skip setup, start building.
Free sandbox environments.
No credit card required.
Build up to 8 hours.
Explore Workshops →


Provide feedback
English
Use a saved passkey for aws.amazon.com
arn:aws:iam::357110453048:root
Google Password Manager
Use a different passkey
Continue
Cancel
Additional verification r
Your account is protected with a pa
security key for multi-factor
authentication (MFA) .
To finish signing in, follow the instr
from your browser.
Sign in to a different account
Trouble signing in?
AWS Builder Center
Skip setup, start building.
Free sandbox environments.
No credit card required.
Build up to 8 hours.
Explore Workshops →
Provide feedback
English
aws
Additional verification required
Your account is protected with a passkey or
security key for multi-factor
authentication (MFA) .
To finish signing in, follow the instructions
from your browser.
Sign in to a different account
Trouble signing in?
AWS Builder Center
Skip setup, start building.
Free sandbox environments.
No credit card required.
Build up to 8 hours.
Explore Workshops →
© 2026 Amazon Web Services, Inc. or its affiliates. All rights reserved.



Output:



Multi-Factor Authentication was successfully enabled for the AWS account. An additional layer of security was added, helping protect the account from unauthorized access.

Experiment -2b

AIM:


To create and launch the first Linux instance using Amazon EC2 in AWS.


Description:


Amazon EC2 (Elastic Compute Cloud) is an AWS service that provides virtual servers called instances. A Linux instance allows users to run Linux-based applications and perform various computing tasks in the cloud.

Steps:


1. Sign in to the AWS Management Console and open the EC2 service.
2. Click on Launch Instance to create a new virtual machine.
3. Enter an instance name and select an Amazon Linux AMI.
4. Choose an instance type, such as t2.micro or an eligible free-tier instance type.
5. Create or select a key pair to securely connect to the instance.
6. Configure network settings and allow SSH traffic (port 22).
7. Click Launch Instance and wait until the instance state changes to Running.



ec2
Ask AWS assistant
Europe (Stockholm)
joshirushitha2008
Services
Show more
EC2
Virtual Servers in the Cloud
EC2 Image Builder
A managed service to automate build, customize and deploy OS images
Recycle Bin
Protect resources from accidental deletion
Features
EC2 Instances
CloudWatch feature
EC2 Resource Health
CloudWatch feature
Dashboard
EC2 feature
Add widgets
Go to AWS Health
CloudShell
Agent Toolkit for AWS
Feedback
Console mobile app
Search
EC2
Dashboard
AWS Global View
Events
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Images
AMIs
AMI Catalog
Elastic Block Store
Resources
You are using the following Amazon EC2 resources in the Europe (Stockholm) Region:
Instances (running) 0
Auto Scaling Groups 0
Capacity Reservations 0
Dedicated Hosts 0
Elastic IPs 0
Instances 0
Key pairs 0
Load balancers 0
Placement groups 0
Security groups 1
Snapshots 0
Volumes 0
EC2 cost
Date range: Past 6 months
Region: Global
Costs in your free plan account are covered by credits.
Credits remaining
Days remaining
Loading
Analyze your costs in Cost Explorer
Launch instance
To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.
Launch instance
Migrate a server
Note: Your instances will launch in the Europe (Stockholm) Region
Service health
AWS Health Dashboard
Region
Europe (Stockholm)
Status
This service is operating normally.
Account attributes
Default VPC
vpc-04a8022da7ab9d7f3
Settings
Data protection and security
Allowed AMIs
Zones
Instance alarms
View in CloudWatch
0 in alarm
0 OK
0 insufficient data
Zones
Zone name
Zone ID
eu-north-1a
eun1-az1
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


aws
Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
EC2 / Instances / Launch an instance
It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices
Take a walkthrough
Do not show me this message again.
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
e.g. My Web Server
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Vicky_123



Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
EC2 / Instances / Launch an instance
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
Vicky_123
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Amazon Linux 2023 kernel-6.18 AMI
Free tier eligible
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008
EC2 / Instances / Launch an instance
Instance type Info | Get advice
Instance type
t3.micro
Additional costs apply for AMIs with pre-installed software
Key pair (login) Info
You can use a key pair to securely connect to your instance.
Key pair name - required
Select
Network settings Info
Network Info
vpc-04a8022da7ab9d7f3
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
chinni_123
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair
Summary
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



aws
Search
[Alt+S]
chinni_968.pem
1,678 B • Done
EC2 / Instances / Launch an instance
Instance type Info | Get advice
Instance type
t3.micro
Free tier eligible
Family: t3 2 vCPU 1 GiB Memory Current generation: true
On-Demand Linux base pricing: 0.0108 USD per Hour
On-Demand Windows base pricing: 0.02 USD per Hour
On-Demand Ubuntu Pro base pricing: 0.0143 USD per Hour
On-Demand RHEL base pricing: 0.0396 USD per Hour On-Demand SUSE base pricing: 0.0108 USD per Hour
Additional costs apply for AMIs with pre-installed software
All generations
Compare instance types
Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
chinni_968
Create new key pair
Network settings Info
Edit
Network Info
vpc-04a8022da7ab9d7f3
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12.... read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
File Edit View
-----BEGIN RSA PRIVATE KEY-----
MIIEpQIBAAKCAQEA7HweDk4UcfgHOhjYnAStQqvkw2FhjY6Ttv3BoTTy8aj97M9e
b6sPoxyJyGJo0YjpWkl+xF6xttzgBgJXE9rZp6iF1YRCLyb+xzCf+8qJTkIZEt9A
ETg9zAV+dbW7I7bQj/zhYogu/ZNJOm06h6Wvm1CkSgffdcjOPaMQFAE5ANlxbyO+
pDOnehEQpWgCnR0ci+E3qsgWZh2q2DXUDjWEmAcBxRKh0TLc2VzNCjWoPjKWU51c
XtIMspRE8oMfqtp6sBWYBTR5q4Bu6gV+V3gUkkYK9oq+OQIX6y+vqYWTBrnS6pva
Q3AigOzq2+1K0PWl/C31Ml4VuzBOt9OjIUSQOQIDAQABAoIBAD1zi0PgWkO7VfVs
22y/cl5u2IVE2tq0AAJ/Mj+3yKGvbjyJLlsKMogKNGuT1vUMBMdnbb+Nc9S21Kf7
F7GbHxAIJK71LVWfZnlQU2JUoRVq66URyk4vNS+9Bb2Eudpv+QZRiifWh49xJIhA
NgNltJpBfE+YeCLdSWqO4vCv2KY1WvlwIShwHYFfsRCw9lID8v61N32fnbFsQILd
22vmG6+HAKMO+gflnzc00rDY4TDqyZaaNknUB2IOkMz6iXj/TFc7QMlZpv2BHTU+
4xwvD+Byi7a4yqR7tyaPVUG8n0DxUDt29lGNmqMLUr27f3j1vY0G/h2EutdXyXeG
3HRuqrkCgYEA+CZWDFlpLpIceII01z+2oXaMXrgl+om63lsXWLq/9dIqiQf7r/Nh
6AymyOxSqyWkxdERtYEGtLpHCf/y7kTQvAraT9MiwswFQxGD1qnXwTaY4nWALmz7
fNJVJ8lVfOcU3+UP3OcUGL21+XtGuFihT4cVitKEgQS3l8Z9ct5uh2cCgYEA8/dP
1k0OgmJUlXxuYaWU00C91HxP+45PG4MBldi+HBytawc8Fpee4clQKKZyTlVf/Qt2
cWGApR1IKqEZIWGTsOXgZX/eqNhxx8kNRQUr+YhQ4zdYaJLWavWkBsMlswHXgBKy
ecKj8yTs1j5QNWIX7ibb8D6OQ4HZXDAi/SG/h18CgYEAj1OtLbLS4rg3w48JMC43
sSjEyMy5+uxkR5v7bx9mUniSYtV+lNERgrMT/kcpNHsooa0w+lHM6sQQ1gDEcsTC
f2oRUDvV/wdSHrvWFz3ARXPgeCR/5dDCrQTbdICAZQUfdHZcZC3/2I5ytedzIHTo
rwOJ+MXBDLgJxps5yAgbdQ8CgYEAjshrfWzT1RNfla2hnJygIZN+hmHLHdsICX3+
64hSm3ldNYqibEaIwnRj6aagt5/X8e1HgMwj0n70wZ5Pau4E1j9zuXPBCOjEjrzo
e0Cvn/db/99garOlsivZt+t2oPGvAlHvCrwT4DX4Ntt5bgTfJI6xokW6VWAlqoKx
t5yMz9kCgYEA3aPiK6ZnUKYNCUUtfli0L2WokCK4VImm1bYKGdse8yxLTNVtGGx8
jBEMF5hDO4gj1rjgljdlvifX5Q6TzwUgcNRC10Zp7ZduySjGbviYIm49mJzmeupo
qZOFYnWG3zmKgU0+l/UASryfCvL68xGv0ZhQCgBZsoURWho5gLLb6SU=
-----END RSA PRIVATE KEY-----



aws
Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
EC2 / Instances / Launch an instance
Network settings Info
Edit
Network Info
vpc-04a8022da7ab9d7f3
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-1' with the following rules:
Allow SSH traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0
Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server
Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code


aws
Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
EC2 / Instances / Launch an instance
Configure storage Info
Advanced
1x
8
GiB
gp3
Root volume, 3000 IOPS, Not encrypted
Add new volume
Click refresh to view backup information
The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.
File systems
S3 Files - new
EFS
FSx
None
Advanced details Info
Domain join directory Info
Select
Create new directory
IAM instance profile Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



aws
Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
EC2 / Instances / Launch an instance
Advanced details Info
Domain join directory Info
Select
Create new directory
IAM instance profile Info
Select
Create new IAM profile
Hostname type Info
IP name
DNS Hostname Info
Enable IP name IPv4 (A record) DNS requests
Enable resource-based IPv4 (A record) DNS requests
Enable resource-based IPv6 (AAAA record) DNS requests
Instance auto-recovery Info
Select
Shutdown behavior Info
Stop
Stop - Hibernate behavior Info
Select
Termination protection Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

aws
Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
EC2 / Instances / Launch an instance
2
Allow tags in metadata Info
Select
User data - optional Info
Upload a file with your user data or enter it in the field.
Choose file
User data has already been base64 encoded
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-04005916a1c241ff5
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


aws
Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
EC2 / Instances / Launch an instance
Launching instance
Creating security groups
27%
Details
Please wait while we launch your instance.
Do not close your browser while this is loading.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
aws
Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
EC2 / Instances / Launch an instance
Success
Successfully initiated launch of instance (i-091791509fec20be1)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Enable or disable detailed monitoring for the
Create Load Balancer
Create a application, network gateway or
Create AWS budget
AWS Budgets allows you to create budgets,
Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



EC2 / Instances / i-091791509fec20be1
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Instance summary for i-091791509fec20be1 (Vicky_123) Info
Updated less than a minute ago
Connect
Instance state
Actions
Instance ID
i-091791509fec20be1
Public IPv4 address
16.171.254.52 | open address
Private IPv4 addresses
172.31.44.133
IPv6 address
-
Instance state
Running
Public DNS
ec2-16-171-254-52.eu-north-1.compute.amazonaws.com | open address
Hostname type
IP name: ip-172-31-44-133.eu-north-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-44-133.eu-north-1.compute.internal
Answer private resource DNS name
IPv4 (A)
Instance type
t3.micro
Elastic IP addresses
-
Auto-assigned IP address
16.171.254.52 [Public IP]
VPC ID
vpc-04a8022da7ab9d7f3
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations.
Learn more
IAM role
-
Subnet ID
subnet-0cc956781462a9bf6
Auto Scaling group name
-
IMDSv2
Required
Instance ARN
arn:aws:ec2:eu-north-1:357110453048:instance/i-091791509fec20be1
Managed
false
Operator
-
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


EC2 / Instances / i-091791509fec20be1
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Instance summary for i-091791509fec20be1 (Vicky_123) Info
Updated less than a minute ago
Connect
Instance state
Actions
Instance ID
i-091791509fec20be1
Public IPv4 address
16.171.254.52 | open address
Private IPv4 addresses
172.31.44.133
IPv6 address
-
Instance state
Running
Public DNS
ec2-16-171-254-52.eu-north-1.compute.amazonaws.com | open address
Hostname type
IP name: ip-172-31-44-133.eu-north-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-44-133.eu-north-1.compute.internal
Answer private resource DNS name
IPv4 (A)
Instance type
t3.micro
Elastic IP addresses
-
Auto-assigned IP address
16.171.254.52 [Public IP]
VPC ID
vpc-04a8022da7ab9d7f3
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations.
Learn more
IAM role
-
Subnet ID
subnet-0cc956781462a9bf6
Auto Scaling group name
-
IMDSv2
Required
Instance ARN
arn:aws:ec2:eu-north-1:357110453048:instance/i-091791509fec20be1
Managed
false
Operator
-
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Output:

The Linux EC2 instance was successfully created and launched in AWS. The instance became ready to use, allowing users to connect and execute Linux commands remotely.



Experiment -2c

AIM: Bucket Creation and Upload Objects

Description:

Amazon Simple Storage Service (Amazon S3) is an object storage service provided by AWS. It allows users to store and manage files in containers called buckets. A bucket is created with a globally unique name and an AWS Region, and it can store documents, images, videos and other types of files.

After creating the bucket, users can upload objects in different file formats. In this experiment, five files with different extensions, such as PDF, JPG, PNG, TXT and DOCX, are uploaded. The uploaded objects can be viewed and managed from the S3 bucket.

STEPS:

1.Sign in to the AWS Management Console and open the Amazon S3 service.

2. Click Create Bucket and enter a unique bucket name.


3. Select the AWS Region and keep the default settings as required.


4. Click Create Bucket to create the storage bucket.


5. Open the created bucket and click Upload.


6. Click Add Files and select five files with different extensions, such as .pdf, .jpg, .txt, .docx, and .png.


7. Click Upload and wait until all five objects are successfully uploaded.



s3
Ask AWS assistant
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
Services
Show more
S3
Scalable Storage in the Cloud
S3 Glacier
Amazon S3 Glacier API for vaults only. For the Glacier Deep Archive, Glacier Flexible Retrie...
AWS Snow Family
Large Scale Data Transport
Features
Show more
S3 Files
S3 feature
S3 on Outposts
AWS Outposts feature
Exports to S3
DynamoDB feature
Services
Features
Loading
Reset to default layout
Add widgets
AWS Health
Info
Go to AWS Health



Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008
Amazon S3 / Buckets / Create bucket
Create bucket Info
Buckets are containers for data stored in S3.
General configuration
AWS Region
Europe (Stockholm) eu-north-1
Bucket type Info
General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
Directory
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.
Bucket namespace
Choose the namespace where you want to create your bucket. Learn more
Global namespace
By default, S3 creates general purpose buckets in the global namespace.
Account Regional namespace (recommended)
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.
Bucket name Info
amzn-s3-demo-bucket
Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn more
Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.
Choose bucket
Format: s3://bucket/prefix
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Amazon S3 / Buckets / Create bucket
AWS Region
Europe (Stockholm) eu-north-1
Bucket type Info
General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
Directory
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.
Bucket namespace
Choose the namespace where you want to create your bucket. Learn more
Global namespace
By default, S3 creates general purpose buckets in the global namespace.
Account Regional namespace (recommended)
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.
Bucket name
For general purpose buckets in the account Regional namespace, the bucket name is composed of a bucket name prefix and a suffix. AWS adds the suffix to the bucket name prefix that you provide. This suffix is the account Regional namespace. The bucket name can't be edited after the bucket is created.
Bucket name prefix
vickibucket1
Account Regional namespace suffix
-357110453048-eu-north-1-an
The bucket name prefix and the account Regional suffix combined must be between 3 and 63 characters long. The specified bucket name prefix must be unique within your account Regional namespace and follow the bucket naming rules .
Full bucket name
vickibucket1-357110453048-eu-north-1-an
Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.
Choose bucket
Format: s3://bucket/prefix
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008
Amazon S3 / Buckets / Create bucket
Block Public Access settings for this bucket
Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more
Block all public access
Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.
Block public access to buckets and objects granted through new access control lists (ACLs)
S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
Block public access to buckets and objects granted through any access control lists (ACLs)
S3 will ignore all ACLs that grant public access to buckets and objects.
Block public access to buckets and objects granted through new public bucket or access point policies
S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.
Block public and cross-account access to buckets and objects through any public bucket or access point policies
S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.
Bucket Versioning
Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. Learn more
Bucket Versioning
Disable
Enable
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
Amazon S3 / Buckets / Create bucket
Add new tag
You can add up to 50 tags.
Default encryption Info
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the Amazon S3 pricing page.
Server-side encryption with Amazon S3 managed keys (SSE-S3)
Server-side encryption with AWS Key Management Service keys (SSE-KMS)
Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)
Bucket Key
Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. Learn more
Disable
Enable
Advanced settings
After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.
Cancel
Create bucket



Amazon S3 / Buckets / vickibucket1-357110453048-eu-north-1-an
Successfully created bucket "vickibucket1-357110453048-eu-north-1-an"
vickibucket1-357110453048-eu-north-1-an Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (0)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions.
Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
No objects
You don't have any objects in this bucket.
Upload
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Amazon S3 / Buckets / vickibucket1-357110453048-eu-north-1-an / Upload
Upload Info
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more
Drag and drop files and folders you want to upload here, or choose Add files or Add folder.
Files and folders (0)
All files and folders in this table will be uploaded.
Remove
Add files
Add folder
Find by name
Name
Folder
Type
Size
No files or folders
You have not chosen any files or folders to upload.
Destination Info
Destination
s3://vickibucket1-357110453048-eu-north-1-an
Destination details
Bucket settings that impact new objects stored in the specified destination.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008
Amazon S3 / Buckets / vickibucket1-357110453048-eu-north-1-an / Upload
Upload Info
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more
Drag and drop files and folders you want to upload here, or choose Add files or Add folder.
Files and folders (1 total, 1.9 KB)
All files and folders in this table will be uploaded.
Remove
Add files
Add folder
Find by name
Name
Folder
Type
Size
regestration process.txt
-
text/plain
1.9 KB
Destination Info
Destination
s3://vickibucket1-357110453048-eu-north-1-an
Destination details
Bucket settings that impact new objects stored in the specified destination.
Permissions
Grant public access and access to other AWS accounts.



OUTPUT:

The Amazon S3 bucket was successfully created for cloud file storage. Five objects with different file extensions were uploaded successfully and stored in the bucket.


aws
Search
[Alt+S]
Europe (Stockholm)
joshirushitha2008 (357110453048)
joshirushitha2008
Amazon S3 / Buckets / vickibucket1-357110453048-eu-north-1-an
vickibucket1-357110453048-eu-north-1-an Info
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (1)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions.
Learn more
Find objects by prefix
Name
Type
Last modified
Size
Storage class
regestration process.txt
txt
November 12, 2026, 11:22:39 (UTC+05:30)
1.9 KB
Standard
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences