

Name: Josh Whitehead
Unid: u1069343

Template Page 1

Final Exam Answer Template

Put your final answer in the box provided. Upload your completed template and any extra pages to the assignment on Canvas. The template pages should come first in your completed pdf.

Problem 1

(a) $Re = \frac{\rho v D}{\mu}$ assume air @ 20°C
 $D \approx 1 \text{ ft} \approx 0.305 \text{ m}$
 $\rho = \frac{16.3}{9.8} = 1.66 \frac{\text{kg}}{\text{m}^3}$
 $v = 223.5 \frac{\text{m}}{\text{sec}}$
 $\mu = 2.24 \times 10^{-5}$
 $\therefore Re = 5.061636 \times 10^6 \therefore \text{Turbulent}$
 $> 5 \times 10^5$

True

(b)

Need to use different grid sizes ^{to} test and if solver residuals converge then ✓

False True

(c)

$Re \ll 1 \therefore \text{Stokes flow}$

True

Name: Josh Whitehead
Unid: U1069343

Template Page 2

Problem 1 (continued)

(d)

The vortices cause mixing \therefore turbulent

False

(e)

Choked

as $dA > 0$, for $Ma > 1$, $dp < 0 \rightarrow dv > 0$

(Purcell Fig 9.5)

True

Name: Josh Whitehead
 Unid: V1069343

$$Re = \frac{\rho v L}{\mu}$$

Template Page 3

Problem 2

(a)

$$C_L = \frac{L}{\frac{1}{2} \rho v^2 A}$$

$$L = mg$$

$$A = 2 \cdot 1.5 \cdot 0.1 = 0.3 \text{ m}^2$$

$$m = 0.5 \text{ kg}$$

$$\rho = 1.66$$

$$\mu = 2.24 \times 10^{-5}$$

$$L = 0.1$$

$$\rightarrow v = \sqrt{\frac{2mg}{\rho C_L A}} = 6.27 \frac{\text{m}}{\text{sec}}$$

$$\therefore Re = 46537 = 4 \times 10^4 < 5 \times 10^5$$

$$Re = 46537$$

Laminar

(b)

$$Re_{crit} = \frac{998 \cdot 5 \cdot 0.1}{1 \times 10^{-3}} = 4.99 \times 10^5 \approx 5 \times 10^5$$

$$4.99 \times 10^5$$

Transitional

(c)

$$D \approx 0.05 \text{ m}$$

Turbulent - caused by dimples

$$\text{assume } v \approx 100 \text{ mph} = 44.7 \frac{\text{m}}{\text{sec}}$$

$$Re = \frac{1.66 \cdot 44.7 \cdot 0.05}{2.24 \times 10^{-5}} = 165629 \approx 5 \times 10^5$$

$$1.66 \times 10^5$$

Transitional

Name: Josh Whitehead
Unid: U1069343

$$Re = \frac{\rho v D}{\mu}$$

Template Page 4

Problem 2 (continued)

(d)

$$\epsilon = 0.00015$$

$$D = 4.026''$$

$$v = 0.6 \text{ ft}^3/\text{sec}$$

$$\frac{\epsilon}{D} = 0.000447$$

assume turbulent

$$f \approx 0.016 \rightarrow h_f \approx$$

$$P = 1117$$

$$D = 0.10226$$

$$\frac{f L v^2}{D \Delta y}$$

$$\Delta y$$

$$M = 2.14 \times 10^{-2}$$

$$Q = 0.01699 \frac{\text{m}^3}{\text{sec}}$$

$$v = \frac{Q}{A} = \frac{Q}{\pi (\frac{D}{2})^2} = 1.41 \times 10^{-5} \frac{\text{m}}{\text{sec}}$$

$$\therefore Re = 0.07526$$

$$Re = 0.075$$

Laminar

(e)



guess $Ma_1 \approx 0.9 \rightarrow \frac{P}{P_0} = 0.5913$

$$\frac{P_0}{P} = \frac{1}{1 + 0.2 Ma^2}^{3.5}$$

$$\frac{P_2}{P_1} = \frac{1}{k+1} (2k Ma_1^2 - (k-1)) \quad k = 1.4$$

$$\therefore Ma = 0.886 = \frac{v}{a} = \frac{v}{\sqrt{\gamma R T}}$$

$$= \frac{v}{330} \rightarrow v = 292.5 \frac{\text{m}}{\text{sec}}$$

$$Re = \frac{1.66 \cdot 292.5 \cdot 0.1}{2.24 \times 10^{-5}} = 2167731 \approx 2 \times 10^6$$

$$Re = 2.17 \times 10^6$$

Turbulent

Bonus:

Choked

$$Ma_2^2 = \frac{(k-1) Ma_1^2 + 2}{2k Ma_1^2 - k + 1} \approx 1$$

Name: Josh Whitehead
Unid: U1069343

Template Page 5

Problem 3

(a)

$$Re = \frac{1.66 \cdot 44.5 \cdot 0.074}{2.24 \times 10^{-5}} = 2.44 \times 10^5 \therefore C_D \approx 0.3$$

$$D = C_D \cdot \frac{1}{2} \rho v^2 A_P = 2.12 \text{ N}$$

$$a = \frac{D}{m} = 14.1 \frac{\text{m}}{\text{sec}^2}$$

$$14.1 \frac{\text{m}}{\text{sec}^2}$$

(b)

$$\frac{B}{x} = \frac{0.671}{Re^{1/2}} \rightarrow a = 6.79 \times 10^{-7}$$

$$6.79 \times 10^{-7}$$

Name: Josh Whithead
Unid: U1069343

Template Page 6

Problem 3 (continued)

(c)

$$M = \sin^{-1} \frac{1}{Ma}$$

$$Ma = \frac{447}{330} = 1.35$$

$$M = 7$$


$$\therefore M = 0.83$$

$$\frac{7.42}{0.830}$$

(d)

$$\frac{T_1}{T_0} = \frac{2\gamma Ma^2 - \gamma + 1}{\gamma + 1}$$

$$\frac{(2\gamma Ma^2 - \gamma + 1) \left(\frac{\gamma - 1}{\gamma + 1} Ma^2 + 2 \right)}{(\gamma + 1)^2 Ma^2}$$



Name: Josh Whitehead
Unid: V1069343

Template Page 7


Problem 4

(a)

$$m = 0.454 \text{ kg}$$

$$F = mg = 4.45 \text{ N} \approx \Sigma v \cdot m =$$

$$h_f = \frac{v^2}{2g} \left(\frac{f \cdot L}{D} + K \right) \quad \epsilon = 0.0001$$



$$F = C_D \frac{\rho}{2} v^2 A \quad C_D \approx 0.76$$

$$4.45$$

$$v = \sqrt{\frac{4.45 \cdot 2}{0.76 A}} = 2.656$$

$$Q = v \cdot A = 2.656 \cdot 82$$

$$\int Q = 2.656 \text{ m}^3$$
$$Q = 21.24 \frac{\text{m}^3}{\text{sec}}$$

Name: Josh Whitehead
Unid: V1069343

Template Page 8

Problem 4 (continued)

(b)

$$P_{\text{ow}} = \rho g Q h_{\text{pump}}$$

$$P = 1.66 \cdot 9.8 \cdot 21.24 \cdot 10^3 \cdot 3.048 \text{ m}$$

$$= 1053$$

1.05 kW

Name: Josh Whithead
Unid: V1069343

Template Page 9

Problem 4 (continued)

(c)

$$\begin{array}{r} PA = F \\ P = \frac{4.49}{A} \end{array}$$

$$PA = F$$

~~5.49~~

Bonus: