

html 5 Visual Cheat Sheet

TAG HTML Version

● Tag supported in HTML 4.01 and HTML 5
 ● Tag not supported in HTML 5
 ● New HTML 5 tag

Attributes

● Attribute defined in HTML 4.01
 ● Attribute defined in HTML 4.01 and HTML 5
 ● Attribute defined in HTML 5

g Standard global attributes

(*class*, *contenteditable*, *contextmenu*, *dir*, *draggable*, *id*, *irrelevant*, *lang*, *ref*, *registrationmark*, *tabindex*, *template*, *title*)

<!-- -->	comment	none	<cite>	citation	g	<footer>	footer for a section or page	g	<meta>	meta information	<u>charset</u> , <u>content</u> , <u>http-equiv</u> , <u>name</u> , <u>scheme</u>	<source>	media resources
<!DOCTYPE>	document type	none	<code>	code text	g	<form>	form		<meter>	measurement within a predefined range	<u>high</u> , <u>low</u> , <u>max</u> , <u>min</u> , <u>optimum</u> , <u>value</u>		section in a document
<a>	charset, coords, href, hreflang, <u>media</u> , name, ping, rel, rev, shape, target, type	hyperlink	<col>	attributes for columns		<frame>	sub window		<nav>	navigation links	g	<strike>	Not supported in HTML 5, use CSS instead
<abbr>	abbreviation	g	<colgroup>	groups of columns		<frameset>	set of frames		<nest>	nesting point in a datatemplate			strong text
<acronym>	acronym		<command>	<u>checked</u> , <u>default</u> , <u>disabled</u> , <u>hidden</u> , <u>icon</u> , <u>label</u> , <u>radiogroup</u> , <u>type</u>	command button	<h1> - <h6>	header 1 to header 6	align	<noframes>	noframe section		<style>	style definition
<address>	address element	g	<datagrid>	data in a tree-list	<u>disabled</u> , <u>multiple</u>	<head>	document information	profile	<noscript>	noscript section	none	<sub>	subscripted text
<applet>	applet		<datalist>	dropdown list	data	<header>	header for a section or page	g	<object>	embedded object	align, archive, border, classid, codetype, data, declare, height, hspace, name, standby, type, usemap, vspace, width	<sup>	superscripted text
<area>	alt, coords, href, hreflang, nohref, <u>media</u> , ping, rel, shape, target, type	image map area	<datatemplate>	data template	g	<hr>	horizontal rule	align, noshade, size, width		ordered list	compact, start, type	<table>	align, bgcolor, border, cellpadding, cellspacing, frame, rules, summary, width
<article>	article	g	<dd>	definition description	g	<html>	html document	manifest, xmlns	<optgroup>	option group	label, disabled	<tbody>	table body
<aside>	content aside from the page content	g		deleted text	<u>cite</u> , <u>datetime</u>	<i>	italic text	g	<option>	option in a drop-down list	disabled, label, selected, value	<td>	abbr, align, axis, bgcolor, char, charoff, colspan, headers, height, nowrap, rowspan, scope, valign, width
<audio>	sound content		<details>	details of an element	open	<iframe>	inline sub window	align, frameborder, height, longdesc, marginheight, marginwidth, name, scrolling, src, width	<output>	types of output	form	<textarea>	autofocus, cols, disabled, form, inputmode, name, readonly, required, rows
	bold text	g	<dialog>	dialog (conversation)	g		image	alt, src, align, border, height, hspace, ismap, longdesc, usemap, vspace, width	<p>	paragraph	align	<tfoot>	table footer
<base>	base URL for all the links in a page	href, target	<dir>	directory list		<input>	input field	accept, align, alt, <u>autocomplete</u> , <u>autofocus</u> , checked, disabled, form, <u>inputmode</u> , list, max, maxlength, min, name, pattern, readonly, replace, required, size, src, step, template, type, value	<param>	parameter for an object	name, type, value, valuetype	<th>	abbr, align, axis, bgcolor, char, charoff, colspan, headers, height, nowrap, rowspan, scope, valign, width
<basefont>	base font		<div>	section in a document	g	<ins>	inserted text	<u>cite</u> , <u>datetime</u>	<pre>	preformatted text	width	<thead>	table header
<bdo>	text direction	dir	<dfn>	definition term	g	<isindex>	single-line input field		<progress>	progress of a task of any kind	max, value	<time>	date/time
<big>	big text		<dl>	definition list	g	<kbd>	keyboard text	g	<qq>	short quotation	cite	<title>	document title
<blockquote>	long quotation	cite	<dt>	definition term	g	<label>	label for a form control	for	<rule>	rules for updating a template	condition, mode	<tr>	align, bgcolor, char, charoff, valign
<body>	body element	g		emphasized text	g	<legend>	title in a fieldset	align	<s>	strikethrough text		<tt>	Not supported in HTML 5, use CSS instead

	single line break	g	<embed>	embedded content	height, src, type, width		list item	type, value	<samp>	sample computer code	g	<u>	Not supported in HTML 5, use CSS instead
<button>	push button	autofocus, disabled, name, type, value	<event-source>	target for events sent by a server	src	<link>	resource reference	charset, href, hreflang, media, rel, rev, target, type	<script>	script	async, type, charset, defer, language, src		compact, type
<canvas>	graphics	height, width	<fieldset>	fieldset	<u>disabled</u> , <u>form</u>	<mark>	marked text	g	<section>	section in a document	g	<var>	variable
<caption>	table caption	g	<figure>	group of media content	g	<map>	image map	id, name	<select>	selectable list	autofocus, data, disabled, form, multiple, name, size	<video>	autoplay, controls, end, height, loopend, loopstart, playcount, poster, src, start, width
<center>	centered text			text font, size, and color	Only the style attribute is supported in HTML 5 Use CSS instead	<menu>	menu list	<u>autosubmit</u> , compact, <u>label</u> , <u>type</u>	<small>	small text	g	<xmp>	Not supported in HTML 5