



FLORIDA DEPARTMENT OF Environmental Protection

Northwest District
160 West Government Street, Suite 308
Pensacola, FL 32502

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

January 29, 2024

Mr. David Sloan, Plant Manager
Dolomite Inc, Marianna
1321 Highway 71
Marianna, Florida 32447
Sloand54@hotmail.com

Re: Dolomite, Inc
FL0101192
Jackson County

Dear Mr. Sloan:

Department personnel conducted a compliance sampling inspection of the above-referenced facility on December 4, 2023. Based on the information provided during the inspection, the facility was determined to be in compliance. A copy of the inspection report is enclosed for your records.

The Department appreciates your compliance efforts. Should you have any questions or comments, please contact Morgan Newsom at (850) 767-0043 or by e-mail at Morgan.Newsom@floridadep.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Sumner".

C. Mark. Sumner
Environmental Administrator
Compliance Assurance Program

CMS/mn

Enclosures: Inspection Report Form

c: David Thompson, Superintendent, dolomite.inc@gmail.com

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
WASTEWATER COMPLIANCE INSPECTION REPORT

Facility Name and Physical Address Dolomite Inc 1321 Highway 71 Marianna, FL 32448	WAFR ID FL0101192 Facility Phone # 850-482-5570	County Jackson	Entry Date 12/4/2023 Exit Date 12/4/2023	Entry Time 1:00PM Exit Time 3:45PM														
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">LAT</td> <td style="width: 10%;">30</td> <td style="width: 5%;">°</td> <td style="width: 10%;">39</td> <td style="width: 5%;">'</td> <td style="width: 10%;">29.64</td> <td style="width: 5%;">"</td> </tr> <tr> <td>LONG</td> <td>85</td> <td>°</td> <td>9</td> <td>'</td> <td>59.77</td> <td>"</td> </tr> </table>					LAT	30	°	39	'	29.64	"	LONG	85	°	9	'	59.77	"
LAT	30	°	39	'	29.64	"												
LONG	85	°	9	'	59.77	"												
Name(s) of Field Representatives(s) and Title David Thompson, Superintendent Click or tap here to enter text.		Operator Certification # N/A Click or tap here to enter text.		Email dolomiteinc@gmail.com Click or tap here to enter text.														
Name & Address of Permittee / Designated Rep. David S. Sloan P.O Box 1568 Marianna, FL 32447		Title President		Phone 850-209-3903 Click or tap here to enter text.														
Inspection Type		Samples Taken(Y/N): Y		Sample ID#: RQ-2023-11-20-42														
☐ Domestic ☒ Industrial		Samples Split (Y/N) : N																

FACILITY COMPLIANCE AREAS EVALUATED							
IC = In Compliance; MC = Minor Out of Compliance; NC = Out of Compliance; SC = Significant out of Compliance; NA = Not Applicable; NE = Not Evaluated Significant Non-Compliance Criteria Should be Reviewed when Out of Compliance Ratings Are Given in Areas Marked by a "♦"							
	PERMITS/ORDERS		SELF MONITORING PROGRAM		FACILITY OPERATIONS		EFFLUENT/DISPOSAL
IC	1. ♦ Permit	IC	3. Laboratory	IC	6. Facility Site Review	IC	9. ♦ Effluent Quality
NA	2. ♦ Compliance Schedules	IC	4. Sampling	IC	7. Flow Measurement	IC	10. ♦ Effluent Disposal
		IC	5. ♦ Records & Reports	IC	8. ♦ Operation & Maintenance	NA	11. Biosolids
						NA	12. ♦ Groundwater
NA	14. Other					NA	13. ♦ SSO Survey

Facility and/or Order Compliance Status:	☒ In-Compliance	☐ Out-Of -Compliance	☐ Significant-Out-Of-Compliance
Recommended Actions: Review Inspection Report and Issue In Compliance Letter.			
Name(s) and Signature(s) of Inspector(s) Morgan Newsom Christina Horstmann 		District Office/Phone Number NWD/850-767-0043	Date 1/25/2024
Name and Signature of Reviewer C. Mark Sumner 		District Office/Phone Number NWD/850-767-0046	Date 1/29/2024

Single Event Violations (“*” SNC SEVs)

Check for Yes	Evaluation Area	Description	Finding Description	Finding ID
☐	Permit	Effluent Violations - Unapproved Bypass	Wastewater was diverted from a portion of the treatment process without department approval.	UNBY
☐	*Permit	Permit Violations - Discharge Without a Valid Permit	The facility was operating without a permit or with an expired permit.	UPHI
☐	Permit	Permit Violations - Failure to Submit Timely Permit Renewal Application	The permittee failed to submit an application to renew the existing permit at least 180 days prior to expiration.	PFSA
☐	Laboratory	Management Practice Violations - Laboratory Not Certified	The laboratory was not certified by the National Environmental Laboratory Accreditation Conference (NELAC).	LNCE
☐	Sampling	Monitoring Violations - Analysis not Conducted	The facility failed to collect and/or analyze samples as required by permit or enforcement action.	ANCV
☐	Sampling	Monitoring Violations - Failure to Monitor for Toxicity Requirements	The facility failed to collect and/or analyze routine or follow-up toxicity samples.	FTOX
☐	Records and Reports	Management Practice Violations - Failure to Develop Adequate SPCC Plan	The facility failed to develop or maintain their Spill Prevention Control and Countermeasures (SPCC) plan.	FSPC
☐	Records and Reports	Management Practice Violations - Failure to Maintain Records	The facility failed to maintain records for the required retention period.	FMRR
☐	Records and Reports	Reporting Violations - Failure to Notify	The permittee failed to notify the department of any event or activity that requires notification as required by permit or rule.	RSWP
☐	Records and Reports	Reporting Violations - Failure to Submit DMRs	The permittee failed to submit any DMR required by rule, permit, or enforcement action in a timely manner.	FDMR
☐	Records and Reports	Reporting Violations - Failure to submit required report (non-DMR, non-pretreatment)	The facility failed to submit any report required by rule, permit, enforcement action or inspection activity except for DMRs.	FRPT
☐	Facility Site Review	Management Practice Violations - Improper Land Application (non-503, non-CAFO)	The land application system was not being maintained.	LASN
☐	Flow Measurement	Monitoring Violations - No Flow Measurement Device	The facility failed to install a flow measurement device, an approved flow measurement device, or a working flow measurement device.	NOFL
☐	Operation and Maintenance	Management Practice Violations - Improper Operation and Maintenance	The facility failed to follow their operation and maintenance plan/manual.	IONM
☐	Operation and Maintenance	Management Practice Violations - Inflow/Infiltration (I/I)	The facility had an inflow and infiltration problem causing collection system issues and/or operational issues.	ININ
☐	Operation and Maintenance	Management Practice Violations - No Licensed/Certified Operator	The facility was being operated without a certified operator or by an operator that is not licensed for the size of plant.	ONCO
☐	*Effluent Quality	Effluent Violations - Failed Toxicity Test	Persistent acute toxicity has been documented through follow-up tests.	EATX
☐	*Effluent Quality	Effluent Violations - Failed Toxicity Test	Persistent chronic toxicity has been documented through follow-up tests.	ECTX
☐	*Effluent Quality	Effluent Violations - Failed Toxicity Test	Persistent acute or chronic toxicity has been documented in the effluent through the use of routine and follow-up tests.	ETOX
☐	Effluent Quality	Effluent Violations - Narrative Effluent Violation	The facility violated a permit or enforcement narrative effluent limit.	XNEV
☐	Effluent Quality	Effluent Violations - Reported Fish Kill	The facility had a discharge of wastewater that resulted in a fish kill.	XFSH
☐	Sanitary Sewer Overflow Survey	WW SSO - Discharge to Waters	A sewage spill from any components of a collection/transmission system or from a treatment plant reached surface waters including stormwater conveyance system or drainage ditch.	SSO1
☐	Sanitary Sewer Overflow Survey	WW SSO - Failure to Maintain Records or Meet Record Keeping Requirements	The facility failed to keep routine documentation and reporting records of spills, and/or operation and maintenance activities on the collection/transmission system.	SSO2
☐	Sanitary Sewer Overflow Survey	WW SSO - Failure to monitor	The facility failed to collect and/or analyze bacteriological samples for sewage spills that reached surface waters.	SSO3
☐	Sanitary Sewer Overflow Survey	WW SSO - Failure to report violation that may endanger public health 122.41(I)(7)	The facility failed to report a sewage spill within 24 hours of discovery.	SSO4
☐	Sanitary Sewer Overflow Survey	WW SSO - Improper Operation and Maintenance	The facility failed to perform routine preventative maintenance to keep the collection/transmission system in good working order.	SSO5
☐	Sanitary Sewer Overflow Survey	WW SSO - Overflow to Dry Land	A sewage spill from any part of a collection/transmission system or treatment plant that did not make it to surface waters, i.e., stormwater collection system, drainage ditch, stream, pond, or lake.	SSO6

Facility Treatment Summary: This is a sand mine that treats industrial wastewater with the use of settling ponds. The man-made lake flows in a southeasterly direction through a narrow channel into a small lake that serves as a final sedimentation basin. The water flows from this basin over three Rip-Rap turbidity barriers and through a floating silt barrier. The treated water flows through a culvert and discharges into the Chipola River, Class III freshwater, Special Outstanding Florida Water (OFW). Following crushing and classification the rock is washed in an area west of the administrative building. The process wastewater from this washing operation is collected in two sediment ponds for reuse in the rock washing process. Sediment is periodically removed from these ponds, and it is subsequently dried and sold as agricultural lime.

1. Permit: In-Compliance

Current Permit available on-site?	☒ Yes ☐ No ☐ NA
Permit Revisions available on -site?	☐ Yes ☐ No ☒ NA
Date Permit issued	November 27, 2018
Date Permit Expires	November 26, 2023
Permit Renewal Application due by	May 30, 2023
Administrative or Judicial Orders?	N/A

- 1.1 Observation: The current wastewater permit for this facility FL0101192-006-IW3S expired on November 26, 2023. The application was made complete before expiration, and permit FL0101192-008-IW3S remains in effect until issuance of permit FL0101192-009-IW3S.

2. Compliance Schedules: Not Applicable

- 2.1 Observation: This Facility does not have Compliance Schedules associated with the current permit.

3. Laboratory: In-Compliance

Contract Lab Name and Certification #	Ackuritlabs, INC #E81350
Facility DOH Certification #	N/A
The laboratory was maintaining QC manuals and records for instrument calibration?	☐ Yes ☐ No ☒ NA
Lab thermometers are checked annually against the NIST thermometer?	☐ Yes ☐ No ☒ NA
Are all field meter(s) and continuous analyzers being properly calibrated?	☐ Yes ☐ No ☒ NA
Are calibration standards / buffers / reagents within expiration date(s)?	☐ Yes ☐ No ☒ NA

- 3.1 Observation: Facility currently uses Ackuritlabs for their TSS and Turbidity testing.

4. Sampling: In-Compliance

Sampling conducted during inspection?	Yes
Sampling observed during inspection?	See Observation
Sampling conducted at locations identified by the permit?	Yes
Safe access to sampling locations?	Yes

- 4.1 Observation: Sampling was performed by FDEP Inspectors Morgan Newsom, Christina Horstmann, Kate Heller, and Jason Rakofsky. Grab samples were taken for TSS and Turbidity at the EFF-01 Effluent at discharge culvert monitoring site. Additional Comments: Samples were mailed via Fedex overnight to the FDEP Tallahassee Lab DOH Accreditation E31780. Date Certified: 20-DEC-2023 11:51 Results returned: In Compliance. See attached lab results.

5. Records and Reports: In-Compliance

Documents/Records reviewed	Timeframe
Best Management Practices (BMP) Plan	
BMP Plan onsite and available and reviewed by staff? (3)(e)(1.)	☒ Yes ☐ No ☐ NA
BMP Plan identifies, contains and/or addresses the following:	
Prepared by certified Engineer?	☒ Yes ☐ No ☐ NA
Includes plots, plans, drawings or maps?	☒ Yes ☐ No ☐ NA
Identifies areas, systems, and components with the potential to release pollutants to surface waters?	☒ Yes ☐ No ☐ NA
Prediction of the direction, flowrate, and total quantity of pollutants which could be discharged from the facility?	☒ Yes ☐ No ☐ NA
Specific preventative and remedial procedures to prevent pollutants from reaching state waters?	☒ Yes ☐ No ☐ NA
Is modified when there is a change at the facility?	☐ Yes ☒ No ☐ NA
Discharge Monitoring Reports (DMRs)	DATE 12/01/2021 to 10/01/2023
Is facility submitting DMRs through EzDMR?	☒ Yes ☐ No ☐ NA
All the following documents and reports available at the plant:	
Residuals use and disposal	☐ Yes ☐ No ☒ NA
Supporting information used to complete the permit application	☒ Yes ☐ No ☐ NA

Compliance data	☒ Yes ☐ No ☐ NA
A copy of any required record drawings available on-site?	☒ Yes ☐ No ☐ NA
Copy of the current Operation and Maintenance Manual as required by 62-600 Up to date?	☒ Yes ☐ No ☐ NA
Copies of the logs and schedules showing plant operations and equipment maintenance for three years from the date of the logs or schedules.	☐ Yes ☐ No ☒ NA
BMP Plan available onsite upon request?	☒ Yes ☐ No ☐ NA
Discharge Reports required by Permit Condition I.B.3.?	☒ Yes ☐ No ☐ NA
The permittee shall notify the Department in writing within seven days after there is a discharge via outfall D-001 on account of 25-year, 24-hours storm events or equivalent chronic rainfall events that exceed the capacity of the land application system.	☒ Yes ☐ No ☐ NA

- 5.1 Observation: Best Management Practices Plan was available on site for review. See photos: #3-#6.
- 5.2 Observation: Facility is reporting their discharge results in accordance with the permit.
- 5.3 Observation: Permit Condition I.B.3
Monitoring requirements under this permit are effective on the first day of the second month following the effective date of the permit. Until such time, the permittee shall continue to monitor and report in accordance with previously effective permit requirements, if any. During the period of operation authorized by this permit, the permittee shall complete and submit to the Department Discharge Monitoring Reports (DMRs) in accordance with the frequencies specified by the REPORT type (i.e. monthly, quarterly, semiannual, annual, etc.) indicated on the DMR forms attached to this permit. Unless specified otherwise in this permit, monitoring results for each monitoring period shall be submitted in accordance with the associated DMR due dates. DMRs shall be submitted for each required monitoring period including periods of no discharge. The permittee shall use the electronic DMR system approved by the Department (EzDMR) and shall electronically submit the completed DMR forms using the DEP Business Portal at <http://www.fldepportal.com/go/>, unless the permittee has a waiver from the Department in accordance with 40 CFR 127.15. Reports shall be submitted to the Department by the twenty-eighth (28th) of the month following the month of operation.
- Additional Comments: To ensure receipt and timely processing of required wastewater compliance reports and notifications please submit these to

NWD_WastewaterCompliance@floridadep.gov. Reports that should be submitted here include the following:

- Administrative Order (AO) reports - quarterly, semi-annually (frequency determined by the schedule in the AO)
- Annual Wetland Summary Report/Annual Wetlands Monitoring Summary Report
- Bioassay Laboratory Reports (Toxicity Lab Reports) - should be submitted with DMRs in EzDMR, but some entities may still be emailing them.
- Consent Order (CO) Reports - quarterly, semi-annually (frequency determined by the schedule in the CO)
- Pathogen Monitoring Report (Cryptosporidium and Giardia)
- Sanitary Sewer Overflow (SSO) Reports
- Reports required under Permit Condition IX.20. and/or Rule 62-620.610(20), F.A.C.
- Bypass notifications required under Permit Condition IX.22. and/or Rule 62-620.610(22), F.A.C.
- Upset incidents covered by Permit Condition IX.23. and/or Rule 62-620.610(23), F.A.C.
- And any other permit specified compliance reporting in the facility permit (non-DMR/GMR)

6. **Facility Site Review:** In-Compliance

General	
Were the facility grounds properly secured?	☒ Yes ☐ No ☐ NA
Were the facility grounds clean and well-maintained?	☒ Yes ☐ No ☐ NA
Were foul odors permeating beyond the boundaries of the plant site?	☐ Yes ☒ No ☐ NA
Was there a discharge of floating solids or visible form in such amounts as to form nuisances?	☐ Yes ☒ No ☐ NA
Was there a visible sheen defined as iridescence present so as to cause taste or odor, or otherwise interfere with the beneficial use of the receiving water?	☐ Yes ☒ No ☐ NA
Ponds	
Evidence of unauthorized discharges?	☐ Yes ☒ No ☐ NA
Is there evidence of a bypass or failure from the storage ponds?	☐ Yes ☒ No ☐ NA

6.1 Observation: Facility grounds were navigable. Route clear to discharge point on the Chipola.

Observation: See photo #1 for active mining zone.

7. Flow Measurement: In-Compliance

7.1 Observation: Facility reports flow as MGD on a monthly average using the 62-620.320(6) F.A.C method of Best Professional Judgement in accordance with the permit.

Additional Comments: Facility Capacity

Existing Permitted Capacity: 9.7 mgd Annual Average Daily Flow

Proposed Increase in Permitted Capacity: 0.0 mgd Annual Average Daily Flow

Proposed Total Permitted Capacity: 9.7 mgd Annual Average Daily Flow

8. Operation and Maintenance: In-Compliance

Best Management Practices (BMP)	
Has the facility developed and implemented a Best Management Practices (BMP) plan which prevents, or minimizes, the potential for the release of pollutants to the waters of the State through plant site runoff from:	
Ancillary activities, including material storage areas;	
Plant site runoff;	☒ Yes ☐ No ☐ NA
In-plant transfer, process and material handling areas;	☒ Yes ☐ No ☐ NA
Loading and unloading operations and sludge and waste disposal areas;	☒ Yes ☐ No ☐ NA
Spillage or leaks;	☒ Yes ☐ No ☐ NA
Drainage from raw material.	☒ Yes ☐ No ☐ NA
Date of BMP Plan reviewed:	August 22, 2018
Is the BMP Plan documented in narrative form, and includes any necessary plot plans, drawings or maps?	☒ Yes ☐ No ☐ NA
Does the BMP Plan establish specific objectives for the control of pollutants?	☒ Yes ☐ No ☐ NA
Does the BMP Plan establish specific best management practices to meet the objectives identified in the permit?	☒ Yes ☐ No ☐ NA
Has the BMP Plan been reviewed by plant engineering staff and the plant manager?	☒ Yes ☐ No ☐ NA
Have there been any BMP Plan Modifications due to a change in the facility or the operation of the facility which materially increases the potential for the ancillary activities to result in a discharge of significant amounts of pollutants?	☐ Yes ☒ No ☐ NA

Facility being operated as per permit?	Yes
Operational Requirements (62-660.804)(5)	
Number of ponds onsite:	5
Site grading directs all wastewater and stormwater to swales and settling ponds?	☒ Yes ☐ No ☐ NA
Pond berms/banks appear structurally sound?	☒ Yes ☐ No ☐ NA
Ponds free of sediment/excessive solids/vegetation/sheen?	☒ Yes ☐ No ☐ NA
Evidence of unauthorized offsite discharges to ground or surface waters?	☒ Yes ☐ No ☐ NA
Are chemicals added to process water? (If yes, list type)	☐ Yes ☒ No ☐ NA
Is site maintaining inspection frequency and logs?	☐ Yes ☒ No ☐ NA
Does the facility conduct groundwater monitoring?	☐ Yes ☒ No ☐ NA
Were there any groundwater permit limit violations?	☐ Yes ☐ No ☒ NA
Has the mine expanded its operations?	☐ Yes ☒ No ☐ NA
If operations have been expanded, has a new ERP permit been applied for?	☐ Yes ☐ No ☒ NA

- 8.1 Observation: Facility does not currently have inspection logs. It is recommended by the Department that the facility start keeping **Site Inspection and Site Maintenance Logs** to record activities and changes to the site. Examples: Changing of the floating turbidity barrier or repairing a damaged berm.
- Additional Comments: At the time of the inspection Morgan Newsom requested to view any logs on the site. Superintendent David Thompson informed department staff that the facility had never had site records or been requested to have them before the 12/04/2023 inspection.

9. **Effluent Quality:** In-Compliance

DMRs review period:	From 12/01/2021 to 11/30/2023
Any exceedances?	☐ Yes ☒ No ☐ NA
Are exceedances chronic?	☐ Yes ☐ No ☒ NA ☐ NE
Was the final effluent chlorine residual within the acceptable range? (Field sampling)	☐ Yes ☐ No ☒ NA
Did the final effluent meet the minimum dissolved oxygen criteria?	☒ Yes ☐ No ☐ NA
Did the final effluent meet the minimum/maximum criteria for pH?	☒ Yes ☐ No ☐ NA

Did the pH values deviate outside the range of 6.5 to 8.5 standard units more than 1% of the time in any calendar month, with any individual excursion exceeding 60 minutes?	No
Did the final effluent meet the minimum/maximum criteria for turbidity?	☒ Yes ☐ No ☐ NA
Did the facility report any sums of 10 Polycyclic Aromatic Hydrocarbons (PAHs) >0.031 ug/L on an annual average basis?	☐ Yes ☐ No ☒ NA

- 9.1 Observation: See photo #2 for FDEP YSI meter readings at the time of sampling.
- 9.2 Observation: Facility is taking samples at Monitoring Site Eff-01 and at SWB-1 for background.
- 9.3 Observation: Samples taken during the **12/04/2023** sampling event for EFF-01 EFFLUENT AT DISCHARGE CULVERT are as follows.

Parameter	Analytical Method	Permit Limit	Analytical Value
pH-Field	EPA 150.1	Min 6.0 Max 8.5	7.49
DO-Field	EPA 360.1	No Limit	9.04
Turbidity	EPA 180.1 Rev. 2.0	Background Turbidity + 29 NTU	5.2
TSS	SM 2540 D- 2015	20	4

Additional Comments: DISSOLVED OXYGEN (DO) PERCENT SATURATION CRITERIA: The current Freshwater DO criterion for the Panhandle West bioregion is 67 percent saturation, 62-302.533. The facility's discharge is not expected to contain oxygen demanding substances. The flow from the facility is small compared to the flow in the Chipola River. Therefore, the new DO saturation criterion is not included in this permit.

10. Effluent Disposal: In-Compliance

Facility discharging?	☒ Yes ☐ No ☐ NA
Discharge location(s) as per permit?	☒ Yes ☐ No ☐ NA
Was there a visible sheen defined as iridescence present so as to cause taste or odor, or otherwise interfere with the beneficial use of the receiving water?	☐ Yes ☒ No ☐ NA

10.1 Observation: See photo #7 for EFF-01 discharge point.

11. Biosolids: Not Applicable

11.1 Observation: Not applicable to this facility
Additional Comments: Facility reuses 100% of its mined material on site.

12. Groundwater Quality: Not Applicable

12.1 Observation: Not applicable to this facility

13. SSO Survey: Not Evaluated

13.2 Additional Comments: All industrial or domestic facilities, however, must report any unauthorized releases of wastewater (spills) to the Department. This requirement is applicable to all facilities with a discharge. If a spill is less than 1,000 gallons, and is not expected to reach surface waters, the report may be made to the District Office at (850) 872-4375, or to the State Watch Office (SWO) at (800) 320-0519. If the spill is 1,000 gallons or more, and/or if the spill (of any size) reaches surface waters, the report must be made to the SWO. If there is a question whether or not a spill has reached (or will reach) surface waters, the facility should err on the side of safety and report the spill to the SWO.

Also, Section 403.077, Florida Statutes, regarding public notification of pollution incidents went into effect July 1, 2017. As required by this statute, the Department has established a method for regulated entities to submit Public Notices of pollution. Please see the website below for more information. The statute requires owners or operators of facilities responsible for reportable pollution releases, as defined by the statute, to submit reports within 24 hours of the discovery of the release to the Department, and for the Department to post the information online within 24 hours.

<http://www.dep.state.fl.us/pollutionnotice/>

14 **Other:** Not Applicable



Florida Department of Environmental Protection Inspection Photo Log

Photo Log

Date: 12/04/2023

Facility Name: Dolomite, Inc Sand Mine

Facility Location: 1321 Highway 71 Marianna, FL 32448

Facility ID: FL0101192

Camera Used: Fuji Film XP, Serial Number: 6TB23060

Photographer: Morgan Newsom, DEP

Department Representatives Present: Morgan Newsom, Christina Horstmann, Jason Rakofsky, Kate Heller, and Charles Harrell.

Facility Representatives Present: David Thompson

Photo #1: DSCF0762



Description Photo #1: Active sand mining zone




Florida Department of Environmental Protection Inspection Photo Log

Photo #2: DSCF0759



Description Photo #2: FDEP Meter reading for Sampling Inspection

Photo #3: DSCF0742




Description Photo #3: Dolomite, Inc Sand Mine Best Management Practices Plan



Florida Department of Environmental Protection Inspection Photo Log

Photo #4: DSCF0743




Description Photo #4: Specific Requirements in the BMP.



Florida Department of Environmental Protection Inspection Photo Log

Photo #5: DSCF0745




Description Photo #5: BMP Pollutant identification and Spill Reporting



Florida Department of Environmental Protection Inspection Photo Log

Photo #6: DSCF0745



Description Photo #6: BMP continued.



Florida Department of Environmental Protection Inspection Photo Log

Photo #7: DSCF0756



Description Photo #7: EFF-01 EFFLUENT AT DISCHARGE CULVERT on Chipola River.

RQ-2023 - 11 - 20 - 42

Login Checklist

Login Station ID: # 2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 12/05/2023 / 08:52

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
1.1c				2		x			6484 8460 2210

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes X No _____

Caps on tight?

Yes X No _____

Sufficient Sample Volume:

Yes X No _____If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No X Init: ABS

Chlorine detected? (One container checked per Field ID)

Yes _____ No X Init: ABS

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes _____ No _____ NA X Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA X Init: ABS

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ABS /Date: 12/05/2023Event contains NCRs (Y/N)? NEvent ID: Northwest District: CSI for Dolomi
NW-DIST-2023-12-05-02 (CSI)

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG#2 EXP:10/16/24
pH Test Strips 0 – 6	LOT#223819BVEXP8/15/24
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT207621EXP:3/15/24
Chlorine Test Strips	2313 2025/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: NW-DIST

Project ID: CSI

Requester: Benjamin Nomann

Field Report Prepared By:

Collected By:

MORGAN NEWSOM
CHRISTINA HOFFMANN KATE HELLER
JASON LEVINSKY

Sampling Agency:

MORGAN NEWSOM
FDEP

Location EFF-01		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 12/4/2023 Time 2:20PM		Eastern Central	Composite end Date Time		Bottle Group(s) (See pg 2)		
Field ID A EFFLUENT GRAB/P-1L LOT # 00087845		Matrix (type, e.g., Salt, Fresh, etc) FRESH EFFLUENT		Diss. Oxygen 9.04		☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A	
WIN/STORET #		Temp (C) 18.1		pH 7.49		Sample Depth N/A		☐ ft ☐ m			
Latitude 30° 38' 50.24" N		☐ dd ☐ dms		Longitude 85° 10' 35.32" W		☐ dd ☐ dms		Salinity (ppt) N/A		Comments	
Location EFF-01		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 12/4/2023 Time 2:20PM		Eastern Central	Composite end Date Time		Bottle Group(s)		
Field ID B FIELD BLANK/P-250ML LOT # 00086818		Matrix (type, e.g., Salt, Fresh, etc) DI WATER		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		B	
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude 30° 38' 50.24" N		☐ dd ☐ dms		Longitude 85° 10' 35.32" W		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time		Bottle Group(s)		
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time		Bottle Group(s)		
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time		Bottle Group(s)		
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
WIN/STORET #		Temp (C)		pH		Sample Depth		☐ ft ☐ m			
Latitude		☐ dd ☐ dms		Longitude		☐ dd ☐ dms		Salinity (ppt)		Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
					12-5-23/8:52

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
TURBIDITY							
W-TSS							1

Group: B	Bottle Type:	P-250ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
TURBIDITY							

Date of Request: 01-NOV-2023
Created By: NOMANN_B On: 01-NOV-2023
Modified By: AYRES_J On: 09-NOV-2023
Customer: NW-DIST
Project: CSI
Division:
District: Northwest District
Event Description: Northwest District: CSI for Dolomite, Inc FL0101192

Send Coolers To:

Phone: 850-595-8300
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Mike Brumfield, Savanna Harrison
Cooler Ship EMail: mike.brumfield@floridadep.gov;
savanna.harrison@floridadep.gov

Priority: 3
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: AYRES_J On: 09-NOV-2023
Biology Request Reviewed By:
Sampling Kit Required: YES Ship on: 17-NOV-2023
Sampling Kit Shipped: YES On: 13-NOV-2023
Sampling Kit Packed By: KREUCH_B
Preservatives Needed: YES
Date to Receive Samples: 06-DEC-2023
Logged In By: SHAIK_A On: 05-DEC-2023

Send Final Report To:

160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Mike Brumfield, Savanna Harrison
Report Notification EMail: mike.brumfield@floridadep.gov;
savanna.harrison@floridadep.gov

Comments: Bottle Group A -Effluent (grab)
Bottle Group B -Field Blank

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-250ML	Number of Bottles: 1	Preserved With: ICE
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices

Chemical Analysis Report

NW-DIST-2023-12-05-02

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Northwest District: CSI for Dolomite, Inc FL0101192**
Request ID: **RQ-2023-11-20-42**
Customer: **NW-DIST**
Project ID: **CSI**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Mike Brumfield, Savanna Harrison

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Kerry Tate, Ph.D.
Marek Topolski, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 20-DEC-2023 11:51

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: EFF-01

Collection Date/Time: 12/04/2023 15:20

Field ID: EFF GRAB / 00087845

Matrix: W-EFFLUENT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2454534	EPA 180.1 Rev. 2.0	Turbidity	5.2		NTU	P438524	
	SM 2540 D-2015	TSS	4	I	mg/L	P439130	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Field Blank

Collection Date/Time: 12/04/2023 15:20

Field ID: Field Blank

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2454535	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P438524	

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P438524

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: SM 2540 D-2015
Batch ID: P439130

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P438524

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	103		P	90 - 110

Reference Method: SM 2540 D-2015
Batch ID: P439130

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TSS	105		P	85 - 115

Quality Assurance Report

Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P438524

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2454474	Turbidity	3.01	Sample	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report

Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A123033

Included Lab Sample IDs: 2454534, 2454535

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	99.0	P/P	95 - 105

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report
Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
EPA 180.1 Rev. 2.0	Turbidity	103			3.01	
SM 2540 D-2015	TSS	105				

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2454534, 2454535
SM 2540 D-2015	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2454534

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	12/05/2023			12/05/2023 15:33	Khloe J Berg	2454534
	12/05/2023			12/05/2023 15:34	Khloe J Berg	2454535
SM 2540 D-2015	12/05/2023			12/08/2023 16:18	Yijie Li	2454534



Address: 201 MOSLEY DRIVE
LYNN HAVEN
FL 32444
Location: PFNA
Device ID: -BTC01

FedEx Express Package(s) - Dropped Off
Tracking Number:
648484602210 35.05 1b (S)

Total Pieces: 1

Subject to terms and conditions, including terms that limit FedEx's liability. The estimated shipping charge may be different than the actual charges for your shipment. Differences may occur based on actual weight, dimensions and other factors. Shipment-related terms and conditions and details on how shipping charges are calculated are available upon request or at fedex.com/serviceguide.

All merchandise sales are final.

We value your feedback!
Tell us how we're doing!
fedex.com/fscfeedback

*** Thank you ***

Visit us at: fedex.com
Or call 1.800.GoFedEx
1.800.463.3339

Dec 04, 2023 5:00:26 PM