

**DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A**

|                 |                                       |                    |                                                          |         |            |  |  |
|-----------------|---------------------------------------|--------------------|----------------------------------------------------------|---------|------------|--|--|
| PERMITTEE NAME: | North Florida Rock LLC                | PERMIT NUMBER:     | FL0980722                                                |         |            |  |  |
| ADDRESS:        | 5160 Vermont Rd<br>Marianna, FL 32448 | LIMIT:             | FINAL                                                    | REPORT: | Monthly    |  |  |
|                 |                                       | FACILITY TYPE:     | IW                                                       | GROUP:  | Industrial |  |  |
| FACILITY:       | North Florida Rock                    | MONITORING GROUP:  | D-001                                                    |         |            |  |  |
| LOCATION:       | 5160 Vermont Rd<br>Marianna, FL 32448 | DESCRIPTION:       | un-named intermittent creek that terminates into swallet |         |            |  |  |
| COUNTY:         | JACKSON                               | MONITORING PERIOD: | From: 07/01/2026 To: 07/31/2026                          |         |            |  |  |

| Parameter                              |                    | Quantity or Loading |                   | Units | Quality or Concentration |  |                 | Units      | No. Ex. | Frequency of Analysis | Sample Type  |
|----------------------------------------|--------------------|---------------------|-------------------|-------|--------------------------|--|-----------------|------------|---------|-----------------------|--------------|
| Flow                                   | Sample Measurement |                     | 1.68              |       |                          |  |                 |            | 0       | 5 Days/Week           | Calculated   |
| PARM Code 50050 Y<br>Mon. Site: FLW-01 | Permit Requirement |                     | Report (Annl Avg) | MGD   |                          |  |                 |            |         | (5 Days/Week)         | (Calculated) |
| Flow                                   | Sample Measurement |                     | 1.73              |       |                          |  |                 |            | 0       | 5 Days/Week           | Calculated   |
| PARM Code 50050 1<br>Mon. Site: FLW-01 | Permit Requirement |                     | Report (Mo Avg)   | MGD   |                          |  |                 |            |         | (5 Days/Week)         | (Calculated) |
| Oxygen, Dissolved Percent Saturation   | Sample Measurement |                     |                   |       |                          |  | 100.00          |            | 0       | 5 Days/Week           | Meter        |
| PARM Code 00301 1<br>Mon. Site: EFF-01 | Permit Requirement |                     |                   |       |                          |  | 90.0 (MinTotMo) | % smpcmpln |         | (5 Days/Week)         | (Meter)      |
| Turbidity                              | Sample Measurement |                     |                   |       |                          |  | 9.29            |            | 0       | 1 Weekly              | Meter        |
| PARM Code 00070 1<br>Mon. Site: EFF-01 | Permit Requirement |                     |                   |       |                          |  | 29.0 (Maximum)  | NTU        |         | (1 Weekly)            | (Meter)      |

| Parameter                              |                    | Quantity or Loading |  | Units | Quality or Concentration |                      |                     | Units    | No. Ex. | Frequency of Analysis | Sample Type |
|----------------------------------------|--------------------|---------------------|--|-------|--------------------------|----------------------|---------------------|----------|---------|-----------------------|-------------|
| pH                                     | Sample Measurement |                     |  |       | 7.50                     |                      | 7.90                |          | 0       | 1 Weekly              | Meter       |
| PARM Code 00400 1<br>Mon. Site: EFF-01 | Permit Requirement |                     |  |       | 6.0<br>(Minimum)         |                      | 8.5<br>(Maximum)    | s.u.     |         | (1 Weekly)            | (Meter)     |
| Specific Conductance                   | Sample Measurement |                     |  |       |                          |                      | 950.00              |          | 0       | 1 Weekly              | Meter       |
| PARM Code 00095 1<br>Mon. Site: EFF-01 | Permit Requirement |                     |  |       |                          |                      | 1275.0<br>(Maximum) | umhos/cm |         | (1 Weekly)            | (Meter)     |
| Solids, Total Suspended                | Sample Measurement |                     |  |       |                          | 4.03                 |                     |          | 0       | 1 Weekly              | Grab        |
| PARM Code 00530 Y<br>Mon. Site: EFF-01 | Permit Requirement |                     |  |       |                          | 20.0<br>(Annl Avg)   |                     | mg/L     |         | (1 Weekly)            | (Grab)      |
| Solids, Total Suspended                | Sample Measurement |                     |  |       | 9.00                     | 2.00                 | 4.40                |          | 0       | 1 Weekly              | Grab        |
| PARM Code 00530 1<br>Mon. Site: EFF-01 | Permit Requirement |                     |  |       | 60.0<br>(Maximum)        | 45.0<br>(Wkly Avg)   | 30.0<br>(Mo Avg)    | mg/L     |         | (1 Weekly)            | (Grab)      |
| Nitrogen, Total                        | Sample Measurement |                     |  |       |                          | 0.98                 |                     |          | 0       | 1 Monthly             | Grab        |
| PARM Code 00600 Y<br>Mon. Site: EFF-01 | Permit Requirement |                     |  |       |                          | Report<br>(Annl Avg) |                     | mg/L     |         | (1 Monthly)           | (Grab)      |

| Parameter                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Quantity or Loading |  | Units | Quality or Concentration |                   |                                                                                           | Units | No. Ex. | Frequency of Analysis           | Sample Type                    |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--|-------|--------------------------|-------------------|-------------------------------------------------------------------------------------------|-------|---------|---------------------------------|--------------------------------|
| Nitrogen, Total<br>PARM Code 00600 1<br>Mon. Site: EFF-01                        | Sample Measurement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | 0.92                                                                                      |       | 0       | 1 Monthly                       | Grab                           |
|                                                                                  | Permit Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | Report (Mo Avg)                                                                           | mg/L  |         | (1 Monthly)                     | (Grab)                         |
| Phosphorus, Total (as P)<br>PARM Code 00665 Y<br>Mon. Site: EFF-01               | Sample Measurement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          | 0.32              |                                                                                           |       | 0       | 1 Monthly                       | Grab                           |
|                                                                                  | Permit Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          | Report (Annl Avg) |                                                                                           | mg/L  |         | (1 Monthly)                     | (Grab)                         |
| Phosphorus, Total (as P)<br>PARM Code 00665 1<br>Mon. Site: EFF-01               | Sample Measurement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | 0.30                                                                                      |       | 0       | 1 Monthly                       | Grab                           |
|                                                                                  | Permit Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | Report (Mo Avg)                                                                           | mg/L  |         | (1 Monthly)                     | (Grab)                         |
| Chlorophyll a<br>PARM Code 32230 Y<br>Mon. Site: EFF-01                          | Sample Measurement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          | 1.67              |                                                                                           |       | 0       | 1 Monthly                       | Grab                           |
|                                                                                  | Permit Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          | Report (Annl Avg) |                                                                                           | ug/L  |         | (1 Monthly)                     | (Grab)                         |
| Chlorophyll a<br>PARM Code 32230 1<br>Mon. Site: EFF-01                          | Sample Measurement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | 3.20                                                                                      |       | 0       | 1 Monthly                       | Grab                           |
|                                                                                  | Permit Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | Report (Mo Avg)                                                                           | ug/L  |         | (1 Monthly)                     | (Grab)                         |
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT<br><br>Ann Amicarelle | I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHERED AND EVALUATED THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS. |                     |  |       |                          |                   | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT<br><br>Electronically Signed |       |         | TELEPHONE<br><br>(850) 814-5021 | SUBMITTED ON<br><br>08/14/2026 |

**DEPARTMENT OF ENVIRONMENTAL PROTECTION DISCHARGE MONITORING REPORT - PART A**

|                 |                                       |                    |                                     |
|-----------------|---------------------------------------|--------------------|-------------------------------------|
| PERMITTEE NAME: | North Florida Rock LLC                | PERMIT NUMBER:     | FL0980722                           |
| ADDRESS:        | 5160 Vermont Rd<br>Marianna, FL 32448 | LIMIT:             | FINAL REPORT: Monthly               |
|                 |                                       | FACILITY TYPE:     | IW GROUP: Industrial                |
|                 |                                       | MONITORING GROUP:  | D-002                               |
| FACILITY:       | North Florida Rock                    | DESCRIPTION:       | un-named tributary to Chipola River |
| LOCATION:       | 5160 Vermont Rd<br>Marianna, FL 32448 |                    |                                     |
| COUNTY:         | JACKSON                               | MONITORING PERIOD: | From: 07/01/2026 To: 07/31/2026     |

| Parameter                              |                    | Quantity or Loading |                   | Units | Quality or Concentration |  |                 | Units      | No. Ex. | Frequency of Analysis | Sample Type  |
|----------------------------------------|--------------------|---------------------|-------------------|-------|--------------------------|--|-----------------|------------|---------|-----------------------|--------------|
| Flow                                   | Sample Measurement |                     | MNR               |       |                          |  |                 |            | 0       | MNR                   | MNR          |
| PARM Code 50050 Y<br>Mon. Site: FLW-02 | Permit Requirement |                     | Report (Annl Avg) | MGD   |                          |  |                 |            |         | (5 Days/Week)         | (Calculated) |
| Flow                                   | Sample Measurement |                     | MNR               |       |                          |  |                 |            | 0       | MNR                   | MNR          |
| PARM Code 50050 1<br>Mon. Site: FLW-02 | Permit Requirement |                     | Report (Mo Avg)   | MGD   |                          |  |                 |            |         | (5 Days/Week)         | (Calculated) |
| Oxygen, Dissolved Percent Saturation   | Sample Measurement |                     |                   |       |                          |  | MNR             |            | 0       | MNR                   | MNR          |
| PARM Code 00301 1<br>Mon. Site: EFF-02 | Permit Requirement |                     |                   |       |                          |  | 90.0 (MinTotMo) | % smpcmpln |         | (5 Days/Week)         | (Meter)      |
| Turbidity                              | Sample Measurement |                     |                   |       |                          |  | MNR             |            | 0       | MNR                   | MNR          |
| PARM Code 00070 1<br>Mon. Site: EFF-02 | Permit Requirement |                     |                   |       |                          |  | 29.0 (Maximum)  | NTU        |         | (1 Weekly)            | (Meter)      |

| Parameter                              |                    | Quantity or Loading |  | Units | Quality or Concentration |                      |                     | Units    | No. Ex. | Frequency of Analysis | Sample Type |
|----------------------------------------|--------------------|---------------------|--|-------|--------------------------|----------------------|---------------------|----------|---------|-----------------------|-------------|
| pH                                     | Sample Measurement |                     |  |       | MNR                      |                      | MNR                 |          | 0       | MNR                   | MNR         |
| PARM Code 00400 1<br>Mon. Site: EFF-02 | Permit Requirement |                     |  |       | 6.0<br>(Minimum)         |                      | 8.5<br>(Maximum)    | s.u.     |         | (1 Weekly)            | (Meter)     |
| Specific Conductance                   | Sample Measurement |                     |  |       |                          |                      | MNR                 |          | 0       | MNR                   | MNR         |
| PARM Code 00095 1<br>Mon. Site: EFF-02 | Permit Requirement |                     |  |       |                          |                      | 1275.0<br>(Maximum) | umhos/cm |         | (1 Weekly)            | (Meter)     |
| Solids, Total Suspended                | Sample Measurement |                     |  |       |                          | MNR                  |                     |          | 0       | MNR                   | MNR         |
| PARM Code 00530 Y<br>Mon. Site: EFF-02 | Permit Requirement |                     |  |       |                          | 20.0<br>(Annl Avg)   |                     | mg/L     |         | (1 Weekly)            | (Grab)      |
| Solids, Total Suspended                | Sample Measurement |                     |  |       | MNR                      | MNR                  | MNR                 |          | 0       | MNR                   | MNR         |
| PARM Code 00530 1<br>Mon. Site: EFF-02 | Permit Requirement |                     |  |       | 60.0<br>(Maximum)        | 45.0<br>(Wkly Avg)   | 30.0<br>(Mo Avg)    | mg/L     |         | (1 Weekly)            | (Grab)      |
| Nitrogen, Total                        | Sample Measurement |                     |  |       |                          | MNR                  |                     |          | 0       | MNR                   | MNR         |
| PARM Code 00600 Y<br>Mon. Site: EFF-02 | Permit Requirement |                     |  |       |                          | Report<br>(Annl Avg) |                     | mg/L     |         | (1 Monthly)           | (Grab)      |

| Parameter                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Quantity or Loading |  | Units | Quality or Concentration |                   |                                                                                           | Units | No. Ex. | Frequency of Analysis           | Sample Type                    |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--|-------|--------------------------|-------------------|-------------------------------------------------------------------------------------------|-------|---------|---------------------------------|--------------------------------|
| Nitrogen, Total<br>PARM Code 00600 1<br>Mon. Site: EFF-02                        | Sample Measurement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | MNR                                                                                       |       | 0       | MNR                             | MNR                            |
|                                                                                  | Permit Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | Report (Mo Avg)                                                                           | mg/L  |         | (1 Monthly)                     | (Grab)                         |
| Phosphorus, Total (as P)<br>PARM Code 00665 Y<br>Mon. Site: EFF-02               | Sample Measurement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          | MNR               |                                                                                           |       | 0       | MNR                             | MNR                            |
|                                                                                  | Permit Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          | Report (Annl Avg) |                                                                                           | mg/L  |         | (1 Monthly)                     | (Grab)                         |
| Phosphorus, Total (as P)<br>PARM Code 00665 1<br>Mon. Site: EFF-02               | Sample Measurement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | MNR                                                                                       |       | 0       | MNR                             | MNR                            |
|                                                                                  | Permit Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | Report (Mo Avg)                                                                           | mg/L  |         | (1 Monthly)                     | (Grab)                         |
| Chlorophyll a<br>PARM Code 32230 Y<br>Mon. Site: EFF-02                          | Sample Measurement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          | MNR               |                                                                                           |       | 0       | MNR                             | MNR                            |
|                                                                                  | Permit Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          | Report (Annl Avg) |                                                                                           | ug/L  |         | (1 Monthly)                     | (Grab)                         |
| Chlorophyll a<br>PARM Code 32230 1<br>Mon. Site: EFF-02                          | Sample Measurement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | MNR                                                                                       |       | 0       | MNR                             | MNR                            |
|                                                                                  | Permit Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                     |  |       |                          |                   | Report (Mo Avg)                                                                           | ug/L  |         | (1 Monthly)                     | (Grab)                         |
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT<br><br>Ann Amicarelle | I CERTIFY UNDER PENALTY OF LAW THAT THIS DOCUMENT AND ALL ATTACHMENTS WERE PREPARED UNDER MY DIRECTION OR SUPERVISION IN ACCORDANCE WITH A SYSTEM DESIGNED TO ASSURE THAT QUALIFIED PERSONNEL PROPERLY GATHERED AND EVALUATED THE INFORMATION SUBMITTED. BASED ON MY INQUIRY OF THE PERSON OR PERSONS WHO MANAGE THE SYSTEM, OR THOSE PERSONS DIRECTLY RESPONSIBLE FOR GATHERING THE INFORMATION, THE INFORMATION SUBMITTED IS, TO THE BEST OF MY KNOWLEDGE AND BELIEF, TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT FOR KNOWING VIOLATIONS. |                     |  |       |                          |                   | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT<br><br>Electronically Signed |       |         | TELEPHONE<br><br>(850) 814-5021 | SUBMITTED ON<br><br>08/14/2026 |