

Wastewater Permit Applications Forms 1, 2CS and 2F

Permit Renewal
Dolomite, Inc.
Jackson County

RECEIVED
MAY 20 2013
NORTHWEST FLORIDA
DEP



File #: FL0101192-005-IW3S

Wastewater Facility Permit #: FL0101192

Permit Expiration: July 18, 2013

 **DAVID H. MELVIN, INC.**
Consulting Engineers

DAVID H. MELVIN, INC.
Consulting Engineers

May 15, 2013

RECEIVED

MAY 20 2013

**NORTHWEST FLORIDA
DEP**

Mr. William Armstrong, P.E.
Industrial Wastewater Section
Department of Environmental Protection
Northwest District
160 Governmental Center
Pensacola, FL 32502-5794


**Re: Dolomite, Inc. – Industrial Stormwater Permit
File No. FL0101192
Wastewater Facility No. FL0101192
DOL13IWP**

Dear Mr. Armstrong:

Please find enclosed three copies of the FDEP Permit Renewal Application Forms *Wastewater Facility or Activity Permit Application Form 1*, *Wastewater Application for Permit to Discharge Process Wastewater From New or Existing Industrial Wastewater Facilities to Surface Waters (Form 2CS)*, and the *Application For Permit For Stormwater Discharge Associated With Industrial Activity (Form 2F)* for the *Dolomite, Inc.* mining company in Marianna, Florida. Also enclosed is a check for \$2500 for the permit processing fee.

Should you have any additional questions, please do not hesitate to call.

Sincerely,



Leon E. Nobles III, P.E.
Vice-President

LEN/re
Enclosures
cc: *Dolomite, Inc.*

Reply To: ☒ R:\Projects\DOLomite, Inc. Waste Permits\DOL13IWP\Correspondence\Letters-Memos\CCV-LEI-FDEP-4-20-13.docx 4428 Lafayette Street • P.O. Box 840 • Marianna, Florida 32447 • 850.482.3045

☐ 2541-1 Barrington Circle • Tallahassee, Florida 32308 • 850.671.7221

a CharacterFirst! Company

RECEIVED

MAY 20 2013

**NORTHWEST FLORIDA
DEP**



WASTEWATER FACILITY OR ACTIVITY PERMIT APPLICATION FORM 1 GENERAL INFORMATION

This form must be completed by all persons applying for a permit for a wastewater facility or activity under Chapter 62-620, F.A.C. See Form 1 to determine which other application forms you will need.



WASTEWATER FACILITY OR ACTIVITY PERMIT APPLICATION FORM 1 GENERAL INFORMATION

I IDENTIFICATION NUMBER:

Facility ID FL0101192

II CHARACTERISTICS:

INSTRUCTIONS: Complete the questions below to determine whether you need to submit any permit application forms to the Department of Environmental Protection. If you answer "yes" to any questions, you must submit this form and the supplemental form listed in the parenthesis following the question. Mark "X" in the blank in the third column if the supplemental form is attached. If you answer "no" to each question, you need not submit any of these forms. You may answer "no" if your activity is excluded from permit requirements. See Section B of the instructions. See also, Section C of the instructions for definitions of the terms used here.

SPECIFIC QUESTIONS	YES	NO	FORM ATTACHED
A. Is this facility a domestic wastewater facility which results in a discharge to surface or ground waters?		X	
B. Does or will this facility (either existing or proposed) include a concentrated animal feeding operation or aquatic animal production facility which results in a discharge to waters?		X	
C. Does or will this facility (other than those describe in A. or B.) discharge process wastewater, or non-process wastewater regulated by effluent guidelines or new source performance standards, to surface waters?	X		2CS
D. Does or will this facility (other than those described in A. or B.) discharge process wastewater to ground waters?		X	
E. Does or will this facility discharge non-process wastewater, not regulated by effluent guidelines or new source performance standards, to surface waters?		X	
F. Does or will this facility discharge non-process wastewater to ground waters?		X	
G. Does or will this facility discharge stormwater associated with industrial activity to surface waters?	X		2F
H. Is this facility a non-discharging/closed loop recycle system?		X	
I. Is this facility a public water system whose primary purpose is the production of potable water for public consumption and which discharges demineralization concentrate to surface water or groundwater?		X	

III NAME OF FACILITY: (40 characters and spaces)

Dolomite, Inc.

RECEIVED

MAY 20 2013

**NORTHWEST FLORIDA
DEP**

IV FACILITY CONTACT: (A. 30 characters and spaces)

A. Name and Title (Last, first, & title)	B. Phone (area code & no.)
David Sloan, President	850-482-5570

V FACILITY MAILING ADDRESS: (A. 30 characters and spaces; B. 25 characters and spaces)

A. Street or P.O. Box: P.O. Box 1568		
B. City or Town: Marianna	State: FL	Zip Code: 32447

VI FACILITY LOCATION: (A. 30 characters and spaces; B. 24 characters and spaces; C. 3 spaces (if known); D. 25 characters and spaces; E. 2 spaces; F. 9 spaces)

A. Street, Route or Other Specific Identifier: 1321 Hwy 71		
B. County Name: Jackson	C. County Code (if known):	
D. City or Town: Marianna	E. State: FL	F. Zip Code: 32448

VII SIC CODES: (4-digit, in order of priority)

1. Code #:	(Specify) 1411	2. Code #:	(Specify)
3. Code #:	(Specify)	4. Code #:	(Specify)

VIII OPERATOR INFORMATION: (A. 40 characters and spaces; B. 1 character; C. 1 character (if other, specify); D. 12 characters; E. 30 characters and spaces; F. 25 characters and spaces; G. 2 characters; H. 9 characters)

A. Name: David Thompson		B. Is the name in VIII A. the owner? ☐ Yes ☒ No	
C. Status of Operator: F = Federal; S = State; P = Private; O = Other; M = Public (other than F or S)	(code) P	(specify) Private	D. Phone No.: 850-482-5570
E. Street or P. O. Box: P.O. Box 1568			
F. City or Town: Marianna		G. State: FL	H. Zip Code: 32448

IX INDIAN LAND: Is the facility located on Indian lands?☐ Yes☒ No**RECEIVED**

MAY 20 2013

**NORTHWEST FLORIDA
DEP**

X EXISTING ENVIRONMENTAL PERMITS:

A. NPDES Permit No.	B. UIC Permit No.	C. Other (specify)	D. Other (specify)
		FL0101192	

XI MAP: Attach to this application a topographic map of the area extending to at least one mile beyond property boundaries. The map must show the outline of the facility, the location of each of its existing and proposed intake and discharge structures, each of its hazardous waste treatment, storage, or disposal facilities, and each well where it injects fluids underground. Include all springs, rivers and other surface water bodies in the map area. See instructions for precise requirements.

XII NATURE OF BUSINESS (provide a brief description)


Dolomite mining operation

XIII CERTIFICATION (see instructions)

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this application and all attachments and that, based on my inquiry of those persons immediately responsible for obtaining the information contained in the application, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

David Sloan

A. Name (type or print)



B. Signature

President

Official Title (type or print)

5/16/13

C. Date Signed



WASTEWATER APPLICATION FORM 2CS

PERMIT TO DISCHARGE PROCESS WASTEWATER
FROM NEW OR EXISTING
INDUSTRIAL WASTEWATER FACILITIES
TO SURFACE WATER

FORM 2CS



WASTEWATER APPLICATION FOR PERMIT TO DISCHARGE PROCESS WASTEWATER FROM NEW OR EXISTING INDUSTRIAL WASTEWATER FACILITIES TO SURFACE WATERS

Facility I.D. Number: FL0101192

Please print or type information in the appropriate areas.

I OUTFALL LOCATION For each outfall, list the X,Y coordinates and the name of the receiving water.
(latitude/longitude to the nearest 15 seconds)

A. Outfall No. (List)	B. Latitude			C. Longitude			D. Name of Receiving Water
	Deg.	Min.	Sec.	Deg.	Min.	Sec.	
D001	30°	39'	02"	85°	10'	50"	Chipola River
D002	30°	39'	22"	85°	9'	53"	Old Mining Quarry

II OUTFALL DESIGN

A. Outfall No. (List)	B. Design Configuration and Construction Materials	C. Distance from shore	D. Diameter	E. Elevation of Discharge Invert (MSL)	F. Receiving Water Depth at POD (MSL)
D001	60" CMP	0'	60"	N/D	5' - 7'
D002	Farm Pond Riser - 18"	0'	18"	N/D	> 20'

III RECEIVING WATER INFORMATION

For each surface water that will receive effluent, supply the following information:

A. Name of Receiving Water	B. Check One		C. Classification (See Ch. 62-302, F.A.C.)	D. Type of Receiving Water (canal, river, lake, etc.)
	Fresh	Salt or Brackish		
Outfall D001 - Chipola River	☒	☐	III	River
Outfall D002 - Old Mining Quarry	☒	☐	III	Lake
	☐	☐		
	☐	☐		
	☐	☐		
	☐	☐		

E. Minimum 7-day 10-year low flow of the receiving water at each outfall (if appropriate).

F. Identify and describe the flow of effluent from each outfall to a major body of water. A suitably marked map or aerial photograph may be used.

G. Do you request a mixing zone under Rule 62-4.244, F.A.C.? If yes, for what parameters or pollutants?

IV FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES

A. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in Item B. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfalls. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.

B. For each outfall, provide a description of:

1. All operations contributing wastewater to the effluent; including process wastewater, sanitary wastewater, cooling water, and stormwater runoff;
2. The average flow contributed by each operation; and
3. The treatment received by the wastewater.

Use the space on the next page. Continue on additional sheets, if necessary.

(1) Outfall No. (List)	(2) Operation(s) Contributing Flow		(3) Treatment		
	(a) Operation (list)	(b) Avg. Flow & Units	(a) Description	(b) List Code from Table 2CS-1	
D001	Mining Operation	None	Floating turbidity barrier and 3 Rip-	1-U	
			Rap turbidity barriers		
	Natural Springs	See Eff. Anal.			
D002	Drying operation for Ag dolomite	None	Sedimentation pond #4, #5 and	1-U	
		Required	old Mining Quarry		

C. Except for storm runoff, leaks, or spills, are any of the discharges described in Items II-A or B intermittent or seasonal?
☐ Yes (complete the following table) ☒ No (go to D. below)

(1) Outfall No. (List)	(2)Operation(s) Contributing Flow(List)	(3) Frequency		(4) Flow				
		(a) Days per Week (specify avg.)	(b) Months per Yr. (specify avg.)	(a) Flow Rate (in mgd)		(b) Total Volume (specify with units)		(c) Duration (in days)
				Long Term Avg.	Max. Daily	Long Term Avg.	Max. Daily	

D. Describe practices to be followed to ensure adequate wastewater treatment during emergencies such as power loss and equipment failures causing shutdown of pollution abatement equipment of the proposed/permitted facilities.

E. List the method(s) and location(s) of flow measurement.

V PRODUCTION

A. Does an effluent guideline limitation promulgated by EPA under Section 304 of the Clean Water Act apply to your facility?

☐ Yes (complete Item V-B) ☒ No (go to Section VI)

B. Are the limitations in the applicable guideline expressed in terms of production (or other measure of operation)?

☐ Yes (complete Item V-C) ☐ No (go to Section VI)

C. If you answered "yes" to Item V-B, list the quantity which represents an actual measurement of your level of production, expressed in the terms and units used in the applicable effluent guideline, and indicate the affected outfalls.

1. AVERAGE DAILY PRODUCTION			2. Affected Outfalls (list outfall nos.)
a. Quantity per Day	b. Units of Measure	c. Operation, Product, Materials, Etc. (specify)	

VI IMPROVEMENTS

A. Are you now required by any Federal, State or local authority to meet any implementation schedule for the construction, upgrading or operation of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement order, enforcement compliance schedule letter, stipulations, court orders, and grant or loan conditions.

☐ Yes (complete the following table) ☒ No (go to Item VI-B)

1. Identification of Condition, Agreement, Etc.	2. Affected Outfalls		3. Brief Description of Project	4. Final Compliance Date	
	a. No.	b. Source of Discharge		a. Required	B. Projected

B. OPTIONAL: You may attach additional sheets describing any additional water pollution control programs (or other environmental projects which may affect your discharges) you now have underway or which you plan. Indicate whether each program is now underway or planned, and indicate your actual or planned schedules for construction.

☐ Mark "X" if description of additional control programs is attached.

VII INTAKE AND EFFLUENT CHARACTERISTICS

A, B, & C: See instructions before proceeding--Complete one set of tables for each outfall -- Annotate the outfall number in the space provided. NOTE: Tables VII-A, VII-B, and VII-C are included on separate sheets number VII-1 through VII-9.

D. Use the space below to list any of the pollutants listed in Table 2CS-3 of the instructions, which you know or have reason to believe is discharged or may be discharged from any outfall. For every pollutant you list, briefly describe the reasons you believe it to be present and report any analytical data in your possession.

1. Pollutant	2. Source	1. Pollutant	2. Source

VIII POTENTIAL DISCHARGES NOT COVERED BY ANALYSIS

Is any pollutant listed in Item VII-C a substance or a component of a substance which you currently use or manufacture as an intermediate or final product or by-product?

☐ YES (list all such pollutants below) ☒ NO (go to IX)

IX BIOLOGICAL TOXICITY TESTING DATA

Do you have any knowledge or reason to believe that any biological test for acute or chronic toxicity has been made on any of your discharges or on a receiving water in relation to your discharge within the last 3 years?

☐ YES (identify the test(s) and describe their purposes below) ☒ NO (go to Section X)

X CONTRACT ANALYSIS INFORMATION

Were any of the analyses reported in Item VII performed by a contract laboratory or consulting firm?

☒ YES (list the name, address, telephone number, and certification number of, and pollutants analyzed by each such laboratory or firm below) ☐ NO (go to Section XI)

A. Name	B. Address	C. Telephone (area code & no.)	D. Pollutants Analyzed (list)
The Water Spigot	5806 E. Hwy 22, Panama City, FL	850-871-1900	TSS, Turbidity, pH
Bay Environmental Laboratory	8481 Hwy 22, Wewahitchka, FL	850-639-4000	TSS, Turbidity, pH

XI CONNECTION TO REGIONAL POTW

A. Indicate the relationship between this project and area regional planning for wastewater treatment. List steps to be taken for this industrial wastewater facility to become part of an area-wide wastewater treatment system.

Not Applicable

XII-A CERTIFICATIONS FOR NEW OR MODIFIED FACILITIES

This is to certify the engineering features of this pollution control project have been designed by me and found to be in conformity with sound engineering principles, applicable to the treatment and disposal of pollutants characterized in the permit application. There is reasonable assurance, in my professional judgment, that the pollution control facilities, when properly maintained and operated, will discharge an effluent that complies with all applicable statutes of the State of Florida and the rules of the Department. It is also agreed that the undersigned, if authorized by the owner, will furnish the applicant a set of instructions for the proper maintenance and operation of the pollution control facilities and, if applicable, pollution sources.


_____ Signature	_____ Company Name
_____ Name (please type)	_____ Address
_____ (Affix Seal)	_____ Florida Registration No.:
	_____ Telephone No.:
	_____ Date

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

_____ Name & Official Title (Please type or print)	_____ Signature
_____ Telephone No. (area code & No.)	_____ Date Signed

XII-B CERTIFICATIONS FOR PERMIT RENEWALS

This is to certify the engineering features of this pollution control project have been examined by me and found to be in conformity with sound engineering principles, applicable to the treatment and disposal of pollutants characterized in the permit application. There is reasonable assurance, in my professional judgment, that the pollution control facilities, when properly maintained and operated, will discharge an effluent that complies with all applicable statutes of the State of Florida and the rules of the Department.



David H. Melvin, Inc., Consulting Engineers

Company Name

Address P.O. Box 840

Marianna, Florida 32447

Florida Registration No.: 51452

Telephone No.: 850-482-3045

Date

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

David Sloan, President

Name & Official Title (Please type or print)

850-482-5570

Telephone No. (area code & No.)

David Sloan

Signature

5/16/13

Date Signed

Facility ID. Number: FL0101192 Outfall No. D001

PLEASE PRINT OR TYPE ONLY: You may report some or all of this information on separate sheets instead of completing these pages. Use the same format. SEE INSTRUCTIONS.

VII. INTAKE AND EFFLUENT CHARACTERISTICS

PART A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

1. Pollutant	2. Effluent						3. Units		4. Intake (optional)			
	a. Max. Daily Value		b. Max. 30-day Value		c. Annual Avg. Value		d. No. of Analyses	a. Concentration	b. Mass	a. Long Term Avg. Value		b. No. of Analyses
	(1) Conc.	(2) Mass	(1) Conc.	(2) Mass	(1) Conc.	(2) Mass				(1) Conc.	(2) Mass	
a. Carbonaceous Biochemical Oxygen Demand (CBOD)												
b. Chemical Oxygen Demand (COD)												
c. Total Organic Carbon (TOC)												
d. Total Suspended Solids (TSS)	15 mg/l				5.3 mg/l			mg/l				
e. Total Nitrogen (as N)												
f. Total Phosphorus (as P)												
g. Ammonia (as N)												
h. Flow - actual or projected	Value Not Available		Value 9.56 mgd		Value 5.8 mgd					Value		
i. Flow - design	Value		Value		Value					Value		
j. Specific Conductivity	Value		Value		Value					Value		
k. Temperature (winter)	Value		Value		Value			°C		Value		
l. Temperature (summer)	Value		Value		Value			°C		Value		
m. pH	Min. 7.5	Max. 7.9	Min.	Max.				STANDARD UNITS				

PART B - Mark "X" in column 2a for each pollutant you know or have reason to believe is present. Mark "X" in column 2b for each pollutant you believe to be absent. If you mark column 2a for any pollutant which is limited either directly, or indirectly but expressly, in an effluent limitations guideline, you must provide the results of at least one analysis for that pollutant. For other pollutants for which you mark column 2a, you must provide quantitative data or an explanation of their presence in your discharge. Complete one table for each outfall. See the instructions for additional details and requirements.

1. Pollutant and CAS No. (if available)	2. Mark "X"		3. Effluent						4. Units		5. Intake (optional)			
	a. believed present	b. believed absent	a. Maximum Daily Value		b. Max. 30-day Value (if available)		c. Long Term Avg. Value (if available)		d. No. of Analyses	a. Conc.	b. Mass	a. Long Term Avg. Value		b. No. of Analyses
			(1) Conc...	(2) Mass	(1) Conc.	(2) Mass	(1) Conc.	(2) Mass				(1) Conc.	(2) Mass	
a. Bromide (24949-67-9)	☐	☐												
b. Chlorine, Total Residual	☐	☐												
c. Color	☐	☐												
d. Fecal Coliform	☐	☐												
e. Fluoride (16984-48-8)	☐	☐												
f. Nitrate-Nitrite (as N)	☐	☐												

: Item VII-B Contd.

Facility ID. Number

FL0101192

Outfall No.

1. Pollutant and CAS No. (if available)	2. Mark "X"		3. Effluent						4. Units		5. Intake (optional)			
	a. believed present	b. believed absent	a. Maximum Daily Value		b. Max. 30-day Value (if available)		c. Long Term Avg. Value (if available)		d. No. of Analyses	a. Conc.	b. Mass	a. Long Term Avg. Value		b. No. of Analyses
			(1) Conc.	(2) Mass	(1) Conc.	(2) Mass	(1) Conc.	(2) Mass				(1) Conc.	(2) Mass	
g. Nitrogen, Total Organic (as N)	☐	☐												
h. Oil and grease	☐	☐												
i. Phosphorus, Total (as P) (7723-14-0)	☐	☐												
j. Radioactivity														
(1) Alpha, Total	☐	☐												
(2) Beta, Total	☐	☐												
(3) Radium, Total	☐	☐												
(4) Radium 226, Total	☐	☐												
k. Sulfate (as SO ₄) (14808-79-8)	☐	☐												
l. Sulfide (as S)	☐	☐												
m. Sulfite (as SO ₃) (14265-45-3)	☐	☐												
n. Surfactants	☐	☐												
o. Aluminum, Total (7429-90-5)	☐	☐												
p. Barium, Total (7440-39-3)	☐	☐												
q. Boron, Total (7440-42-8)	☐	☐												
r. Cobalt, Total (7440-48-4)	☐	☐												
s. Iron, Total (7439-89-6)	☐	☐												
t. Magnesium, Total (7439-95-4)	☐	☐												
u. Molybdenum, Total (7439-98-7)	☐	☐												
v. Manganese, Total (7439-96-5)	☐	☐												
w. Tin, Total (7440-31-5)	☐	☐												
x. Titanium, Total (7440-32-6)	☐	☐												

Facility ID. Number: FL0101192 Outfall No. _____

PART C - If you are a primary industry and this outfall contains process wastewater, refer to Table 2c-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in column 2a for all GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark column 2a (secondary industries, non-process wastewater outfalls, and non-required GC/MS fractions), mark "X" in column 2b for each pollutant you know or have reason to believe is present. Mark "X" in column 2c for each pollutant you believe is absent. If you mark column 2a for any pollutant, you must provide the results of at least one analysis for that pollutant. If you mark column 2b for any pollutant, you must provide the results of at least one analysis for that pollutant if you know or have reason to believe it will be discharged in concentrations of 10 ppb or greater. If you mark column 2b for acrolein, acrylonitrile, 2,4-dinitrophenol, or 2-methyl-4,6 dinitrophenol, you must provide the results of at least one analysis for each of these pollutants which you know or have reason to believe that you discharge in concentrations of 100 ppb or greater. Otherwise, for pollutants for which you mark column 2b, you must either submit at least one analysis or briefly describe the reasons the pollutant is expected to be discharged. Note that there are 7 pages to this part; please review each carefully. Complete one table (all 7 pages) for each outfall. See instructions for additional details and requirements.

1. Pollutant and CAS No. (if available)	2. Mark "X"			3. Effluent								4. Units		5. Intake (optional)			
	a. testing required	b. believed present	c. believed absent	a. Maximum Daily Value		b. Max. 30-day Value (if available)		c. Long Term Avg. Value (if available)		d. No. of Analyses	a. Conc.	b. Mass	a. Long Term Avg. Value		b. No. of Analyses		
				(1) Conc.	(2) Mass	(1) Conc.	(2) Mass	(1) Conc.	(2) Mass				(1) Conc.	(2) Mass			
METALS, CYANIDE, AND TOTAL PHENOLS																	
1M. Antimony, Total (7440-36-0)	☐	☐	☐														
2M. Arsenic, Total (7723-14-0)	☐	☐	☐														
3M. Beryllium, Total (7440-41-7)	☐	☐	☐														
4M. Cadmium, Total (7440-43-9)	☐	☐	☐														
5M. Chromium, Total (7440-47-3)	☐	☐	☐														
6M. Copper, Total (7440-50-8)	☐	☐	☐														
7M. Lead, Total (7439-92-1)	☐	☐	☐														
8M. Mercury, Total (7439-97-6)	☐	☐	☐														
9M. Nickel, Total (7440-02-0)	☐	☐	☐														
10M. Selenium, Total (7782-49-2)	☐	☐	☐														
11M. Silver, Total (7440-22-4)	☐	☐	☐														
12M. Thallium, Total (7440-28-0)	☐	☐	☐														
13M. Zinc, Total (7440-66-6)	☐	☐	☐														
14M. Cyanide, Total (57-12-5)	☐	☐	☐														
15M. Phenols, Total	☐	☐	☐														
DIOXIN																	
2,3,7,8-Tetra-chlorodibenzo-P-Dioxin (1764-01-6)	☐	☐	☐														
GC/MS FRACTION VOLATILE COMPOUNDS																	
1V. Acrolein (107-02-8)	☐	☐	☐														
2V. Acrylonitrile (107-13-1)	☐	☐	☐														

Facility ID. Number: FL0101192 Outfall No.

1. Pollutant and CAS No. (if available)	2. Mark "X"			3. Effluent						4. Units		5. Intake (optional)			
	a. testing required	b. believed present	c. believed absent	a. Maximum Daily Value		b. Max. 30-day Value (if available)		c. Long Term Avg. Value (if available)		d. No. of Analyses	a. Conc.	b. Mass	a. Long Term Avg. Value		b. No. of Analyses
				(1) Conc.	(2) Mass	(1) Conc.	(2) Mass	(1) Conc.	(2) Mass				(1) Conc.	(2) Mass	
GC/MS FRACTION - VOLATILE COMPOUNDS (continued)															
3V. Benzene (71-43-2)	☐	☐	☐												
4V. Bis (Chloromethyl) Ether (542-88-1)	☐	☐	☐												
5V. Bromoform (75-25-2)	☐	☐	☐												
6V. Carbon Tetrachloride (56-23-5)	☐	☐	☐												
7V. Chlorobenzene (108-90-7)	☐	☐	☐												
8V. Chlorodibromomethane (124-8-1)	☐	☐	☐												
9V. Chloroethane (74-00-3)	☐	☐	☐												
10V. 2-Chloro-ethylvinyl Ether (110-75-8)	☐	☐	☐												
11V. Chloroform (67-86-3)	☐	☐	☐												
12V. Dichlorobromomethane (75-24-4)	☐	☐	☐												
13V. Dichlorodifluoromethane (75-71-8)	☐	☐	☐												
14V. 1,1-Dichloroethane (75-34-3)	☐	☐	☐												
15V. 1,2-Dichloroethane (107-06-2)	☐	☐	☐												
16V. 1,1-Dichloroethylene (75-35-4)	☐	☐	☐												
17V. 1,2-Dichloropropane (78-87-5)	☐	☐	☐												
18V. 1,3-Dichloropropylene (542-75-6)	☐	☐	☐												
19V. Ethylbenzene (100-41-4)	☐	☐	☐												
20V. Methyl Bromide (74-83-9)	☐	☐	☐												
21V. Methyl Chloride (74-87-3)	☐	☐	☐												
22V. Methylene Chloride (74-98-2)	☐	☐	☐												
23V. 1,1,2,2-Tetrachloroethane (79-34-5)	☐	☐	☐												
24V. Tetrachloroethylene (127-18-4)	☐	☐	☐												

Facility ID. Number: FL0101192 Outfall No.

1. Pollutant and CAS No. (if available)	2. Mark "X"			3. Effluent						4. Units		5. Intake (optional)			
	a. testing required	b. believed present	c. believed absent	a. Maximum Daily Value		b. Max. 30-day Value (if available)		c. Long Term Avg. Value (if available)		d. No. of Analyses	a. Conc.	b. Mass	a. Long Term Avg. Value		b. No. of Analyses
				(1) Conc.	(2) Mass	(1) Conc.	(2) Mass	(1) Conc.	(2) Mass				(1) Conc.	(2) Mass	
GC/MS FRACTION - VOLATILE COMPOUNDS (continued)															
25V. Toluene (108-88-3)	☐	☐	☐												
26V. 1,2-Trans-Dichloroethylene (156-60-5)	☐	☐	☐												
27V. 1,1,2-Trichloroethane (71-55-6)	☐	☐	☐												
28V. 1,1,2-Trichloroethane (79-00-5)	☐	☐	☐												
29V. Trichloroethylene (79-01-6)	☐	☐	☐												
30V. Trichlorofluoromethane (75-69-4)	☐	☐	☐												
31V. Vinyl Chloride (75-01-4)	☐	☐	☐												
GC/MS FRACTION - ACID COMPOUNDS															
1A. 2-Chlorophenol (95-57-8)	☐	☐	☐												
2A. 2,4-Dichlorophenol (120-83-2)	☐	☐	☐												
3A. 2,4-Dimethylphenol (105-67-9)	☐	☐	☐												
4A. 4,6-Dinitro-O-Cresol (534-53-1)	☐	☐	☐												
5A. 2,4-Dinitrophenol (51-28-5)	☐	☐	☐												
6A. 2-Nitrophenol (88-75-5)	☐	☐	☐												
7A. 4-Nitrophenol (100-02-7)	☐	☐	☐												
8A. P-Chloro-M-Cresol (59-50-7)	☐	☐	☐												
9A. Pentachlorophenol (87-86-5)	☐	☐	☐												
10A. Phenol (108-95-2)	☐	☐	☐												
11A. 2,4,5-Trichlorophenol (88-06-2)	☐	☐	☐												
GC/MS FRACTION - BASE/NEUTRAL COMPOUNDS															
1B. Acenaphthene (63-32-9)	☐	☐	☐												
2B. Acenaphthylene (208-96-8)	☐	☐	☐												
3B. Anthracene (120-12-7)	☐	☐	☐												
4B. Benzidine (92-87-5)	☐	☐	☐												

Facility ID. Number: FL0101192 Outfall No. _____

1. Pollutant and CAS No. (if available)	2. Mark "X"			3. Effluent						4. Units		5. Intake (optional)			
	a. testing required	b. believed present	c. believed absent	a. Maximum Daily Value		b. Max. 30-day Value (if available)		c. Long Term Avg. Value (if available)		d. No. of Analyses	a. Conc.	b. Mass	a. Long Term Avg. Value		b. No. of Analyses
				(1) Conc.	(2) Mass	(1) Conc.	(2) Mass	(1) Conc.	(2) Mass				(1) Conc.	(2) Mass	
5B. Benzo (a) Anthracene (56-55-3)	☐	☐	☐												
6B. Benzo (a) Pyrene (50-32-8)	☐	☐	☐												
7B. 3,4-Benzo-fluoranthene (205-99-2)	☐	☐	☐												
8B. Benzo (ghi) Perylene (191-24-2)	☐	☐	☐												
9B. Benzo (k) Fluoranthene (207-08-9)	☐	☐	☐												
10B. Bis (2-Chloroethoxy) Methane (111-91-1)	☐	☐	☐												
11B. Bis (2-chloroethyl) Ether (111-44-4)	☐	☐	☐												
12B. Bis (2-Chloropropyl) Ether (102-60-1)	☐	☐	☐												
13B. Bis (2-Ethylhexyl) Phthalate (117-81-7)	☐	☐	☐												
14B. 4-Bromophenyl Phenyl Ether (101-55-3)	☐	☐	☐												
15B Butyl Benzyl Phthalate (84-68-7)	☐	☐	☐												
16B. 2-Chloronaphthalene (91-58-7)	☐	☐	☐												
17B. 4-Chlorophenyl Phenyl Ether (7005-72-3)	☐	☐	☐												
18B. Chrysene (218-01-9)	☐	☐	☐												
19B. Dibenzo (a,h) Anthracene (53-70-3)	☐	☐	☐												
20B. 1,2-Dichlorobenzene (95-50-1)	☐	☐	☐												
21B. 1,3-Dichlorobenzene (541-73-1)	☐	☐	☐												
22B. 1,4-Dichlorobenzene (106-46-7)	☐	☐	☐												
23B. 3,3'-Dichlorobenzidine (92-94-1)	☐	☐	☐												
24B. Diethyl Phthalate (84-66-2)	☐	☐	☐												
25B. Dimethyl Phthalate (131-11-3)	☐	☐	☐												
26B. Di-N-Butyl Phthalate (84-74-2)	☐	☐	☐												
27B. 2,4-Dinitrotoluene (121-14-2)	☐	☐	☐												
28B. 2,6-Dinitrotoluene (606-20-2)	☐	☐	☐												

Facility ID. Number: FL0101192 Outfall No. _____

1. Pollutant and CAS No. (if available)	2. Mark "X"			3. Effluent						4. Units		5. Intake (optional)			
	a. testing required	b. believed present	c. believed absent	a. Maximum Daily Value		b. Max. 30-day Value (if available)		c. Long Term Avg. Value (if available)		d. No. of Analyses	a. Conc.	b. Mass	a. Long Term Avg. Value		b. No. of Analyses
				(1) Conc.	(2) Mass	(1) Conc.	(2) Mass	(1) Conc.	(2) Mass				(1) Conc.	(2) Mass	
29B. Di-N-Octyl Phthalate (117-84-0)	☐	☐	☐												
30B. 1,2-Diphenylhydrazine (as Azobenzene) (122-66-7)	☐	☐	☐												
31B. Fluoranthene (206-44-0)	☐	☐	☐												
32B. Fluorene (86-73-7)	☐	☐	☐												
33B. Hexachlorobenzene (118-74-1)	☐	☐	☐												
34B. Hexachlorobutadiene (87-68-3)	☐	☐	☐												
35B. Hexachlorocyclopentadiene (77-47-4)	☐	☐	☐												
36B. Hexachloroethane (67-72-1)	☐	☐	☐												
37B. Indeno (1,2,3-cd) Pyrene (193-39-5)	☐	☐	☐												
38B. Isophorone (78-59-1)	☐	☐	☐												
39B. Naphthalene (91-20-3)	☐	☐	☐												
40B. Nitrobenzene (98-95-9)	☐	☐	☐												
41B. N-Nitrosodimethylamine (62-75-9)	☐	☐	☐												
42B. N-Nitrosodi-N-Propylamine (621-64-7)	☐	☐	☐												
43B. N-Nitro-sodiphenylamine (86-30-6)	☐	☐	☐												
44B. Phenanthrene (85-01-8)	☐	☐	☐												
45B. Pyrene (129-00-0)	☐	☐	☐												
46B. 1,2,4-Trichlorobenzene (120-82-1)	☐	☐	☐												
GC/MS FRACTION - PESTICIDES															
1P. Aldrin (309-00-2)	☐	☐	☐												
2P. -BHC (319-84-6)	☐	☐	☐												
3P. -BHC (319-85-7)	☐	☐	☐												
4P. -BHC (58-89-9)	☐	☐	☐												
5P. -BHC (319-86-8)	☐	☐	☐												

Facility ID. Number: FL0101192 Outfall No. _____

1. Pollutant and CAS No. (if available)	2. Mark "X"			3. Effluent						4. Units		5. Intake (optional)			
	a. testing required	b. believed present	c. believed absent	a. Maximum Daily Value		b. Max. 30-day Value (if available)		c. Long Term Avg. Value (if available)		d. No. of Analyses	a. Conc.	b. Mass	a. Long Term Avg. Value		b. No. of Analyses
				(1) Conc.	(2) Mass	(1) Conc.	(2) Mass	(1) Conc.	(2) Mass				(1) Conc.	(2) Mass	
6P. Chlordane (57-74-9)	☐	☐	☐												
7P. 4,4'-DDT (50-29-3)	☐	☐	☐												
8P. 4,4'-DDE (72-55-9)	☐	☐	☐												
9P. 4,4'-DDD (72-54-8)	☐	☐	☐												
10P. Dieldrin (60-57-1)	☐	☐	☐												
11P. -Endosulfan (115-29-7)	☐	☐	☐												
12P. -Endosulfan (115-29-7)	☐	☐	☐												
13P. Endosulfan Sulfate (1031-07-8)	☐	☐	☐												
14P. Endrin (72-20-8)	☐	☐	☐												
15P. Endrin Aldehyde (7421-92-4)	☐	☐	☐												
16P. Heptachlor (76-44-8)	☐	☐	☐												
17P. Heptachlor Epoxide (1024-57-3)	☐	☐	☐												
18P. PCB-1242 (53469-21-9)	☐	☐	☐												
19P. PCB-1254 (11097-69-1)	☐	☐	☐												
20P. PCB-1221 (11104-28-2)	☐	☐	☐												
21P. PCB-1232 (11141-16-5)	☐	☐	☐												
22P. PCB-1248 (12672-29-6)	☐	☐	☐												
23P. PCB-1260 (11096-82-5)	☐	☐	☐												
24P. PCB-1016 (12674-11-2)	☐	☐	☐												
25P. Toxaphene (8001-35-2)	☐	☐	☐												



APPLICATION FORM 2F

PERMIT TO DISCHARGE STORMWATER ASSOCIATED WITH
INDUSTRIAL ACTIVITY

FORM 2F



APPLICATION FOR PERMIT FOR STORMWATER DISCHARGE ASSOCIATED WITH INDUSTRIAL ACTIVITY

Facility I.D. Number: FL0101192

Please type or print in black ink. If additional space is needed for your answer, use plain sheets and attach to the application form.

I. Outfall Location:

For each outfall, list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water.

A. Outfall Number (list)	B. Latitude			C. Longitude			D. Receiving Water (Name)
D002	30°	39'	22"	85°	9'	53"	Old Mining Quarry

II. Improvements: **Not Applicable (N/A)**

A. Are you now required by any Federal, State, or local authority to meet any implementation schedule for the construction, upgrading or operation of stormwater or wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions?

1. Identification of Conditions, Agreements	2. Affected Outfalls		3. Brief Description of Project	4. Final Compliance Date	
	No.	Source of Discharge		a. required	b. projected

B. You may attach additional sheets describing any additional water pollution or other environmental projects which may affect your discharge that you now have underway or which you plan. Indicate whether each program is now underway or planned, and indicate your actual or planned schedules for construction.

III. Site Drainage Map: **See Attached**

Attach a site map showing topography depicting the facility including each of its intake and discharge structures; the drainage area of each stormwater outfall; paved areas and buildings within the drainage area of each stormwater outfall; each known past or present areas used for outdoor storage or disposal of significant materials; each existing structural control measure to reduce pollutants in stormwater runoff, materials loading and access areas, areas where pesticides, herbicides, soil conditioners and fertilizers are applied; each of its hazardous waste treatment, storage or disposal units; each well where fluids from the facility are injected underground; springs, and other surface water bodies which receive stormwater discharges from the facility. Show hazardous waste storage or disposal areas that do not require a RCRA permit separate from those which do require a permit.

IV. Narrative Description of Pollutant Sources:

A. For each outfall, provide an estimate of the area (include units) of impervious surfaces, including paved areas and building roofs, drained to the outfall, and an estimate of the total surface area drained by the outfall.

Outfall No.	Area of Impervious Surface (units)	Total Area Drained (units)	Outfall No.	Area of Impervious Surface (units)	Total Area Drained (units)
D002	0.0 acres ±	23.3 acres ±			

B. Provide a narrative description of significant materials that are currently, or in the past three years have been, treated, stored or disposed in a manner that allows exposure to stormwater; method of treatment, storage, or disposal; past and present materials management practices employed to minimize contact with stormwater runoff; materials loading and access areas; and the location, manner, and frequency in which pesticides, herbicides, soil conditioners, and fertilizers are applied.

The mining operation consists of a lake created through the mining operation where natural springs produce a wastewater discharge. The springs flow through the lake, across a rip-rap barrier, through a floating silt barrier and through a 60" culvert into the Chipola River which is considered the Outfall D001. The areas for the crushing, storage, and drying operations discharge stormwater into various sedimentation basins (see attached site maps). The sedimentation basin #1 serves the admin office and the storage area west of the crushers (see previously submitted documentation for capacities). The sedimentation basin #2 and basin #3 are in a closed basin and serve the rock washers. The sedimentation basin #4 serves the agricultural lime drying area and a portion of the equipment yard. Basin #4 spills over into basin #5 which also serves a portion of the equipment yard and the crushers. Each of the basins are cleaned out periodically and the material is placed on the agriculture lime drying area for sale as ag. dolomite. Basin #5 discharges into the old mining pit through a farm pond riser and is Outfall D002. Basins #1, #4 and #5 contain the runoff from the 25 yr-24 hr storm event which allows them to be exempt from testing.

Basins #2 and #3 are in a closed basin therefore there is no stormwater runoff from these ponds therefore testing is not required.

C. For each outfall, provide the location and a description of existing structural and nonstructural control measures to reduce pollutants in stormwater runoff; and a description of the treatment the stormwater receives, including the schedule and type of maintenance for control and treatment measures and the ultimate disposal of any solid or fluid wastes other than by discharge.

Outfall No.	Treatment	Table 2F-1 Code
D002	Containment of the 25-yr, 24-hr storm event, treatment by the sedimentation process	1-V

V. Non-stormwater Discharges:

A. I certify under penalty of law that the outfall(s) covered by this application have been tested or evaluated for the presence of non-stormwater discharges, and that all non-stormwater discharges from these outfall(s) are identified in either an accompanying DEP Form 62-620.910(5) or (7) (Forms 2CS or 2ES) application for the outfall.

Name and Official Title (type or print)	Signature	Date Signed
David Sloan, President		

B. Provide a description of the method used, the date of any testing, and the onsite drainage points that were directly observed during a test.

See effluent analysis report.

VI. Significant Leaks or Spills:

Provide existing information regarding the history of significant leaks or spills of toxic or hazardous pollutants at the facility in the last three years, including the approximate date and location of the spill or leak, and the type and amount of material released.

VII. Discharge Information:

A, B, C, & D: See instructions before proceeding. Complete one set of tables for each outfall. Annotate the outfall number in the space provided. Tables VII-A, VII-B, and VII-C are included on separate sheets numbered VII-1 and VII-2.

E. Potential discharges not covered by analysis - is any toxic pollutant listed in Table 2F-2, 2F-3, or 2F-4, a substance or a component of a substance which you currently use or manufacture as an intermediate or final product or by-product?

☐ Yes (list all such pollutants below)

☒ No (go to section VIII)

VIII. Biological Toxicity Testing Data

Do you have any knowledge or reason to believe that any biological test for acute or chronic toxicity has been made on any of your discharges or on a receiving water in relation to your discharge within the last 3 years?

☐ Yes (list results below)

☒ No (go to Section IX)

IX. Contract Analysis Information

Were any of the analysis reported in item VII performed by a contract laboratory or consulting firm?

☐ Yes (list the name, address, and telephone number of, and pollutants analyzed by each such laboratory or firm below) ☒ No (go to Section X)

A. Name	B. Address	C. Area Code & Phone No.	D. Pollutants Analyzed

X-A. CERTIFICATIONS FOR NEW OR MODIFIED FACILITIES N/A

I certify that the engineering features of this pollution control project have been designed by me and found to be in conformity with sound engineering principles, applicable to the treatment and disposal of pollutants characterized in the permit application. There is reasonable assurance, in my professional judgment, that the pollution control facilities, when properly maintained and operated, will discharge an effluent that complies with all applicable statutes of the State of Florida and the rules of the Department. It is also agreed that the undersigned, if authorized by the owner, will furnish the applicant a set of instructions for the proper maintenance and operation of the pollution control facilities and, if applicable, pollution sources.

Signature

Company Name:

Name (please type):

Address:

(Affix Seal)

Florida Registration No.:

Telephone No.:

Date:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name & Official Title (type or print)

Signature

Telephone No. (area code & no.)

Date Signed

X-B. CERTIFICATIONS FOR PERMIT RENEWALS

I certify that the engineering features of this pollution control project have been examined by me and found to be in conformity with sound engineering principles, applicable to the treatment and disposal of pollutants characterized in the permit application. There is reasonable assurance, in my professional judgment, that the pollution control facilities, when properly maintained and operated, will discharge an effluent that complies with all applicable statutes of the State of Florida and the rules of the Department.

Signature

David H. Melvin, Inc., Consulting Engineers

Company Name:

Address: 4428 Lafayette Street

P.O. Box 840

Marianna, FL 32447

Florida Registration No.: 51452

Telephone No.: 850-482-3045

Date:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

David Sloan, President of Dolomite, Inc.

Name & Official Title (type or print)

850-482-5570

Telephone No. (area code & no.)

Signature

Date Signed

VII. Discharge Information (Continued from page 2F-15 of Form 2F)

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details. **See Effluent Analysis Report for outfall D001. Outfall D002 does not require testing.**

Pollutant and CAS Number (if available)	Minimum Values (include units)		Average Values (include units)		# of Storm Events	Sources of Pollutants
	Grab Sample Taken During First 30 Minutes	Flow-weighted Composite	Grab Sample Taken During First 30 Minutes	Flow-weighted Composite	Sampled	
Oil and Grease		N/A				
Biochemical Oxygen Demand (BOD ₅)						
Chemical Oxygen Demand (COD)						
Total Suspended Solids (TSS)						
Total Kjeldahl Nitrogen						
Nitrate + Nitrite Nitrogen						
Total Phosphorus						
pH	Minimum	Maximum	Minimum	Maximum		

Part B - List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's wastewater permit for its wastewater effluent if the facility is operating under an existing wastewater permit. Complete one table for each outfall. See instructions for additional details and requirements.

[illegible]

VII. Discharge Information (Continued from Table VII on page VII - 1 of Form 2F)

Part C - List each pollutant shown in Tables 2F-2, 2F-3, and 2F-4 that you know or have reasons to believe is present. Complete one table for each outfall. See instructions for additional details. **N/A**

[illegible]

Part D - Provide data for the storm event(s) which resulted in the maximum values for the flow weighted composite sample.

1. Date of Storm Event	2. Duration of Storm Event (in minutes)	3. Total rainfall during storm event (in inches)	4. Number of hours between beginning of storm measured and end of previous measurable rain event	5. Maximum flow rate during rain event (specify units)	6. Total flow from rain event (specify units)	7. Comments

Provide a description of the method of flow measurement or estimate.

EFFLUENT ANALYSIS REPORT

Dolomite, Inc.

Jackson County

PA File #: FL0101192-005-IW3S

DEP Permit #: FL0101192

Permit Expiration: July 18, 2013

*David H. Melvin, Inc.
Consulting Engineers*

May 13, 2013

CERTIFICATIONS

PERMITTEE

I, David Sloan, have reviewed and am fully aware of the recommendations and schedules included in this report.



Dolomite, Inc.

David Sloan, President


P.O. Box 1568

Marianna, Florida 32447

(850) 482-5570

ENGINEER

I, Leon E. Nobles, III, P.E., certify that the information contained in this report is true and correct to the best of my knowledge. It was prepared in accordance with sound engineering principles and its contents have been reviewed by the permittee.



Leon E. Nobles, III, P.E.

David H. Melvin, Inc.

Consulting Engineers

4428 Lafayette St., P.O. Box 840

Marianna, FL 32447

(850) 482-3045




TABLE OF CONTENTS

	<u>PAGE</u>
TITLE PAGE	1
CERTIFICATIONS	2
TABLE OF CONTENTS	3
INTRODUCTION/SUMMARY	4
TABLE 1	5
GRAPHS	
TOTAL SUSPENDED SOLIDS	6
TURBIDITY	7
pH	8

Introduction

Dolomite, Inc. of Marianna, Florida is a dolomite mining operation which is located approximately 5 miles south of Interstate 10 in Marianna on SR 71 adjacent to the *Chipola River*. The mining operation consists of fracturing the subsurface dolomite by boring and blasting the rock with dynamite charges. The rock is then excavated to a depth of 40 – 50 feet with drag-lines and stockpiled adjacent to the man-made lake in order for the material to de-water. The dolomite material, which at this point is approximately 20% - 30% moisture, is loaded on all-terrain dump trucks and transported approximately 2200 feet to the crusher. The rock is then crushed and classified into various sizes.

Within the man-made lake created by the mining operation, the existing natural springs generate the “industrial wastewater discharge”. The water flows from the lake in a southeasterly direction through a 10'± wide channel and into a small lake (approximately 500' long X 250' wide) which serves as a final sedimentation basin. The water then flows through this lake over three Rip-Rap turbidity barriers and then through a floating silt barrier. This mechanically treated water then flows through a 60" culvert into a small cove and which then discharges into the Chipola River.

Effluent Analysis

The water analysis results from the Dolomite Pit discharge point (D-001) and the up-gradient background check point in the Chipola River (SWD-01), were tested by *The Water Spigot and Bay Environmental Laboratory*. The monitoring parameters are summarized in Table-1 on page 5. The summarization revealed that all effluent from the mining operation met the permit requirements from January 2008 to present.

Summary

The following table represents a summary of the **currently permitted effluent requirements** of the Dolomite mine and the annual average parameters which are currently being treated. With the following effluent results, it appears that the *Dolomite, Inc.* mining operation will be able to meet all permit requirements within the permitting period.

<u>Loading Parameters</u>	<u>Permit Requirements</u>	<u>Current Operating Loadings</u>
Total Suspended Solids	20 mg/l	*5.3 mg/l (Annual Avg.)
Turbidity	29 NTU above Background	*4.4 NTU (Annual Avg.) with an average of 1.70 NTU above background
pH	6.0 – 8.5 S.U.	*7.7 S.U. (Annual Avg.)
* NOTE: These values were taken from the Monthly Operating Reports		

TABLE - 1

UPDATED: May 14, 2013

Dolomite, Inc.
Marianna, Florida

DOLOMITE, INC., MARIANNA, FLORIDA


T:\Projects\DOLOMITE Ind Waste Permits\DOLOMITE\WP\Permits and Apps\FDEP\OP-REP-Dolomite-13.xls\OP-REP

Month	FLOW Into River MGD	TSS Pit mg/l	TURBIDITY			pH	
			River NTU	Pit NTU	Difference (Pit - River) (NTU)	River Std. Units	Pit Std. Units
JAN '08	5.63	11.00	16.60	7.22	-9.38	8.0	7.8
FEB	5.92	4.00	3.65	4.95	1.30	7.9	7.8
MAR	9.56	13.00	5.06	6.94	1.88	8.1	7.9
APR	4.57	7.00	3.14	11.20	8.06	8.0	7.8
MAY	4.38	4.00	4.20	10.80	6.60	8.0	7.8
JUN	5.63	3.00	4.70	6.50	1.80	8.1	7.9
JUL	4.51	8.00	1.24	1.93	0.69	8.0	7.8
AUG	6.82	4.00	1.39	0.67	-0.72	8.1	7.9
SEPT	5.32	5.00	1.69	3.33	1.64	8.0	7.8
OCT	4.38	12.00	0.40	2.47	2.07	8.0	7.8
NOV	4.18	3.00	0.97	0.58	-0.39	8.1	7.9
DEC	4.51	5.00	2.49	3.49	1.00	8.1	7.8
JAN '09	9.56	5.00	2.98	11.00	8.02	8.1	7.8
FEB	8.39	7.00	2.71	11.80	9.09	8.0	7.8
MAR	9.13	11.00	2.32	16.50	14.18	8.1	7.8
APR	9.56	3.00	3.87	4.30	0.43	8.1	7.8
MAY	8.28	11.00	4.80	6.17	1.37	8.1	7.8
JUN	8.36	5.00	1.29	2.01	0.72	8.0	7.6
JUL	9.56	5.00	1.89	2.79	0.90	8.0	7.6
AUG	8.28	3.00	2.43	7.65	5.22	8.1	7.8
SEPT	9.56	3.00	1.60	2.10	0.50	8.1	7.8
OCT	9.13	4.00	0.77	0.88	0.11	8.0	7.6
NOV	8.36	5.00	5.01	3.09	-1.92	8.1	7.6
DEC	9.56	9.00	1.99	2.75	0.76	8.1	7.8
JAN '10	8.28	5.00	4.88	4.92	0.04	8.1	7.8
FEB	9.56	7.00	10.64	11.10	0.46	8.0	7.6
MAR	6.35	7.00	2.53	8.13	5.60	8.0	7.8
APR	8.36	5.00	2.16	5.47	3.31	8.0	7.6
MAY	8.28	2.00	1.71	2.96	1.25	8.0	7.6
JUN	4.51	10.00	1.63	2.45	0.82	8.0	7.6
JUL	4.18	3.00	0.65	1.78	1.13	8.1	7.8
AUG	4.18	3.00	1.06	1.50	0.44	8.0	7.6
SEPT	4.18	4.00	0.52	1.29	0.77	8.0	7.6
OCT	3.68	3.00	0.92	3.71	2.79	8.0	7.6
NOV	3.68	5.00	0.78	2.94	2.16	8.0	7.6
DEC	3.68	6.00	0.58	3.33	2.75	8.0	7.6
JAN '11	3.68	5.00	1.86	4.11	2.25	8.1	7.6
FEB	4.18	6.00	7.43	5.00	-2.43	8.0	7.6
MAR	4.18	9.00	1.33	2.87	1.54	8.1	7.8
APR	4.51	4.00	2.21	3.68	1.47	8.0	7.6
MAY	5.02	3.00	0.78	1.20	0.42	8.1	7.8
JUN	3.68	15.00	0.50	4.30	3.80	8.0	7.6
JUL	3.68	2.00	0.10	2.20	2.10	8.0	7.5
AUG	3.68	3.00	1.30	1.90	0.60	8.1	7.6
SEPT	3.68	1.80	0.60	2.00	1.40	8.1	7.6
OCT	3.68	8.00	1.50	3.70	2.20	8.1	7.8
NOV	3.68	3.00	0.52	3.50	2.98	8.0	7.6
DEC	4.38	4.00	1.30	4.70	3.40	8.4	7.6
JAN '12	4.38	4.00	3.10	5.60	2.50	8.3	7.6
FEB	4.51	4.00	3.60	3.50	-0.10	8.0	7.8
MAR	5.02	4.00	6.20	8.60	2.40	8.1	7.6
APR	5.32	5.00	3.00	4.60	1.60	8.0	7.8
MAY	4.51	3.00	1.20	1.80	0.60	8.0	7.6
JUN	5.02	8.00	2.10	2.70	0.60	8.1	7.8
JUL	5.32	4.00	1.30	3.60	2.30	8.0	7.6
AUG	5.32	5.00	3.90	3.70	-0.20	8.0	7.8
SEPT	6.35	5.00	7.00	4.70	-2.30	8.0	7.8
OCT	5.02	3.00	3.30	2.40	-0.90	8.0	7.6
NOV	5.02	4.00	1.20	3.70	2.50	8.0	7.8
DEC	5.32	3.00	1.80	4.90	3.10	8.0	7.8
JAN '13	5.32	2.00	2.60	2.00	-0.60	8.0	7.8
FEB	5.02	3.00	2.80	2.30	-0.50	8.0	7.8
MAR	5.32	5.00	5.00	5.80	0.80	8.0	7.8
Average since January '08							
5.8		5.3	2.7	4.4	1.70	8.0	7.7

TOTAL SUSPENDED SOLIDS

DOLOMITE, INC.


Marianna, Florida



—■— DOLOMITE PIT - TSS (mg/l)

TURBIDITY


DOLOMITE, INC.
MARIANNA, FLORIDA



—■— DOLOMITE PIT - TURBIDITY (NTU)


---▲--- CHIPOLA RIVER - TURBIDITY (NTU)

pH
DOLOMITE, INC.
MARIANNA, FLORIDA



—■— DOLOMITE PIT - pH ---▲--- CHIPOLA RIVER - pH

May 15, 2013 - 13:27:21 DWG Name: E:\Apro\del3wp\proj-map.dwg Updated By: gene nobles
© DAVID H. MELVIN, INC. ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR UTILIZED IN ANY FORM WITHOUT PRIOR WRITTEN PERMISSION OF DAVID H. MELVIN, INC.



SCALE: 1" = 1000'
LOCATION: Marianna, Florida
SECTION: 18 & 19 TOWNSHIP: 3N RANGE: 9W
13 3N 10W

COUNTY: Jackson
OUTFALL #1
LATITUDE: 30° 39' 02" LONGITUDE: 85° 10' 50"
OUTFALL #5
LATITUDE: 30° 39' 22" LONGITUDE: 85° 09' 53"
Oakdale, Florida Quadrangle



SCALE

KEY	DATE	REVISIONS

APPROVED:	
Project Manager	Date
Quality Control	Date

DAVID H. MELVIN, INC.
Consulting Engineers


MARIANNA 904/482-3045

TALLAHASSEE 904/671-7221

PROJECT **DOLOMITE, INC.**
INDUSTRIAL WASTEWATER PERMIT
SHEET TITLE **SITE MAP**

CLIENT **DOLOMITE, INC.**
MARIANNA, FLORIDA
JOB NO. **DOLO8IWP**
SHEET NO. **1**

May 15, 2013 - 13:27:21 DWG Name: E:\Apro\0013wp\proj-map.dwg Updated By: gene nobles
© DAVID H. MELVIN, INC. ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR UTILIZED IN ANY FORM WITHOUT PRIOR WRITTEN PERMISSION OF DAVID H. MELVIN, INC.



SCALE: 1" = 1000'
LOCATION: Marianna, Florida
SECTION: 18 & 19 TOWNSHIP: 3N RANGE: 9W
13 3N 10W

COUNTY: Jackson
OUTFALL #1
LATITUDE: 30° 39' 02" LONGITUDE: 85° 10' 50"
OUTFALL #5
LATITUDE: 30° 39' 22" LONGITUDE: 85° 09' 53"
Oakdale, Florida Quadrangle

KEY	DATE	REVISIONS

APPROVED:	
Project Manager	Date
Quality Control	Date

DAVID H. MELVIN, INC.
Consulting Engineers



MARIANNA 904/482-3045

TALLAHASSEE 904/671-7221

PROJECT	DOLOMITE, INC. INDUSTRIAL WASTEWATER PERMIT
SHEET TITLE	SITE AERIAL

CLIENT	DOLOMITE, INC. MARIANNA, FLORIDA
JOB NO.	DOLO81WP
SHEET NO.	2

May 16, 2013 - 13:27:21 DWG Name: E:\Apro\13wp\Site-2.dwg Updated By: gene nobles
© DAVID H. MELVIN, INC. ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR UTILIZED IN ANY FORM WITHOUT PRIOR WRITTEN PERMISSION OF DAVID H. MELVIN, INC.



LEGEND:

- DRAINAGE FLOW ARROW
- SEDIMENTATION BASIN
- PROPERTY LINE
- DRAINAGE DIVIDE

KEY	DATE	REVISIONS

APPROVED:

Project Manager _____ Date _____

Quality Control _____ Date _____

**DAVID H. MELVIN, INC.**
Consulting Engineers
MARIANNA 904/482-3045
TALLAHASSEE 904/671-7221

PROJECT **DOLOMITE, INC.**
INDUSTRIAL WASTEWATER PERMIT

SHEET TITLE **SITE MAP**

CLIENT **DOLOMITE, INC.**
MARIANNA, FLORIDA

JOB NO. **DOL13IWP**

SHEET NO. **3**

