

<code>index (i)</code>	If possible, positions the visible part of the listbox so that the line containing index <code>i</code> is at the top of the widget.
<code>insert (index, *elements)</code>	Insert one or more new lines into the listbox before the line specified by index. Use <code>END</code> as the first argument if you want to add new lines to the end of the listbox.
<code>nearest (y)</code>	Return the index of the visible line closest to the <code>y</code> -coordinate <code>y</code> relative to the listbox widget.
<code>see (index)</code>	Adjust the position of the listbox so that the line referred to by index is visible.
<code>size()</code>	Returns the number of lines in the listbox.
<code>xview()</code>	To make the listbox horizontally scrollable, set the command option of the associated horizontal scrollbar to this method.
<code>xview_moveto (fraction)</code>	Scroll the listbox so that the leftmost fraction of the width of its longest line is outside the left side of the listbox. Fraction is in the range <code>[0,1]</code> .
<code>xview_scroll (number, what)</code>	Scrolls the listbox horizontally. For the <code>what</code> argument, use either <code>UNITS</code> to scroll by characters, or <code>PAGES</code> to scroll by pages, that is, by the width of the listbox. The <code>number</code> argument tells how many to scroll.
<code>yview()</code>	To make the listbox vertically scrollable, set the command option of the associated vertical scrollbar to this method.
<code>yview_moveto (fraction)</code>	Scroll the listbox so that the top fraction of the width of its longest line is outside the left side of the listbox. Fraction is in the range <code>[0,1]</code> .