



All-AH-AIA wifi Access

Authored by Oklahoma Clinical Informatics




To increase Wifi stability follow these steps to join the All-AH-AIA wifi network.

Index - Select your topic


- [Android Device](#)
- [IOS Device](#)
- [Windows Phone](#)
- [Mac](#)
- [Windows 10](#)
- [Windows 7](#)

Android Device


- Navigate to settings . Swipe down on the main screen.
- Click the setting gear icon




- Select Connections (may also be listed as Network & Internet or Network - WiFi)



-
- Select WiFi, if not already selected:



-
- Ensure WiFi is turned on:



-
- Select the AH-AIA wireless network:



-
- If the user has a drop down box for CA Certificate ensure that it is set to "Don't Validate"
-

EAP method
PEAP ▼

CA certificate

Don't validate

No certificate specified. Your connection won't be private.

-
- **Complete the Identity and Password fields**
 - Identity should be "Domain\username"
 - Anonymous identity should be left blank
 - Password is users AD password

58% 2:17 PM

AH-AIA

Identity

Anonymous identity

Password

Enter password

☐ Show password

CANCEL CONNECT

AH-VOICE

1 2 3 4 5 6 7 8 9 0

+ × ÷ = / y _ < i > []

q w e r t y u i o p

! @ # \$ % & * ()

a s d f g h j k l


↑ z x c v b n m ↵

!@# , English (US) . Next


- Start by navigating to the Wi-Fi Settings on your phone. At the Home screen, select the Settings icon .




- In the Settings menu, click on Wi-Fi.



- Verify that the Wi-Fi toggle switch is set to on (green), and choose AH-AIA from the Wireless Network list.



- Complete the Username and Password fields. Be sure to include the domain and backslash to the username field. (domain\username).
- Once all fields are completed as shown, click Join.
- NOTE: If you are prompted with Certificate details, click Accept.
- You are now connected to the AH-AIA Wireless network.





AHWINFININD027.inind.DS.SJ...

AHNAT-AHWCERAHNAT002-CA

Not Verified


Accept




Description Client Authentication

Windows Phone


- Start by navigating to the Wi-Fi Settings on your phone. At the Home screen, swipe left to show applications and select Settings
- If the AH-AIA network already exists but is not connecting it may need to be deleted/forgotten before continuing.
- While in the Connections screen old/legacy ministry networks should also be removed (if the names are known).



- Select Wi-Fi




-
- In the Wi-Fi Networks, Select Ah-AIA



- Enter User name (domain\username) and password, and select Done.




-
- When presented with the following screen, choose Accept.




-
- You are now connected to the AH-AIA Wireless network.

Mac


- Navigate to the Wi-Fi Settings in System Preferences and click Network.




- In the Settings menu, click on Wi-Fi and select AH-AIA



- Complete the Username and Password fields. Be sure to include the domain and backslash to the username field. (domain\username).
 - Once all fields are completed as shown, click Join.




- **NOTE:** If you are prompted with Certificate details, click Accept.



- You are now connected to the AH-AIA Wireless network

Windows 10


- Left click the wireless icon (bottom right of screen). This will display a list of all available WIFI networks



- Select AH-AIA from the list:



- Enter your username and password. Make sure you put DOMAIN\USERNAME as shown below. If you do not include DOMAIN\ you will not be able to log in.



Windows 7


- Click on Windows icon in the lower left of your screen.
 - Depending on the device, it may display as one of the following:




or



- Click on Control Panel
- Click on Network and Sharing Center
- In the upper left, click on Manage wireless networks



- Click on Add in the menu line



- Click on Manually create a network profile

How do you want to add a network?



Manually create a network profile

This creates a new network profile or locates an existing network and saves a profile for the network on your computer. You need to know the network name (SSID) and security key (if applicable).



Create an ad hoc network

This creates a temporary network for sharing files or an Internet connection

- Type in SSID AH-AIA in the Network Name
- Select Security type of WPA2-Enterprise
- Select Encryption type of AES

- Check “Start this connection automatically”

Enter information for the wireless network you want to add

Network name:

Security type:

Encryption type:

Security Key: ☐ Hide characters

☐ Start this connection automatically

☐ Connect even if the network is not broadcasting

Warning: If you select this option, your computer's privacy might be at risk.

- Once created, use the Move Up menu option to ensure that AH-SYS is listed at the top of the SSID list.

Add	Remove	Move down	Adapter properties	Profile types	Network and Sharing Center
Networks you can view, modify, and reorder (6)					
	AH-AIA	Security: WPA2-Enterprise	Type: Any supported	Automatically connect	
	AH-SYS	Security: WPA2-Enterprise	Type: Any supported	Automatically connect	

By default, the device will connect to the SSID at the top of the list.

- Verify that your information is correct. Double click the AH-AIA SSID
- Connection screen should look like the screen below:

Connection **Security**

Name: AH-AIA

SSID: AH-AIA

Network type: Access point

Network availability: All users

☒ Connect automatically when this network is in range

☐ Connect to a more preferred network if available

☐ Connect even if the network is not broadcasting its name (SSID)

☐ Enable WLAN connection settings

- Security screen should look like the screen below:

Connection Security

Security type: WPA2-Enterprise

Encryption type: AES

Choose a network authentication method:

Microsoft: Protected EAP (PEAP) Settings

☒ Remember my credentials for this connection each time I'm logged on

Advanced settings

- Click on Advanced settings on the Security screen.
- Make sure Specify authentication mode is check marked.
- Click the down arrow and set to User or Computer authentication

Advanced settings

802.1X settings 802.11 settings

☒ Specify authentication mode:

User or computer authentication Save credentials

☐ Delete credentials for all user:

☐ Enable single sign on for this network

☒ Perform immediately before user logon
☐ Perform immediately after user logon
 Maximum delay (seconds): 10

☒ Allow additional dialogs to be displayed during single sign on

☐ This network uses separate virtual LANs for machine and user authentication

OK Cancel



Need Support?

Clinical Informatics: ClinicalInformaticshospitals@sjmc.org and 918-744-3088 (Mon-Fri)