



Available Autotext Phrases

Authored by Oklahoma Clinical Informatics



Overview: This job aid serves as a resource for Emergency Department Providers, offering quick access to the global autotext phrases available within the ED.

Emergency Room Global Phrases

Auto Text Name	Description
//peNauseaVomitingDiarrhea	PE Nausea, Vomiting, and/or Diarrhea
//peadultcoughbronchitis	PE Adult - Cough/Bronchitis
//peadultearpain	PE Adult - Ear Pain
//peadultsinusitis	PE Adult - Sinusitis
//peadultsorethroat	PE Adult - Sore Throat
//peadulturi	PE Adult - URI
//peankleinjurysprain	PE - Ankle Injury/Sprain
//pebackpain	PE - Back Pain
//peconjunctivitis	PE - Conjunctivitis
//pedysuria	PE - Dysuria
//peelbowinjurypainltelbow	PE - Elbow Injury/Pain (left elbow)
//peelbowinjurypainltshoulder	PE - Elbow Injury/Pain (left shoulder)
//peelbowinjurypainltwrist	PE - Elbow Injury/Pain (left wrist)
//peelbowinjurypainrtelbow	PE - Elbow Injury/Pain (right elbow)
//peelbowinjurypainrtshoulder	PE - Elbow Injury/Pain (right shoulder)
//peelbowinjurypainrtwrist	PE - Elbow Injury/Pain (right wrist)
//peelwristinjurypainltelbow	PE - Wrist Injury/Pain (left elbow)
//peelwristinjurypainltwrist	PE - Wrist Injury/Pain (left wrist)
//peelwristinjurypainrtelbow	PE - Wrist Injury/Pain (right elbow)
//peelwristinjurypainrtwrist	PE - Wrist Injury/Pain (right wrist)
//pefootinjurypain	PE - Foot Injury/Pain
//pehandinjurypainlthand	PE - Hand Injury/Pain (left hand)
//pehandinjurypainltwrist	PE - Hand Injury/Pain (left wrist)
//pehandinjurypainrthand	PE - Hand Injury/Pain (right hand)
//pehandinjurypainrtwrist	PE - Hand Injury/Pain (right wrist)
//peheadache	PE Adult - Headache
//pehipinjurysprainlthip	PE - Hip Injury/Sprain (left hip)
//pehipinjurysprainltknee	PE - Hip Injury/Sprain (left knee)
//pehipinjurysprainrthip	PE - Hip Injury/Sprain (right hip)
//pehipinjurysprainrtknee	PE - Hip Injury/Sprain (right knee)
//pekneeinjurypainltankle	PE - Knee Injury/Sprain (left ankle)
//pekneeinjurypainlthip	PE - Knee Injury/Sprain (left hip)
//pekneeinjurypainltknee	PE - Knee Injury/Sprain (left knee)
//pekneeinjurypainltrankle	PE - Knee Injury/Sprain (right ankle)
//pekneeinjurypainrthip	PE - Knee Injury/Sprain (right hip)
//pekneeinjurypainrtknee	PE - Knee Injury/Sprain (right knee)

//peshoulderinjurypainltelbow	PE - Shoulder Injury/Sprain (left elbow)
//peshoulderinjurypainltshoulder	PE - Shoulder Injury/Sprain (left shoulder)
//peshoulderinjurypainrtelbow	PE - Shoulder Injury/Sprain (right elbow)
//peshoulderinjurypainrtshoulder	PE - Shoulder Injury/Sprain (right shoulder)
//rosNauseaVomitingDiarrhea	ROS - Nausea, Vomiting, and/or Diarrhea
//rosadultearpain	ROS Adult - Ear Pain
//rosankleinjurysprain	ROS - Ankle Injury/Sprain
//rosbackpain	ROS - Back Pain
//rosconjunctivitis	ROS - Conjunctivitis
//roscoughbronchitis	ROS - Cough/Bronchitis
//rosdysuria	ROS - Dysuria
//roselbowinjurysprain	ROS - Elbow Injury/Sprain
//rosfootinjurypain	ROS - Foot Injury/Pain
//roshandinjurysprain	ROS - Hand Injury/Sprain
//rosheadache	ROS - Headache
//rosneckinjurypain	ROS - Neck Injury/Sprain
//rosshortsorethroat	ROS Short (Sore Throat URI)
//rosshoulderinjurypain	ROS - Shoulder Injury/Sprain
//rossinusitis	ROS - Sinusitis
//rosuri	ROS - URI
//roswristinjurysprain	ROS - Wrist Injury/Sprain
=Labs (use if admitted)	Labs and diagnostics
\ROS	General Adult Review of systems
\PE	General adult Physical exam

Trauma Global phrases- Procedures

NOTE: To use the Trauma Procedures Type <shift>) in the freetext field under procedure.

Ph)Fast *

Ph)Mechanizmoftinjury *

Ph)PhysicalExam *

Ph)TraumaABG *

Ph)TraumaAnkle-BrachialIndex *

Ph)TraumaArtLine *

Ph)TraumaAudC *

Ph)TraumaBurn *

Ph)TraumaCPR *

Ph)TraumaCTI *

Ph)TraumaComplexLacerationRepair *

Ph)TraumaEDThoracotomy *

Ph)TraumaET *

Ph)TraumaGCS *

Ph)TraumaGCS40/EVD *

Ph)TraumaLE *

Ph)TraumaModeratesedation *

Ph)TraumaPelvis *

Ph)TraumaREBOA *

Ph)TraumaUE *

Ph)TraumaUS *

Ph)TraumaVBD *

Ph)Traumacomorbs

Ph)periphpulses *

Ph)reviewofsystems *

Autotext for Restraints and Procedure consent

NOTE: This autotext was created to satisfy TJC requirements for Restraints and Procedural consent.

Available for Pownote ED and Dynamic Doc (Inpatient Provider notes) . Just type **\Restraints** to place in note.

Free Text Note X List

Tahoma

9



A face to face evaluation of the patient was performed at (TIME).

The subsequent evaluation concluded the following: Immediate situation: _____

Reaction to the Intervention: _____. Medical and behavioral condition: _____


Need to Continue/Terminate Restraint: _____.

Available for Pownote ED and Dynamic Doc (Inpatient Provider notes) . Just type **\Consent** to place in note.


☐ The informed consent process includes a discussion about the following:

- This patient's proposed care, treatment, and services.
- Potential benefits, risks, and side effects of the patient's proposed care, treatment, and services; the likelihood of the patient achieving their goals; and any potential problems that might occur during recuperation.
- We also discussed reasonable alternatives to the patient's proposed care, treatment, and services.
- This discussion encompasses risks, benefits, and side effects related to the alternatives and the risks related to not receiving the proposed care, treatment, and services.

Additional resources



Scan for overview of DynDoc



Scan for video on Autotext



Need Support?

Clinical Informatics: ClinicalInformaticshospitals@sjmc.org and 918-744-3088 (Mon-Fri)