



Medication Reconciliation

Authored by Oklahoma Clinical Informatics




Overview: The Medication Reconciliation toolbar button is a tool that allows the physician to efficiently reconcile a patient's documented medication list and to quickly and accurately make the appropriate decision on each medication order. Central to the reconciliation process should be a single source of up-to-date medications with all necessary order details.

Admission Medication Reconciliation (From the Menu)


NOTE: Medication Reconciliation can be completed from the **Menu** within **PowerChart** by choosing either the **Orders** or **Medication List** Tabs

1. Select the Orders or Medication List tab from the Menu.




IMPORTANT! Admission Reconciliation cannot be completed until **Document Medications** by Hx has been completed. It can be completed by adding Home Medications or by selecting the No Known Home Medications box or the Unable to Obtain Information box.

2. Select the **Reconciliation** dropdown and click **Admission**



3. Make the appropriate selections from the **Reconciliation Action**. You can select **Continue** or **Do Not Continue**. On the left side you see all the orders that the patient is currently on. Once a selection is made to **Continue**  or **Discontinue**  the patients medications, they will populate to the right side in **Orders After Reconciliation**.

- If you want to add additional medications for the patients hospital stay select the  to open the orders screen and complete the additional orders.
- If there are any orders that have not been reconciled, an orange star icon  will appear next to the order. An alert will also appear at the bottom right of the screen  which will show the number of missing reconciled orders.
- Once your reconciliation is complete, click **Reconcile and Sign** at the bottom right of the screen.

Order Reconciliation: Admission - UCTEST, HNAONEA

UCTEST, HNAONEA Age: 41 years Sex: Female Loc: 11E: 1104: 01 ** Allergies **
 Code Status: None Specified Portal: No DOB: 09/23/80 MRN: SJ17173022 Fin#: SJ7101079567 Inpatient [04/20/22 01:55:00 CD...
 PCP: Isolation: ID: Attending:

+ Add | Manage Plans Reconciliation Status:  Meds History | Admission | Discharge

Orders Prior to Reconciliation			Orders After Reconciliation		
Order Name/Details	Status		Order Name/Details	Status	
aspirin (aspirin 81mg chewable tab) 81 mg, 1 Tab, Chewed, BID	Ordered		aspirin (aspirin 81mg chewable tab) 81 mg, 1 Tab, Chewed, BID	Ordered	
aspirin (aspirin 81mg chewable tab) 81 mg, 1 Tab, PO, ONCE	Ordered		aspirin (aspirin 81mg chewable tab) 81 mg, 1 Tab, PO, ONCE	Ordered	
digoxin (digoxin 0.125mg tablet) 0.125 mg, 1 Tab, PO, DAILY1800	Ordered		digoxin (digoxin 0.125mg tablet) 0.125 mg, 1 Tab, PO, DAILY1800	Ordered	
digoxin (digoxin 0.125mg tablet) 0.125 mg, 1 Tab, PO, DAILY1800	Ordered		digoxin (digoxin 0.125mg tablet) 0.125 mg, 1 Tab, PO, DAILY1800	Ordered	
diphenhydramine (Benadryl) (diphenhydramine 25mg capsule) 25 mg, 1 Cap, PO, Q4 hr, PRN: Itching	Ordered		diphenhydramine (Benadryl) (diphenhydramine 25mg capsule) 25 mg, 1 Cap, PO, Q4 hr, PRN: Itching	Ordered	
flecainide (flecainide 50 mg oral tablet) 50 mg, 1 Tab, PO, Q12 hr, 60 Tab, 0 Refill(s)	Documented				
ibuprofen (Advil) (ibuprofen 200mg caplet) 200 mg, 1 Tab, PO, Q4 hr, PRN: Fever / Mild Pain	Ordered		ibuprofen (Advil) (ibuprofen 200mg caplet) 200 mg, 1 Tab, PO, Q4 hr, PRN: Fever / Mild Pain	Ordered	
ibuprofen (ibuprofen 200mg caplet) 200 mg, 1 Tab, PO, Q6 hr, PRN: Fever / Mild Pain	Ordered		ibuprofen (ibuprofen 200mg caplet) 200 mg, 1 Tab, PO, Q6 hr, PRN: Fever / Mild Pain	Ordered	
lithium (lithium 150 mg oral capsule) 150 mg, 1 Cap, PO, BID, 60 Cap, 0 Refill(s)	Documented				
verapamil (Calan) (verapamil 40mg tablet) 40 mg, 1 Tab, PO, BID	Ordered		verapamil (Calan) (verapamil 40mg tablet) 40 mg, 1 Tab, PO, BID	Ordered	
IV Solutions			IV Solutions		
Sodium Chloride 0.9% intravenous solution 100 mL + menthol-methyl salicyl... 2 mL/mL/hr, IV, Stop: 06/22/22 23:28:00 CDT	Ordered		Sodium Chloride 0.9% intravenous solution 100 mL + menthol-methyl salicyl... 2 mL/mL/hr, IV, Stop: 06/22/22 23:28:00 CDT	Ordered	

0 Missing Required Details 2 Unreconciled Order(s) Dx Table **Reconcile And Sign** Cancel

IMPORTANT! Prior to completing the Medication Reconciliation, the admission reconciliation status is incomplete  when no admission reconciliations have been recorded on the current encounter, or when one admission reconciliation has been recorded but the criteria for the Complete status have not been met.

The admission reconciliation status is complete  when all of the following criteria are true:

- There is at least one admission reconciliation recorded on the current encounter.
- All active orders that qualified for reconciliation at the time of the most recent admission reconciliation on the current encounter have been reconciled.
- No new historical medications have been documented on the current encounter between the date and time of the most recent admission reconciliation and the date and time of the first transfer or discharge reconciliation.

NOTE: If an **Admission** or Discharge Reconciliation is **INCOMPLETE**, the blue **Chasing Arrows** icon will appear.

Status:  Meds History |  Admission  Discharge | View Details

Non-Medication Orders

Non-Medication orders are added to a Non-Medications category under the Current Medications section. The Non-Medication category is added to the navigation tree when the first non-medication order is added. Reconciliation options are not available for new non-medication orders.

To add a new non-medication order, complete the following steps:

- In the enhanced medication reconciliation view, click +Add to open the Add Order window.
- Search for and select the order. The order is added to the list under the appropriate clinical category.
- Click Done. The Add Order window closes and validations and alert checking for signing orders occurs.

If you cancel the reconciliation conversation, the system displays the message: All pending actions will be lost. Do you wish to continue? If you select to lose unsigned data, you will lose new orders. If you do not select to lose unsigned data, the system returns to the reconciliation window.

Orders Prior to Reconciliation				Orders After Reconciliation			
Order Name/Details	Status			Order Name/Details	Status		
 benzonatate (benzonatate 100mg capsule) 200 mg, 2 Cap, PO, TID, PRN: Cough	Ordered			 benzonatate (benzonatate 100 mg oral capsule) 200 mg, 2 Cap, PO, TID, PRN: Cough, 30 Cap, 0 Refill(s) < Notes for Patient >	Prescribed		
 guanFACINE (guanFACINE 2 mg oral tablet) 2 mg, 1 Tab, PO, BEDTIME, 30 Tab, 0 Refill(s)	Documented			 guanFACINE (guanFACINE 2 mg oral tablet) 2 mg, 1 Tab, PO, BEDTIME, 30 Tab, 0 Refill(s) < Notes for Patient >	Documented		
 guanFACINE (guanFACINE 1mg tablet) 2 mg, 2 Tab, PO, BEDTIME	Ordered						
 multivitamin (Multi Vitamin+) 1, PO, DAILY, 0 Refill(s)	Documented			 multivitamin (Multi Vitamin+) 1, PO, DAILY, 0 Refill(s) < Notes for Patient >	Documented		
 multivitamin with iron (Multiple Vitamins with Iron oral tablet) (multivitam... 1 Tab, PO, DAILY	Ordered						
 naproxen (naproxen 500 mg (as sodium) oral tablet, extended release) 500 mg, 1 Tab, PO, BID, 0 Refill(s)	Documented			 naproxen (naproxen 500 mg (as sodium) oral tablet, extended release) 500 mg, 1 Tab, PO, BID, 0 Refill(s) < Notes for Patient >	Documented		
 naproxen 500 mg, PO, BID	Ordered						
 Non-Medications							
 Physical Therapy Referral (PT Referral) 06/04/22 10:26 CDT, Routine, Evaluation and Treatment, Ht 175.26, Wt 82.73, A...	Order						

Discharge Medication Reconciliation

- Click the **Reconciliation** button in the **Medication List** of the **PowerOrders** component and select **Discharge** from the list

The screenshot shows the 'Inpatient Workflow' application. The left sidebar has a 'Medications' link highlighted with a red box and a red arrow. The main area shows 'Home Medications (4)' with a table of medications. A red arrow points to the 'Discharge' button in the top right of the medication list.

Medication	Compliance	Supply R...	Responsible Provider
cyanocobalamin (Vitamin B12) 1,000 Mcg, IM, QMONTH, 0 Refill(s)	--	--	--
guanFACINE (guanFACINE 2 mg oral tablet) 2 mg, 1 Tab, PO, BIDD, 30 Tab, 0 Refill(s)	--	--	--

IMPORTANT

- FOLLOW THE SAME STEPS AS ABOVE FOR "ADMISSION RECONCILIATION"
- THERE IS NOW A MIDDLE COLUMN TO ORDER PRESCRIPTIONS FOR THE PATIENT UPON DISCHARGE.

The screenshot shows the 'Reconciliation Status' screen. It has two main columns: 'Orders Prior to Reconciliation' and 'Orders After Reconciliation'. A red arrow points to the 'benzonatate (benzonatate 100 mg oral capsule)' entry in the 'Orders After Reconciliation' column.

Order Name/Details	Status	Order Name/Details	Status
multivitamin (Multi Vitamin+) 1, PO, DAILY, 0 Refill(s)	Documented		
multivitamin with iron (Multiple Vitamins with Iron oral tablet) (multivitamin...) 1 Tab, PO, DAILY	Ordered		
naproxen (naproxen 500 mg (as sodium) oral tablet, extended release) 500 mg, 1 Tab, PO, BID, 0 Refill(s)	Documented		
naproxen 500 mg, PO, BID	Ordered		
benzonatate (benzonatate 100mg capsule) 200 mg, 2 Cap, PO, TID, PRN: Cough	Ordered	benzonatate (benzonatate 100 mg oral capsule) 200 mg, 2 Cap, PO, TID, PRN: Cough, 30 Cap, 0 Refill(s) < Notes for Patient >	Prescribe

Details for: **benzonatate (benzonatate 100 mg oral capsule)**

Send To: Do Not Send: given to patient

Send to Pharmacy is not available because benzonatate 100 mg oral capsule is not eligible.

- ALL PRESCRIPTION ORDERS WILL ROUTE TO THE PATIENT'S PHARMACY OF CHOICE.

Workflow Admission and Discharge Reconciliation

NOTE: Admission and Discharge Medication Reconciliation can also be completed from your Workflow.

11. From your **Inpatient Workflow MPage** you can access **Admission and Discharge Medication Reconciliation** by selecting either the **Medications** or **Home Medications** component.
12. Select **Admit or Discharge** to complete the **Reconciliation**.

The screenshot displays the 'Inpatient Workflow' interface for patient 'TEST-CERT, VRNFOUR'. The top header includes patient demographics: Age: 69 years, Sex: Female, DOB: 04/19/53, MRN: SJ17172347, Loc: 12E, 1207; 02, Fin#: SJ7101079192, ID: [redacted], and Allergies: [redacted]. The 'Code Status' is 'Full Code' and 'Portal' is 'No'. The 'PCP' is 'Test, Doc Nowata' and 'Isolation' is 'None'. The 'Attending' is 'Test, Doc Nowata'. The 'Inpatient' status is '04/06/22 16:08:36 CD...'. The 'Menu' on the left includes 'Labs', 'New Order Entry', 'Chief Complaint', 'Home Medications (5)', and 'Medications'. The 'Medications' section is active, showing a table of scheduled medications. The table has columns for 'Order', 'Order Start', and 'Status'. The first two rows are for 'abatacept IVPB. 500 mg, IVPB, ONCE, Weeks 21' and 'abatacept IVPB. 500 mg, IVPB, ONCE, Weeks 17', both with a status of 'Future'. The 'Status' column has a dropdown menu with options: 'Status: [checkmark] Meds History [checkmark] Admission [checkmark] Discharge View Details'. The 'Admission' and 'Discharge' options are highlighted with a red box. The 'Medications' component is highlighted with a red box. The 'Home Medications (5)' component is highlighted with a red box. The 'Admit Inpt WF' tab is highlighted with a red box.

Order	Order Start	Status
abatacept IVPB. 500 mg, IVPB, ONCE, Weeks 21	OCT 22, 2022 12:04	Future
abatacept IVPB. 500 mg, IVPB, ONCE, Weeks 17	SEP 24, 2022 12:04	Future



Need Support?

Contact your Clinical Informatics Team

Hospital Team: ClinicalInformaticshospitals@sjmc.org and 918-744-3088 (Mon-Fri)

AMG Clinic Team: OKTUL-DL-SJCAmbulatoryClinicalInformatics@ascension.org