



HP LaserJet 400 M401dn

Network Summary

TCP/IP(v4)

Status	=Ready
IPv4 Address	=192.168.0.14
Subnet Mask	=255.255.255.0
Default Gateway	=192.168.0.1
IP Configured By	=Manual
IP Preferred Address Method	=Manual
TFTP Server	=Not Specified
WINS Server	=Not Specified
Preferred DNS Address	=192.168.0.2
Alternate DNS Address	=Not Specified

Network Identification

Host Name	=NPI17759D
Domain Name (IPv4/IPv6)	=
Domain Name (IPv6 only)	=
Bonjour Service Name	= ICT Printer
Bonjour Domain Name	= NPI17759D.local.
Bonjour Highest Priority Service	=IPP Printing

Syslog

Server IP	=Not Specified
Server Port	=0
Max Messages Per Minute	=0
Max Message Priority	=0
Facility	=LPR
Server Connection Type	=TCP

TCP/IP(v6)

Status	=Ready
Link-Local Address	= FE80::1260:4BFF:FE17:759D
Stateless (from Router)	=Not Specified
Stateful (from DHCPv6)	=Not Specified

Network Hardware Configuration

Status	= Connected
Hardware Address	=10:60:4b:17:75:9d
Link Speed and Duplex Negotiation	= Manual
Link Speed	= 100 Mbps
Duplex	= Half

SNMP

SNMPv1/v2	
Status	=
Read-Write Access Enabled	
Set Community Name	=
Not Specified (Defaults to 'public')	
Get Community Name	=
Not Specified (Defaults to 'public')	
SNMPv3	
Status	=Disabled

Network Statistics

Total Packets Received	=12109
Unicast Packets Received	=6342
Bad Packets Received	=0
Framing Errors Received	=0
Total Packets Transmitted	=5507
Unsendable Packets	=0
Transmit Collisions	=56
Transmit Late Collisions	=0
WS-Print Users	=6

Network Configuration

Page 1

Date/Time : 28-JUN-2024 18:56 FRI
Model Name : HP Laser MFP 137fnw
Machine Serial Number : CNB2R67INB
Product Number : 4ZB84A
Host Name : HP7C4D8F7356A0

Network Information

General Information

Host Name : HP7C4D8F7356A0
Contact : Administrator
Location :
MAC Address : 7C:4D:8F:73:56:A0
NIC Firmware Version : 31.03.60_0.1_13-11-18
Network Connection Status : Connected

TCP/IPv4 Information

IP Assignment : STATIC
IP Address : 192.168.0.52
SubNet Mask : 255.255.255.0
Default Gateway : 192.168.0.1

TCP/IPv6 Information

IPv6 Protocol : Disabled
Link-Local Address :
Stateless Address :
Stateful Address :
Manual Address :
DHCPv6 Configuration : Use DHCP as directed by a router

Raw TCP/IP Printing Information

Raw TCP/IP Printing Protocol : Enabled
Port Number : 9100

LPR/LPD Information

LPR/LPD Protocol : Enabled
Port Number : 515

IPP Information

IPP Protocol : Enabled
Printer URI : ipp://192.168.0.52/ipp/print
Authentication Type : None

SLP Information

SLP Protocol : Disabled
Port Number : 427

UPnP Information

SSDP Protocol : Disabled
Port Number : 1900

mDNS Information

mDNS Protocol : Enabled
Port Number : 5353

SNMP Information

SNMPv1/v2 Protocol : Enabled
SNMPv3 Protocol : Disabled

HTTP Information

HTTP Protocol : Enabled
Port Number : 80

SetIP Information

SetIP Protocol : Enabled
Port Number : 6000

IP Security Information

IPSec Protocol : Disabled

IP Filtering Information

IPv4 Filtering : Disabled
IPv6 Filtering : Disabled

MAC Filtering Information

MAC Filtering : Disabled

Wi-Fi Network Information

General Information

SSID : CBP_WIFI
Operation Mode : Infrastructure

Status Information

Link Status : Not Connected
Link Quality : No Signal
Current Channel : 1

WPS Information

PIN Number : 78212633

Wi-Fi Direct Information

Wi-Fi Direct : Enabled
Device Name : HP_PRINTER
IP Address : 192.168.223.1
Role : Group Owner
Current SSID : DIRECT-A0-HP_HP_PRINTER
Network Key : Stock@123
Current Status : Connected (0)

Network Configuration

Page 1

Date/Time : 28-JUN-2024 17:07 FRI
Model Name : HP Laser MFP 137fnw
Machine Serial Number : CNB2R67INB
Product Number : 4ZB84A
Host Name : HP7C4D8F7356A0

Network Information

General Information

Host Name : HP7C4D8F7356A0
Contact : Administrator
Location :
MAC Address : 7C:4D:8F:73:56:A0
NIC Firmware Version : 31.03.60_0.1_13-11-18
Network Connection Status : Connected

TCP/IPv4 Information

IP Assignment : DHCP
IP Address : 192.168.20.101
SubNet Mask : 255.255.255.0
Default Gateway : 192.168.20.1

TCP/IPv6 Information

IPv6 Protocol : Disabled
Link-Local Address :
Stateless Address :
Stateful Address :
Manual Address :
DHCPv6 Configuration : Use DHCP as directed by a router

Raw TCP/IP Printing Information

Raw TCP/IP Printing Protocol : Enabled
Port Number : 9100

LPR/LPD Information

LPR/LPD Protocol : Enabled
Port Number : 515

IPP Information

IPP Protocol : Enabled
Printer URI : ipp://192.168.20.101/ipp/print
Authentication Type : None

SLP Information

SLP Protocol : Disabled
Port Number : 427

UPnP Information

SSDP Protocol : Disabled
Port Number : 1900

mDNS Information

mDNS Protocol : Enabled
Port Number : 5353

SNMP Information

SNMPv1/v2 Protocol : Enabled
SNMPv3 Protocol : Disabled

HTTP Information

HTTP Protocol : Enabled
Port Number : 80

SetIP Information

SetIP Protocol : Enabled
Port Number : 6000

IP Security Information

IPSec Protocol : Disabled

IP Filtering Information

IPv4 Filtering : Disabled
IPv6 Filtering : Disabled

MAC Filtering Information

MAC Filtering : Disabled

Wi-Fi Network Information

General Information

SSID : CBP
Operation Mode : Infrastructure

Status Information

Link Status : Not Connected
Link Quality : No Signal
Current Channel :

WPS Information

PIN Number : 78212633

Wi-Fi Direct Information

Wi-Fi Direct : Enabled
Device Name : HP PRINTER
IP Address : 192.168.223.1
Role : Group Owner
Current SSID : DIRECT-A0-HP HP PRINTER
Network Key : Stock#123
Current Status : Connected (0)

Network Configuration

Page 1

Date/Time : 28-JUN-2024 17:00 FRI
Model Name : HP Laser MFP 137fwn
Machine Serial Number : CNB2R67TNE
Product Number : 42B84A
Host Name : HP7C4D8F7356A0

Network Information

General Information

Host Name : HP7C4D8F7356A0
Contact : Administrator
Location :
MAC Address :
NIC Firmware Version : 7C4D8F7356A0
Network Connection Status : 31.03.63_0.1_13-11-18
Network Cable Unplugged

TCP/IPv4 Information

IP Assignment : DHCP
IP Address : 169.254.77.248
SubNet Mask : 255.255.0.0
Default Gateway : 0.0.0.0

TCP/IPv6 Information

IPv6 Protocol : Disabled
Link-Local Address :
Stateless Address :
Stateful Address :
Manual Address :
DHCPv6 Configuration : Use DHCP as directed by a router

Raw TCP/IP Printing Information

Raw TCP/IP Printing Protocol : Enabled
Port Number : 9100

LPR/LPD Information

LPR/LPD Protocol : Enabled
Port Number : 515

IPP Information

IPP Protocol : Enabled
Printer URI : ipp://169.254.77.248/ipp/print
Authentication Type : None

SLP Information

SLP Protocol : Disabled
Port Number : 427

UPnP Information

SSDP Protocol : Disabled
Port Number : 1900

mDNS Information

mDNS Protocol : Enabled
Port Number : 5353

SNMP Information

SNMPv1/v2 Protocol : Enabled
SNMPv3 Protocol : Disabled

HTTP Information

HTTP Protocol : Enabled
Port Number : 80

SetIP Information

SetIP Protocol : Enabled
Port Number : 5000

IP Security Information

IPSec Protocol : Disabled

IP Filtering Information

IPv4 Filtering : Disabled
IPv6 Filtering : Disabled

MAC Filtering Information

MAC Filtering : Disabled

Wi-Fi Network Information

General Information

SSID : CBP
Operation Mode : Infrastructure

Status Information

Link Status : Not Connected
Link Quality : No Signal
Current Channel :

WPS Information

PIN Number : 78212633

Wi-Fi Direct Information

Wi-Fi Direct : Enabled
Device Name : HP PRINTER
IP Address : 192.168.223.1
Role : Group Owner
Current SSID : DIRECT-AC-HP HP PRINTER
Network Key : 80ck0123
Current Status : Connected (0)