

Defensive Public Exposure Audit

Subject: Joshua Luke Parris / Joshua Parris | Report date: 5 June 2026

Private handling note: Keep this report private. It consolidates public findings into one document. Sensitive values such as exact coordinates, student identifiers, and exact family/finance details are redacted here.

Scope: Public-web audit only. No breached data, paid people-search records, login-only content, impersonation, password resets, exploit attempts, aggressive scraping, repository cloning, or private-system access was used.

1. Executive Summary

Overall exposure rating: High. The largest risk is aggregation: public dashboards, GitHub/Vercel projects, old profiles, public business records and family-name apps combine into a detailed life map.

Most urgent: take down or protect the public personal intelligence dashboard and JoshHub. **Most sensitive:** family/child apps, health app, private-life dashboard content, finance/family-care content and intimate relationship app.

Credential status: no confirmed live API keys, passwords or private keys were found from public search snippets and sampled pages. This does not replace full repo cloning, Git history scanning and GitHub secret scanning.

Top 10 Highest-Risk Findings

1. Critical - Public personal intelligence dashboard

This creates a rich life-map even if raw datasets are not visible. It is the most aggregation-friendly public item found.

Action: Take offline now or place behind strong authentication. Check Vercel/GitHub storage for raw JSON/CSV assets and source maps. Request de-indexing after removal.

Sources: S01

2. Critical - Public life dashboard exposes family/care/work/finance context

Combines family, finances, work and health context in one searchable surface.

Action: Make private/delete production deployment; remove exact family, health and budget details; create a sanitised professional-only public hub if needed.

Sources: S03

3. High - Child/family apps publicly use children's names and learning/sleep context

This is unnecessary child privacy exposure and can be aggregated with family/location/work data.

Action: Rename repos/apps with neutral aliases, make repos private, remove child names from titles/routes/metadata and de-index old URLs.

Sources: S02, S05, S06

4. High - Public health analysis repo and app architecture

Even without a leaked key, the repo reveals sensitive health workflows and technical attack surface.

Action: Make private, inspect deployment storage, rotate any related keys, confirm no reports/exports are committed, run GitHub secret scanning and gitleaks/trufflehog locally.

Sources: S09

5. High - Public intimate relationship learning app

High reputational/personal sensitivity. Not suitable for a public GitHub/Vercel footprint.

Action: Make private/delete deployments, clean Git history, and keep only a neutral private project name.

Sources: S10

6. High - Public geotagged Wikimedia image

Public geolocation + school/community context persists and may be reused under the licence.

Action: Remove location metadata from Commons structured data/file page if possible; request deletion/suppression if justified; avoid uploading geotagged images.

Sources: S13

7. High - Student identifier exposed in public Academia paper

Old student identifiers can be used for identity correlation or social engineering.

Action: Delete or replace with a redacted upload. Ask Academia support to remove cached copies if needed.

Sources: S16

8. High - Local Windows/OneDrive/La Trobe path in public GitHub repo description

Local paths reveal usernames, institutional storage naming and work/history context.

Action: Clean repo description/readme; search all repos for C:\Users, OneDrive, Desktop, La Trobe, .env and screenshots.

Sources: S06

9. Medium - Two public GitHub accounts reveal a broad project map

A large public repo set makes it easy to profile interests, family situation, employment focus and technical setup.

Action: Sort repos into public portfolio vs private life/work. Make anything family/health/work-internal/private-life related private.

Sources: S04, S05, S06

10. Medium - ABN and business records expose legal/business identity

This may be unavoidable public registry data, but it ties legal name and business identity to location history.

Action: Decide whether business should remain active. Keep public business pages minimal and professional; avoid family/location detail.

Sources: S11

2. Public Identity Map

Status	Identity / handle	Where surfaced	Note
Confirmed	Joshua Luke Parris / Joshua Parris	ABN, GitHub, Wikipedia, Academia/ResearchGate snippets	Legal/professional identity is public.
Confirmed	joshualparris	GitHub, GitHub Pages, itch.io, GodTube	Main developer/profile handle.
Confirmed	joshuaparris-max	GitHub and Vercel/GitHub Pages projects	Second developer account with many personal apps.
Confirmed	Parris Tech Services	ABN, GitHub profile, Square/Facebook snippets, Hugging Face org	Business identity tied to legal name.
Likely	JoshuaParris1994	YouTube search result	Old/public video identity; needs manual video review.
Confirmed	Joshua.parris	Simple Wikipedia/Wikimedia Commons	Old wiki identity with bio and image metadata.
Likely	@joshualukeparris	Instagram/Threads public snippets	Snippet-level social identity; not fully audited.
Possible	WikiTree profile	Search snippet only	Needs manual verification; may contain family-tree data.

3. Public Data Inventory

Findings are ordered by severity. Source IDs map to the Source Index at the end.

Critical: Public personal intelligence dashboard

Sources: S01

Data exposed: Public page lists personal data categories and volumes: YouTube history, health/fitness/sleep/weight tracking, ChatGPT activity, finance, calendar, browsing and location-style data.

Why it matters: This creates a rich life-map even if raw datasets are not visible. It is the most aggregation-friendly public item found.

Recommended action: Take offline now or place behind strong authentication. Check Vercel/GitHub storage for raw JSON/CSV assets and source maps. Request de-indexing after removal.

Critical: Public life dashboard exposes family/care/work/finance context

Sources: S03

Data exposed: JoshHub publicly shows faith/family/work dashboards, family care priorities, child-support planning categories, spouse health-support context and exact budget-style figures. Sensitive values are redacted here.

Why it matters: Combines family, finances, work and health context in one searchable surface.

Recommended action: Make private/delete production deployment; remove exact family, health and budget details; create a sanitised professional-only public hub if needed.

High: Child/family apps publicly use children's names and learning/sleep context

Sources: S02, S05, S06

Data exposed: Public app/repo names include child-name apps. SylviePhonetics/Sleepy content exposes child name, approximate age/developmental stage, bedtime and literacy context.

Why it matters: This is unnecessary child privacy exposure and can be aggregated with family/location/work data.

Recommended action: Rename repos/apps with neutral aliases, make repos private, remove child names from titles/routes/metadata and de-index old URLs.

High: Public health analysis repo and app architecture

Sources: S09

Data exposed: HealthLens repo describes wearable exports, pathology reports, health CSV uploads, AI provider options, Supabase/Strava integration and environment variable names.

Why it matters: Even without a leaked key, the repo reveals sensitive health workflows and technical attack surface.

Recommended action: Make private, inspect deployment storage, rotate any related keys, confirm no reports/exports are committed, run GitHub secret scanning and gitleaks/trufflehog locally.

High: Public intimate relationship learning app

Sources: S10

Data exposed: PowerApp repo/deployment publicly describes a private adult relationship/intimacy app and its privacy model.

Why it matters: High reputational/personal sensitivity. Not suitable for a public GitHub/Vercel footprint.

Recommended action: Make private/delete deployments, clean Git history, and keep only a neutral private project name.

High: Public geotagged Wikimedia image

Sources: S13

Data exposed: Commons page includes image description, author, date, school context, public licence and precise camera-location metadata. Exact coordinates are redacted in this report.

Why it matters: Public geolocation + school/community context persists and may be reused under the licence.

Recommended action: Remove location metadata from Commons structured data/file page if possible; request deletion/suppression if justified; avoid uploading geotagged images.

High: Student identifier exposed in public Academia paper

Sources: S16

Data exposed: Assessment cover sheet includes name, course/unit details, submission dates and a student identifier redacted here as S0000***.

Why it matters: Old student identifiers can be used for identity correlation or social engineering.

Recommended action: Delete or replace with a redacted upload. Ask Academia support to remove cached copies if needed.

High: Local Windows/OneDrive/La Trobe path in public GitHub repo description

Sources: S06

Data exposed: A public repo description includes a local Windows path and OneDrive - La Trobe University folder reference. Exact path is not repeated here.

Why it matters: Local paths reveal usernames, institutional storage naming and work/history context.

Recommended action: Clean repo description/readme; search all repos for C:\Users, OneDrive, Desktop, La Trobe, .env and screenshots.

Medium: Two public GitHub accounts reveal a broad project map

Sources: S04, S05, S06

Data exposed: Profiles/repo lists reveal personal dashboards, family apps, DCS/work apps, health tools, faith apps, games, cyber/lab projects and move/job tools.

Why it matters: A large public repo set makes it easy to profile interests, family situation, employment focus and technical setup.

Recommended action: Sort repos into public portfolio vs private life/work. Make anything family/health/work-internal/private-life related private.

Medium: ABN and business records expose legal/business identity

Sources: S11

Data exposed: ABN record publicly lists legal name, sole trader type, active date, GST status, business name and main business postcode.

Why it matters: This may be unavoidable public registry data, but it ties legal name and business identity to location history.

Recommended action: Decide whether business should remain active. Keep public business pages minimal and professional; avoid family/location detail.

Medium: Old Simple Wikipedia bio remains public

Sources: S12

Data exposed: Bio reveals faith, education/community background, interests, reading preferences and a public image reference.

Why it matters: Old personal profiles help build a personality and social-engineering map.

Recommended action: Edit user page down to the minimum or blank it according to wiki norms; remove unnecessary personal detail.

Medium: Old Weebly student site remains public

Sources: S14

Data exposed: Long Walk to Parris exposes old Outdoor Education context, training content and contact page.

Why it matters: Forgotten sites often contain outdated contact details and personal history.

Recommended action: Unpublish/delete the Weebly site or reduce it to a short archival page without contact details.

Medium: Research/academic profiles expose old study/work identifiers

Sources: S15, S16, S17

Data exposed: Academia/ResearchGate-type profiles link name with outdoor education, Christian studies, La Trobe ICT/student support and papers.

Why it matters: Mostly benign, but reinforces identity graph and may include sensitive old identifiers.

Recommended action: Update, delete or standardise profiles. Remove papers with identifiers or personal cover sheets.

Medium: Pinterest profile exposes old bio/interests and family-name board

Sources: S18

Data exposed: Public profile includes old La Trobe/Bendigo bio, interests and boards including a family-name board.

Why it matters: Useful for personality profiling and family-name correlation.

Recommended action: Make boards private, update bio or delete account if not used.

Medium: Professional profiles/snippets may be stale but still searchable

Sources: S24

Data exposed: Search snippets tie Joshua Parris to Dubbo Christian School, La Trobe University, Parris Tech Services and old locations.

Why it matters: Stale employment data can still enable impersonation or phishing.

Recommended action: Update LinkedIn and public bios to a clean, current, professional version. Remove unnecessary exact role/location history.

Low: YouTube/Medium/GodTube/itch.io/Hugging Face expand public identity graph

Sources: S19, S20, S21, S22, S23

Data exposed: Various public profiles reinforce handles, profile photos, faith, games/projects and business identity.

Why it matters: Low-risk alone, but valuable in aggregate.

Recommended action: Review privacy settings, remove unused profiles, and keep public bios consistent and minimal.

Low: Possible WikiTree/family-tree exposure

Sources: S25

Data exposed: Search snippets suggest a family-tree profile with birth decade and marriage reference, but the page did not open reliably in this audit.

Why it matters: Family-tree sites can expose relatives and relationship timelines.

Recommended action: Manually verify while logged out; private or reduce living-person data if present.

4. Family / Child Privacy Risks

Family privacy risk is high because public apps and dashboards use real family names and care/learning/health contexts. The practical privacy goal is to remove family names and support needs from public URLs, repo names, page titles, metadata, screenshots and app copy.

- Rename public repos/apps to neutral aliases and move real family apps into private repos.
- Remove learning, sleep, care and health context from README files, page titles, route names, metadata and screenshots.
- Keep budget, care, NDIS, health and routines off unauthenticated dashboards.
- Review images and videos for house numbers, uniforms, screens, documents, license plates, calendars and geotags.

5. Work / Professional Risks

Public snippets and repos connect Joshua Parris with La Trobe University, Dubbo Christian School, Parris Tech Services, DCS-related projects and ICT support work. Legitimate professional identity is fine, but stale or overly detailed work context supports targeted phishing and impersonation.

- Keep one clean professional profile current and minimal.
- Move DCS/internal-style apps or training material to private repos unless explicitly approved for public release.
- Remove local paths, internal service names, screenshots, ticket references and workplace-specific prompt artefacts from public repos.
- Treat old LinkedIn snippets as potentially stale; update what you control.

6. Technical / Developer Risks

Repository Triage

Action	Repos / app types
Make private now	JoshHub, MSPQuest/JoshHub variants, Life dashboards, HealthLens, JoshHealth, PowerApp, Sylvie/Elias apps, DCS/work-specific apps
Review before public	RPG/games that include personal names, family names, school references, screenshots or location clues
Probably fine public	Clean portfolio demos with neutral names, no family/work/health/private data, no local paths, no screenshots of private systems

Secret Exposure Status

No confirmed live API keys, passwords or private keys were identified in public search snippets and sampled pages. Search engines miss unindexed files, old commits, deleted files and build artefacts, so run GitHub secret scanning and local history scanning on every public repo.

High-value repo search terms

.env, apiKey, token, secret, password, C:\Users, OneDrive, La Trobe, DCS, Dubbo, Bendigo, child/family names, health, NDIS, YNAB, bank, localhost, 192.168.

7. Old / Forgotten Content

- Long Walk to Parris Weebly: old student/outdoor-education footprint and contact page.
- Simple Wikipedia/Wikimedia Commons: old bio plus metadata/licensing issues.
- Academia/ResearchGate/Pinterest: old study, work, history and interests that reinforce the identity graph.
- YouTube channels: manual review needed for location, family, home, screens, documents or routines.
- WikiTree/family-tree snippet: verify manually because search snippets suggest possible living-person details.

8. Attacker Inference Analysis

Inference area	Realistic misuse
Phishing themes	Attackers could theme messages around GitHub/Vercel, health dashboards, school/work tech, La Trobe history, Parris Tech Services or family apps.
Family targeting	Public child-name apps plus family dashboard text increase recognisability. The risk is not one fact; it is aggregation.
Work impersonation	DCS/La Trobe/IT support context could be used to craft fake support, HR, training or Microsoft/Google Workspace emails.
Password/security questions	Old bios, hobbies, schools, locations, relatives, pets/projects and dates may help guess weak recovery answers. Use random answers in password manager.
Technical targeting	Repo names, stack choices, env var names and deployment platforms reveal where to look, even without direct secrets.
Reputation/privacy	Health, finance, family-care and intimate relationship app exposure can be misunderstood out of context and should not be public.

9. Remediation Plan

Do today

- Take the Josh.AI dashboard and JoshHub offline or put them behind strong authentication.
- Make HealthLens/JoshHealth, PowerApp, family/child apps, and DCS/work-specific repos private.
- Search GitHub for: .env, apiKey, token, secret, password, C:\Users, OneDrive, La Trobe, DCS, Sylvie, Elias, health, NDIS, bank, YNAB.
- Run GitHub secret scanning and a local history scanner on cloned repos. Rotate any exposed or uncertain API keys/tokens.
- Remove or redact the Academia paper cover sheet exposing the student identifier.
- Remove exact budget/health/family/care details from all public dashboards before redeploying anything.

Do this week

- Rename child/family repos and public app titles to neutral aliases, then request Google/Bing removal for old URLs after removal.
- Clean Simple Wikipedia/Wikimedia Commons profile details and request removal of camera-location metadata where possible.
- Delete or unpublish the old Weebly site if it is no longer needed.
- Review YouTube videos for location, family, house, car, school/work, document or screen details; private/unlist risky videos.
- Update LinkedIn/public profiles to a single clean professional story and remove stale exact-location details.
- Review Pinterest boards and make personal/family boards private.

Do this month

- Create a hard public/private split: public portfolio account, private life account, and private family/health/work repositories.
- Create a pre-deploy checklist: no child names, no health data, no work internal data, no local paths, no screenshots, no raw exports, no secrets.
- Set quarterly OSINT reminders using exact search queries for name, handles, child-name app terms, and business name.
- Use Google 'Results about you' and Bing content removal where eligible; remember de-indexing does not remove source content.
- Keep a source inventory spreadsheet with URL, owner account, status, removal request date and next check date.

10. Takedown / Privacy Links

Platform	What to do	Official link
GitHub	Change repository visibility to private for family, health, work and private-life projects.	https://docs.github.com/repositories/managing-your-repositorys-settings-and-features/managing-repository-settings/setting-repository-visibility
GitHub	Use secret scanning and run local history scanning before trusting old repos.	https://docs.github.com/code-security/secret-scanning/about-secret-scanning
Vercel	Use deployment protection or remove public deployments for private dashboards.	https://vercel.com/docs/security/access-control
Vercel	Check environment variables and rotate sensitive values if uncertain.	https://vercel.com/docs/environment-variables
Google	After removing content at source, request removal of private info or outdated results.	https://support.google.com/websearch/answer/9673730
Bing	Request removal/update/blocking where eligible.	https://www.bing.com/webmasters/help/content-removal-cb6c294d

Platform	What to do	Official link
Wayback Machine	For archived sensitive pages, request removal after source removal where possible.	https://help.archive.org/help/how-do-i-request-to-remove-something-from-archive-org/
ABN Lookup	Public business registry details are partly unavoidable. Update or cancel business details if appropriate.	https://abr.business.gov.au/

11. Monitoring Plan

- Set Google Alerts for exact names, handles and Parris Tech Services.
- Quarterly, search child/family app names and old app URLs to confirm they are gone or no longer indexed.
- Before public deployment, search build output for family, work, health and finance terms.
- Keep GitHub secret scanning enabled and treat accidental public exposure as a rotate-first incident.
- Use lawful self-check breach notification services only; do not use leaked credential databases.

Source Index

These are public URLs or official remediation references used during the audit. Some sites were visible only via search snippets or returned JavaScript-only content to the fetcher; those are noted in the audit notes.

ID	Source	URL	Audit note
S01	Josh.AI Personal Intelligence Dashboard	https://josh-dashboard-black.vercel.app/app/dashboard.html	Public dashboard showing categories and volumes for YouTube, health/fitness, ChatGPT, finance, calendar, browsing and location-style data.
S02	Parris Life Dashboard	https://joshualparris.github.io/Parris-Life-Dashboard/	Public dashboard navigation exposes personal/family/work/faith categories including family names.
S03	JoshHub Vercel	https://josh-hub-two.vercel.app/dashboard	Public life operating system dashboard with family, care, finance, work and faith content.
S04	GitHub profile - joshualparris	https://github.com/joshualparris	Public GitHub profile with bio, location, Parris Tech Services and public repositories.
S05	GitHub repositories - joshualparris	https://github.com/joshualparris?tab=repositories	Public repo list including JoshHub, ExchangeLabManager, SylviePhonetics, Sleepy, DCSPD, EliasApp, FaithHub, HealthLens, WorkApp and more.
S06	GitHub profile - joshuaparris-max	https://github.com/joshuaparris-max	Second public GitHub account with repos including MSPQuest, DCSPProfessionalDevelopment, SylvieApp, EliasApp2, PowerApp, JoshHealth and others.
S07	MSPQuest repo	https://github.com/joshuaparris-max/MSPQuest	Public personal dashboard repository with docs, source, experimental folders and prompt/status artefacts.
S08	CanonRPG repo	https://github.com/joshuaparris-max/CanonRPG	Public browser DM companion repo with Replit and Vercel config files.
S09	HealthLens repo	https://github.com/joshualparris/HealthLens	Public health data analysis app repo referencing wearable exports, pathology reports, health CSVs, AI providers, Supabase and Strava integration patterns.
S10	PowerApp repo	https://github.com/joshuaparris-max/PowerApp	Public repo for a private adult relationship/intimacy learning app. Content is highly personal even if not credential-sensitive.
S11	ABN Lookup - Parris Tech Services	https://abr.business.gov.au/ABN/View?id=19911769423	Public ABN record showing legal entity name, sole trader status, business name, active dates, GST status and main business location postcode.
S12	Simple Wikipedia user page	https://simple.wikipedia.org/wiki/User:Joshua.parris	Public biographical user page with faith, education, hobbies, personal interests and an image reference.
S13	Wikimedia Commons image	https://commons.wikimedia.org/wiki/File:Me_playing_keyboard_in_the_Singing_in_the_Rain_musical_at_Dubbo_Christian_School.jpg	Public image page includes author, date, description, Dubbo Christian School context, public licence and precise camera-location metadata. Exact coordinates are redacted in this report.
S14	Long Walk to Parris Weebly	https://longwalktoparris.weebly.com/	Old student/outdoor education site with public biography/context and contact page.
S15	Academia.edu profile	https://www.academia.edu/	Public profile surfaced for Joshua Parris with paper, followers/following and interests.
S16	Academia.edu Revelation paper	https://www.academia.edu/5107397/Exegesis_on_Revelation_1_9_2_11_as_written_by_John_of_Patmos	Public paper/assessment cover sheet exposing student identifier and course/unit metadata. Exact identifier is redacted here.
S17	ResearchGate profile	https://www.researchgate.net/profile/Joshua-Parris	Public profile with La Trobe/ICT student support affiliation and skills.
S18	Pinterest profile	https://au.pinterest.com/joshuaparris/	Public old bio and boards revealing interests and a family-name board.
S19	YouTube channel - JoshuaParris1994	https://www.youtube.com/c/JoshuaParris1994	Search result indicates public channel with many videos. Full video audit not performed.
S20	YouTube channel - Joshua Luke Parris	https://www.youtube.com/@JoshuaLukeParris	Search result indicates a smaller public channel/podcast presence.
S21	GodTube profile	https://www.godtube.com/joshualparris/	Public profile under joshualparris, low content but reinforces identity/faith footprint.
S22	itch.io profile	https://joshualparris.itch.io/	Public game creator profile listing games and community comments.

ID	Source	URL	Audit note
S23	Hugging Face org	https://huggingface.co/ParrisTechServices	Public Parris Tech Services organisation profile showing member avatars and no public models/datasets in sampled page.
S24	LinkedIn public snippets	https://www.linkedin.com/	Search snippets link Joshua Parris to Dubbo Christian School, La Trobe University and Parris Tech Services. LinkedIn blocked full fetch, so treat details as snippet-confirmed/outdated until manually verified.
S25	WikiTree search snippet	https://www.wikitree.com/	Search snippets suggest a public family-tree profile. Page did not open reliably; treat as likely/needs verification.
S26	Google private info removal	https://support.google.com/websearch/answer/9673730	Official Google page for requesting removal of certain personal information from Search.
S27	Bing content removal	https://www.bing.com/webmasters/help/content-removal-cb6c294d	Official Bing guide for site owners/individuals to update, block or remove content from Bing Search and Copilot.
S28	GitHub repository visibility docs	https://docs.github.com/repositories/managing-your-repositorys-settings-and-features/managing-repository-settings/setting-repository-visibility	Official GitHub steps for changing repository visibility.
S29	GitHub secret scanning docs	https://docs.github.com/code-security/secret-scanning/about-secret-scanning	GitHub explains secret scanning scans Git history on all branches for hardcoded credentials.
S30	Vercel access control docs	https://vercel.com/docs/security/access-control	Vercel docs for deployment protection including password protection and authentication options.
S31	Vercel environment variables docs	https://vercel.com/docs/environment-variables	Vercel docs on environment variables and sensitive values.