DICE MINISTRY CBO

Website Redesign

Product Requirements Document (PRD)

Version 1.0 | April 2026

Framework: Next.js 14+ (App Router) | Build Target: Full-Stack Web Application

Scope: Public Website + Student Portal + Admin Portal

Empowering Teenagers & Young Adults in Kenya

1. Project Overview

1.1 Organization Summary

DICE Ministry CBO (Discipleship In Context of Evangelism) is a faith-based community organization founded in March 2008 by Maurice Agunda in Nairobi, Kenya. Registered under The Community Groups Registration Act (No. 30 of 2022), DICE is dedicated to empowering teenagers and young adults by helping them maximize their God-given potential through spiritual principles.

Their flagship program, Ignite (formerly SURGE), is a 6-month fully-sponsored discipleship and mentorship program for recent high school graduates, covering Discipleship Foundations, Peer Mentoring & Practical Life Skills, and Basic Computer Skills. DICE also runs weekly high school ministry sessions and hosts short-term missions.

1.2 Redesign Goals

- Create an ultra-modern, blazing-fast website that reflects the energy and mission of DICE Ministry
- Preserve existing brand identity: colors (navy, orange/gold), imagery, copy, and messaging
- Migrate from Wix to Next.js for full control, performance, and scalability
- Build a fully functional Student Portal with course management (Courses → Modules → Units)
- Build a fully functional Admin Portal with student management, assignment review, and communication tools
- Ensure pixel-perfect responsiveness across all screen sizes: phone (320px) to 4K desktop (2560px+)
- Achieve Lighthouse scores of 95+ for Performance, Accessibility, Best Practices, and SEO

1.3 Scope

- Public-facing website: 10+ pages with full content from existing site
- Ignite Student Portal: Course library, progress tracking, unit viewer, assignment upload
- Admin Portal: Student management, course management, assignment review, instructor-student communication
- Shared component library: reusable, typed, accessible React components
- Authentication system: JWT-based login for students and admins

---

1.4 What Is Being Kept

- Brand Colors: Deep Navy (#0A1931), Energetic Orange (#E8621A), Warm Gold (#F4A623)
- All existing photography and imagery from the Wix website
- All existing copy, testimonials, mission statements, team bios, program descriptions
- The navigation structure (enhanced) and all existing page concepts
- Partner logos: Engaged International, Reign Ministries, Greater Purpose

2. Technology Decision: Next.js 14+ (App Router)

2.1 Recommendation: Next.js over Pure React

After analyzing the project requirements, Next.js 14+ with the App Router is the clear choice. Here is the reasoning:

2.1.1 Why Not Pure React (Vite/CRA)

- Pure React is a client-side-only SPA — every page loads a blank HTML shell and renders in the browser. This hurts SEO, which is critical for a nonprofit trying to attract donors and students.
- No built-in routing (would require React Router), no API routes, no server actions — all the features we need have to be assembled from third-party libraries.
- No image optimization out of the box. Unoptimized images = slow load times on Kenyan mobile networks.
- No code splitting or streaming by default — leads to large JS bundles.

2.1.2 Why Next.js 14+ (App Router)

- Static Site Generation (SSG): All public pages (Home, About, Ignite, Team, etc.) are pre-built at deploy time — they load nearly instantly, even on slow connections.
- Server-Side Rendering (SSR): The Student and Admin portals render with fresh data on each request, ensuring students always see their real-time progress.
- Built-in API Routes / Server Actions: Form submissions (Contact, Application), authentication, assignment uploads — all handled without a separate backend.
- next/image: Automatic WebP conversion, lazy loading, responsive sizing, blur placeholders — critical for performance with many photos.
- App Router: Nested layouts mean the main navbar doesn't re-mount on navigation. The student portal sidebar stays rendered while content changes. This is silky smooth.
- next/font: Zero-layout-shift font loading. Text renders immediately without FOUT (Flash of Unstyled Text).
- Vercel Deployment: One-click, free tier with global CDN, automatic HTTPS, preview URLs for each PR.
- SEO: `<Metadata>` API provides per-page Open Graph tags, canonical URLs, and structured data — essential for Google discovery.

2.2 Full Technology Stack

Framework	Next.js 14+ (App Router, TypeScript)
Styling	Tailwind CSS 3.4 + CSS Variables for brand tokens
Animations	Framer Motion 10 for page transitions, scroll reveals, microinteractions

Icons	Lucide React (consistent, tree-shakeable icon set)
Forms	React Hook Form + Zod validation
Auth	NextAuth.js (JWT strategy, credentials provider)
Database	PostgreSQL via Prisma ORM (or Supabase for hosted option)
File Upload	Uploadthing (assignment uploads) or Cloudinary
Email	Resend (contact forms, notifications)
UI Primitives	Radix UI (accessible headless components: dialogs, tabs, dropdowns)
Deployment	Vercel (recommended) or Railway
State Management	Zustand (lightweight, for portal state)
Data Fetching	TanStack Query (React Query) for portal data

3. Design System

3.1 Color Palette

📌 *All colors are preserved from the existing DICE Ministry brand identity. CSS custom properties ensure a single source of truth across all components.*

Token	Hex	Name	Usage
`--color-primary`	#0A1931	Deep Navy	Headers, navbar, footer, primary text
`--color-accent`	#E8621A	Energetic Orange	CTAs, highlights, active states, hover
`--color-gold`	#F4A623	Warm Gold	Secondary accents, badge backgrounds, icons
`--color-teal`	#0D7377	Teal	Links, secondary buttons, progress bars
`--color-bg`	#FFFFFF	White	Page backgrounds
`--color-surface`	#F5F7FA	Light Gray	Card backgrounds, section alternates
`--color-border`	#E5E7EB	Border Gray	Dividers, card borders, input outlines
`--color-text`	#111827	Dark Charcoal	Body text
`--color-muted`	#6B7280	Muted Gray	Secondary text, placeholders, captions

3.2 Typography

Primary Font: Plus Jakarta Sans (Google Fonts) — modern, humanist sans-serif that feels warm and approachable. Used for all UI text.

Display Font: Space Grotesk — geometric, bold, used for hero headings and impact statements to create visual hierarchy.

Mono Font: JetBrains Mono — for code samples, course module IDs, admin data tables.

3.3 Spacing & Layout

- Base unit: 4px. All spacing is multiples of 4px (4, 8, 12, 16, 20, 24, 32, 40, 48, 64, 80, 96, 128).
- Max content width: 1280px, centered with px-4 (mobile) / px-8 (tablet) / px-16 (desktop) padding.
- Grid: 12-column CSS Grid for complex layouts, Flexbox for component-level layouts.
- Breakpoints: sm=640px, md=768px, lg=1024px, xl=1280px, 2xl=1536px.

3.4 Motion & Animation Principles

- Ease: cubic-bezier(0.22, 1, 0.36, 1) — fast start, gentle land. Feels premium.
- Duration: 150ms for microinteractions (hover), 300ms for element transitions, 600ms for page reveals.
- Scroll reveals: Elements fade up 24px as they enter the viewport (Intersection Observer). Staggered for lists.
- No motion if user has prefers-reduced-motion enabled (accessibility requirement).
- Navbar transition: glass-morphism bg-white/80 backdrop-blur-md appears when scrolled > 80px.

4. Site Architecture & Navigation

4.1 URL Structure

- / → Home
- /about → About Us
  - /about/history → Our History (timeline page)
  - /about/belief → Our Belief / What We Believe
- /our-work → Our Work / Programs
- /ignite → Ignite Program Overview
  - /ignite/courses → Course Library (public)
- /team → Our Team
- /support → Support Us / Donate
- /contact → Contact Us
- /apply → Apply for Ignite (form)
- /student → Student Portal (protected, students only)
  - /student/dashboard → Student Dashboard
  - /student/courses → My Courses
  - /student/courses/[courseId] → Course Detail
  - /student/courses/[courseId]/[moduleId]/[unitId] → Unit Viewer
  - /student/assignments → My Assignments
  - /student/messages → Messages / Communication
- /admin → Admin Portal (protected, admins only)
  - /admin/dashboard → Admin Dashboard
  - /admin/students → Student Management
  - /admin/students/[id] → Student Profile
  - /admin/courses → Course Management
  - /admin/courses/[id] → Course Editor
  - /admin/assignments → Assignment Review
  - /admin/messages → Communication Center
  - /admin/announcements → Announcements
- /login → Login Page

4.2 Navigation Architecture

Main Navbar (Public Site)

The navbar is the most visited UI element on any website. Research confirms that a sticky, transparent-to-solid scrolling navbar with a prominent CTA achieves the highest engagement for nonprofit sites.

Left: Logo	DICE Ministry CBO logo + wordmark. Clicking returns to home. The logo is always visible.

Center: Nav Links	Home | About Us (dropdown: History, Belief) | Our Work | Ignite (dropdown: Course Library) | Our Team | Contact Us
Right: CTAs	"Student Login" (outlined button, navy) + "Donate" (filled button, orange). Both always visible.
Behavior	Transparent on hero sections, transitions to white/80 with backdrop-blur on scroll. Always sticky (position: fixed top-0). WHY: Users shouldn't have to scroll back up to navigate — this dramatically reduces bounce rate.
Mobile	Hamburger menu → full-screen slide-in drawer with all links + CTAs. Smooth animation.
Dropdown	Mega-dropdown with subtle shadow on hover of parent items. No click required — hover intent with 200ms delay to prevent accidental triggers.

Sticky Elements Rationale

- STICKY: Main navbar — always accessible navigation prevents users from getting lost.
- STICKY: "Donate" button on mobile (floating bottom-right on mobile, fixed in navbar on desktop) — donation is the primary revenue action, must always be accessible.
- STICKY: Student portal sidebar (desktop) — course outline must be visible while reading unit content.
- STICKY: Admin sidebar (desktop) — consistent navigation for multi-page admin workflows.
- STICKY: Course progress bar in unit viewer — motivates students by showing progress at all times.
- NOT STICKY: Announcement bars, hero CTAs — these are one-time discovery elements.

5. Shared Component Library

📌 *All components are built with TypeScript, accept className for style extension, and have full ARIA attributes for accessibility. Components live in /src/components/ and are organized by category.*

5.1 Primitive Components

Button

- Variants: primary (orange fill), secondary (navy fill), outline (orange border), ghost (text only), destructive (red)
- Sizes: sm, md, lg, icon
- States: default, hover (scale 1.02 + brighten), active (scale 0.98), loading (spinner replaces content), disabled (opacity 50%)
- Props: variant, size, isLoading, leftIcon, rightIcon, asChild (for link wrapping)

Input / Textarea / Select

- Consistent border-radius, focus ring (orange), error state (red border + error message below)
- Label always visible above (never placeholder-only — accessibility requirement)
- Character count for textarea fields with max length
- Floating label variant for contact forms (animates on focus)

Badge

- Variants: default, success, warning, error, info
- Used for: course categories, assignment status, student enrollment status

Card

- Base card with shadow-sm, rounded-xl, hover shadow-md transition
- Variants: default, elevated, bordered, interactive (cursor-pointer with lift effect)
- Sub-components: Card.Header, Card.Body, Card.Footer, Card.Image

Modal / Dialog

- Built on Radix UI Dialog primitive — accessible, focus-trapped, ESC to close
- Variants: sm (alert), md (form), lg (content preview), fullscreen (image/video lightbox)

Toast Notifications

- Variants: success, error, info, warning. Auto-dismiss after 4s. Swipe to dismiss on mobile.

Spinner / Skeleton

- Spinner: animated circle for async actions
- Skeleton: gray shimmer blocks that match the shape of loading content — prevents layout shift

5.2 Navigation Components

Navbar

- Props: transparent (bool for hero overlay), items (array), ctaButtons (array)
- Sub-components: Navbar.Logo, Navbar.Links, Navbar.MobileMenu, Navbar.DropdownMenu

Sidebar (Portal)

- Collapsible on desktop (icon-only mode), full-screen drawer on mobile
- Props: role ('student' | 'admin'), activeRoute
- Includes: avatar + name at top, nav items with icons, logout at bottom

Breadcrumb

- Auto-generated from route. Shows: Home > Ignite > Course > Module > Unit
- Collapses gracefully on mobile with ellipsis

5.3 Content Components

HeroSection

- Props: title, subtitle, backgroundImage, ctaButtons[], overlayOpacity
- Full-viewport height with parallax background, centered content, gradient overlay
- Animated title with word-by-word reveal on load

SectionWrapper

- Props: background ('white' | 'surface' | 'navy' | 'gradient'), padding, maxWidth, children
- Handles the alternating section backgrounds automatically

TestimonialCard

- Quote text, author name, program (e.g., 'SURGE 24'), optional photo
- Used in homepage carousel and Ignite page

TeamMemberCard

- Photo (circular, 200x200), name, role, bio preview, "Read more" link
- Used in Our Team page grid

CourseCard

- Cover image, course title, description, module count, CTA button
- Interactive: hover shows a quick-info overlay with program dates

ProgressBar

- Props: value (0-100), label, color
- Animated fill on mount. Used in student dashboard and unit sidebar.

StatCounter

- Props: value, label, icon, suffix (e.g., '+', '%')
- Animates count-up when scrolled into view. Used for impact stats on homepage.

PartnerLogoRow

- Responsive flex row of partner logos with grayscale + hover color effect

ImageGallery

- Masonry grid layout. Lightbox on click. Keyboard navigable.
- Used on Our History and Our Work pages

5.4 Form Components

ContactForm

- Fields: First Name, Last Name, Email, Message
- Validation: required fields, email format, min/max length
- Submission: Server Action → Resend email → Toast confirmation

ApplicationForm (Ignite Apply)

- Multi-step form: Personal Info → Academic Background → Motivation → Submit
- Progress indicator, save draft (localStorage), mobile-optimized inputs

FileUploader

- Drag-and-drop zone + browse button. Shows file preview with remove option.
- Accepts: PDF, DOCX, PNG, JPG, MP4 (configurable per assignment type)
- Progress bar during upload. Used in Student Portal assignment submissions.

5.5 Portal-Specific Components

CourseOutlineTree

- Hierarchical tree: Course → Modules → Units. Collapsible.
- Shows completion status per unit (✓ / ◎ / —)
- Sticky in sidebar. Active unit highlighted in orange.

UnitViewer

- Main content area for unit reading. Supports: text content, embedded video, PDF viewer, image galleries.
- Navigation arrows: Previous / Next unit at bottom.
- Mark as Complete button at end of unit content.

AssignmentCard

- Status badge (Submitted / Graded / Pending), due date, course name, download/view link, instructor comment preview

MessageThread

- Conversation view between student and instructor. Timestamps, read receipts, file attachment support.

CommentThread

- Per-assignment comments from admin. Shows admin name, timestamp, comment text.
- Admin can add/edit comments. Student can read only.

AdminStudentTable

- Sortable, filterable data table. Columns: Name, Email, Cohort, Enrollment Status, Progress %, Last Active.
- Row actions: View Profile, Message, Unenroll

6. Public Website Pages

6.1 Homepage (/)

Layout Overview

The homepage is the most important page. It must immediately communicate who DICE is, what they do, and how to get involved — in under 5 seconds. Every section has a clear purpose.

Section 1: Hero

- Full-viewport height. Background: hero image of program participants (from existing Wix photos).
- Overlay: deep navy gradient (left 60%) fading to transparent (right).
- Content (left-aligned): 'Empowering Teenagers & Young Adults' (H1, Space Grotesk, 64px desktop / 36px mobile). Subtitle text. Two CTAs: 'Explore Ignite' (primary orange) + 'Support Us' (outlined white).
- WHY: Left-aligned text on image avoids obscuring faces. The dual CTA captures both program-seekers and donors.
- Scroll indicator: animated chevron-down at bottom center, disappears after 300px scroll.

Section 2: Quick Navigation Cards

- 3 cards in a responsive grid (1 col mobile, 3 col desktop).
- Card 1: Our Programs → /our-work. Card 2: Student Services → /course-library. Card 3: Apply for Ignite → /apply.
- Each card: icon (from existing Wix hover icons), label, short description, arrow link.
- WHY: Current site has these as image hotspots — making them proper cards improves discoverability and accessibility.
- Animated: slide-in-up with staggered delay (0ms, 100ms, 200ms) on viewport entry.

Section 3: About DICE (Mission Strip)

- 2-column layout: left = headline + mission text + CTA ('Our Mission'); right = image.
- Headline: 'Discipleship In Context of Evangelism'. Mission copy from existing About page.
- Accent: orange left-border on the text block (visual pull-quote treatment).

Section 4: Impact Statistics

- Surface background section. 4 animated stat counters: Years Active (17+), Students Trained (500+), Partner Organizations (5+), Programs Running (3+).
- WHY: Social proof. Numbers build trust for first-time donors.
- Each stat has an icon (Lucide) + number + descriptor label.

Section 5: Ignite Program Feature

- Full-width section with navy background. Left: program description, 3 course chips (Discipleship, Life Skills, Computer Skills). Right: program photo.
- CTA: 'Learn About Ignite' + 'Apply Now' buttons.
- This section is essentially a mini-advertisement for the flagship program.

Section 6: Testimonial

- Large quote treatment: giant quotation mark graphic (navy, low opacity) + testimonial text + author name + program cohort.
- Currently: Daisy Wairimu, SURGE 24 — use this exact testimonial.
- Option for multiple testimonials (carousel with dot navigation, auto-advances every 6s).

Section 7: Our Work Highlights

- 3-card grid: High School Ministry, Missions Hosting, Ignite Program. Each with photo, title, short description.
- Matches the Our Work page content — serves as a preview with 'See All Programs' CTA.

Section 8: Partners

- 'Our Partners' heading, then a responsive logo row: Engaged International, Reign Ministries, Greater Purpose.
- Logos in grayscale, color on hover. Clicking opens partner site in new tab.

Section 9: Get Involved / CTA Banner

- Orange background section. Headline: 'Help Make a Change'. Subtext about impact of donations. Two CTAs: 'Donate Now' + 'Contact Us'.

Section 10: Footer

- 4-column desktop layout (1-col stacked mobile): Logo+tagline+social | Quick Links | Ignite Links | Contact Info.
- Contact: Physical address (Baba Dogo, Kanyoro House, 3rd Floor), Phone (+254 725 248 788, +254 115 447 886), Email (diceministrykenya@gmail.com).
- Social icons: Facebook, Instagram, YouTube. P.O. Box 15368-00400 Nairobi.
- Copyright: © 2025 by DICE Ministry CBO. Bottom bar with privacy policy link.

🤖 **BUILD PROMPT**

```
Create a Next.js 14 App Router homepage for DICE Ministry CBO (/src/app/page.tsx).
The brand colors are: Navy #0A1931, Orange #E8621A, Gold #F4A623, Teal #0D7377.
Fonts: Space Grotesk (headings), Plus Jakarta Sans (body).

Build each section as a separate server component imported into page.tsx:

1. <HeroSection> - Full viewport height. Background image placeholder (use
bg-gray-800 with
   overlay gradient from navy to transparent). Text: "Empowering Teenagers & Young
Adults"
   in Space Grotesk 64px. Subtitle: "A faith-based organization dedicated to
helping young
   people maximize their God-given potential." Two buttons: "Explore Ignite"
(orange filled)
   and "Support Us" (white outlined). Scroll indicator chevron animates with Framer
Motion.
```

2. <QuickNavCards> - 3 cards in responsive grid. Cards link to /our-work, /course-library,
/apply. Each has an icon (Lucide), title, 1-line description, and arrow. Framer Motion
stagger reveal on scroll entry.

3. <MissionStrip> - 2-col layout (text left, image right on desktop). Orange left-border accent
on text. Text: "DICE [Discipleship In Context of Evangelism] Ministry CBO is a faith-based
organization founded in March 2008... dedicated to helping young people maximize their
God-given potential." CTA: "Our Mission" button linking to /about.

4. <ImpactStats> - bg-[#F5F7FA] section. 4 stat counters using CountUp animation on scroll.
Stats: "17+ Years Active", "500+ Students Trained", "5+ Partner Organizations",
"3 Programs Running". Each with a Lucide icon above.

5. <IgniteFeature> - bg-[#0A1931] (navy). Left: "Ignite Program" heading, description from
/ignite page, 3 pill badges for course types. Right: image placeholder. Buttons:
"Learn About Ignite" (orange) and "Apply Now" (outlined white).

6. <TestimonialSection> - Giant quotation mark (opacity-10 navy), testimonial from Daisy
Wairimu SURGE 24: "This experience has been transformative, challenging, and far more
enriching than I ever expected..." with full quote. Author card with photo placeholder.

7. <OurWorkPreview> - 3 cards: High School Ministry, Missions Hosting, Ignite. Each with
image placeholder, title, description. "See All Programs" CTA at bottom.

8. <PartnersStrip> - "Our Partners" heading. Logo placeholders for Engaged International,
Reign Ministries, Greater Purpose. Grayscale + color-on-hover effect.

9. <CTABanner> - bg-[#E8621A] (orange) full width section. "Help Make a Change" heading.
Donation copy. "Donate Now" (navy button) + "Contact Us" (outlined white) buttons.

10. <Footer> - 4 columns (stacks on mobile). Col1: Logo + tagline + social icons (Facebook,
Instagram, YouTube). Col2: Quick Links (Home, About, Our Work, Our Team, Contact).
Col3: Ignite Links (Program, Course Library, Apply). Col4: Contact info with address,
phones, email. Bottom bar: copyright.

All animations use Framer Motion with: duration 0.6s, ease [0.22, 1, 0.36, 1], initial

```
{opacity:0, y:24}, animate {opacity:1, y:0} triggered by useInView. Disable
animations if
prefers-reduced-motion. Make fully responsive (Tailwind). TypeScript strict mode.
```

6.2 About Us (/about)

Section 1: Page Hero

- Shorter hero (50vh). Background image. Title: 'About Us'. Breadcrumb below title.

Section 2: Our Story

- 2-column: text (left) + image (right). Full text from existing About page.
- 'DICE is dedicated to helping young people maximize their God-given potential...'

Section 3: Mission & Vision Cards

- 2-card layout: Mission card (orange accent) and Vision card (navy accent).
- Mission: 'We exist to mobilize resources and design programs that promote godliness, skillfulness, and empowerment!'
- Vision: 'We see a generation of young people who know God, are skillful, and empowered!'

Section 4: Sub-page Navigation Tiles

- 2 tiles: 'Our History' (link to /about/history) + 'Our Belief' (link to /about/belief)
- Each tile has an icon, title, description, and arrow.

🤖 **BUILD PROMPT**

```
Create /src/app/about/page.tsx for DICE Ministry CBO.
Include: PageHero component (50vh, background image placeholder, title "About Us"),
then <OurStory> with 2-col text+image layout using this copy: "DICE [Discipleship
In Context
of Evangelism] Ministry CBO is a faith-based organization that was founded in March
2008 by
Maurice Agunda. It was founded as a 9-month discipleship and evangelism training
program for
the youth. It is duly registered as a community-based organization by the
Directorate of
Social Development in accordance with The Community Groups Registration Act (No. 30
of 2022).
DICE is dedicated to helping young people maximize their God-given potential by
applying
spiritual principles in all spheres of life resulting in a lifestyle that is
balanced,
focused, and purposeful."
Then <MissionVision> with 2 cards: Mission: "We exist to mobilize resources and
design
programs that promote godliness, skillfulness, and empowerment!" and Vision: "We
see a
generation of young people who know God, are skillful, and empowered!"
Then 2 navigation tiles to /about/history and /about/belief.
Framer Motion scroll reveals. Fully responsive. Navy/orange brand colors.
```

6.3 Our History (/about/history)

Timeline Layout

- Vertical timeline with alternating left/right content cards (desktop) / single-column (mobile).
- Timeline spine: navy vertical line with orange dots at each milestone.
- Milestones from existing Our History page:
  - 2004: Maurice notices youth losing their faith fire
  - 2007: Vision received to create the ministry
  - 2008: Partnership with Baptist Chapel, Lucky Summer — 9-month program launches
  - 2009: Expanded to Highridge Baptist Church
  - 2010: High school ministry launches at St. Mary's Keris High School
  - 2011: Office space secured
  - 2012: First SURGE (Ignite) program launches
  - 2015: Partnership with Reign Ministries — Royal Servants & Kairos missions begin
- Each milestone: year chip (orange), title, description, optional image.
- Smooth scroll to specific milestones from anchor links.

🤖 **BUILD PROMPT**

```
Create /src/app/about/history/page.tsx — an interactive timeline page.
Build a <HistoryTimeline> component with a vertical navy timeline line and orange
milestone dots.
Desktop: alternating left-right cards. Mobile: single column.
Milestones array (hardcoded, same content as existing site):
[
  { year: "2004", title: "The Observation", desc: "Maurice Agunda notices a
troubling pattern—many young people were coming to faith with passion and
excitement, but over time, that initial fire for Jesus would fade." },
  { year: "2007", title: "The Vision", desc: "Maurice received a clear vision: to
create a ministry that would provide a strong, lasting foundation for youth and new
believers." },
  { year: "2008", title: "Partnership with Baptist Chapel", desc: "Maurice
partnered with Baptist Chapel in Lucky Summer to launch a 9-month discipleship
training program using the New Life Training Curriculum by Campus Crusade for
Christ." },
  { year: "2009", title: "Expansion", desc: "Training expanded with programs at
Baptist Chapel and Highridge Baptist Church in Korogocho." },
  { year: "2010", title: "High School Ministry", desc: "Launched at St. Mary's
Keris High School in Lucky Summer." },
  { year: "2012", title: "Inaugural SURGE (now Ignite)", desc: "First SURGE program
launched — 9-month discipleship training covering Evangelism, Peer Education, Life
Skills, and Computer Skills." },
  { year: "2015", title: "Short-term Missions", desc: "Partnership with Reign
Ministries begins, hosting Royal Servants and Kairos mission trips." }
]
Each card animates in from the side (left cards slide from left, right cards from
right) using
Framer Motion whileInView. Include image placeholders. Fully responsive.
TypeScript.
```

6.4 Our Work (/our-work)

Programs Grid

- 3 program cards in a grid (1-col mobile, 3-col desktop):
  - High School Ministry: Weekly discipleship at local high schools, image from existing site
  - Missions Hosting: Short-term missions with local/international partners
  - Ignite Program: 6-month discipleship for high school graduates, with 'Learn More' CTA → /ignite
- Each card: full image (top), program name, description, optional CTA button.
- 'What We Do' section heading with a subtitle.

6.5 Ignite Program (/ignite)

Section 1: Hero

- Bold headline: 'Ignite (formerly SURGE)'. Subheadline: 'A 6-month fully-sponsored program...'

Section 2: Program Description

- Full program description from existing Ignite page. Rich text with proper paragraphs.
- Key highlights in a callout box: Daily devotion, Weekly prayer/Bible study, Guest speakers, Practical activities

Section 3: Course Cards

- 3 cards for the 3 Ignite courses:
  - Discipleship Foundations: 'Covers basic concepts on cultivating our relationship with God and discipleship concepts.' Image from existing site.
  - Peer Mentoring & Practical Life Skills: 'Covers basic concepts on personality traits, career choice, and healthy relationships.'
  - Basic Computer Skills: 'Covers eight basic Microsoft Office packages.'

Section 4: Application CTA

- 'Ready to Apply?' orange CTA section. 'Apply for Ignite' button → /apply.

6.6 Our Team (/team)

Team Grid

- Responsive grid: 2-col mobile, 4-col desktop.
- Team members from existing site (8 members):
  - Maurice Agunda — Founder & President
  - Christine Sharon — Executive Team Member
  - Salim Kwatsima — Executive Team Member
  - Robert Ochieng — Executive Team Member
  - Faith Magale — Executive Team Member
  - Pst. Albert Shitakwa — Patron
  - Jane Watetu — Discipleship Trainer
  - Zipporah Ntabo — Discipleship Trainer
- Each card: circular photo (220x220), name, role, short bio, 'Read more' expands a modal with full bio.

- WHY: Modal instead of separate page reduces navigation friction and keeps users on the team page.

6.7 Support Us (/support)

Section 1: Impact Header

- 'Let's Make A Change'. 'Your gifts provide resources and training for teenagers and young adults.'

Section 2: Donation Methods (3-card grid)

- Card 1 — Bank Deposit: Co-operative Bank, Thika Road Mall Branch, A/c Name: DICE Ministry CBO, A/c No.: 01100178076001
- Card 2 — Online (Donorbox): 'Make a tax deductible donation.' 'Click to Give' button linking to https://donorbox.org/dice-ministries-kenya. Opens in new tab.
- Card 3 — MPESA: Paybill - 400200, A/c No. - 6458. Display with MPESA logo styling.

Section 3: Image

- Photo from existing site showing ministry in action.

6.8 Contact Us (/contact)

2-column layout

- Left column: Contact form (First Name, Last Name, Email, Message, Submit button). React Hook Form + Zod validation. Server Action for email dispatch via Resend.
- Right column: Contact information cards.
  - Address: Baba Dogo - Lucky Summer Road, Kanyoro House (opp. The Oasis Gym), 3rd Floor
  - Phone: +254 725 248 788 or +254 115 447 886
  - Email: diceministrykenya@gmail.com
- Two photos below (from existing contact page).
- Map embed (Google Maps iframe of Lucky Summer, Nairobi).

6.9 Apply for Ignite (/apply)

Multi-step Application Form

- Step 1 — Personal Information: Full Name, Date of Birth, Gender, Phone Number, Email, Residential Area
- Step 2 — Academic Background: High School attended, Year of completion, KCSE grade
- Step 3 — Motivation: 'Why do you want to join Ignite?' (textarea), 'What do you hope to gain?' (textarea), How did you hear about us? (select)
- Step 4 — Review & Submit: Summary of all entries, Checkbox: 'I agree to the terms and conditions', Submit button
- Progress bar at top showing current step (1-4). Previous/Next navigation.
- Form auto-saves to localStorage between steps. Confirmation email on submission.

7. Student Portal (/student)

7.1 Architecture & Layout

The student portal uses a dashboard layout with a sticky sidebar and a main content area. This is a protected route — users must be logged in as students. The layout is defined in /src/app/student/layout.tsx.

- Left: Sticky sidebar (240px wide, collapses to 60px icon-only on smaller desktops)
- Right: Main content area (flex-1)
- Mobile: Sidebar becomes a full-screen drawer triggered by a hamburger menu in the top bar

Sidebar Navigation Items

- Dashboard (Home icon)
- My Courses (BookOpen icon)
- Assignments (FileText icon)
- Messages (MessageSquare icon) with unread count badge
- Separator
- Profile (User icon)
- Logout (LogOut icon)

7.2 Student Dashboard (/student/dashboard)

Welcome Banner

- 'Welcome back, [Student Name]!' with current date. Progress summary chips.

Active Courses Section

- Grid of enrolled course cards. Each shows: course name, progress bar (%), next unit to complete, 'Continue' button.

Recent Activity Feed

- Timeline of recent actions: 'Unit 3.2 completed', 'Assignment submitted', 'Message from [Instructor]'.

Upcoming / Deadlines Widget

- List of upcoming assignment due dates. Orange highlight for due within 48 hours.

Announcements

- Latest announcements from admin. Dismissible. Unread shown with orange dot.

7.3 Course Library & Enrollment (/student/courses)

My Enrolled Courses

- Card grid: course image, title, progress %, module count, 'Continue' button.

Available Courses

- Courses available for enrollment. Each card shows: title, description, module/unit count, 'Enroll' button.

📌 *For Ignite, all courses are assigned by admin. Students see their enrolled courses here.*

7.4 Course Detail (/student/courses/[courseId])

Course Overview

- Header: Course title, description, progress bar, instructor name.

Module & Unit Outline

- Accordion-style list of modules. Each module expands to show its units.
- Unit item shows: unit title, type icon (text/video/assignment), completion status (checkmark / empty circle), estimated time.
- Clicking a unit navigates to the unit viewer.

7.5 Unit Viewer (/student/courses/[courseId]/[moduleId]/[unitId])

This is the most critical page for students. It must be distraction-free, readable, and functional.

Layout

- Left: Sticky course outline sidebar (collapsible). Shows all modules/units with active unit highlighted.
- Right: Unit content area.

Top Bar (Sticky)

- Course name > Module name > Unit name (breadcrumb). Progress bar. Exit button (back to course).

Content Area

- Unit title (H1). Content body supports: rich text paragraphs, embedded YouTube/Vimeo video, downloadable PDFs, image galleries, formatted tables.
- Syntax highlighting for computer skills course code examples.

Bottom Navigation

- 'Mark as Complete' button (primary orange). 'Previous Unit' + 'Next Unit' navigation buttons.
- On mark complete: progress updates, confetti animation (subtle), next unit highlighted in sidebar.

🤖 **BUILD PROMPT**

```
Create the Unit Viewer page at
/src/app/student/courses/[courseId]/[moduleId]/[unitId]/page.tsx.
Layout: 2-column. Left: sticky CourseOutlineSidebar (260px) showing module/unit
tree with
completion status. Right: main content area.

Top sticky bar (z-50 bg-white border-b): breadcrumb (Course > Module > Unit),
ProgressBar
component showing % complete, X button back to course.
```

```
CourseOutlineSidebar props: courseId, activeUnitId. Shows Module accordions with
Unit list
items. Completed units have a green checkmark. Active unit has orange bg highlight.
Sidebar collapses to icon-only at lg breakpoint. Mobile: drawer triggered by menu
icon.

Main content: Unit title (text-3xl font-bold), then unit body rendered from
markdown/HTML.
Support: paragraphs, headings, images (next/image), video embeds (iframe), PDF
viewer,
code blocks with syntax highlighting.

Bottom: sticky footer bar with "Previous Unit" (ghost left) and "Next Unit" (ghost
right)
arrows, and centered "Mark as Complete" (primary orange button). On click: PATCH
/api/student/progress, optimistic UI update, trigger confetti (canvas-confetti),
highlight
next unit in sidebar.

Fully responsive. Keyboard navigable. prefers-reduced-motion respected.
TypeScript. Tailwind.
```

7.6 Assignments (/student/assignments)

My Assignments View

- Tab navigation: All | Pending | Submitted | Graded
- Assignment cards: Assignment title, course name, due date, status badge, submission date (if submitted).
- 'Submit Assignment' button opens an upload modal.

Assignment Upload Modal

- FileUploader component (drag-drop + browse). File type restrictions. Size limit shown.
- Text note field: 'Notes for instructor (optional)'.
- Upload progress bar. 'Submit' button disabled until file selected.
- On success: status updates to 'Submitted', toast notification.

Graded Assignment Detail

- Shows submitted file (download link). Grade (if applicable). Instructor comments thread.

7.7 Messages (/student/messages)

Conversation List (left panel, desktop)

- List of conversations sorted by latest message. Instructor name, preview of last message, timestamp, unread count badge.

Message Thread (right panel, desktop / full screen mobile)

- Chat-style layout: messages alternating left (instructor) / right (student).
- Message input at bottom with Send button. Optional: file attachment icon.
- Real-time updates (polling every 30s or WebSocket if time allows).

🤖 **BUILD PROMPT**

```
Create the Student Messages page at /src/app/student/messages/page.tsx.
Layout: 2-panel (Outlook-style). Left panel (320px, hidden on mobile): conversation
list
component. Right panel: active conversation thread.

ConversationList: fetch GET /api/student/messages/conversations. Display each as a
list
item with instructor name (font-semibold), message preview (text-sm text-gray-500
truncate),
time (text-xs), and unread badge (orange dot). Active conversation highlighted navy
bg.

MessageThread: header with instructor name + back button (mobile). Messages in
scroll
container. Student messages right-aligned (orange bg, white text, rounded-tl-2xl
rounded-b-2xl).
Instructor messages left-aligned (gray-100 bg, rounded-tr-2xl rounded-b-2xl).
Timestamps
below each message.

Input area (sticky bottom): textarea (auto-resize), paperclip icon for attachment
(opens
```

```
file picker), send button (orange, disabled if empty). POST /api/student/messages
on send.

Auto-scroll to bottom on new message. Mark messages as read on view.
Fully responsive. Mobile: shows conversation list OR thread, not both.
TypeScript. Tailwind CSS.
```

8. Admin Portal (/admin)

8.1 Architecture & Layout

The admin portal is the control center for DICE staff (instructors, administrators). It requires admin-level authentication. The layout mirrors the student portal but with expanded navigation and more data-dense views.

Admin Sidebar Navigation

- Dashboard (LayoutDashboard icon)
- Students (Users icon)
- Courses (BookOpen icon)
- Assignments (FileCheck icon) with pending count badge
- Messages (MessageSquare icon) with unread count badge
- Announcements (Megaphone icon)
- Separator
- Settings (Settings icon)
- Logout (LogOut icon)

8.2 Admin Dashboard (/admin/dashboard)

Stats Overview Row

- 4 metric cards: Total Students (enrolled), Active Courses, Assignments Pending Review, Unread Messages.
- Each card: large number, label, trend indicator (vs last week), icon.

Recent Activity Feed

- Global activity: 'John submitted Assignment 2', 'Jane completed Unit 3.1', 'New application received'.

Pending Items (Priority)

- Quick-access list of assignments needing review (orange dot). Click → goes directly to that submission.

Cohort Progress Overview

- Bar chart (Recharts) showing average completion % per course across all students.

8.3 Student Management (/admin/students)

Data Table

- Columns: Photo, Full Name, Email, Phone, Cohort Year, Enrollment Status (Active/Completed/Withdrawn), Overall Progress %, Last Active.
- Sortable columns (click header). Search bar (filters by name or email). Filter by status, cohort.
- Pagination (25 per page default) or infinite scroll.

- Row actions: View Profile (eye icon), Message (chat icon), More (ellipsis menu: Edit, Unenroll, Delete).

Student Profile (/admin/students/[id])

- Profile header: Photo, name, email, phone, cohort. Status badge. Edit button.
- Tab navigation: Overview | Courses | Assignments | Messages
  - Overview: Bio, enrollment date, overall progress stats
  - Courses: List of enrolled courses with individual progress bars
  - Assignments: All assignments with submission status and comments
  - Messages: Message thread with this student

8.4 Course Management (/admin/courses)

Course List

- Cards showing: course name, module count, enrolled student count, status (Active/Draft).
- 'Create New Course' button (top right, orange).
- Edit / Archive / Delete actions per card.

Course Editor (/admin/courses/[id])

- Course metadata form: Title, Description, Cover Image upload, Status toggle.
- Module Manager: drag-and-drop reordering of modules (using @dnd-kit/core).
- Each module expandable to show units. Add/edit/delete/reorder units within module.
- Unit Editor: Rich text editor (Tiptap) for unit content. Supports headings, bold, italic, links, image upload, video embed, code blocks.
- Save as Draft / Publish buttons.

🤖 **BUILD PROMPT**

```
Create the Course Editor at /src/app/admin/courses/[id]/page.tsx.

Top section: Course metadata form using React Hook Form + Zod.
Fields: Title (text input), Description (textarea), Cover Image (FileUploader
component),
Status (toggle: Draft / Published). Auto-save indicator (saves on blur of each
field via
PATCH /api/admin/courses/[id]).

Module Manager section heading with "Add Module" button (+).
Module list uses @dnd-kit/core for drag-and-drop reordering.
Each module item: drag handle (GripVertical icon), module title (editable inline on
click),
chevron to expand/collapse, "Add Unit" button, delete module (trash icon).

When expanded, show unit list inside the module (also drag-and-drop reorderable).
Each unit: drag handle, unit title, type badge (Text/Video/Assignment), edit pencil
icon →
opens UnitEditorModal, delete icon.

UnitEditorModal (Dialog): Unit title input, type selector (Text | Video |
Assignment),
```

```
content editor (Tiptap rich text for Text type, URL input for Video, assignment
description
+ file type config for Assignment type). Save / Cancel buttons.

Footer: "Save Draft" (ghost) + "Publish Course" (primary orange) buttons.
On Publish: if no modules, show warning toast. Otherwise PATCH status to published.

All reordering uses optimistic updates. TypeScript. Tailwind. Fully responsive.
```

8.5 Assignment Review (/admin/assignments)

Tab Navigation

- Tabs: Pending Review | All Submissions | Graded
- Default: Pending Review (most urgent).

Submission Cards

- Each card: Student name + avatar, Course + Unit name, Submission date, File download button, Status badge.
- Expand card to see: student's file preview (PDF/image inline, others as download link), student's notes, Comments section.

Comment System

- Admin adds comment in text input below submission. 'Post Comment' button.
- Comments thread shows: admin avatar, name, timestamp, comment text. Edit/delete own comments.
- Student receives notification (in-app message) when admin comments.
- Grade field (optional): text input for feedback grade or pass/fail toggle.

🤖 **BUILD PROMPT**

```
Create the Assignment Review page at /src/app/admin/assignments/page.tsx.

Tab navigation (Pending Review | All Submissions | Graded) using Radix UI Tabs.
Each tab fetches GET /api/admin/assignments?status=pending|all|graded.

SubmissionCard component:
- Header: Student avatar (32px circle), student name (font-medium), course name +
unit name
  (text-sm text-gray-500), submission date (text-xs), status badge, expand chevron
button.
- Expanded content (AnimatePresence in Framer Motion for smooth open/close):
  - File preview: if PDF → embed with <iframe>, if image → <img>, else download
link button.
  - Student notes (if any): "Notes from student:" label + text in gray-50 rounded
box.
  - CommentThread component: list of previous comments (admin avatar, name,
timestamp, text).
  - New comment form: Textarea + "Post Comment" button. POST
/api/admin/assignments/[id]/comments.
  - Grade input: text field "Grade / Feedback" + Pass/Fail toggle. PATCH
/api/admin/assignments/[id].
  - "Mark as Reviewed" button (primary). Changes status badge optimistically.

Empty state per tab with appropriate illustration and message.
Infinite scroll (load 20 more on scroll to bottom).
Mobile: full-width cards, no split view. TypeScript. Tailwind.
```

8.6 Communication Center (/admin/messages)

Layout

- Same 2-panel layout as student messages page.

- Left panel: All student conversations. Search bar at top to find student by name.
- Right panel: Active conversation thread.

New Message

- 'New Message' button → modal with student search/select dropdown + message input. Send starts a new conversation.

Broadcast Announcement

- 'Send Announcement' button → different modal. Message is sent to ALL students simultaneously (shows as an announcement in their dashboard, not individual DMs).
- Announcement message form: Title + Body + Optional: target cohort (dropdown).

8.7 Announcements (/admin/announcements)

Published Announcements

- Table of past announcements: Title, Date, Target (All / Cohort X), Views count, Dismiss count.
- 'Create Announcement' button.

Announcement Editor

- Title, Body (rich text), Target audience selector, Schedule send (datetime picker) or Send Now.

9. Authentication System

9.1 Login Page (/login)

- Centered card on a navy+orange gradient background.
- DICE Ministry logo at top.
- Email and Password inputs. 'Sign In' button. 'Forgot password?' link.
- Role detection: email domain or flag in DB determines student vs admin. Redirects accordingly.
- Error states: 'Invalid credentials', 'Account not found'.

9.2 Route Protection

- Next.js middleware (/src/middleware.ts) checks session token on every request.
- Unauthenticated /student/* requests redirect to /login?returnTo=/student/...
- Unauthenticated /admin/* requests redirect to /login?returnTo=/admin/...
- Students cannot access /admin/* — returns 403 page.
- Admins can access /student/* for testing/demo purposes (optional toggle).

🤖 **BUILD PROMPT**

```
Create /src/middleware.ts for Next.js App Router using NextAuth.js.
Import { withAuth } from "next-auth/middleware".

Protect routes: /student/:path* requires session with role "student" OR "admin".
Routes /admin/:path* require session with role "admin" ONLY.

If no session: redirect to /login with returnTo query param set to the requested
URL.
If student tries to access /admin: redirect to /student/dashboard with
"Unauthorized" toast
(store "unauthorized" flag in cookie, show toast on dashboard load, clear cookie).

Also in middleware: add security headers (X-Frame-Options, X-Content-Type-Options,
Referrer-Policy, Permissions-Policy) on all responses.

Export config matcher: ["/(student|admin)(.*)"]
```

10. Responsive Design Specifications

10.1 Breakpoint Strategy

Design is mobile-first. Every component is designed at 375px first, then enhanced for larger screens. Never assume desktop.

Breakpoint	Width	Key Layout Changes
xs (default)	320–639px	Single column layouts. Full-width cards. Hamburger nav. Bottom sheet modals. Floating Donate button (fixed bottom-right).
sm	640–767px	2-column grids for cards. Slightly larger typography.
md (tablet)	768–1023px	2-3 column grids. Sidebar appears as overlay. Condensed navbar.
lg (laptop)	1024–1279px	3-4 column grids. Portal sidebar visible (icon-only collapsed). Full navbar.
xl (desktop)	1280–1535px	Full layout. Sidebar expands to 240px. Max-width 1280px centered.
2xl (large)	1536px+	Larger type scale. More whitespace. Same max-width. Background decorations visible.

10.2 Mobile-Specific Considerations

- Touch targets: minimum 44x44px for all interactive elements (WCAG AA).
- No hover-only interactions. Everything accessible via tap.
- Bottom navigation consideration: On mobile, primary student portal navigation moves to a bottom tab bar (Dashboard, Courses, Assignments, Messages) for thumb-friendly access.
- Form inputs: font-size minimum 16px to prevent iOS auto-zoom.
- Images: always use next/image with responsive sizes attribute for optimal loading.
- Floating Donate button: bottom-right on mobile, visible on all public pages. Orange circle with heart icon. Disappears when user is within 200px of the Footer's donate section.
- Offline consideration: Service Worker caches public pages for offline reading (nice-to-have for Kenyan network conditions).

10.3 Performance Requirements

- Lighthouse Performance: 95+ (mobile), 98+ (desktop)
- Core Web Vitals: LCP < 2.5s, FID < 100ms, CLS < 0.1
- First Contentful Paint: < 1.2s
- Strategy: ISR (Incremental Static Regeneration) for all public pages (revalidate: 3600). No client-side data fetching on public pages.
- Images: All served via next/image. Original Wix images downloaded and stored in /public/images/. WebP format served automatically.
- Fonts: next/font/google with display: 'swap'. Preloaded.
- JS Bundle: Code-split by route. Portal code never loads on public pages.

11. API Routes & Server Actions

11.1 Authentication

- POST /api/auth/[...nextauth] — NextAuth.js handler
- Server Action: loginAction(email, password) — validates credentials, returns session

11.2 Student Routes (authenticated, role: student)

- GET /api/student/courses — list enrolled courses with progress
- GET /api/student/courses/[id] — course detail with modules/units
- PATCH /api/student/progress — mark unit complete, update progress
- GET /api/student/assignments — list assignments
- POST /api/student/assignments/[id]/submit — upload assignment file
- GET /api/student/messages/conversations — list conversations
- GET /api/student/messages/[conversationId] — get messages in conversation
- POST /api/student/messages — send message

11.3 Admin Routes (authenticated, role: admin)

- GET/POST /api/admin/students — list all students, create student
- GET/PATCH/DELETE /api/admin/students/[id] — student CRUD
- GET/POST /api/admin/courses — list/create courses
- PATCH/DELETE /api/admin/courses/[id] — update/delete course
- POST /api/admin/courses/[id]/modules — add module
- POST /api/admin/courses/[id]/modules/[moduleId]/units — add unit
- GET /api/admin/assignments — all submissions (filterable)
- POST /api/admin/assignments/[id]/comments — add comment
- PATCH /api/admin/assignments/[id] — update grade/status
- GET /api/admin/messages — all conversations
- POST /api/admin/announcements — create/broadcast announcement

11.4 Public Routes

- Server Action: submitContactForm(data) — validates and sends email via Resend
- Server Action: submitApplication(data) — validates and saves application to DB, sends confirmation email

12. Project File Structure

```
dice-ministry/
├── src/
│   ├── app/                          # Next.js App Router
│   │   ├── (public)/                 # Public route group
│   │   │   ├── page.tsx              # Homepage
│   │   │   ├── about/page.tsx
│   │   │   ├── about/history/page.tsx
│   │   │   ├── about/belief/page.tsx
│   │   │   ├── our-work/page.tsx
│   │   │   ├── ignite/page.tsx
│   │   │   ├── ignite/courses/page.tsx
│   │   │   ├── team/page.tsx
│   │   │   ├── support/page.tsx
│   │   │   ├── contact/page.tsx
│   │   │   └── apply/page.tsx
│   │   ├── (auth)/
│   │   │   └── login/page.tsx
│   │   ├── student/                  # Student portal (protected)
│   │   │   ├── layout.tsx            # Sidebar layout
│   │   │   ├── dashboard/page.tsx
│   │   │   ├── courses/page.tsx
│   │   │   ├── courses/[courseId]/page.tsx
│   │   │   ├── courses/[cId]/[mId]/[uId]/page.tsx
│   │   │   ├── assignments/page.tsx
│   │   │   └── messages/page.tsx
│   │   ├── admin/                    # Admin portal (protected)
│   │   │   ├── layout.tsx
│   │   │   ├── dashboard/page.tsx
│   │   │   ├── students/page.tsx
│   │   │   ├── students/[id]/page.tsx
│   │   │   ├── courses/page.tsx
│   │   │   ├── courses/[id]/page.tsx
│   │   │   ├── assignments/page.tsx
│   │   │   ├── messages/page.tsx
│   │   │   └── announcements/page.tsx
│   │   ├── api/                      # API routes
│   │   │   ├── auth/[...nextauth]/route.ts
│   │   │   ├── student/              # Student API routes
│   │   │   └── admin/                # Admin API routes
│   │   ├── layout.tsx                # Root layout (fonts, providers)
│   │   └── globals.css               # CSS variables + Tailwind
│   ├── components/
│   │   ├── ui/                       # Primitive components
│   │   │   ├── Button.tsx
│   │   │   ├── Input.tsx
│   │   │   ├── Card.tsx
│   │   │   ├── Badge.tsx
│   │   │   ├── Modal.tsx
│   │   │   ├── Toast.tsx
│   │   │   ├── Skeleton.tsx
│   │   │   ├── ProgressBar.tsx
│   │   │   └── FileUploader.tsx
│   │   ├── layout/
│   │   │   ├── Navbar.tsx
│   │   │   ├── Footer.tsx
│   │   │   ├── StudentSidebar.tsx
│   │   │   └── AdminSidebar.tsx
│   │   ├── public/                   # Public page sections
│   │   │   ├── HeroSection.tsx
```

```
│   │   │   ├── ImpactStats.tsx
│   │   │   ├── TestimonialSection.tsx
│   │   │   ├── CourseCard.tsx
│   │   │   ├── TeamMemberCard.tsx
│   │   │   └── HistoryTimeline.tsx
│   │   ├── student/
│   │   │   ├── CourseOutlineSidebar.tsx
│   │   │   ├── UnitViewer.tsx
│   │   │   ├── AssignmentCard.tsx
│   │   │   └── MessageThread.tsx
│   │   └── admin/
│   │       ├── StudentTable.tsx
│   │       ├── SubmissionCard.tsx
│   │       ├── CommentThread.tsx
│   │       └── CourseModuleManager.tsx
│   ├── lib/
│   │   ├── auth.ts                   # NextAuth config
│   │   ├── db.ts                     # Prisma client
│   │   ├── utils.ts                  # Helper functions
│   │   └── validations.ts            # Zod schemas
│   ├── hooks/                        # Custom React hooks
│   ├── types/                        # TypeScript interfaces
│   └── middleware.ts                 # Auth middleware
├── prisma/
│   └── schema.prisma                 # Database schema
├── public/
│   ├── images/                       # Downloaded site images
│   └── logos/                        # Partner logos
├── tailwind.config.ts
├── next.config.ts
└── package.json
```

13. Database Schema (Prisma)

```
// prisma/schema.prisma

model User {
  id            String       @id @default(cuid())
  email         String       @unique
  password      String       // bcrypt hashed
  role          Role         @default(STUDENT)
  name          String
  phone         String?
  photo         String?      // URL
  cohortYear    Int?
  createdAt     DateTime     @default(now())
  enrollments   Enrollment[]
  progress      UnitProgress[]
  submissions   Submission[]
  sentMessages  Message[]    @relation('sender')
}

model Course {
  id          String    @id @default(cuid())
  title       String
  description String
  coverImage  String?
  status      Status    @default(DRAFT)
  modules     Module[]
  enrollments Enrollment[]
  createdAt   DateTime  @default(now())
}

model Module {
  id       String @id @default(cuid())
  title    String
  order    Int
  courseId String
  course   Course @relation(fields: [courseId], references: [id])
  units    Unit[]
}

model Unit {
  id       String   @id @default(cuid())
  title    String
  type     UnitType @default(TEXT)
  content  String?  // Rich text HTML or video URL
  order    Int
  moduleId String
  module   Module   @relation(fields: [moduleId], references: [id])
  progress UnitProgress[]
  assignments Assignment[]
}

model Assignment {
  id          String       @id @default(cuid())
  title       String
  description String?
  unitId      String
  unit        Unit         @relation(fields: [unitId], references: [id])
  submissions Submission[]
  dueDate     DateTime?
```

```
}

model Submission {
  id           String    @id @default(cuid())
  studentId    String
  student      User      @relation(fields: [studentId], references: [id])
  assignmentId String
  assignment   Assignment @relation(fields: [assignmentId], references: [id])
  fileUrl      String
  notes        String?
  grade        String?
  status       SubmissionStatus @default(PENDING)
  submittedAt  DateTime  @default(now())
  comments     Comment[]
}

model Comment {
  id           String     @id @default(cuid())
  text         String
  adminId      String
  submissionId String
  submission   Submission @relation(fields: [submissionId], references: [id])
  createdAt    DateTime   @default(now())
}

model Message {
  id         String   @id @default(cuid())
  senderId   String
  sender     User     @relation('sender', fields: [senderId], references: [id])
  receiverId String
  body       String
  read       Boolean  @default(false)
  createdAt  DateTime @default(now())
}

model Announcement {
  id        String   @id @default(cuid())
  title     String
  body      String
  target    String   @default('all') // 'all' or cohort year
  createdAt DateTime @default(now())
}

model UnitProgress {
  userId      String
  unitId      String
  completedAt DateTime @default(now())
  user        User @relation(fields: [userId], references: [id])
  unit        Unit @relation(fields: [unitId], references: [id])
  @@id([userId, unitId])
}

model Enrollment {
  userId    String
  courseId  String
  enrolledAt DateTime @default(now())
  user      User   @relation(fields: [userId], references: [id])
  course    Course @relation(fields: [courseId], references: [id])
  @@id([userId, courseId])
}
```

```
enum Role { STUDENT ADMIN }
enum Status { DRAFT PUBLISHED ARCHIVED }
enum UnitType { TEXT VIDEO ASSIGNMENT }
enum SubmissionStatus { PENDING SUBMITTED GRADED }
```

14. Master Build Prompt

Use this prompt to initialize the entire project from scratch:

🤖 **BUILD PROMPT**

```
You are building a complete Next.js 14 website for DICE Ministry CBO, a faith-based
nonprofit in Nairobi, Kenya. Follow ALL specifications below exactly.

=== PROJECT SETUP ===
Initialize: npx create-next-app@latest dice-ministry --typescript --tailwind --app
--src-dir
Install: framer-motion lucide-react next-auth @prisma/client prisma
@radix-ui/react-dialog
         @radix-ui/react-tabs @radix-ui/react-select react-hook-form
@hookform/resolvers zod
         @tanstack/react-query zustand uploadthing @uploadthing/react tiptap
canvas-confetti
         @dnd-kit/core @dnd-kit/sortable recharts class-variance-authority clsx
tailwind-merge

=== BRAND ===
Colors (CSS variables in globals.css):
  --color-primary: #0A1931     (Deep Navy)
  --color-accent: #E8621A      (Energetic Orange)
  --color-gold: #F4A623        (Warm Gold)
  --color-teal: #0D7377
  --color-surface: #F5F7FA
  --color-border: #E5E7EB
  --color-muted: #6B7280

Fonts (next/font/google):
  Space Grotesk: display headings, hero titles
  Plus Jakarta Sans: all body text, UI elements

=== ARCHITECTURE ===
Route groups: (public) for public pages, student/ and admin/ for portals.
Middleware: protect /student/* (role: student|admin) and /admin/* (role: admin
only).
Auth: NextAuth.js with credentials provider, JWT sessions, role stored in token.

=== PUBLIC PAGES TO BUILD ===
1. / - Homepage with 10 sections (Hero, QuickNav, Mission, Stats, IgniteFeature,
       Testimonial, OurWork, Partners, CTABanner, Footer)
2. /about - Our Story + Mission/Vision
3. /about/history - Interactive vertical timeline (2004-2015+ milestones)
4. /about/belief - What We Believe page
5. /our-work - 3 program cards (High School Ministry, Missions, Ignite)
6. /ignite - Program overview + 3 course cards + Apply CTA
7. /ignite/courses - Course library grid (public view)
8. /team - 8 team member cards with modal bios
9. /support - Donation methods (Bank, Donorbox, MPESA)
10. /contact - Contact form (Server Action) + info + map
11. /apply - Multi-step application form (4 steps)
```

```
=== STUDENT PORTAL ===
Layout: sticky sidebar (240px) + main content. Bottom tab bar on mobile.
Pages: dashboard, courses, courses/[id], courses/[cId]/[mId]/[uId], assignments,
messages

=== ADMIN PORTAL ===
Layout: sticky sidebar (240px) + main content.
Pages: dashboard, students, students/[id], courses, courses/[id] (editor with DnD),
       assignments (with comment system), messages, announcements

=== COMPONENT LIBRARY ===
Build in /src/components/ui/: Button (5 variants), Input, Textarea, Select, Badge,
Card, Modal, Toast, Spinner, Skeleton, ProgressBar, FileUploader.
All components: TypeScript interfaces, ARIA attributes, className extension via
cn().

=== PERFORMANCE ===
All public pages: export const revalidate = 3600 (ISR).
next/image for all images. next/font for fonts. Code split by route group.
Target: Lighthouse 95+ mobile.

=== CONTENT ===
Use exact copy from diceministry.org. All text content is provided in the PRD.
Image placeholders: bg-gray-200 with aspect-ratio maintained. Comment: // TODO:
replace with actual image.

=== STYLE RULES ===
Mobile-first Tailwind. Framer Motion for all animations (duration 0.6s, ease
[0.22,1,0.36,1]).
prefers-reduced-motion: always respect. Minimum touch target: 44x44px.
Font size minimum 16px on inputs. No horizontal scroll at any breakpoint.
```

15. Implementation Phases

Phase 1: Foundation (Week 1)

- Project setup, Tailwind config, CSS variables, font setup
- Component library: Button, Input, Card, Badge, Modal, Toast
- Navbar, Footer components
- Homepage (all 10 sections)
- Deploy to Vercel (staging URL)

Phase 2: Public Pages (Week 2)

- About Us + History timeline + Belief page
- Our Work, Ignite, Course Library
- Our Team (with modal bios)
- Support Us, Contact (with working form), Apply (multi-step)
- SEO: metadata per page, OG images, sitemap.xml, robots.txt

Phase 3: Authentication & Database (Week 3)

- Prisma schema setup + migrations
- NextAuth.js credentials provider
- Login page with role detection + redirect
- Middleware route protection
- Basic student portal layout + dashboard shell

Phase 4: Student Portal (Week 4)

- Course list + Course detail pages
- Unit Viewer with full content rendering
- Progress tracking (mark complete, progress bar)
- Assignments: list view + upload modal
- Messages: conversation list + thread view

Phase 5: Admin Portal (Week 5)

- Admin dashboard with stats + charts
- Student management table + profile view
- Course editor with DnD module/unit management
- Assignment review + comment system
- Communication center + announcements

Phase 6: Polish & Launch (Week 6)

- Lighthouse audit + performance optimization
- Cross-browser testing (Chrome, Firefox, Safari, Edge)

- Device testing (iPhone SE, iPad, standard laptop, 4K monitor)
- Accessibility audit (keyboard navigation, screen reader, contrast)
- Image optimization: download Wix images, re-export as WebP
- DNS migration, final deployment

— End of PRD —

DICE Ministry CBO | diceministry.org | diceministrykenya@gmail.com

Version 1.0 | April 2026 | Nairobi, Kenya