DICE MINISTRY CBO

Website Redesign — Supplement PRD

Enhanced UI Features, 3D Hero Asset, Deep Functionality Specifications

---

Version 1.1 | April 2026 | Supplements PRD v1.0 — Do not use in isolation

Feed BOTH documents to your LLM together for full context.

S1. Interactive 3D Hero Asset — Right Panel

> ⚡ *This replaces the empty right side of the hero section shown in the screenshot. The 3D asset sits opposite the headline typography and is the first visual impression of the entire brand.*

S1.1 What to Build

A floating, interactive 3D torch flame — the Ignite Torch. This choice is intentional:

- The torch directly references the Ignite program — the ministry's flagship offering
- Fire/flame is a universal symbol of spiritual empowerment, passion, and transformation
- A single object keeps the scene fast to load (< 150 KB total asset size)
- The warm orange/gold flame complements the navy hero background perfectly
- It is inviting, aspirational, and not overtly religious — accessible to all audiences

---

S1.2 Technical Implementation

Library: React Three Fiber + @react-three/drei + @react-three/postprocessing

- React Three Fiber (R3F): Declarative Three.js for React. Integrates perfectly with Next.js 14.
- @react-three/drei: Provides OrbitControls, useGLTF, Environment, Float — avoids writing boilerplate Three.js.
- @react-three/postprocessing: Adds Bloom glow effect to the flame (makes it luminous without heavy shaders).
- canvas-confetti is NOT used here — keep this scene clean and atmospheric.

S1.3 Scene Composition

Scene Layer Stack (bottom to top)

Background	Canvas fills the right 50% of the hero section. Transparent (alpha: true) so the hero image shows through.
Ambient Light	Soft warm ambient: color #F4A623 (gold), intensity 0.4. Fills the torch with warm base light.
Point Light	Animated point light at the flame tip: color #E8621A (orange), intensity 2.5, distance 6. This is what makes the torch 'glow' on nearby surfaces.
Torch Body	Simple low-poly cylinder tapering to a point. Material: MeshStandardMaterial, color #5C3A1E (dark wood brown), roughness 0.8, metalness 0.1. Height: 2.4 units.
Flame Mesh	Cone geometry (widthTop 0, widthBottom 0.22, height 0.8). ShaderMaterial with time-based vertex displacement for flickering. Color lerps between #E8621A → #F4A623 → #FFF3B0.

Bloom Pass	SelectiveBloom from @react-three/postprocessing on the flame mesh only. Luminance threshold 0.6, intensity 2.0. This is the glow halo effect.
Environment	HDR preset: 'city' (from drei). Provides realistic reflections on the torch body.
Float	Wrap entire torch in drei's <Float> component. speed=1.5, rotationIntensity=0.4, floatIntensity=0.6. Gives the torch a gentle hover animation.

S1.4 Interaction Behaviors

Trigger	Input	Effect
Cursor Move	*Mouse X/Y (desktop)*	Torch tilts toward cursor. X movement: Y-axis rotation ±15°. Y movement: X-axis rotation ±8°. Implemented via useFrame lerp (factor 0.05) for smooth, lagged follow — not instant.
Touch Move	*Touch point (mobile)*	Same as cursor but uses touch event coordinates. Single finger drag rotates the torch.
Scroll Down	*window.scrollY*	Torch slowly rises upward (Y position +0.003 per px scrolled) and fades opacity from 1 → 0 as user scrolls past 60% of hero height. Flame flicker speed increases.
Hover (canvas)	*Mouse enter*	Float animation speed increases to 2.5. Bloom intensity increases to 2.8. Point light intensity pulses from 2.5 → 3.5 (0.4s ease).
Hover Leave	*Mouse leave*	All values lerp back to default over 0.8s.
Click / Tap	*Mouse click / tap*	Short burst: torch 'flares' — flame scale jumps to 1.4 then springs back (useSpring from @react-spring/three). Particle burst of 8 small orange spheres scatter outward and fade.
Idle (no input)	*Passive*	Flame vertex shader creates continuous organic flicker using sin(time + uv.y * 3.0). Never perfectly still.
Reduced Motion	*prefers-reduced-motion*	Float animation disabled. No vertex displacement. Static torch with soft glow only.

S1.5 Layout Integration

- On desktop (lg+): Hero section is a 2-column CSS grid. Left col (55%): text content. Right col (45%): the R3F Canvas. Canvas height = 100% of hero.
- On tablet (md): Right col shrinks to 40%. Torch scale reduces to 0.8.
- On mobile (< md): Torch moves BELOW the hero text, canvas height 280px, torch scale 0.65. Float animation continues.
- The canvas has pointer-events: none on mobile to prevent interfering with page scroll.

- Performance: The canvas is loaded with next/dynamic and { ssr: false } to avoid server-side Three.js issues. A skeleton shimmer placeholder (400x400, rounded-2xl, bg-gradient animate-pulse) shows during load.

🤖 **BUILD PROMPT**

```
Install: npm install @react-three/fiber @react-three/drei
@react-three/postprocessing
three @react-spring/three

Create /src/components/hero/IgniteTorch.tsx — a React Three Fiber scene.

Structure:
export default function IgniteTorch() {
  // State: mouseX, mouseY from window mousemove event
  // State: scrollY from window scroll event
  // All events attached in useEffect with cleanup

  return (
    <Canvas alpha={true} camera={{ position: [0, 0, 4], fov: 45 }}>
      <TorchScene mouseX={...} mouseY={...} scrollY={...} />
    </Canvas>
  );
}

TorchScene component (inside Canvas):
- <ambientLight color="#F4A623" intensity={0.4} />
- <AnimatedPointLight> — point light that pulses using useFrame sin wave, color
"#E8621A",
  baseIntensity 2.5, position at [0, 1.5, 0.5]
- <Float speed={1.5} rotationIntensity={0.4} floatIntensity={0.6}>
    <group ref={torchRef}> (torchRef.current.rotation lerped toward mouse in
useFrame)
      <TorchBody />   — CylinderGeometry(0.06, 0.14, 2.4), MeshStandardMaterial
brown
      <FlameCore />   — ConeGeometry(0.22, 0.8, 8) with custom ShaderMaterial
      <FlameGlow />   — second larger Cone (0.35, 1.1) with transparent orange
material
      <TorchWrap />   — torus rings decorating the torch body
    </group>
  </Float>
- <Environment preset="city" />
- <EffectComposer>
    <SelectiveBloom selection={[flameRef]} luminanceThreshold={0.6} intensity={2.0}
/>
  </EffectComposer>

FlameCore ShaderMaterial:
vertexShader: use time uniform + uv.y to displace vertices — sin(time * 2.0 +
position.y * 4.0) * 0.05
fragmentShader: mix between #E8621A, #F4A623, #FFF3B0 based on uv.y and time

Click handler on Canvas: trigger spring animation — flameScale springs 1 → 1.4 → 1
over 300ms
```

```
+ emit 8 small SphereGeometry particles (radius 0.04) that scatter and fade using
useSpring.

Scroll effect: torchRef.current.position.y += scrollY * 0.003. Canvas opacity lerps
to 0 as
scrollY approaches heroHeight * 0.6.

Wrap in next/dynamic({ ssr: false }).
Show <TorchSkeleton /> (div with animate-pulse bg-gradient rounded-2xl) while
loading.
Full TypeScript. Respect prefers-reduced-motion.
```

S2. Student Login Page — Enhanced UI (/login)

> ⚡ *The login page is the gateway to the student and admin portals. It must feel premium, secure, and welcoming — not like a generic form. Every element below is intentional.*

S2.1 Full Layout: Split-Screen Design

Desktop: 2-column full-viewport layout. Left panel (45%): brand immersion. Right panel (55%): login form. Mobile: single column — left panel collapses to a compact branded header strip.

Left Panel — Brand Immersion (Desktop Only)

- Full-height navy (#0A1931) background with a subtle radial gradient from teal (#0D7377) at center.
- Animated background: 12 floating particles (small circles, 4–16px, opacity 0.08–0.15, colors orange/gold/teal) that drift slowly upward using CSS @keyframes. They loop infinitely and are offset by random animation delays.
- Top: DICE Ministry logo (white version) + full wordmark.
- Center: Large quote text — 'Maximizing Your God-Given Potential.' in Space Grotesk, 36px, white, with an orange decorative left border.
- Below quote: Rotating testimonials carousel — 3 student quotes cycle every 5 seconds with a fade-in/out crossfade transition. Each shows: quote text, student name, cohort (e.g., 'Ignite 2024').
- Bottom: 3 micro-stat pills arranged horizontally: '500+ Students', '3 Programs', '17 Years'. White text on white/10 glass background (backdrop-blur-sm).

Right Panel — Login Form

- White background. Centered vertically. Max-width 420px. Padded 48px.
- Top: 'Welcome Back' in Space Grotesk 32px navy. Subtitle: 'Sign in to your DICE portal' in gray-500 16px.
- Role selector tabs ABOVE the form: [Student] [Admin] — toggles between modes. Active tab has orange underline + slight background tint. This visually signals the user which portal they are entering.
- Email input: standard text field with Mail icon (Lucide) inside left of input. Auto-focus on mount.
- Password input: with Lock icon. Show/hide toggle button (Eye / EyeOff Lucide icon) on the right. Password strength is NOT shown on login — only on signup.
- Remember Me checkbox: styled custom checkbox (orange when checked). Label: 'Keep me signed in for 30 days.'
- Sign In button: full-width, orange, 48px height. Loading state: spinner replaces text + button disabled. WHY: Prevents double-submission.
- Forgot Password link: below the button, right-aligned. Opens an inline forgot-password flow (no page navigation — slides in below the form).

Forgot Password Inline Flow

- Step 1: Email field appears below the main form (animated slide-down). 'Send Reset Link' button. Cancel link.
- Step 2: On submit, field replaced by a success message: 'Check your inbox — we sent a link to [email].' with a green checkmark animation.
- No page reload. No separate /forgot-password route. This keeps the experience seamless.

Error States

- Invalid credentials: Red banner below the Sign In button with shake animation (keyframes: translate -4px 4px -4px, 0.4s). Text: 'Incorrect email or password. Please try again.'
- Account not found: Same treatment, different message.
- Rate limited (5 failed attempts): Message changes to 'Too many attempts. Please wait 5 minutes.' Button disabled with countdown timer shown.
- Network error: 'Connection issue. Check your network and try again.' with Wifi icon.

Post-Login Redirect Behaviour

- Student login → /student/dashboard. If returnTo param present → that URL.
- Admin login → /admin/dashboard. If returnTo param present → that URL.
- On redirect: page transition uses Next.js router.push with a full-page fade-out animation (200ms opacity to 0 before navigation).

Accessibility

- Form has aria-label='Sign in to DICE Ministry'. Inputs have visible labels (not just placeholders).
- Error messages are linked to inputs via aria-describedby. Screen readers announce errors immediately.
- Tab order: Email → Password → Remember Me → Sign In → Forgot Password.
- The role toggle tabs are keyboard navigable with arrow keys.

Micro-Animations on Login Page

- On page load: right panel slides in from the right (translateX 40px → 0, opacity 0 → 1, 0.5s ease-out).
- Inputs: on focus, the left icon animates to orange (color transition 0.15s). Label shrinks and moves above the input (floating label pattern).
- Sign In button: on hover, background brightens 10% and a subtle shine sweep animation plays across the button (CSS pseudo-element with gradient + translateX animation).
- Successful login: green checkmark icon appears in the button replacing the spinner, then the entire panel fades out.

🤖 **BUILD PROMPT**

```
Create /src/app/(auth)/login/page.tsx — full split-screen login page.

LEFT PANEL (hidden on mobile, shown lg+):
- Full-height bg-[#0A1931] with radial gradient to #0D7377 at center
- 12 floating particles: absolute positioned divs, CSS @keyframes float-up
(translateY -100vh),
  random sizes 4-16px, colors [#E8621A, #F4A623, #0D7377], opacity 0.1, staggered
delays 0-8s
- Logo image + "DICE Ministry" wordmark at top-left (p-8)
- Centered content: orange left-border quote block, then RotatingTestimonials
component
  (3 quotes, 5s interval, framer-motion AnimatePresence with opacity crossfade)
- Bottom stat pills: "500+ Students" | "3 Programs" | "17 Years" in glass cards

RIGHT PANEL:
- bg-white, flex items-center justify-center, min-h-screen
- Inner card: max-w-[420px] w-full mx-auto px-12 py-12
  - "Welcome Back" h1 (Space Grotesk) + subtitle
  - RoleTabs: ['Student','Admin'] — Radix UI Tabs, active tab has border-b-2
border-[#E8621A]
    selected role stored in state, changes form's action endpoint behavior
  - EmailInput with Mail icon, auto-focus, floating label animation
  - PasswordInput with Lock icon, Eye toggle button (EyeOff / Eye lucide)
  - Custom checkbox "Remember Me" — styled with orange accent
  - SubmitButton: full-width, 48px, orange, loading state with Spinner
  - ForgotPasswordInline: link below button; on click AnimatePresence reveals email
    field + "Send Reset Link" button; on success shows green checkmark message

Error handling: useFormState or TanStack Query mutation. On error:
- Red banner with shake keyframes: @keyframes shake { 0%,100%{translateX(0)}
25%{translateX(-4px)} 75%{translateX(4px)} }
- After 5 failures: disable button, show countdown "Try again in 4:52" using
setInterval

Framer Motion: right panel entry animation (x: 40 → 0, opacity: 0 → 1, duration
0.5).
Input focus: icon color transition via Tailwind peer-focus:text-[#E8621A].
TypeScript. Tailwind. Radix UI for tabs.
```

S3. Homepage — Additional Features & Liveness

> ⚡ *These additions layer on top of the 10 sections in PRD v1.0. Each is a specific UI feature that makes the page more dynamic, colourful, and engaging.*

S3.1 Floating Announcement Banner

- Thin orange strip ABOVE the navbar (not sticky — scrolls away). Height: 36px. Background: orange-500.
- Content: 'Applications for Ignite 2025 are now open! → Apply Now'. The 'Apply Now' part is a white underline link.
- Right side: X button to dismiss. Dismissal saved to sessionStorage so it doesn't reappear on the same visit.
- WHY: This captures high-intent visitors immediately without cluttering the hero.
- Animation: slides down from above on page load after 800ms delay (so the hero loads first).

S3.2 Hero Section — Additional Elements

- Subtle animated grid overlay: a very faint CSS grid pattern (1px lines, opacity 0.04, navy) covers the hero. Creates depth without distracting from content.
- Below the subtitle text: 3 small icon+text pills — 'Faith-Based', 'Fully Sponsored', 'Nairobi, Kenya'. These use white/10 glass background. They animate in with stagger delay after the headline.
- Scroll-progress bar: ultra-thin (2px) orange line at the very top of the page that fills from left to right as the user scrolls. Always visible, sits above everything (z-index 9999).

S3.3 Animated Stats Section — Expanded

Expand the 4-stat section from PRD v1.0 to a richer treatment:

- Background: full-width section with a navy-to-teal diagonal gradient.
- White text throughout. Stats enlarged: 80px number in Space Grotesk.
- 6 stats (add 2 more): 'Alumni Network: 200+', 'Years Serving Schools: 14+'.
- Each stat card has: icon (white, 28px), number (count-up on scroll entry), label.
- Count-up uses a custom useCountUp hook with requestAnimationFrame — smoother than interval-based.
- Dividers between stat cards: 1px white/20 vertical lines (visible on desktop, hidden on mobile).
- On mobile: 2x3 grid layout.

S3.4 Program Cards — Interactive Hover States

The 3 Our Work preview cards get richer hover interactions:

- Default: card with image (grayscale, 60% opacity) + dark gradient overlay + white title at bottom.
- On hover: image transitions to full color, gradient darkens, a short description slides up from the bottom (translateY 100% → 0, 0.3s ease), and a 'Learn More →' button appears.
- Active card: orange left-border (4px) appears on the card container.
- This replaces the static card treatment in PRD v1.0 for this specific section.

S3.5 Testimonials — Enhanced Carousel

- Add 2 more testimonials (placeholders for real content). Total: 3.
- Auto-advances every 7 seconds. Pause on hover.
- Navigation: dot indicators below (orange = active, gray/30 = inactive). Also left/right arrow buttons.
- Each testimonial card: 5-star rating row (gold stars, decorative), quote text, author photo (circular, 56px), name + cohort.
- Transition: previous quote fades left, new quote fades in from right (Framer Motion layoutId for smooth morph).

S3.6 Floating Donate Button (Mobile)

- Fixed bottom-right on mobile (bottom: 24px, right: 20px). Z-index: 100.
- Orange circle button (56px), heart icon (Lucide Heart, white, 24px).
- Pulse ring animation: a slightly larger circle (64px) at 40% opacity pulses outward continuously using CSS @keyframes scale 1 → 1.4 → 1, opacity 1 → 0, duration 2s, infinite.
- On tap: opens a bottom sheet (sheet slides up from bottom, Radix UI Sheet component) with the 3 donation methods (Bank, MPESA, Donorbox) — same content as the Support Us page but in a compact format.
- The button slides off-screen (translateX 80px) when the user scrolls within 200px of the Footer's donate section.

S3.7 Video Reel / Media Section (NEW — between Testimonials and Our Work)

A short media section that adds visual energy:

- Heading: 'See DICE in Action'. Subtitle: 'Moments from our programs and community.'
- NOT a video player. Instead: a horizontal scrolling image strip — 6 photos from the existing Wix gallery.
- Images are 1:1 square, 280px, with slight rotation (alternating ±2°), displayed in a flex row with horizontal scroll snap.
- On desktop: Framer Motion drag-to-scroll (drag='x', dragConstraints calculated from content width).

- On mobile: native scroll-snap-x-mandatory touch scroll.
- Each image: on hover, scale 1.05, rotation back to 0°, shadow deepens.

S3.8 Homepage Micro-Animations Inventory

Full animation spec for homepage

Navbar scroll	At 80px scroll: bg transitions white/0 → white/80 backdrop-blur-md, border-b appears. Duration: 0.3s.
Logo	On hover: orange square behind the 'D' pulses (scale 1 → 1.08 → 1, 0.4s).
Nav links	On hover: orange underline slides in from left (scaleX 0→1, transform-origin left, 0.2s).
Hero headline	Words animate in sequentially: each word has opacity 0→1 + translateY 12px→0, stagger 0.08s per word.
Hero pills	Stagger in at 0.8s page load: opacity 0→1, translateY 8→0, stagger 0.12s.
Quick nav cards	Scroll reveal: opacity 0→1, translateY 24→0. Card icons: on card hover, icons bounce (translateY -4px) with spring physics.
Mission strip	Orange left border animates height 0→100% when section enters viewport (1s ease).
Stats counters	Count-up only starts when the number is within viewport (IntersectionObserver threshold 0.5).
Program cards	Hover: image desaturate reverses (filter saturate 0→1), description slides up.
Partner logos	On page load: logos enter with opacity 0→1 staggered 0.1s each. On hover: filter grayscale(1)→grayscale(0) + opacity 0.5→1.
CTA banner	The 'Donate Now' button has a persistent subtle gradient sweep animation (shimmer) every 4s to draw attention without being distracting.
Scroll progress bar	2px top line, orange, fills based on (scrollY / (documentHeight - windowHeight)).

S4. Admin Portal — Expanded Features & Pages

S4.1 Admin Dashboard — Full Feature Spec

Metric Cards Row (Expanded from PRD v1.0)

Expand from 4 to 8 metric cards arranged in a 4-col desktop / 2-col tablet / 1-col mobile responsive grid:

Admin Dashboard Metric Cards

Total Students	Count of all enrolled students. Sub-label: '+X this month' in green. Icon: Users. Click → /admin/students.
Total Courses	Count of published courses (not drafts). Sub-label: 'X in draft' in amber. Icon: BookOpen. Click → /admin/courses.
Assignments Pending	Count of submissions awaiting review. Orange badge if >0. Icon: FileCheck. Click → /admin/assignments?status=pending. This is the most urgent metric.
Active This Week	Students who logged in within 7 days. Trend: up/down arrow vs last week. Icon: Activity. Click → /admin/students?filter=active.
Unread Messages	Total unread across all conversations. Icon: MessageSquare. Badge pulses if >5. Click → /admin/messages.
Applications	New Ignite applications received. Icon: ClipboardList. Sub-label: 'X unreviewed'. Click → /admin/applications (new page, see S4.5).
Course Completion	Average % completion across all students/courses. Displayed as a mini donut chart. Icon: PieChart.
Cohort Overview	Active cohort year pill + student count. Icon: Calendar. Click → filtered student view.

Dashboard Charts Section

- Chart 1 — Monthly Enrollment Line Chart (Recharts LineChart): Shows new student enrollments per month for the past 12 months. X-axis: months. Y-axis: count. Line color: orange. Tooltip shows exact count on hover.
- Chart 2 — Course Completion Bar Chart (Recharts BarChart): One bar per course. Bar height = average completion % of enrolled students. Bars colored from red (0-40%) → amber (40-70%) → green (70-100%) using a custom tick formatter.
- Chart 3 — Submission Activity Heatmap: A GitHub-style weekly grid (7 rows × 52 cols) where each cell = one week+day. Cell color intensity = number of assignments submitted that day. Hovering a cell shows a tooltip with the date and count.
- Charts are rendered client-side with 'use client'. On server: skeleton placeholders matching chart dimensions.

Quick Actions Tray

- A horizontal tray below the metric cards: 5 quick-action buttons.
- 'Add Student' → opens AddStudentModal. 'Create Course' → /admin/courses/new. 'Send Announcement' → opens AnnouncementModal. 'Review Assignments' → /admin/assignments?status=pending. 'Export Data' → triggers CSV download of student list.
- Each button: icon + label, outlined style, hover fills with soft orange.

Recent Activity Feed — Enhanced

- Left: activity icon (colored dot: green=completion, orange=submission, blue=enrollment, red=unenrollment).
- Right: activity text with bold student name, action description, course name in teal, timestamp (relative: '2 hours ago').
- 'Mark all as read' link at top right of feed section.
- Load more: 'Show 10 more activities' button with count. Not pagination — appends to list (infinite list pattern).

S4.2 Student Profile Page — Enhanced (/admin/students/[id])

Profile Header

- Hero section: navy background. Left: student avatar (large, 96px circle with initials fallback). Name (white, 28px). Email + phone (white/70). Cohort badge (gold).
- Right side of header: 3 quick stats: Courses Enrolled, Overall Progress %, Assignments Submitted. Each as a white/10 glass card.
- Action buttons in header: 'Message' (teal), 'Edit Profile' (outlined white), dropdown 'More' (unenroll, delete).

Tabs Content — Detailed Spec

- Overview tab: bio text, enrollment date, 'How they heard about us', a mini timeline of key milestones (enrolled → first login → first unit completed → etc.).
- Courses tab: list of enrolled courses. Each row: course name, progress bar (visual + %), units completed / total, last activity date, 'View Course' button. Sortable by progress.
- Assignments tab: all submissions from this student. Table with columns: Assignment Title, Course, Submitted Date, Status badge, Grade (if given), 'View Submission' button (opens DocumentPreviewModal — see S5.3). Admin can add comment inline.
- Messages tab: the full message thread with this student — same component as /admin/messages but scoped to this student. 'Send Message' input at bottom.

S4.3 Course Management — Enhanced Editor

Course List Page Enhancements

- Kanban-style status columns: 'Draft' | 'Published' | 'Archived'. Course cards drag between columns to change status (dnd-kit). Visual confirmation modal on drop.
- Each course card: cover image thumbnail (80x80, rounded), title, module count chip, enrolled student count chip, last updated date.
- 'Duplicate Course' action: creates a draft copy with all modules/units. Useful for new cohorts.
- Search bar: instant filter by course title (debounced 200ms).

Course Editor Page Enhancements

- Left: Course outline tree (same CourseOutlineSidebar component as student portal, but with edit controls). Clicking a module/unit focuses that item in the editor panel.
- Right: Editor panel — context-sensitive. If module selected: shows module title + description fields. If unit selected: shows unit editor (see below).
- Unit Editor — Document/Text Only (CONFIRMED SPEC):
  - Unit types available: TEXT only and ASSIGNMENT only. No video type.
  - TEXT units: Tiptap rich text editor. Toolbar: Bold, Italic, Underline, Heading 1/2/3, Bullet List, Numbered List, Quote, Code block, Image upload (inserts into document body), Horizontal rule, Link.
  - ASSIGNMENT units: Title field + Description (what students need to do) + File type restriction selector (PDF only, or PDF + DOCX, or Any document) + Due date picker + Max file size selector (5MB / 10MB / 20MB).
  - No video embed option. No YouTube/Vimeo. Text and document content only.
- Auto-save: unit content saves automatically 2 seconds after the last keystroke (debounced). 'Last saved X minutes ago' indicator in top bar.
- Publish checklist: before publishing a course, a modal shows a checklist: 'At least 1 module? ✓ | All modules have at least 1 unit? ✓ | All units have content? ✗ (2 empty)'. Cannot publish until all pass.

S4.4 Assignment Review — Full Document Flow

> ⚡ *CONFIRMED: Assignments are UPLOADED DOCUMENTS only. No video submissions. Supported formats: PDF, DOCX, DOC, TXT. The UI is designed around document viewing and commenting.*

Submission List Enhancements

- Filter chips above the list: All | Pending Review | Reviewed | Pass | Needs Revision. Chips show count in a badge.
- Sort options: Newest First | Oldest First | By Course | By Student Name.
- Bulk actions: select multiple submissions via checkboxes → 'Mark as Reviewed' bulk action button appears.

Document Preview Modal (DocumentPreviewModal)

When admin clicks 'View Submission' on any assignment card, this modal opens:

- Full-screen modal (95vw × 90vh). Left panel (60%): document preview. Right panel (40%): review tools.
- Document Preview (left panel):
  - PDF files: rendered via pdf.js (<PDFViewer> component). Shows the actual PDF pages scrollably within the panel. Page number indicator. Zoom in/out controls. Download button.
  - DOCX files: converted to HTML on the server using mammoth.js (server action) and rendered as styled HTML in the preview pane.
  - DOC/TXT: plain text rendered in a monospace container.
  - If file cannot be previewed: large download button with file icon and file size shown.
- Review Tools (right panel):
  - Student info strip at top: avatar, name, course, unit, submission date, file name + size.
  - Status selector: radio buttons styled as chips — 'Pending' | 'Pass' | 'Needs Revision'. Changing this updates the badge instantly (optimistic update).
  - Grade field: text input 'Grade or Feedback Score (optional)'. Could be 'A', '85%', 'Pass' — free text.
  - Comment Thread: scrollable list of previous comments. Each: admin avatar + name, timestamp, comment text. Edit/delete icons on own comments.
  - New Comment input: textarea (auto-resize, max 3 lines) + 'Post Comment' button. Submits via POST /api/admin/assignments/[id]/comments. Updates thread optimistically.
  - 'Notify Student' toggle: when ON, posting a comment also sends an in-app notification to the student (visible on their dashboard and messages page).
  - 'Close & Save' button at bottom right. 'Cancel' (ghost) to close without saving status change.
- Keyboard shortcuts within modal: Escape closes, N focuses new comment input, P marks as Pass, R marks as Needs Revision.

Assignment Review Page — Comment System Detail

- All comments are stored in the Comment model (from PRD v1.0 DB schema).
- Admin can edit their own comment for up to 15 minutes after posting (edit button appears, then disappears). After 15 min: comment is locked with a lock icon.
- Comments support basic markdown: **bold**, _italic_, `code`. Rendered with a tiny markdown parser (marked.js or remark).
- Student notification: when admin posts a comment with 'Notify Student' ON, a new Message record is created (sender: admin, receiver: student) with the comment text prepended by 'New comment on your [Assignment Title]: '. Student sees this in /student/messages.

S4.5 Applications Page (NEW — /admin/applications)

This is a new page not in PRD v1.0. It manages Ignite program applications submitted via the public /apply form.

- Table columns: Applicant Name, Email, Phone, Residential Area, KCSE Grade, Application Date, Status.
- Status options: New | Under Review | Accepted | Rejected | Waitlisted.
- Clicking a row opens a side panel (slides in from right, does not navigate away) showing the full application form submission in read-only format.

- Side panel actions: Change Status dropdown, 'Send Email' button (composes email to applicant using their email address), 'Add Internal Note' (note visible to admins only, not the applicant).
- Bulk action: select multiple → 'Accept Selected' / 'Reject Selected' → confirmation modal → status updates + optional automated email to each.
- Export: 'Export as CSV' button downloads all applications with all fields.

S4.6 Notifications / Activity Center

- Bell icon in the admin navbar top-right. Shows a count badge (orange, 16px) when there are unread notifications.
- Clicking opens a dropdown panel (320px wide, max-height 480px, scrollable).
- Each notification: colored left border (green=completion, orange=submission, blue=message), text, timestamp, 'Mark as read' on hover.
- 'Mark all as read' link at top. 'View all activity' link at bottom → /admin/activity (full log page).
- Notification types: new assignment submission, new application, student message, student completed a course, system alert.
- Unread notifications fetched via GET /api/admin/notifications (polling every 60s).

S4.7 Admin Portal Global Micro-Animations

Admin portal animation spec

Sidebar	On collapse/expand: width animates 240px→60px using CSS transition width 0.25s ease. Icons stay visible in collapsed mode. Tooltips appear on hover in collapsed mode (Radix UI Tooltip).
Metric cards	On page load: cards stagger in (translateY 16→0, opacity 0→1, 50ms stagger). The number inside each card count-ups from 0 to its real value over 1.2s (easeOut).
Table rows	On hover: row background transitions to orange/5, left border (4px orange) slides in. Transition 0.15s.
Status badge change	When admin changes submission status: badge does a quick scale pulse (1 → 1.15 → 1, 0.2s) + color transitions with a cross-fade.
DocumentPreviewModal	Opens: scale 0.95 → 1, opacity 0 → 1, 0.25s ease-out. Closes: reverse. Background overlay: opacity 0 → 0.6.
Chart load	Charts animate their data on mount: bars grow from bottom, line chart draws from left to right using strokeDashoffset animation.
Comment post	New comment slides down from the input area into the thread (translateY -8→0, opacity 0→1). On delete: comment slides up and fades (AnimatePresence exit).

Kanban drag	While dragging a course card: drop shadow deepens, card rotates 2°, other cards in target column shift to make room (layout animation via Framer Motion layout prop).
Quick actions	On hover: button background fills with an orange gradient that sweeps left-to-right (CSS background-position animation).
Toast	Slides in from top-right. Progress bar depletes over 4s. On hover: progress bar pauses. Exit: slides out right.

S5. Student Portal — Expanded Features

> ⚡ *CONFIRMED: All unit content is text and documents only. No video embeds in any student-facing unit viewer. Students upload documents for assignments, not videos.*

S5.1 Student Dashboard — Enhanced

Greeting & Motivational Banner

- 'Good morning, [Name]!' (time-aware greeting: morning/afternoon/evening) in Space Grotesk 28px.
- Below: a rotating motivational quote — pulled from a curated list of 10 faith-based motivational quotes. Changes daily (keyed to the date).
- If student hasn't logged in for 7+ days: a special 'Welcome back!' banner with an encouraging message (e.g., 'Great to see you again — pick up where you left off!').

Progress Ring Overview

- A large animated SVG progress ring (150px diameter) showing the student's overall program completion %.
- Inside the ring: the percentage number (count-up on load), below it: 'Overall Progress'.
- Ring color: orange from 0→60%, teal from 60→85%, gold from 85→100%.
- Next to the ring: 3 mini-stats — Units Completed, Assignments Submitted, Streak (consecutive days with activity).

Continue Learning Card (Prominent)

- A hero-style card at the top of the dashboard (before other sections). Orange left-border.
- Shows the student's most recently accessed unit: Course name, Module name, Unit name, progress through that unit (estimated % based on scroll position tracked in localStorage).
- CTA: 'Continue →' button links directly to the unit viewer URL.
- WHY: Removes friction. Student goes directly to where they left off in one click.

Deadlines Widget — Enhanced

- Sorted by urgency. Due today: red border, red text. Due in 1-3 days: orange border. Due in 4-7 days: amber. Due in 7+: normal.
- Each deadline item: assignment title, course name, due date formatted as 'Tomorrow, 5 PM' / 'Friday, 5 PM' / date. 'Submit' shortcut button → opens upload modal directly.
- If no deadlines: empty state with a green checkmark and 'You're all caught up!' message.

Achievement Badges (NEW)

- A horizontal scrollable row of achievement badges earned by the student.

- Badge types: 'First Unit Complete' (star), 'First Assignment Submitted' (upload), 'Course Complete' (trophy), 'Perfect Week' (fire — logged in every day for 7 days), '50% Progress' (half-circle), 'Full Program Complete' (crown).
- Unearned badges shown as grayscale/locked. Tooltip on hover explains how to earn them.
- When a new badge is earned: confetti animation (canvas-confetti) + a toast notification 'You earned a new badge: [Name]!'.

S5.2 Unit Viewer — Document Content Spec

Confirmed Content Types (Text & Document Only)

- Rich Text Content: Tiptap-rendered HTML. Supports headings, paragraphs, bold/italic, lists, blockquotes, code blocks, inline images (uploaded to Cloudinary/Uploadthing by admin), tables.
- Embedded Document: Admin can attach a PDF to a unit. It renders inline using pdf.js — students see the document pages directly in the unit viewer without downloading. Page navigation, zoom controls.
- Downloadable Resource: Admin can attach additional downloadable files (DOCX, PDF, etc.) to a unit. Shows as a styled download card: file icon, file name, file size, 'Download' button.
- NO video embeds. NO YouTube/Vimeo iframes. This is confirmed.

Reading Progress Tracking

- As students scroll through unit content, scroll depth is tracked (IntersectionObserver on the last content element).
- When the bottom of unit content enters viewport: 'Mark as Complete' button activates (turns from gray to orange) and a subtle banner appears: 'You've reached the end of this unit. Ready to mark it complete?'
- Estimated reading time shown below unit title: e.g., '5 min read' (calculated from word count at 200 WPM).
- Last position in the unit is saved to localStorage keyed by unitId. On revisit, page scrolls back to that position after a 500ms delay.

Unit Sidebar — Expanded

- At the top of the sidebar: course completion ring (small, 48px) + percentage.
- Modules are collapsible accordion sections. All modules collapsed by default except the one containing the active unit.
- Unit items show: completion icon (✓ filled orange = complete, ◯ outline = not started, ≡ = in progress, 📎 = has assignment), unit title, estimated time.
- 'Jump to' functionality: clicking any unit in the sidebar navigates instantly. No page reload — uses Next.js router.push with a loading bar (NProgress style, orange line at top of page).

S5.3 Assignment Submission — Full UI Spec

> ⚡ *Assignments are DOCUMENT UPLOADS ONLY. Supported: PDF, DOCX, DOC. No video, no audio, no ZIP. Max 20MB.*

Assignment Unit Type — What Students See

- When a unit type is 'Assignment', the unit viewer shows a special layout instead of text content:
  - Assignment title (H1).
  - Assignment description (the instructions written by admin, rendered as rich text).
  - Due date displayed prominently: 'Due: Friday, 18 April 2025 at 11:59 PM'. Countdown timer shows hours remaining if due within 24 hours.
  - File requirements box: accepted formats listed (e.g., 'PDF or DOCX only'), max file size.
  - The FileUploader component (full drag-drop zone, 240px height).
  - 'Notes for instructor' textarea (optional, max 500 characters).
  - 'Submit Assignment' primary button. Disabled until a file is selected.
  - IMPORTANT: If student has already submitted, this section transforms into a 'Submission Summary' view instead (see below).

Submission Summary View (Post-Submit)

- Replaces the upload zone after a successful submission.
- Green success banner: 'Submitted on [date and time]' with checkmark.
- File card: document icon, filename, filesize, 'View Document' (opens the document in a new tab — links to the stored file URL), 'Download' button.
- Student notes (if any): shown in a gray rounded box.
- 'Resubmit' link: appears below the file card. Clicking shows a confirmation modal: 'Resubmitting will replace your current submission. Proceed?' → Yes/No. If after deadline: warning shown, but student can still resubmit (admin decides how to handle late submissions).
- Instructor Comments section: shows any comments left by admin. Read-only for students. Each comment shows: admin name, relative timestamp, comment text (with markdown rendering). Unread comments have a blue left-border.
- If no comments yet: 'No comments yet. Check back after your assignment has been reviewed.' in gray italic.

File Upload Component Detailed Spec

- Drag-drop zone: dashed border (2px, orange, border-radius 16px), 240px height. Center content: upload cloud icon (Lucide UploadCloud, 48px, orange), 'Drag your document here' text, 'or browse files' link (styled as button, orange text).
- On drag-enter: border becomes solid orange, background becomes orange/5, icon animates (bounce).

- On file select: zone collapses to a compact file preview card. Card shows: document icon (colored by type — red=PDF, blue=DOCX), filename, filesize, a remove (×) button. Upload does NOT begin yet.
- Upload begins only when student clicks 'Submit Assignment'. This prevents accidental uploads.
- During upload: progress bar fills (orange) with percentage text. 'Uploading... 67%' text below. Cancel button appears.
- On upload error: red banner, error message, 'Try Again' button.
- Validation errors shown below the zone: 'File too large (max 20MB)', 'Unsupported format — use PDF or DOCX'.

S5.4 Messages — Enhanced

- Conversation list item: if the latest message is from instructor (unread), the entire row has a subtle orange/10 background + orange left-border.
- Message input: 'shift+enter' for new line, 'enter' to send (matches Slack/WhatsApp convention). Tooltip shown on first visit: 'Press Enter to send, Shift+Enter for new line.'
- Student can attach a document to a message (same file types as assignments: PDF, DOCX). Paperclip icon in message input. Uploaded file appears as a document card in the message bubble.
- Message bubble for document attachment: document icon + filename + filesize + 'Download' button. Same styling as the Submission Summary file card.
- Read receipts: 'Seen' label with timestamp appears below messages that the instructor has read. Uses a separate readAt timestamp on the Message model.

S5.5 Student Portal Micro-Animations

Student portal animation spec

Dashboard entry	Cards stagger in with translateY 20→0 + opacity 0→1, 60ms stagger. Progress ring animates stroke-dashoffset from full to partial over 1.5s ease-out on mount.
Continue Learning card	Subtle pulsing left-border (opacity 1 → 0.5 → 1, 2s infinite) to draw attention to the CTA.
Badge earn	Badge icon scales 0→1.2→1 with a spring animation. Surrounding badges scatter slightly then return (layout animation). Confetti fires from badge position.
Unit completion	On 'Mark as Complete': button transforms into a green checkmark (morphing icon animation, 0.3s). Sidebar updates the unit icon with a checkmark that draws in (SVG stroke animation). If this was the last unit of a module: module header flashes gold briefly.
Deadline urgency	Due-today items pulse their red border (opacity 0.6 → 1, 1s infinite ease-in-out). NOT distracting — subtle.

Assignment upload zone	Drag-enter state: border draws in with a stroke-dashoffset animation over 0.2s (dashed border animates). Background color transitions with ease.
Progress ring	Recalculates and re-animates (spring physics) every time a unit is marked complete. Visible update gives satisfying feedback.
Message send	Sent message slides up from the input and snaps into the thread (translateY 12→0, 0.25s). Paperclip icon jiggles on hover.
Sidebar navigation	Active item indicator: orange rectangle slides vertically to the active item (layout animation). Does not jump — it flows.
Document preview open	PDF viewer: pages fade in sequentially as they render (not all at once).

S6. Additional Public Pages (New)

S6.1 What We Believe (/about/belief)

This page was referenced in PRD v1.0 but not fully specced. Full spec here:

- Page Hero: 50vh. Background image. Title: 'What We Believe'. Subtitle: 'The convictions that ground everything we do.'
- Belief cards: 6 core beliefs in a 2-column desktop / 1-column mobile grid. Each card: a Lucide icon (Faith=Heart, Scripture=BookOpen, Prayer=Star, Community=Users, Discipleship=GraduationCap, Empowerment=Zap). Title. 2–3 sentence belief statement.
- Scripture verse accent: a large pull-quote in the center of the page. Dark navy background, white text, gold quotation marks. Scripture reference below.
- CTA at bottom: 'Learn more about our programs' → /our-work.
- Micro-animations: belief cards stagger in on scroll. Icon has a grow animation on card entry. The scripture pull-quote has a slow background pan animation (subtle parallax).

S6.2 Course Library — Public View (/ignite/courses)

The public-facing course library (not the student portal). Anyone can browse — students must log in to access content.

- Header: 'Ignite Course Library'. Subtitle: 'A look inside our 6-month discipleship program.'
- 3 Course Cards (matching Ignite page). Each expands to show:
  - Module list: accordion of modules. Each module row shows module title + unit count.
  - Units are listed but content is locked: 'Log in to access'. Lock icon next to each unit title.
  - A 'Enroll in Ignite' CTA prominently placed inside each course card.
- This page serves as a marketing preview — it shows the depth of the curriculum to attract prospective students.
- Module accordion open/close animation: smooth height transition (Radix UI Accordion).

S6.3 Alumni Page (NEW — /alumni)

A new page celebrating program graduates — adds social proof and community.

- Added to navbar: 'About Us' dropdown gains 'Alumni' link.
- Hero: 'Our Alumni — Lives Changed, Futures Shaped.'
- Alumni cards grid: 2-col desktop / 1-col mobile. Each card: photo, name, cohort year, current life update (e.g., 'Now studying at University of Nairobi'), short quote.
- For launch: use the existing Daisy Wairimu testimonial as the featured alumni card. Other slots show placeholder cards with 'More stories coming soon' treatment.
- At the bottom: 'Are you an Ignite alumnus? Share your story.' form — simple: Name, Cohort Year, Current Update, Submit. Submissions go to admin email for review before publishing.

S6.4 404 Page (/not-found)

- Custom Not Found page. Matches brand.
- Visual: the Ignite Torch 3D scene reused here (same component), but the flame is dimmed/small.
- Headline: '404 — This page went dark.' Subtext: 'But we can help you find your way.' CTA buttons: 'Go Home', 'Contact Us'.
- Navigation suggestions: 3 quick links to most common pages (About, Ignite, Apply).

S6.5 Public Pages Micro-Animations Additions

- All page heroes: title words animate in on load (same treatment as homepage hero). Breadcrumbs slide in from left (opacity 0→1, translateX -8→0, 0.4s delay after title).
- About / Belief: belief cards use a 'card flip reveal' — card starts slightly rotated (rotateX 8°, perspective 800px) and returns to 0° on entry. Creates a subtle 3D entrance.
- Team page: team member cards have a hover state where the circular photo border animates from gray to orange (border-color transition). The name and role text shift up 4px.
- Support Us page: the 3 donation method cards each animate in from their respective side (Bank from left, Online from center, MPESA from right) with stagger.
- Contact page: map section fades in last (after form and info cards) — this is intentional because iframes slow page rendering.

S7. Master Supplement Build Prompt

⚡ *Feed this alongside the v1.0 master prompt. This prompt covers ONLY the additions in this supplement document.*

🤖 **BUILD PROMPT**

```
=== SUPPLEMENT INSTRUCTIONS — Apply on top of PRD v1.0 ===

[3D HERO ASSET]
Install: npm install @react-three/fiber @react-three/drei
@react-three/postprocessing three
Create /src/components/hero/IgniteTorch.tsx:
- R3F Canvas (alpha:true) in the right 45% of hero section (lg: col-start-7
col-span-5)
- Scene: TorchBody (dark brown cylinder), FlameCore (cone with vertex-displacement
ShaderMaterial,
  time uniform, colors E8621A → F4A623 → FFF3B0), Bloom postprocessing
(SelectiveBloom)
- Float component (speed 1.5, rotationIntensity 0.4)
- Mouse tracking: useEffect listeners → state → useFrame lerp (factor 0.05) for
rotation
- Touch: touchmove event, same behavior
- Scroll: scrollY → torch.position.y offset + canvas opacity fade at 60% hero
height
- Click: canvas-confetti style particle burst via 8 small SphereGeometry instances
+ useSpring
- Load with next/dynamic({ssr:false}). Show TorchSkeleton (animate-pulse div) while
loading
- prefers-reduced-motion: static torch, no Float, no vertex displacement

[LOGIN PAGE]
Create /src/app/(auth)/login/page.tsx:
- Split screen: left panel (lg:w-[45%]) navy bg + floating particles +
RotatingTestimonials
  (3 quotes, AnimatePresence crossfade, 5s interval) + stat pills
- Right panel (lg:w-[55%]): RoleTabs (Radix Tabs, Student|Admin), EmailInput (Mail
icon,
  floating label), PasswordInput (Lock icon, Eye toggle), RememberMe custom
checkbox,
  SubmitButton (full-width orange, loading spinner), ForgotPasswordInline
(AnimatePresence
  slide-down: email field → success message)
- Error states: shake animation + red banner. After 5 failures: countdown timer on
button
- Framer Motion: right panel entry animation x:40→0, opacity:0→1, duration:0.5

[LANDING PAGE ADDITIONS]
- AnnouncementBanner: above Navbar, orange bg, dismissible (sessionStorage),
slide-down on load 800ms delay
- Hero: faint CSS grid overlay (opacity 0.04), 3 glass pills ('Faith-Based', 'Fully
Sponsored', 'Nairobi'), scroll-progress bar (2px orange top)
- Stats section: expand to 6 stats, navy→teal diagonal gradient bg, 80px numbers,
count-up useCountUp hook
- Program cards hover: grayscale image → full color + description slides up
(translateY 100%→0)
```

- Testimonials: 3 quotes, dot navigation, arrow buttons, 5-star rating, pause on hover
- FloatingDonateButton: fixed mobile bottom-right, pulse ring animation, bottom sheet with 3 donation methods
- Photo strip: horizontal scroll-snap, 6 images with rotation ±2°, framer drag-to-scroll desktop
- Scroll progress bar: fixed top, z-9999, fills on scroll

[ADMIN ENHANCEMENTS]
- Dashboard: 8 metric cards (add Total Courses, Active This Week, Applications, Course Completion donut)
- 3 charts: Monthly Enrollment (LineChart), Course Completion (BarChart), Activity Heatmap (GitHub-style grid)
- Quick actions tray: 5 shortcut buttons below metric cards
- /admin/applications (NEW): data table + side panel with full application, status selector, internal notes, bulk actions
- NotificationBell: in admin navbar, dropdown panel, polling /api/admin/notifications every 60s
- Course list: kanban columns (Draft|Published|Archived), drag-and-drop status change via dnd-kit
- Course editor: TEXT units only (Tiptap), ASSIGNMENT units only (no video). Auto-save debounced 2s.
  Publish checklist modal.
- DocumentPreviewModal: 2-panel modal (PDF.js preview + review tools panel). Comment editing
  with 15-min lock. Markdown support in comments (marked.js). Notify Student toggle.
- Bulk submission actions: checkboxes + 'Mark as Reviewed' bulk button

[STUDENT PORTAL ENHANCEMENTS]
- Dashboard: time-aware greeting, daily motivational quote, progress ring (SVG, animated),
  Continue Learning hero card, Achievement badges row (6 badge types, confetti on earn)
- Unit viewer: estimated reading time, scroll-depth tracking, inline PDF viewer (pdf.js)
  for attached documents, downloadable resource cards. Tiptap-rendered HTML content.
  NO video embeds anywhere in student content.
- Assignment unit: due date countdown, FileUploader (document only: PDF/DOCX/DOC, max 20MB),
  notes textarea, Submission Summary view post-submit (file card, instructor comments read-only,
  resubmit flow with confirmation modal)
- Messages: document attachment support in messages, read receipts, Enter-to-send behavior

[NEW PAGES]
- /about/belief: 6 belief cards (2-col grid), scripture pull-quote, card flip reveal animation
- /ignite/courses: public course library with locked units, module accordion, enroll CTA
- /alumni: alumni cards grid, featured testimonial, alumni story submission form
- /not-found: custom 404, dimmed IgniteTorch scene, navigation suggestions

[ANIMATIONS — GLOBAL RULES]

```
All Framer Motion animations:
  initial: { opacity: 0, y: 16 } or { opacity: 0, x: -16 } (directional)
  animate: { opacity: 1, y: 0 } or { opacity: 1, x: 0 }
  transition: { duration: 0.5, ease: [0.22, 1, 0.36, 1] }
  viewport: { once: true, margin: '-60px' }
Always wrap lists with staggerChildren: 0.06 in parent variants.
All animations: check (prefers-reduced-motion: reduce) → skip animations, show
final state.
```

S8. Updated Component Additions

New components introduced in this supplement that extend the /src/components/ library:

New Components — supplement additions

IgniteTorch.tsx	/src/components/hero/ — R3F 3D scene. Props: className. Loaded dynamically.
TorchSkeleton.tsx	/src/components/hero/ — Loading placeholder for the 3D canvas.
AnnouncementBanner.tsx	/src/components/layout/ — Dismissible top strip. Props: message, linkText, linkHref.
ScrollProgressBar.tsx	/src/components/layout/ — 2px fixed top bar. No props needed.
FloatingDonateButton.tsx	/src/components/layout/ — Mobile fixed button. Uses DonationSheet.
DonationSheet.tsx	/src/components/layout/ — Radix Sheet with 3 donation methods.
RotatingTestimonials.tsx	/src/components/ui/ — Quote carousel. Props: quotes[], interval.
StatPill.tsx	/src/components/ui/ — Glass pill. Props: icon, label, value.
CountUpNumber.tsx	/src/components/ui/ — Animated counter. Props: end, duration, suffix.
ProgressRing.tsx	/src/components/ui/ — SVG ring. Props: value, size, strokeWidth, color.
AchievementBadge.tsx	/src/components/student/ — Badge display. Props: type, earned, onEarn.
ContinueLearningCard.tsx	/src/components/student/ — Dashboard hero card. Props: unit, course.
DocumentPreviewModal.tsx	/src/components/admin/ — 2-panel modal. Props: submission, onClose.
PDFViewer.tsx	/src/components/ui/ — pdf.js wrapper. Props: fileUrl. Dynamic import.
InlineDocumentCard.tsx	/src/components/ui/ — File card. Props: fileName, fileSize, fileUrl, type.
SubmissionSummary.tsx	/src/components/student/ — Post-submit view. Props: submission, comments.
ReadReceiptLabel.tsx	/src/components/student/ — 'Seen' label. Props: readAt timestamp.
NotificationBell.tsx	/src/components/admin/ — Bell icon + dropdown panel. Polls API.
KanbanCourseBoard.tsx	/src/components/admin/ — dnd-kit kanban. Props: courses[].
ActivityHeatmap.tsx	/src/components/admin/ — GitHub-style heatmap. Props: data[].
PublishChecklist.tsx	/src/components/admin/ — Modal with checklist. Props: course, onPublish.
ApplicationSidePanel.tsx	/src/components/admin/ — Slide-in panel. Props: application, onClose.

BeliefCard.tsx	/src/components/public/ — Belief card. Props: icon, title, description.
AlumniCard.tsx	/src/components/public/ — Alumni profile card. Props: name, cohort, update, quote.
PhotoStrip.tsx	/src/components/public/ — Horizontal scroll gallery. Props: photos[].
HeatmapCell.tsx	/src/components/admin/ — Single heatmap day cell. Props: count, date.

— End of Supplement PRD v1.1 —

Use alongside PRD v1.0 | DICE Ministry CBO | April 2026