OMNIRUSH — ALL PROBLEMS AND THEIR SOLUTIONS

The one master file for the OmniRush builder

Owner: jo **Project:** OmniRush / Debate Clipper **Project folder:** D:\charlie youtube long videos\clipping automation\debate_clipper **Ubuntu/WSL path for the same folder:** /mnt/d/charlie youtube long videos/clipping automation/debate_clipper **Studio:** http://127.0.0.1:8765/ **Classic fallback:** http://127.0.0.1:8765/classic **Date of this consolidated instruction:** 8 October 2026

> **jo's instruction:** Write ALL the problems in one single file, do not miss anything, make it very detailed, and include the detailed solution jo chose for each problem so the builder cannot understand it incorrectly.

This file is therefore **self-contained**. The builder must not need to reconstruct jo's decisions from separate plan files, screenshots, chat messages, test cards, or older instructions.

---

0. HOW THE BUILDER MUST USE THIS FILE

0.1 Read first — do not code first

1. Open the builder session **inside the project folder**, not in /home/pc_ubuntu or another home folder.
2. Read this entire file carefully before changing code.
3. Scan and map the actual project code before editing it.
4. Report back, in plain words:
   - the four Studio steps;
   - the files that control each step;
   - the current status in Section 2;
   - the first phase you will work on;
   - any point in this file that is technically impossible, with evidence.
5. Wait for jo's go-ahead if this is the first reading session.
6. Back up or commit the working Studio before code changes so a bad phase can be rolled back.

Likely files to inspect first — verify this from the code, do not assume:

- dc/studio/static/studio.js
- dc/studio/static/speaker-frame.js
- dc/studio/static/studio.css
- dc/studio/server.py
- dc/export_catalog.py

Do not silently edit unrelated files. If another file must change, name it in the phase report and explain why.

0.2 One phase at a time

Build in the phase order in Section 17.

- Finish one phase.
- Run every acceptance test for that phase using Studio and a real video.
- Write the phase report in the format in Section 19.
- Wait for jo to test / approve.
- Only then start the next phase.

Do **not** rebuild the whole app in one giant change. Do **not** start a later phase early merely because it looks easy.

0.3 This file wins over older wording

Jo changed and corrected several decisions while designing this. If an older OmniRush file, prototype, builder summary, code comment, or test instruction conflicts with this file, **this file wins**, especially for:

1. Edit group order: **Headline → Speaker Frame → Trim → Framing → Captions**.
2. Speaker Frame manual box editing and manual Speaker A/B declaration are **Simple controls**, not hidden Advanced controls.
3. The rejected Framing buttons must not return.
4. Speaker Frame uses **one video area with two modes — Edit boxes / See the result** — not

two separate videos/screens.
5. Save is **never** disabled while waiting for a preview.
6. A real percentage may be shown only when it is genuinely measured; fake percentages are forbidden.
7. Each Speaker Frame switch must be **well under 1 second per tap**, not “under 5 seconds total.”
8. The green text problem is a **stray overlay that does not belong to the video**, not a request to restyle a clip's own captions as the main fix.
9. Clips do **not** belong exclusively to one account. Only an account's **logo, username, and name** change.
10. Export must show **all export states**, including Not finished — not only finished videos.

If the builder believes a requirement is impossible, it must stop and report the evidence. It must not silently substitute a different behaviour.

0.4 What “improve” means

Jo allows the builder to suggest a better solution only when “better” means **easier for the user to use**:

- fewer clicks;
- fewer visible options;
- clearer words;
- faster response;
- less chance of making a mistake;
- easier to undo or recover;
- clearer status.

“Better” does **not** mean:

- more features;
- more settings;
- more numbers or scores;
- clever automation the user cannot control;
- a trendier but denser layout;
- silently replacing jo's chosen workflow.

An improvement that changes user-visible behaviour must be reported **before** it is built, using the proposal format in Section 19.3, and the builder must wait for jo's approval.

0.5 Useless or harmful things

If the builder finds something useless, duplicated, dead, misleading, or harmful:

1. Report what it is and where it is.
2. Give evidence.
3. Recommend remove / hide / keep.
4. Do not delete or hide it without jo's approval.

Known examples to verify are in this file: dead Speaker Frame help switch, fake stage percentages, static caption overlay on finished exports, CPU/RAM clutter in the header, and the empty Step 4 placeholder.

0.6 No fake “done”

The builder must never say a phase is done merely because:

- the code was changed;
- an automated test passed;
- a page loads;
- a screenshot looks right;
- the builder read the requirement.

A phase is done only when its acceptance tests pass in Studio with a real video and the report honestly lists anything not tested.

---

1. THE PRODUCT AND THE CORRECT USER FLOW

OmniRush turns one long video into short clips.

The normal flow is:

1. **Step 1 — Add video:** paste a link or choose/drop a local video file.
2. **Step 2 — Find clips:** OmniRush downloads/checks, listens/transcribes, finds moments, and prepares clips.
3. **Step 3 — Review:** the user watches ranked clips, approves/rejects them, edits them, and starts exports.
4. **Step 4 — Export:** OmniRush makes the finished video and clearly tells the user whether it is exporting, not finished, exported, or failed.
5. **My exports:** the library of finished exports, available from the header.

Editing is part of Step 3. It is not a separate journey away from the selected clip.

1.1 Style — Descript, not Opus Clip

Use **Descript** as the style reference:

- clean;
- calm;
- beginner-friendly;
- generous white space;
- one clear primary action per area;
- plain words;
- very little visible at once;
- consistent buttons, cards, spacing, and typography.

Do **not** copy Opus Clip's dense, numbers-heavy, panel-heavy structure.

Per clip in the normal list, show one plain rating word at most — **Great / Good / Okay / Weak / Not measured**. Detailed rating reasons stay collapsed under “Why this rating?” They must not become a wall of metrics.

1.2 The beginner test

Every screen must answer these questions within three seconds:

1. What am I looking at?
2. What is happening now?
3. What should I do next?
4. Did my last action work?

If jo needs instructions to understand a main screen, the screen is wrong.

1.3 Plain language rule

Use words a beginner understands:

- “Add video,” not “Ingest source.”
- “Find clips,” not “Run candidate extraction.”

- “Exported,” not “Render bundle committed.”
- “Not finished,” not “Partial terminal state.”
- “Try again,” not “Retry operation.”

Technical logs may exist under a collapsed “Show details” area, but a technical code must never be the only explanation.

---

2. CURRENT STATUS — WHAT IS DONE AND WHAT IS NOT

2.1 Phase 1 — Add Video: built and checked by jo

Phase 1 was built by the OmniRush builder and **jo tested it in Studio and reported "passed" on 8 October 2026**.

The builder reported, among other things:

- the five-second refresh no longer rebuilds the Add Video form;
- visible file status and a Remove file control were added;
- invalid-link rejection, failed-start retention, link/file persistence, and rights/count persistence were included in its expanded smoke test;
- its reported test results were 99 passed in the full native Windows suite, 6 passed in focused security/contract tests, the native browser harness passed, and the expanded Phase 1 smoke test passed;
- its stated limitation was that YouTube validation checks URL structure and video ID format; actual availability remains the downloader's responsibility.

Instruction: Do not redo Phase 1 from zero. Preserve it. Run its requirements in this file as regression tests. If a later global rule exposes a remaining gap — for example the download/start progress and duplicate-start lock in Sections 4 and 5 — fix only that gap and report it as a Phase 1 regression/gap fix.

2.2 Phase 2 — Find Clips: not accepted as done

Jo has shown the current broken Step 2 behaviour in Studio:

- the main card says **"Waiting for a video"** and **"Working…"**;
- at the same time, a notification says the video finished and tells jo to open Review.

Therefore Step 2 is not accepted as fixed merely because somebody may have started work on it. If the builder later reports Phase 2 done and jo still sees that behaviour, it is a **Phase 2 failure**, specifically the completion/status test.

2.3 Review, Edit, Speaker Frame, Export, My exports/header

The detailed designs in this file are approved directions from jo, but they must not be described as built or user-verified until their phase is implemented and jo passes the Studio tests.

2.4 Accounts

Jo has decided the branding rule in Section 15. Jo has **not yet decided**:

1. organise only, organise now + posting later, or organise + posting now;
2. whether the account is chosen mainly at Export time or also at Step 1 for display while working;
3. exactly where logo/username/name appear on an exported video.

Therefore:

- do not build TikTok/social logins;

- do not build posting or scheduling;
- do not lock clips to one account;
- do design export records so a future account identity can be stored with an export without remaking clips.

2.5 Sidebar side

The saved chosen layout places the clips sidebar on the **left**. Keep it left unless jo explicitly changes it.

---

3. GLOBAL PROBLEM 1 — THE INTERFACE IS MESSY AND HARD TO UNDERSTAND

Problem

The old interface has too many competing elements, dense options, unclear grouping, and controls that make a beginner feel lost. The Edit area is especially messy. The problem is not a lack of features; it is that too many features are shown at the same level, at the same time, with unclear labels.

Solution

1. Use the Descript style in Section 1.1 everywhere.
2. Use one visual hierarchy:
   - header;
   - current step;
   - main content;
   - one primary action for that content;
   - secondary actions quieter.
3. Group related controls into labelled cards/groups.
4. Keep unrelated or rarely used controls collapsed or in Advanced inside their own group.
5. Use consistent spacing — normally 16–24 px page/card padding — and one accent colour for selection and primary actions.
6. Do not use random font sizes, colours, badges, or panels to make the app look “professional.”
7. Every loading, empty, working, success, warning, and failure state must be designed, not left blank.
8. Remove or relocate elements that do not help the current step:
   - no CPU/RAM in the main header;
   - no Recent actions list dominating Step 1;
   - no advanced/dead switches on a beginner's main path.
9. Main action buttons must have text labels. Do not make a beginner guess an icon.
10. Keep keyboard focus visible, support reduced-motion preferences, and keep click targets large enough to use comfortably.

Must not happen

- Do not fix clutter by adding another dashboard.
- Do not expose every setting at once.
- Do not show multiple competing primary buttons for one task.
- Do not use a modal/dialog when an inline panel can do the same job without hiding the video or context.

Acceptance

- A new user can open each step and identify the main task and next action within three seconds.
- No screen shows a wall of unrelated controls.
- The same button/card/group styles are reused across all four steps.

4. GLOBAL PROBLEM 2 — OMNIRUSH FEELS SLOW EVERYWHERE

Jo's decision

Jo was asked which part feels slow and answered: **“Everything feels slow.”**

This is a whole-app performance requirement. It does not apply only to Speaker Frame, Export, or Find clips.

4.1 Performance targets

These targets apply on jo's PC, with a real long video, not an empty demonstration database.

Immediate feedback

- A click must show visible feedback immediately — button state, working sign, pressed/selected state, or progress — with no unexplained dead period.
- Target: visible feedback in **under 0.5 seconds** for every click; normally it should feel instant.

Navigation and selection

- Opening Studio, switching steps, selecting a clip, and opening that clip in the main stage should feel fast.
- Target: **about 1–2 seconds or less** for step switching and clip opening once the app and media are available locally.
- Selecting another clip must not wait for a full page rebuild or reload all unrelated lists.

Editing

- Every Edit, Framing, Captions, and Speaker Frame change must update the visible video **well under 1 second per change/tap**.
- Dragging a picture or box must follow the pointer without visible delay or stutter.
- Editing must not wait for a server preview.

Heavy jobs

Find clips and Export involve real processing, so jo does not require them to finish instantly. The builder must nevertheless:

- measure them honestly;
- optimise wasted work;
- keep the interface responsive while they run;
- report the source video's duration, resolution/file size where available, the total time, and the time per major stage;
- report the export settings and encoder used for an export timing;
- never call a heavy job “fast” without the measurement.

4.2 Required optimisations

1. **Do not redo completed work.**

- Reuse an already downloaded source when the source identity has not changed.
- Reuse a transcript when the source and transcription settings have not changed.
- Reuse clip analysis/candidates when the source and relevant settings have not changed.
- Reuse thumbnails instead of regenerating them on every screen open.
- Do not rerun automatic reframing merely because the user reopened a clip.
- An export may be rerun when the user explicitly requests a new export or an edit/branding input changed; the new export gets a new export job ID.

2. **Update only what changed.**
   - A background refresh must update only the list/data that changed.
   - Polling must not rebuild an entire form, list, player, or page to change one status line.
   - The Phase 1 bug — a five-second whole-form rebuild — is the model of what not to repeat anywhere.
3. **Load only the active video.**
   - Clip lists use thumbnails/posters, not live video players.
   - Do not preload the media data for every clip in a list.
   - Lazy-load thumbnails.
   - Only the selected clip's player loads and plays media.
4. **Keep jobs off the interaction path.**
   - Downloading, transcription, analysis, and rendering run as background jobs.
   - While they run, buttons elsewhere, navigation, scrolling, and playback of an already available clip must remain responsive.
   - The server must not block the Studio interface while one heavy job runs.
5. **Use efficient local preview.**
   - Edit previews happen locally from the already-loaded video.
   - Use transform/composition techniques that do not force full layout recalculation on every pointer movement.
   - Do not create and destroy the main video element for a setting change.
6. **Use hardware acceleration carefully.**
   - If the PC has a supported hardware encoder/decoder, the builder may use it for Export/preview where it produces the same correct output.
   - Verify quality and framing after enabling it.
   - Fall back cleanly if it is unavailable.
   - Report whether hardware acceleration was used in the relevant phase report.
7. **Avoid overloading jo's PC.**
   - Keep the existing one-render-at-a-time safety unless the builder proves parallel rendering is safe and reports it as an improvement proposal.
   - Do not start duplicate background jobs that compete for CPU/RAM.
   - Diagnostic CPU/RAM information may be available under Help/About or logs; it does not belong in the main header.

4.3 Performance measurement rule

For every phase, the report must include:

- what was slow before, if measured;
- what the time is after the phase;
- what device/app state was used;
- the real video duration used;
- anything that became slower.

A later phase must not silently make an earlier phase slower. If a regression is real and unavoidable, report it before calling the phase done.

Acceptance

- jo can click around Studio without unexplained freezes.
- Opening/selecting clips is approximately 1–2 seconds or less in normal local use.
- Every edit interaction is well under 1 second.
- A running Find clips or Export job does not freeze the rest of Studio.
- Timings in the report match what jo experiences closely enough that there is no misleading claim.

---

5. GLOBAL PROBLEM 3 — LONG ACTIONS DO NOT CLEARLY SHOW REAL PROGRESS, AND THE USER CAN START THEM TWICE

This is one of jo's most important rules. It applies to **all** long operations, not only one screen:

- adding/downloading a video from a link;
- uploading/copying a local file if that takes time;
- Find clips;
- Export;
- Resume/Try again for an unfinished job or export;
- any future long operation of the same kind.

5.1 The three required behaviours

A. Show a visible working sign immediately

The instant the user clicks start:

1. The clicked button changes to a clear working state, such as “Starting…”, “Downloading…”, “Finding clips…”, or “Exporting…”.
2. The relevant screen shows:
   - what is happening;
   - the current stage in plain words;
   - an activity/progress display;
   - elapsed time counting up;
   - Cancel when cancellation is possible.
3. The user must never wonder whether the click worked.

B. Lock the same action while it runs

While an operation is running:

1. Disable/lock its start button.
2. Lock the input that defines that operation:
   - Step 1 link field, file picker/drop area, and source-changing controls are locked while that source job is being started/downloaded/processed as the active job;
   - a running Find clips job cannot be started again;
   - a clip that is already exporting cannot be exported again at the same time.
3. Ignore duplicate clicks rather than creating duplicate jobs.
4. Duplicate protection must not rely only on a disabled button. The app/server must also recognise an already-active job for the same operation and return/reuse that active job instead of creating another one. This protects against double-clicks, reloads, and repeated requests.
5. If another export cannot start because the renderer is busy, do not show a raw server error and do not create a pretend queue. This fix does **not** add an export queue: keep the new clip's Export button locked, show “Another export is already running,” and provide a button/link to view the running export on Step 4. The new export may be started only after the running one reaches a terminal state. (A real queue would be a separate improvement proposal requiring jo's approval.)

The lock ends only when the operation:

- finishes;
- fails;
- is cancelled and confirmed stopped;
- or is truthfully shown as Not finished/interrupted with an explicit Resume/Try again action.

C. Progress must be real — or the app must honestly say it cannot show a real percentage

A percentage is allowed **only** when it is calculated from real measured work, for example:

- downloaded bytes divided by total bytes when the total is known;
- processed media duration divided by total media duration when the processing engine truly reports processed duration;
- rendered frames divided by total frames when the renderer truly reports both.

When a real percentage is shown:

- label what it measures, such as “Downloading — 32% (48 MB of 150 MB)”;
- update it from the real measurement, not a timer;
- do not jump it to a stage-based number that was not measured.

When real progress cannot be known for a stage:

- do **not** invent a percentage;
- show the stage name;
- show elapsed time;
- show an indeterminate/moving activity bar that is clearly activity, not a percentage;
- if useful, show a truthful stage position such as “Stage 2 of 5,” but never present the stage position as a measured percentage.

Example of honest display:

> **Listening to the debate**
>
> Stage 2 of 5 · Time so far: 1:23
>
> A moving bar shows it is working. No percentage is shown because this stage cannot measure an exact percentage.

Example of a forbidden display:

> Listening to the debate — 25%

when 25% merely means “this is the second stage.” That was the old fake-percentage behaviour and it must not return.

5.2 Failure and cancellation behaviour for every long operation

On failure:

1. Stop showing it as still working.
2. Unlock the controls.
3. Keep the user's input and settings.
4. Show a plain-words failure message.
5. Show where it stopped.
6. Offer **Try again** when retry is meaningful.
7. Keep technical details collapsed under “Show details.”

On cancellation:

1. Ask for confirmation when an accidental click could destroy useful progress, using the inline pattern in the relevant step section.
2. Send the cancellation to the correct job ID.
3. Wait for the server to confirm stopped, or clearly say it could not stop.
4. If cancellation succeeds, mark the job stopped/cancelled — do not mark it successful.
5. If it is an export, move/keep it under Not finished/Stopped as specified in Section 13.
6. Unlock controls only after the state is known.

5.3 Leaving and returning

Starting a long job must not trap the user on one screen and must not lose the job if the user:

- switches step;
- reloads the browser;
- closes and reopens Studio;
- reopens the browser later.

The app stores the active job ID and, on return, asks the server for that job's true status. This detailed behaviour is mandatory for Find clips in Section 9 and Export in Section 13.

Acceptance

- Double-clicking a start/export button creates exactly one job.
- Reloading during a job does not create a second job.
- Every running job visibly shows stage + elapsed time.
- Every percentage on screen can be explained by a real numerator and denominator.
- No percentage advances merely because time passed.
- Failure always unlocks and preserves input.

---

6. GLOBAL PROBLEM 4 — THE APP GIVES CONTRADICTORY OR UNCLEAR STATUS

Problem

Jo has seen screens that contradict themselves:

- Step 2 says “Waiting for a video / Working…” while a notification says the video finished.
- Step 4 is titled “Your finished videos” but shows no finished video and only tells the user to go back to Review and press Export.
- A Step 2 notification remains visible on Step 4.
- Header steps can look green/completed based on navigation rather than real completion.
- A clip can be exported without the user receiving a clear, lasting “Exported” status.

Solution — one true status, shown consistently

6.1 One authoritative status source

For each source video, Find clips job, clip, and export, the visible status must come from that item's server record and stable ID — not from:

- which screen happens to be open;
- an old notification;
- a button's temporary label;
- a local guess;
- the last item with the same clip ID.

If two parts of the screen disagree, that is a bug. Fix the state source, do not merely hide one message.

6.2 Clear completion

When an operation completes, the app must say so in the main content of the relevant screen, not only in a small temporary toast:

- Find clips complete → “Clips are ready” and auto-open Review.
- Export complete → “Exported ✓,” described fully in Section 13.
- Edit saved → visible saved confirmation.
- Approval/rejection → status badge updates immediately.

6.3 Clear failure

A failure must be equally clear:

- “The video could not be processed.”
- “Export failed.”
- “Save failed.”

Include a plain reason and the next action. Never leave a spinner running after failure and never silently return the user to an earlier step as though nothing happened.

6.4 Notifications/toasts

1. A notification belongs to one job/operation and should carry or be tied to that job's ID internally.
2. It must match the main screen's status for that job.
3. It clears when:
   - the user closes it;
   - the user follows its action;
   - or the user leaves the relevant step after seeing the result.
4. A Step 2 notification must not follow the user to Step 4.
5. Do not stack duplicate notifications for the same event.
6. A notification is supplementary. It is never the only place where completion or failure is told.

6.5 Header step state

The four header steps must show real state:

- current step: highlighted;
- truly completed step: completed/check style;
- not yet reached or incomplete step: neutral/grey;
- a step is **not** completed merely because the user clicked/opened it.

Clicking Step 4 before any export exists must show the truthful Step 4 state in Section 13.8, not mark export complete.

Acceptance

- No screen simultaneously says “waiting/working” and “finished” for the same job.
- Completion and failure can be understood from the main screen without hunting for a toast.
- Notifications do not leak across unrelated steps.
- Header step styling matches actual job/review/export state.

---

7. GLOBAL PROBLEM 5 — MORE THAN ONE VIDEO CAN DISPLAY OR PLAY

Problem

Jo's original critical bug: open one video, then open a second video, and both display/play instead of the first one stopping. Audio can continue from a video that is no longer selected. Different screens and pop-out playback can escape the rule.

Solution — exactly one audible, active player

Maintain one app-wide active-video concept.

When a new clip/video becomes active:

1. Pause the previous video immediately.
2. Stop its audio immediately.
3. Remove its playing state and controls indication.
4. Unload or suspend its media when it is no longer displayed, where safe, to save resources and prevent it continuing in the background.
5. Show non-active clips as thumbnails/posters, not live players.

The rule applies when moving between:

- clips in the Review sidebar;
- Review and Edit;
- Review and Step 1, Step 2, Step 4, or My exports;
- a clip player and an exported-video player inside Studio;
- any internal modal/player used to play an export.

Additional rules:

- Videos that scroll out of view pause.
- Navigating away from Review stops the Review video.
- Playing an exported video inside Studio stops the Review/Edit video, and vice versa.
- Do not open an exported video in a new browser tab as the default Play behaviour, because Studio cannot coordinate playback in that tab. “Open in new tab” may exist only as a clearly secondary choice if needed.
- Speaker Frame compositions may use muted, synchronised visual layers/clones to create blended or stacked results, but there is still only **one controlling video playback and one audio source**. Those muted layers are part of the same selected clip composition; they are not independent videos playing different content.

Must not happen

- Two clips audible at once.
- A hidden clip continuing to play.
- The previous clip still showing a playing state after another clip is selected.
- A list containing multiple live autoplaying players.

Acceptance

1. Play Clip A.
2. Select Clip B.
3. Clip B becomes the only displayed active player.
4. Clip A pauses immediately and its audio stops.
5. Repeat fast clip switching five times; only the last selected clip plays.
6. Start an exported video inside Studio; the Review clip stops. Return and play the Review clip; the exported video stops.

---

8. STEP 1 — ADD VIDEO: EVERY PROBLEM AND SOLUTION

Phase 1 is marked built/user-passed in Section 2.1. This section is both the permanent specification and the regression test. Do not weaken any part of it in later phases.

8.1 Required screen layout

One calm main column/card:

1. Title: **Add video**
2. Link field: “Paste a YouTube link”
3. “or”
4. File drop area / Choose file
5. One large primary button: **Find clips**
6. **More options**, closed by default
7. **Recent videos** below, maximum eight visible jobs

The first screen should not contain Advanced controls, Recent actions, CPU/RAM, or unrelated settings.

8.2 Problem — the background refresh erased the user's work

Old behaviour

Every five seconds, the background refresh rebuilt the whole Add Video form. It could clear:

- a typed/pasted link;
- a chosen file;
- changed More-options selections.

Required solution

1. Split the form rendering from the Recent videos refresh.
2. Background refresh may update Recent videos only.
3. It must never re-render or reset the link field, file selection, rights choice, clip-count choice, or open/closed state of More options.
4. Recent videos updates must not make the page jump or move controls while jo is using them.
5. As extra protection, if the user has unsaved Step 1 input, no background process may overwrite the form.

Acceptance

- Type a link, wait at least 15 seconds: link remains exactly as typed.
- Choose a file, wait at least 15 seconds: file remains chosen.
- Change rights and clip count, wait at least 15 seconds: both remain changed.
- During those waits, Recent videos still refreshes.

8.3 Problem — clicking with a link did not give a trustworthy downloading/starting experience

Jo's requirement

When jo pastes a link and clicks, the app must:

- show a downloading/working sign;
- show real progress if it can, or honestly show stage + time if it cannot;
- prevent jo from adding another link or starting the same action again while it runs.

Required solution

Follow Section 5 exactly.

Detailed Step 1 sequence:

1. User enters a valid link **or** chooses a file.
2. User clicks **Find clips** once.
3. Button immediately changes to a disabled working state, such as “Starting…” and then the relevant downloading/checking stage once the job exists.
4. The link field and file controls lock so the source cannot be changed or submitted again for that active job.
5. Double-clicking, pressing Enter repeatedly, reloading and resubmitting, or making the same request again must not create a duplicate job.
6. If the first stage is a download and the downloader reports bytes:
   - show a real measured percentage;
   - show downloaded amount and total amount if known;
   - show elapsed time;
   - show Cancel.
7. If the total size or a later stage cannot be measured:
   - show the stage name and elapsed time with an activity bar;
   - do not invent a percentage.
8. Once the server has created the Find clips job, the normal path moves to Step 2 and Step 2 continues showing the same job's true status. The active job remains locked against a duplicate source start.
9. If jo navigates back to Step 1 while that job is still active, Step 1 must show a clear active-job notice, for example:
   - “A video is already being processed — [video title]”
   - current stage + elapsed time;
   - **View progress**;
   - **Cancel job** if appropriate.

It must not present a blank, unlocked form that invites a duplicate start.

10. If starting fails before a job exists:
    - stay on Step 1;
    - unlock the controls;
    - retain the link/file and all options;
    - show a plain error and allow correction/retry without retyping.
11. If a local file must be copied/imported before processing and that takes time, the same rule applies: show copying progress if measurable or stage + elapsed time if not, lock the source controls, and do not allow another file/link to replace it mid-copy.

8.4 Problem — link validation was too weak or unclear

Old behaviour

The field said YouTube, but the start check only verified that the text looked like an HTTP/HTTPS link. A non-YouTube or unusable link could start and fail later without a clear explanation.

Required solution

1. Accept valid YouTube watch/share links with an extractable video ID, including the valid YouTube host forms supported by the existing downloader.
2. Reject a link that is not a recognisable YouTube video link before starting a job.
3. Show a plain error, for example:
   “That link doesn't look like a YouTube video. Check the link and try again.”
4. Keep the entered link visible so the user can correct it.
5. Do not claim that structure validation proves the video is available, public, downloadable, or rights-cleared. Availability is determined by the downloader in Step 2; if it fails there, Step 2 must keep the failure visible under Section 9.7.
6. A local file path must not be blocked by the YouTube-link validator.

8.5 Link and file selection rules — keep exactly

1. The user can paste a YouTube link.
2. The user can choose a local file with the file picker.
3. The user can drag and drop a file onto the drop area.
4. The drop area highlights while a file is dragged over it.
5. The selected file name appears in the drop area.
6. File information should include file size when the browser/server can know it.
7. A chosen file can be removed with a clear **Remove file** control.
8. Selecting a file clears the link field.
9. If the user types a link after choosing a file, the link takes priority when starting. The interface should make this clear, for example: “Link will be used.”
10. If neither a link nor a file exists and the user clicks Find clips, show **“Add a video first.”** Do not start anything.
11. Once a source job is active, these selection rules are locked under Section 8.3 until the job reaches a terminal state.

8.6 More options — keep the choices, keep them closed

More options starts closed.

Rights for this video

Choices:

- **I'm not sure** — default;
- **It is mine**;
- **I have permission**;
- **I have a licence**;
- **Verified public domain**.

Rules:

1. The explanation changes with the selection.

2. The default explanation must continue to make clear that local review is allowed but publishing remains blocked until rights are checked.
3. Changing rights must not be erased by refresh.
4. Rights is metadata for the user's decision; do not pretend the app has legally verified a choice merely because the user selected it.

How many clips should we find?

Choices:

- 5 clips;
- **8 clips — default**;
- 12 clips.

The wording must make clear that this is the **requested** number, not a guarantee that every long video will produce that many usable clips.

8.7 Problem — Step 1 was cluttered and contained a dead control

Old behaviour

Step 1 also displayed an Advanced section, a “Show Speaker Frame help” preference, and Recent actions. The help preference was saved but Review/Speaker Frame did not use it, making it a dead switch.

Required solution

1. Remove Advanced and Recent actions from the Step 1 main screen.
2. Recent actions/activity may live behind a small Activity link/panel, for example under Help, for diagnosis. It must not dominate the Add Video task.
3. Remove the “Show Speaker Frame help” preference from Step 1 completely — it is a dead switch there. Beginner guidance gets its own show/hide control inside Speaker Frame (Section 12.6.9), wired to actually show/hide the guide in that editor.
4. No control may appear to change the app while doing nothing.

8.8 Recent videos — required behaviour

Recent videos:

1. Shows up to eight recent jobs.
2. Excludes test jobs from the normal user list.
3. Shows a readable source title.
4. Shows the current stage/status in plain words.
5. May show a progress indicator only under the real-progress rule in Section 5. A stage marker must not be mislabelled as a percentage.
6. Shows source duration when the server knows it.
7. For a ready job, shows **Review clips**.
8. For a failed job, shows **View problem** and a collapsed **Show details**/log option.
9. For a running job, identifies it as running and lets the user return to its progress.
10. Shows a calm empty state when there are no visible jobs.
11. Refreshes without touching the form and without layout jumps.

Do not confuse Recent videos with the later clip groups in Review. Recent videos is a job history on

Step 1; the source group in Section 10.2 is how clips are organised after they are found.

8.9 Step 1 states that must all work

- **Empty:** no link/file; clicking Find clips says “Add a video first.”
- **Link entered:** link is the active source.
- **File chosen:** file name/size shown; Remove file available; link cleared.
- **Invalid link:** plain error; no job; input retained.
- **Starting:** working state and locks active.
- **Start failed:** stay on Step 1; error shown; all input/options retained.
- **Job active elsewhere:** active-job notice; no duplicate start.
- **Job finished/failed/cancelled:** locks are released and the relevant result can be opened from Recent videos or the correct step.

8.10 Step 1 acceptance tests

All must pass as regression tests:

1. Link survives 15 seconds.
2. File survives 15 seconds.
3. Rights and clip-count choices survive 15 seconds.
4. Non-YouTube HTTP link is rejected in plain words and does not start a job.
5. Empty start shows “Add a video first.”
6. Valid link shows immediate working feedback and cannot be submitted twice.
7. Double-click creates one job only.
8. Download progress is either real and labelled with its measurement or stage + elapsed time with no fake percentage.
9. Failed start retains link/file/options.
10. Recent videos refreshes independently.
11. Advanced and Recent actions are not on the main Step 1 screen.
12. No dead Speaker Frame help switch remains on Step 1.

---

9. STEP 2 — FIND CLIPS: EVERY PROBLEM AND SOLUTION

9.1 Purpose of Step 2

After the user starts a video, Step 2 must let the user wait with confidence. It must answer:

- Which video is being processed?
- What stage is it on?
- How long has it been working?
- Is it still alive?
- Can I cancel it?
- Can I leave/reload and come back?
- If it failed, where did it stop and what can I do?

9.2 Required screen layout

One calm card:

- “Step 2 of 4”
- Title: **Finding clips**
- Source long-video title
- Thumbnail if already available, optional
- Current stage in large plain words
- A calm stage list
- Total elapsed time
- Current-stage elapsed time where available
- Real progress if genuinely measured, otherwise an activity bar with no percentage
- **Cancel** as a secondary action
- One connection/status banner area only

Nothing else should compete with this. No settings, Recent actions, CPU/RAM, or unrelated lists.

Stage words to keep, in order as applicable to the actual pipeline:

1. **Starting**
2. **Downloading your video** — only if downloading is a separate actual stage
3. **Checking your video**
4. **Listening to the debate** — transcription
5. **Finding the best moments** — selection
6. **Preparing your clips**
7. **Done / Clips are ready**

The builder must map these words to the real server states. Do not display a stage that the pipeline is not actually in.

9.3 Problem A — Step 2 remains stuck on “Waiting for a video / Working…” after the job finished

Evidence from jo

Jo's Studio screenshot showed:

- Steps 1 complete and 2 selected;
- main card: “Step 2 of 4 / Finding clips / Waiting for a video / Working…” with a moving bar and Cancel;
- simultaneously, a bottom-right notification: “The video finished with a check / Open Review to see what needs attention.”

Why this is wrong

The screen gives two opposite answers for the same job. “Waiting for a video” is also factually wrong after a video was started. The user is left stuck and cannot trust the main status.

Required solution

1. Step 2 must be driven by the active job's ID and server state, as required by Sections 5 and 6.
2. “Waiting for a video” may appear **only** when there is genuinely no active or just-completed job for Step 2 to display.
3. Once a job exists, the card must display that job/video and its actual stage — never return to the generic waiting message while the job is running.
4. When the server says the job is ready:
   - verify that candidate clips/result data actually exist;
   - mark the job finished on Step 2;
   - clear/replace any working state;
   - automatically open Review with those clips;
   - make any notification say the same thing as the main screen.
5. If the server state says ready but no candidate data exists, do not show Done and do not open an empty Review as though it succeeded. Show a truthful problem:
   - “This job finished but no clips were found/prepared.”
   - plain detail if known;
   - **Try again** and **Back to Add video**.
6. If there are genuinely zero usable moments, label it clearly as “No clips found,” not as a successful set of clips.
7. The completion transition must happen even if the notification was dismissed.
8. Polling must not stop updating merely because the user navigated to another step. On returning to Step 2, fetch the job's current true state first.

Acceptance

- Start a job and let it finish without touching anything: Step 2 changes to finished and Review opens automatically.
- At no point after completion does the main card say “Waiting for a video” or continue showing “Working…”.
- Any notification shown at completion matches “Clips are ready.”
- If result data is missing, Step 2 shows the truthful no-result/failed state, not Done.

9.4 Problem B — percentages were fake

Old behaviour

The old display used fixed stage markers:

Stage	Old displayed percentage
Queued/Starting	0%
Checking the source	0%
Listening/transcription	25%
Finding moments/selection	50%
Preparing review	75%
Done	100%

Related server mappings also used fixed markers for video-making and quality checking. These were not measurements of downloaded bytes, processed frames, processed duration, or remaining work.

Required solution

Follow Section 5.1C exactly.

1. Remove every fixed stage-marker percentage from Find clips.
2. Do not rename a stage marker as “progress” and continue showing it as a percentage.
3. Downloading may show a real percentage only from bytes downloaded / total bytes.
4. Transcription/selection/preparation may show a real percentage only if the underlying engine reports a real processed amount and total amount. Otherwise show stage + elapsed time.
5. “Stage 2 of 5” is acceptable as orientation; it is not a percentage and must not be styled as one.
6. Do not show 100% merely because a job state changed. Show “Done” only after the completion verification in Section 9.3.
7. Do not invent an estimated time remaining. If a future engine can produce a defensible estimate, it must be labelled “estimate” and proposed to jo before being added.

Acceptance

- Inspect every stage: no stage has a predetermined percentage.
- Ask “percent of what?” for any percentage displayed. There must be a real numerator and denominator.
- Disconnect or slow a stage: the display must not keep climbing a percentage merely because time passes.

9.5 Problem C — reloading loses the active job

Old behaviour

An active job was not automatically reattached after a browser reload. Polling also stopped after 180 attempts without an explicit continuation path.

Required solution

1. When a job starts, save at least:
   - job ID;
   - source title;
   - job start time;
   - source identifier where safe/available.
2. Save it in browser storage so a page reload can recover it. The server record remains the authority.

3. On Studio load:
   - read the saved active job ID;
   - query the server once before deciding what to show;
   - if running: open/attach Step 2 and resume polling;
   - if ready: verify results and open Review;
   - if failed: show the failure state on Step 2;
   - if cancelled/stopped: show that terminal state or clear the active-job record after displaying the result;
   - if the server no longer knows the job: say the previous job cannot be found, clear the stale active ID, and let the user return to Step 1 without pretending it is still running.
4. Clear the active-job record only at a known terminal state or when the user deliberately starts/returns according to the flow.
5. Browser reload must never start a duplicate job.
6. Closing and reopening Studio must follow the same reattachment rule if the server/job record still exists.
7. Replace the silent polling limit:
   - when the normal polling limit/interval window is reached, do not kill or abandon the server job;
   - show “Still working — it's taking longer than usual”;
   - keep elapsed time visible;
   - provide **Check again**, which resumes polling;
   - allow Cancel.
8. Do not auto-cancel a job because of reload, polling limit, navigation, or browser closure unless the underlying product already defines server-side expiry; if expiry exists, show the truthful expired/not-finished state rather than making it vanish.

9.6 Elapsed time

1. Show total elapsed time from the actual job start, ticking once per second.
2. Show stage start/elapsed time where the server provides stage timing.
3. After reload, elapsed time must be calculated from the saved/server start time, not restart at zero.
4. If a stage commonly takes longer on a long video, a calm explanatory line may appear after a sensible threshold, for example:
   “This stage can take a few minutes on long videos.”
5. Do not use elapsed time to fabricate a percentage or ETA.

9.7 Problem D — failure dumped the user back to Step 1 and erased the progress context

Old behaviour

A failure displayed “The video could not be processed,” returned to Add Video, and cleared the displayed progress/stopped stage.

Required solution

On Find clips failure:

1. Stay on Step 2.
2. Stop the activity animation as an active-working indicator.

3. Show:
   - “The video could not be processed”;
   - the stage where it stopped;
   - elapsed time;
   - a plain-words reason;
   - collapsed technical details/log under **Show details**.
4. Show buttons:
   - **Try again** — retries the same source and same requested settings if the source is still available;
   - **Back to Add video** — only when jo chooses it;
   - **Show details**.
5. Do not erase the source information or job record merely because it failed.
6. Record the failure in activity/history where that feature exists.
7. Unlock the start controls only in the sense that Try again / Back can now be used; do not silently unlock a duplicate start while the failed job is being retried.
8. If Try again creates a new job, give it a new job ID, make it the one active job, and apply the same lock/progress rules. Do not leave two active copies.

9.8 Cancel — required behaviour

1. Cancel initially appears as a secondary button.
2. Clicking Cancel changes it inline to a confirmation:
   “Stop finding clips? [Yes, stop] [Keep going]”
3. **Keep going** restores the normal Cancel button and the job continues without interruption.
4. **Yes, stop**:
   - changes to “Stopping…” and disables duplicate cancel clicks;
   - sends the cancellation with the active job ID;
   - on confirmed success, marks the job Stopped, clears the active-job lock, and returns to Step 1 with a clear “Stopped” message;
   - on failure, stays on Step 2, shows “Could not stop this video,” restores Cancel, and continues polling the still-running job.
5. Cancel must not be disabled merely because an old fake display reached 100%. If the job is truly complete, Step 2 should transition to Review rather than leave a meaningless Cancel button.
6. If the user reopens a cancelled job from history, it must say Stopped/Cancelled, not resume working by itself.

9.9 Connection loss

1. Show one banner only: “Connection lost, reconnecting…”
2. Keep retrying while polling is active.
3. Clear the banner automatically when the connection returns.
4. If the loss continues beyond a sensible threshold, add: “If this continues, restart Studio.”
5. Do not stack multiple connection banners or contradictory status cards.
6. Connection loss is not job failure. Do not mark the job failed merely because the browser temporarily cannot poll it.

9.10 Step 2 and the source group

When Find clips succeeds:

1. Create or reuse exactly one clip group for that source long video, as specified in Section 10.2.

2. Assign every candidate from that job to that group.
3. Carry the group/source identity into Review and My exports.
4. There is exactly **one top-level group per source long video**. Retrying a failed job must not create a duplicate group. If the same source is processed again in a separate successful job, its clips go inside that same source group under a clearly labelled run subsection — for example “Clips found · [date/time] · Job 2” — so clips from different runs are never silently mixed, but jo does not get two top-level groups with the same long-video title.

9.11 Step 2 performance

1. Polling updates only the status/stage/time elements that changed.
2. Polling must not rebuild the entire Studio page.
3. Use the existing approximate polling interval unless measurement shows a better one; do not poll so aggressively that it makes jo's PC or the local server slow.
4. When the browser tab is hidden, polling may be reduced if the platform requires it, but on return the UI must immediately fetch the true status.
5. The rest of Studio must remain responsive while a job runs.

9.12 Step 2 acceptance tests

All must pass:

1. Start a real job: Step 2 shows the video title, stage words, stage list, and elapsed time.
2. No fake percentage appears in any stage.
3. Any real percentage shown can be explained by a real measured numerator/denominator.
4. Reload mid-job: the same job resumes on Step 2; elapsed time does not reset to zero; no duplicate job is created.
5. Close/reopen Studio mid-job, where the server still has the job: the job is reattached truthfully.
6. Reach the polling limit or simulate a very long job: “Still working / Check again” appears and the job is not lost.
7. Finish a job: results are verified, Step 2 says finished, and Review auto-opens.
8. Jo's screenshot bug cannot recur: after finish, the main card never says “Waiting for a video / Working…” while a toast says finished.
9. Fail a job: it stays on Step 2 with stopped stage, plain error, Try again, Back, and Show details.
10. Cancel → Keep going: job continues.
11. Cancel → Yes, stop: job actually stops and Step 1 shows “Stopped.”
12. Cancel failure: user stays informed on Step 2 and polling continues.
13. Temporary connection loss: one banner, automatic recovery.
14. No active job: Step 2 truthfully shows “Waiting for a video.”
15. A completed job creates the correct source group in Review with no clips from another source mixed in.

---

10. STEP 3 — REVIEW: EVERY PROBLEM AND SOLUTION

10.1 Required Review layout

Review is the user's home base for working through clips.

- **Left:** vertical clips sidebar, scrollable, grouped by source long video.
- **Centre/main stage:** the one selected clip, large.
- **With the main stage:** the selected clip's four main actions — Approve, Reject, Edit, Export.
- **Edit:** opens the selected clip's edit panel beside the always-visible video, as specified in Section 11.
- The sidebar remains visible in Review so jo can switch clips without leaving the screen.
- Do not use a grid of live players.
- Do not make jo jump to a separate page to review and another separate page to edit the same clip.

10.2 Problem — clips from different long videos can become one mixed list

Jo's requirement

After Find clips, the app must create a group that tells jo the clips were clipped from a specific long video.

Required solution — source groups everywhere clips are listed

1. Every long video/source has a stable source ID.
2. Every Find clips job is tied to exactly one source.
3. Every clip stores:
   - clip ID;
   - source ID;
   - Find clips job/run ID;
   - source title;
   - clip start and end time in the source.
4. In Review, clips display under a group header for their source — **one top-level group per source long video**:
   - source thumbnail when available;
   - long-video title;
   - total number of clips in the group;
   - if the source was processed more than once, a separate labelled run subsection inside the group for each Find clips job, showing that run's date/time and clip count. Clips from different runs must not be silently mixed.
5. Clips from another source must never be inserted into that group.
6. A group may be collapsible, but the source title must remain visible enough that jo always knows which long video he is working in.
7. If jo opens Review immediately after one Find clips job, that job's group is opened/selected first.
8. Selecting a clip in one group and then switching groups must obey the one-video rule: the old clip stops before the new clip plays.
9. Counts such as “3 of 8 reviewed” must be clear about scope:
   - show it for the current source group; and/or

- show an overall total separately if useful.

Do not mix counts in a way that makes jo think eight clips belong to one video when they belong to several.

10. The same source grouping must be used in My exports and Step 4 export lists.
11. Deleting/hiding a clip must not delete its source group if other clips or exports still reference it.
12. Test/demo clips must not create visible groups in jo's normal Review list.

Example

Debate on immigration — full video

Clips found today · 8 clips

1. “What is an invasion?” — 0:42
2. “The border question” — 0:37

A second long video gets a separate header and its own clips.

Acceptance

- Process two different long videos.
- Review shows two separate labelled groups.
- No clip appears under the wrong title.
- Open a clip weeks later: its source long video is still shown.

10.3 Clip sidebar — what each item must show

Each clip row/card shows only scannable information:

1. Thumbnail/poster — never a live player in the sidebar.
2. Short clip title/headline, ideally one line with overflow handled cleanly.
3. Clip length, for example 0:45.
4. Source start–end time, for example 12:30–13:15.
5. One plain rating word: Great / Good / Okay / Weak / Not measured.
6. Status badges where applicable:
   - **Approved**;
   - **Rejected**;
   - **Exported** after a successful export;
   - Edited indicator if the product already tracks it, kept secondary.
7. Clear selected state.
8. If the clip belongs to a currently exporting job, a small truthful “Exporting…” status may be shown; it must not turn the row into another progress screen.

Do not show:

- multiple score numbers;
- dense technical metadata;
- a live video element;
- many competing action buttons in the row.

Main actions belong under/beside the main player, not repeated in every row.

Sorting/filtering in Review

Keep the main list simple.

- Default order remains the server's ranked order within each source group.
- If simple filters are shown, they must not hide the source grouping or create a mixed unlabelled list.
- Any filter must state what it is showing, for example “Approved clips in this video.”
- Do not add a complicated filter panel in the core fix.

10.4 Problem — test candidates can leak into the preview

Old behaviour

Test jobs were filtered from the visible clip list, but the initial preview could select from the unfiltered candidate array. A test candidate could therefore appear in the player even though it was not in the list.

Required solution

1. Create one filtered, ordered list of real user clips for the current Review state.
2. The sidebar, counts, first selection, previous/next navigation, and preview must all use that same list.
3. Test/demo candidates must be excluded before the first clip is selected.
4. The first previewed clip must be the first real clip visible in the selected source group/list.
5. If filtering leaves no clips, show an empty state; do not fall back to an unfiltered test clip.

Acceptance

- With test data present in the underlying data, open Review.
- The first player clip is visibly present in the sidebar.
- No test-only clip can be reached by switching through the list.

10.5 Main player — required behaviour

1. One large player for the selected clip only.
2. Standard controls: Play/Pause, seek, current/total time, volume, and fullscreen where available.
3. Switching clips:
   - pauses/unloads the previous clip;
   - resets the previous clip's playing display;
   - loads the newly selected clip;
   - does not autoplay with sound in a way that surprises the user unless that is the existing explicit Play behaviour;
   - keeps the selected state and player in sync.
4. Switching clips must be fast under Section 4.
5. Show a small framing mode badge where applicable, such as “Framing: Auto” or “Framing: Speaker Frame,” but do not let badges become clutter.
6. The player must not display the stray green overlay described in Section 10.9.
7. The Review/Edit player always plays the selected clip's **editable clip source** (its preview/clip media), never a finished export file — even when an export of that clip exists. This matters because Edit overlays, pins, boxes, and caption previews must act on the clip being edited, not on an already-rendered export. Finished exports are played only from Step 4 or My exports, or through a clearly labelled “View export” action that opens the Step 4/My exports player — never

silently substituted into Review/Edit, and the UI must not label the editable preview as an export.

10.6 The four main buttons

The buttons are:

- **Approve**
- **Reject**
- **Edit**
- **Export**

Approve

1. Saves the approval decision.
2. Saves the current basic framing/caption settings that the existing flow expects Approve to save.
3. Updates the sidebar badge to Approved immediately after successful save.
4. Shows clear saving and success/error feedback.
5. If saving fails, do not mark it Approved; show a plain error and allow retry.

Reject

1. Records the rejection.
2. Updates the sidebar badge to Rejected immediately after successful save.
3. Uses the same clear feedback pattern.
4. Rejection should not delete the clip or its edits unless jo separately chooses a delete action.

Edit

1. Opens Edit for the exact selected clip.
2. Keeps the clip visible and preserves its playback position/state under Section 11.
3. Displays the clip title in the Edit panel.

Export

1. Export does **not** require jo to press Approve first.
2. Pressing Export automatically:
   - saves the approval;
   - saves the current settings/edits that are ready to save;
   - creates an export request/job for that exact clip;
   - moves forward to Step 4.
3. If saving approval/settings fails, do not start a misleading export. Show the save failure and stay where jo can fix/retry.
4. If the same clip is already exporting, do not create a duplicate. Take jo to the active export on Step 4 or show that it is already exporting.
5. The full export behaviour is in Section 13.

Button layout stability

- Saving/Working text must not make the button row change height, jump, or push the video around.
- Reserve the needed space / use consistent button dimensions.
- Disable only the action that would conflict while a save/export request is being submitted; do

not freeze the whole Review screen unnecessarily.

10.7 “Why this rating?”

Keep this feature, but keep it quiet:

1. Closed by default.
2. Explains the rating in plain words.
3. The seven existing clues are:
   - Complete story;
   - Disagreement;
   - Strong opening;
   - Easy to follow;
   - Response included;
   - Clean ending;
   - Enough context.
4. A clue may show a percentage only when it is a real measured clue value from the analysis.
5. Missing clues say **Not measured**; do not invent a value.
6. Explain that these are selection clues, not predictions of views.
7. Opening/closing this section must not rebuild or pause the player.

10.8 Review progress

At the top of the clip list/group, show a calm line such as:

> “3 of 8 reviewed — 2 approved · 1 exported”

Rules:

- “Reviewed” means jo has approved or rejected the clip.
- Update immediately after a successful decision/export status change.
- Do not count test clips.
- Keep the scope clear per source group.

10.9 Problem — a stray GREEN TEXT overlay appears on all videos

Jo's correction — read this carefully

Jo showed a vertical clip that was mostly dark, with bright lime-green, bold, all-caps text along the bottom. The text repeated, ran off the right edge, and included words such as “OKAY, THEN LET ME ASK / WHAT IS AN INVASION…”

Jo then corrected the first interpretation:

> “No, what I meant is this text is just there on all videos when it displays and it doesn't involve [belong to] the video.”

Therefore the problem is **not** “the clip's captions are green and need a better default colour.” The problem is:

- text appears on videos generally;
- it does not belong to the particular video being displayed;
- the user did not ask for that text to be drawn over the player display.

Required solution

1. Remove the stray text overlay from the Studio player display completely.
2. A video display must show that video itself. It must not draw a generic, leftover, test, demo, previous-clip, or otherwise unrelated text overlay over it.
3. Audit every player overlay that can draw text, including:
   - basic caption overlay;
   - preview caption overlay;
   - finished-export overlay;
   - test/demo placeholder text;
   - state carried over when switching clips;
   - any hard-coded sample caption.
4. The only text that may appear on or over a specific clip is text that belongs to that exact clip and is intentionally enabled/applicable:
   - its own synchronised captions, only when captions are on for that clip;
   - its own headline, where the design calls for a headline display;
   - its own Speaker Frame labels/boxes while editing;
   - at Export, the selected account's logo/username/name when accounts are implemented and jo has chosen their placement.
5. When captions are off for a clip, the player must show **no caption text** for that clip.
6. When switching from Clip A to Clip B:
   - clear Clip A's caption/overlay state before Clip B displays;
   - never show Clip A's words over Clip B;
   - never leave a default/sample sentence visible while Clip B loads.
7. A finished export's encoded captions belong to the export file. Studio must not draw the separate basic preview overlay over a finished export as though it were part of the file.
8. If caption cue data is unavailable for a preview, show no fake words on the video. If an explanation is needed, put a small note outside the video area: “Caption preview is not available for this clip.” Do not place invented text on the picture.
9. Removing the stray overlay does not delete the Captions feature. Section 12.4 defines the clip's own captions. It removes unrelated overlay text.

Questions the builder must answer in its report

- Where did the stray text come from?
- Was it the same text for different videos, previous-clip data, test data, or a hard-coded overlay?
- What code path was removed or gated so it cannot recur?
- Which two unrelated videos were used to prove it is gone?

The builder must not merely change the text colour to white and call this fixed.

Acceptance

1. Play two unrelated clips with captions off: neither shows the green text or any other caption text.
2. Play Clip A with captions on, then switch to Clip B with captions off: none of Clip A's words appear over Clip B.
3. Open a finished export in Studio: no separate basic overlay is drawn over it.
4. Reload Review: no sample/default text appears over the first frame.
5. A clip with captions on shows only its own caption cues, as specified in Section 12.4.

10.10 Review empty states

No clips for a source/job

Show a plain message explaining that no clips are available and a button back to Add Video or to the relevant job. Do not show a blank player or a test clip.

No source group selected

If multiple groups exist and none is selected, select the most recent completed group by default. Do not merge all groups to solve selection.

10.11 Review acceptance tests

1. Sidebar is on the left, vertical and scrollable; main stage shows one selected clip large.
2. Clips are grouped under the correct long-video title.
3. Each row has thumbnail, title, length, start–end, one rating word, and status badges.
4. First preview is the first visible real clip; test clips cannot leak.
5. Switching five clips quickly leaves only the last one playing/displayed.
6. Approve updates the badge and reviewed count immediately.
7. Reject updates the badge and reviewed count immediately.
8. Export does not require a separate Approve click first.
9. Saving/Working button feedback does not make the layout jump.
10. “Why this rating?” opens without pausing/rebuilding the player.
11. No stray green/unrelated text appears on any video under the tests in Section 10.9.
12. Leaving Review stops its video and audio.

---

11. EDIT — GLOBAL PROBLEMS AND SOLUTIONS

Edit is where the old UI hurt jo most. The rules in this section apply to **all** Edit groups: Headline, Speaker Frame, Trim, Framing, and Captions.

11.1 Problem — when Edit opens, jo cannot properly see the video

Jo's words and decision

Jo said, in substance: “When I edit I can't see the video — how am I going to edit? Fix this.”

He approved this split-screen solution:

- video on the left, large;
- edit options on the right;
- video approximately two-thirds of the space;
- options approximately one-third;
- video stays visible while options scroll.

Required layout — wide screen

1. **Video left:** approximately 67% of the available Edit width.
2. **Options right:** approximately 33%, with a sensible minimum width around 250 px.
3. Video is sticky in its column.
4. Options panel scrolls independently.
5. Page scrolling must not scroll the video away.
6. The video must never shrink merely because an option group opens.
7. If space is tight, the options panel wraps/scrolls; the video retains its larger share.
8. The selected clip's title and source long-video title are visible at the top of the Edit area/panel.

Required layout — narrow screen

1. Video remains sticky at the top.
2. Edit options scroll underneath it.
3. The video has a fixed, usable height and remains fully visible.
4. The panel must have its own height/scrolling behaviour so a long Advanced section does not make editing unusable.

Forbidden behaviour

Opening Edit must never:

- hide the video;
- replace the video with a form;
- cover the video with a dialog;
- shrink the video to a thumbnail;
- pause the video merely because Edit opened;
- rebuild/reload the video;
- reset its time;
- open Speaker Frame in a separate dialog that replaces the video.

Closing Edit must return to the same clip, at the same time, with the same intended playing/paused

state.

11.2 Problem — jo edits by playing the video, but Play/Pause was not a main Edit control

Jo's decision

Jo said: “I edit by playing the video.” Play/Pause must therefore be a main control in Edit.

Required playback controls

Always visible in Edit, directly on/under the video:

- a large Play/Pause button;
- a centre-of-video Play/Pause overlay when paused;
- **−5 seconds**;
- **+5 seconds**;
- seek slider/bar;
- current time / total time;
- Spacebar toggles Play/Pause when the user is not typing in a text field or entering a time.

Required playback workflow

1. Jo plays the clip.
2. A visible playhead moves across the timeline.
3. Framing and Speaker Frame looks switch automatically at their pins while playing.
4. Jo pauses at the exact moment he wants to change.
5. The exact frame remains on screen.
6. The Add Pin button shows that paused time, for example “Change frame here — at 0:18.”
7. Jo edits or adds the pin.
8. Jo plays again to check the result.

Pausing must be instant and must not jump to a different frame/time because an edit panel refreshed.

11.3 Problem — Edit has too many options visible at once

Jo's chosen method

Do not delete features to reduce clutter. Use:

One open at a time + Simple first

Required structure

At the top of Edit:

1. **Headline** — always in its place at the very top.
2. Then the accordion groups in this exact order:
   1. **Speaker Frame** — first group, immediately after Headline, and **open by default** when Edit opens;
   2. **Trim**;

    3. **Framing**;
    4. **Captions**.
3. A **Simple / Advanced** switch near the top of Edit. Simple is default and should persist as the user's preference.
4. **Save & Done** visible in the Edit header and footer.

Accordion rules

- Only one group is open at a time.
- Opening one group closes the previous group.
- A closed group is one calm row with its name and a one-line plain description.
- When Edit first opens, the user should see Headline + the open Speaker Frame group — roughly five or six main controls, not approximately thirty controls.
- Pins remain visible in the relevant Simple group; they must not be buried only in Advanced.
- Save & Done remains reachable without hunting.

Simple mode

Simple shows the main preset-level controls that are enough to complete an edit end-to-end.

- **Speaker Frame Simple:** look cards, WHO, HOW BIG, Both-only choices when Both is selected, manual Speaker A/B declaration, name fields, drag/resize boxes, Add/Delete/Off-screen/Swap controls that are part of manual declaration, and “Change Speaker Frame here” pin button.
- **Trim Simple:** start and end controls.
- **Framing Simple:** one-tap presets, “Change frame here” pin button, and the direct drag/zoom interaction on the video. Fine controls may be in Advanced only if Simple still gives a complete usable result.
- **Captions Simple:** on/off where applicable, size slider, and Bold/Calm/Light look choices.

Manual Speaker declaration and manual box editing are **not Advanced-only**. This is a locked correction.

Advanced mode

Advanced reveals additional controls **inside the currently open group only**. It must not open all groups at once.

Examples:

- Framing Advanced: precise zoom value, clip shape, safe-area guide toggle where applicable, Reset.
- Captions Advanced: highlight colour, exact position controls/dragging.
- Speaker Frame Advanced: join softness/position, blend direction, swap sides, blended-when-both-talk, Duo timing, voice links/samples.
- Trim Advanced: frame-/second-precision nudges if the implementation provides them.

Rules:

- Nothing is deleted merely because it is in Advanced.
- Switching Simple ↔ Advanced must not lose unsaved changes.
- Switching groups must not lose unsaved changes.
- An advanced user must be able to find every retained control within its own group.

11.4 Problem — “Done” closed Edit but did not save

Old behaviour

The Edit **Done** button closed the panel but did not save basic edits to disk. The user had to know to press Approve or Export afterwards. Speaker Frame had a separate save behaviour, creating a confusing trap.

Required solution — one clear save model

1. Rename **Done** to **Save & Done**.
2. **Save & Done actually saves all current Edit changes for that clip**, including as applicable:
   - headline;
   - trim start/end;
   - Framing settings and pins;
   - Captions settings;
   - Speaker Frame settings, pins, looks, boxes, labels, and names.
3. Place Save & Done in the Edit header **and** footer.
4. While saving:
   - show “Saving…”;
   - do not close the panel;
   - prevent a duplicate save click for the same unchanged state if necessary.
5. On success:
   - show “Saved”;
   - close Edit only when Save & Done was the action used;
   - return to the same clip/time/state in Review.
6. On failure:
   - do not close Edit;
   - do not pretend the edits were saved;
   - show “Save failed” in plain words with **Try again**;
   - keep all edits visible so jo can retry.
7. Remove any text or workflow that says “Done doesn't save — press Approve or Export instead.”
8. Approve and Export may still save settings as part of their own actions, but they must not be a secret substitute for Save & Done.

Special rule for pins

Framing and Speaker Frame pin edits auto-save under Sections 12.3 and 12.6.8.

- Pin auto-save must show a small “Saved” indicator.
- Save & Done remains the final save/close action for the full Edit session and must include any non-pin changes.
- There must be only one save system. Remove any separate Speaker Frame **Save** button: Speaker Frame pin changes auto-save, and all other Edit changes are saved by Save & Done. Do not leave two buttons that save different subsets without telling the user.
- The only ways out of Edit are **Save & Done** and **Cancel Edit**:
  - **Save & Done** saves everything and closes, as above.
  - **Cancel Edit** closes without saving the non-pin changes made since Edit opened or since the last Save & Done. If there are unsaved non-pin changes, Cancel Edit first asks: “Discard changes that are not saved? [Keep editing] [Discard]”. If there are none, it closes immediately.
  - Pin changes are already auto-saved, so Discard does **not** undo them; the confirmation must not claim it will. Undoing a pin is done by editing/deleting that pin itself.

- A Reset action restores the stated values for its labelled scope and marks the Edit session as having unsaved changes (except a reset of pin values, which follows the pin auto-save rule); it must not silently claim the reset values are saved before they are.

11.5 Problem — editing rebuilds or pauses the player

Old behaviour

Most Edit tab/choice clicks rebuilt the player, causing playback to pause, reset, or lose its position. Layout and Speaker Frame option changes also requested a refreshed server preview after a delay, and saving could be disabled while that preview loaded.

Required solution

1. Edit interactions must operate on the **same main video element**.
2. Do not recreate, replace, reload, or seek-reset the video element for:
   - opening/closing a group;
   - switching Simple/Advanced;
   - changing Trim display controls;
   - changing Framing drag/zoom/preset/shape;
   - changing Captions size/look/colour/position;
   - changing Speaker Frame look/focus/size/boxes;
   - opening “Why this rating?”
3. Playback time and playing/paused state must be preserved by every non-playback edit action.
4. Preview changes happen locally in the browser from the already-loaded video.
5. Do not make a server preview request for each edit change.
6. Do not show a spinner for a local framing/speaker/caption preview change.
7. **Save is never disabled waiting for a preview.**
8. Rendering/encoding happens once, at Export.
9. If a particular advanced operation truly requires server work, it must be treated as a long operation under Section 5, with its own progress and explanation; it must not silently freeze or rebuild the player.

11.6 Problem — Trim and Headline existed only in Classic

Old behaviour

Clip start/end trimming and headline editing were available in /classic, not in the new Review Edit panel. A beginner should not need to abandon the new UI to perform core edits.

Required solution

Bring both into the new Edit panel:

- **Headline:** at the very top of Edit, before Speaker Frame.
- **Trim:** its own group after Speaker Frame, as ordered in Section 11.3.

Keep Classic available as a fallback for now, but do not direct jo to Classic for these core tasks.

Detailed requirements are in Sections 12.1 and 12.4.

11.7 Edit acceptance tests

1. Play a clip, open Edit: video remains large, visible, in the left/larger area, and continues from the same time.
2. Scroll the options panel to the bottom: video remains fully visible.
3. On a narrow window: video stays pinned at the top while options scroll under it.
4. Open each group one at a time: only one group is open; the video never pauses/rebuilds because of group switching.
5. Count initial visible Edit controls: Headline + open Speaker Frame group only, approximately five or six main controls.
6. Change one item in each group, press Save & Done, reopen the clip: every change persists.
7. Force a save failure: Edit stays open, changes remain, “Save failed / Try again” appears.
8. Play, pause at an exact frame, edit, play again: playback resumes from that frame/time.
9. Spacebar toggles playback when not typing; it does not toggle while jo is typing a headline/name/time.
10. No preview spinner appears and Save is never disabled because a local preview is “loading.”

---

12. EDIT FEATURES — EXACT SOLUTIONS

12.1 Headline

Required position and behaviour

1. Headline/title editing is at the very top of Edit, before every group.
2. The field is labelled in plain language, such as **Headline**.
3. It edits the selected clip only.
4. It shows the current saved headline when Edit opens.
5. Changing it must not pause/rebuild the player.
6. If the headline is displayed in a preview, update that display live or as soon as the field changes, without covering the video with unrelated text.
7. Save & Done persists it.
8. Reopening the clip shows the saved headline.
9. An empty headline must be handled cleanly; do not substitute a sample/demo headline on the video.

Acceptance

- Change the headline, Save & Done, reopen: the new headline is still there.
- Clear the headline, save, reopen: no invented headline appears.

12.2 Framing — problem, rejected controls, and replacement

Problem

The old Framing controls were abstract and impractical. Jo had to use separate choices and repeated button presses instead of directly placing the picture.

Controls jo rejected — DO NOT BUILD OR RESTORE

Do not restore these as the Framing method:

- “Who should be on screen?” with abstract chips **Auto** / **Both people** / **Show more room** as the primary control;
- “How close should it feel?” with **Farther** / **Normal** / **Closer**;
- “Move the picture” buttons **Left** / **Right** / **Up** / **Down**.

Do not rename the same controls and present them as the new solution.

Replacement — direct manipulation

1. **Drag the picture directly** inside the crop frame to move it.
   - Pointer/mouse drag is required.
   - Touch drag should work where the device supports it.
   - The picture follows the drag live.
   - The video keeps playing unless jo pauses it.
2. **Zoom slider:** 100% to 250%.
   - Show the current zoom value.
   - Labels/icons may explain “whole room” at the low end and “close on a face” at the high end,

but the slider is the control.
    - Mouse wheel/pinch support is desirable where it does not break page/video behaviour; it is not a substitute for the slider.
3. **One-tap presets:**
    - Auto;
    - Person A;
    - Person B;
    - Both;
    - Wide.

These presets are allowed because they are immediate actions that set drag position + zoom. They are not the rejected step-by-step Farther/Closer/move-button method. After a preset, jo can fine-tune by dragging or using the zoom slider.

4. **Clip shape selector:**
    - **9:16 Vertical — default**;
    - 1:1 Square;
    - 16:9 Wide.

Changing shape reshapes the frame live.

5. **Safe-area guide:** a dashed guide inside the frame. Faces and important content should be kept inside it.
6. **Reset:** restores the default/auto framing for the active pin or whole clip, according to a clear label. Reset must not delete pins unless its label explicitly says so and jo confirms.
7. **What you see is what exports:** the frame shown in Edit is the crop that Export must use for that time range.

Acceptance

- Jo can frame a face using drag + zoom in under five seconds without pressing arrow buttons repeatedly.
- A preset changes position/zoom instantly.
- Changing shape reshapes the live frame.
- No rejected control appears as the primary Framing method.

Known minor incompleteness — do not confuse this with the core fix

The audit also noted that the old Speaker Frame editor lacked box arrow-nudge buttons, separate Smaller/Bigger box buttons, one-click 2/4/8-second overrides, and a “click the same timeline block again to change it” interaction. These are **not** substitutes for the approved core controls in this file:

- boxes are moved by dragging and resized by the corner handle;
- pins are reopened by tapping them and moved by dragging or −/+1 sec;
- Framing is changed by dragging the picture, not by arrow buttons.

Treat the minor items as later convenience/accessibility candidates only. The builder must list them as not done if they remain absent, but must not invent unclear behaviour for them or let them delay the core phases without jo's approval.

12.3 Framing pins — frame can change in the middle of a clip

Jo's decision

Framing is **not** one setting for the whole clip. Jo must be able to change the frame freely at any

moment, and it must be easy.

Core model

- A **pin** marks a time.
- The framing stored at a pin starts at that time.
- It continues until the next pin.
- Export follows the pins exactly.

Required timeline

1. The clip timeline shows pins as clear markers/dots.
2. Each pin has a short label, such as:
   - 0:00 Both
   - 0:18 A Close
   - 0:35 Wide
3. A labelled range/block display may also show the time range each pin controls, but it must not become a complicated segment-management screen.
4. The playhead is distinct from pins.
5. While playing, the active framing changes automatically when the playhead reaches a pin.

The 0:00 start pin

1. Every clip has a start pin at 0:00.
2. It stores the initial framing.
3. It can be edited.
4. It cannot be deleted.
5. It cannot be moved before 0:00.

Add a pin — exactly three steps

1. Go to the moment by playing, pausing, or seeking.
2. Tap the one big button:
   Change frame here — at [current time]
3. Drag the picture / use the zoom slider / tap a preset, then the pin is saved under the auto-save rule below.

The new pin **starts as a copy of the framing active at that moment** (the previous pin's framing), so creating it does not visibly change the picture until jo actually drags, zooms, or taps a preset. Jo is refining the current framing, not starting again from a default.

No start/end typing is required. No separate segment screen is required.

Existing pin at the same time

If jo taps “Change frame here” at a time where a Framing pin already exists:

- select/edit that pin;
- do not create a duplicate pin at the same time;
- make clear in the panel header that jo is editing the existing pin.

Pins are fully editable

A pin is not locked after it is created.

To edit a pin:

1. Tap the pin on the timeline.
2. The video jumps/seeks to that pin's time.
3. That pin's framing loads on the video.
4. The options panel header says, for example:
   Editing pin: 0:18 — A Close
5. Jo can:
   - change the preset/focus;
   - drag the picture;
   - change zoom;
   - change another framing value stored by that pin.
6. Only the active pin changes. Other pins remain untouched.

Move a pin in time

Jo can move when a pin happens by:

- dragging the pin sideways on the timeline; and/or
- using **−1 sec** and **+1 sec** buttons for exact adjustment.

Rules:

- The video playhead follows the pin while it is being moved, where practical.
- A pin cannot move before 0:00 or after the clip end.
- Pins must remain in chronological order. If dragging would cross another pin, stop at a valid position or reorder only if the UI makes the result unmistakable; the safe required behaviour is to prevent an invalid overlap/duplicate time.
- Moving a pin changes when its framing starts, not the framing stored in neighbouring pins.

Delete a pin

- Any pin except the 0:00 start pin can be deleted.
- Deleting a pin means its range is taken over by the previous pin's framing.
- The delete control must be clearly associated with the active pin.
- An Undo for the most recent pin addition/deletion is desirable and was included in the earlier pin design; if implemented, label it clearly and test it. Do not let Undo restore a state that contradicts the visible Saved indicator.

Auto-save

- Every pin creation, edit, move, and deletion auto-saves.
- Show a small **Saved** indicator after each successful auto-save.
- If auto-save fails, show “Could not save this pin — Try again” and do not mark it saved.
- Add Pin remains a separate action from Edit Pin so jo never confuses adding with editing.

Export rule

Export rendering must switch framing at each pin time, using the pin's stored drag position, zoom, and preset-derived geometry. The exported result must match the Edit preview.

Acceptance

1. Play to 0:18, pause, tap “Change frame here — at 0:18,” choose Person A Close, drag/zoom: a

labelled pin appears at 0:18.
2. Play from before 0:18: framing switches at 0:18 automatically.
3. Tap the 0:18 pin: video jumps to 0:18, its framing loads, header says Editing pin.
4. Reframe it: only that pin changes.
5. Drag it to 0:20 or use +1 sec twice: the switch now happens at 0:20.
6. Delete it: the previous pin's framing covers that range again.
7. The 0:00 pin can be edited but not deleted.
8. Export the clip: the framing changes at the pin time in the exported file.

12.4 Trim

Required controls

In the Trim group, provide clear controls for:

- clip start time;
- clip end time.

Each should have a practical combination of:

- a slider or timeline control;
- a time display;
- precise adjustment by typing a valid time or using small steppers/nudges where the implementation supports it.

Rules

1. Trim edits the selected clip only.
2. The current source start/end and resulting clip length must be visible in plain form.
3. Moving a trim control should let jo preview the relevant moment on the always-visible video without rebuilding the player.
4. Start must remain before end.
5. End must not exceed the available source/clip boundary.
6. If the existing product has a minimum clip length, enforce it with a plain message; do not silently accept an invalid range.
7. Invalid input must not corrupt the previous saved trim.
8. Trim changes are persisted by Save & Done.
9. Reopening the clip restores the saved start/end and length.
10. Trim must work in the new Edit panel; jo must not need Classic for it.

Acceptance

- Change start and end, note the new length, Save & Done, reopen: start/end/length are unchanged from the saved values.
- Try to set start after end: the app prevents it in plain words and the previous valid trim remains safe.

12.5 Captions — the clip's own captions only

This section concerns a clip's **own** captions. It does not undo Section 10.9: unrelated/stray overlay text must be removed completely.

Required caption controls

1. **Captions on/off** for the clip where the product supports it.
2. **Size:** a slider, not only Smaller/Normal/Bigger buttons.
   - Moving the slider changes the caption size on the video live.
   - Show the size value or a clear relative indicator.
3. **Look presets: Bold / Calm / Light**.
   - The button/swatch must represent the actual look.
   - Tapping it changes the real caption text style live.
4. **Highlight colour:** real colour swatches. The existing colour set includes green, yellow, and red; white was included in the approved prototype set.
   - Tapping a swatch changes the highlighted word's colour instantly.
   - Do not treat “green highlight exists” as proof of the stray-overlay bug. The bug is unrelated text being drawn on all videos; a user-selected highlight colour for the clip's own captions is a separate, intentional setting.
5. **Position:** drag the caption on the video and/or use **Top / Middle / Bottom**.
   - The chosen position updates live.
   - Captions must wrap inside the frame/safe area and must not run off the right edge.
   - Captions must not be placed so they unnecessarily cover the speaker's face when a lower/safe position is available; jo can move them.

Caption data and timing

1. Preview captions must come from the selected clip's own caption cues/track.
2. The highlighted word/segment must follow the actual playback time when synchronised caption data exists.
3. Switching clips must load the new clip's caption cues and clear the old clip's cues.
4. If synchronised cues do not exist for a clip:
   - do not display a static sample sentence over the video;
   - do not claim the preview is an exact final caption preview;
   - show a small note outside the video if needed: “Caption preview is not available for this clip. Captions will be checked on Export.”
5. The same caption text, timing, size, look, highlight colour, and position data must be used by Export wherever the export format supports them. Preview and export must not silently use different caption settings.
6. A finished export played in Studio must display the captions encoded in that export, not a second basic overlay drawn by Review.

Saving

- Caption on/off, size, look, highlight colour, and position are per clip.
- Save & Done persists them.
- Reopening the clip restores them.
- Export uses the saved settings unless jo changes and saves them as part of the Export action's normal save flow.

Acceptance

1. Captions off: no caption text appears over the video.
2. Captions on: only the current clip's words appear, at the correct playback time.
3. Move the size slider: captions resize live without pausing/rebuilding.
4. Tap each look: the actual caption appearance changes.

5. Tap each highlight swatch: only the highlighted word/segment changes colour.
6. Drag or set position: captions move and remain inside the frame.
7. Long caption line: it wraps inside the safe area; no word is cut off at the right edge.
8. Save & Done and reopen: every caption setting persists.
9. Export: the exported captions match the saved settings as closely as the export format permits; any unavoidable difference must be reported, not hidden.

12.6 Speaker Frame — jo's special focus

Speaker Frame is the heart of the product and jo's top priority. It must be powerful, manual when jo wants control, and fast.

12.6.1 Core model — learn it once

Speaker Frame uses the same pin system as Framing:

- **Pin = WHEN** the look starts.
- **Look = WHAT** the shot composition is.
- **Boxes = WHERE** the people are.

A Speaker Frame pin runs from its time until the next Speaker Frame pin. Export follows the pins.

12.6.2 One video, two modes

Speaker Frame work happens on the same selected clip and in the same video area.

There are exactly two modes:

1. **[Edit boxes]**
2. **[See the result]**

Rules:

- Edit boxes mode shows the source video with Person A/B boxes overlaid.
- See the result mode shows the composition produced from those boxes and the selected look/focus/size.
- Switching modes does not open another screen.
- Switching modes does not replace the video with a dialog.
- Switching modes does not reload/rebuild the main video.
- Switching modes does not change the current time or playing/paused state.
- Jo must be able to edit a box, immediately see the result, return to Edit boxes, adjust again, and see the updated result.

Do not build a separate source video and a separate output preview sitting side-by-side as the main workflow. Do not shrink the main video to make room for a second preview.

12.6.3 Looks

Show the looks as visual cards, not a dense dropdown:

- **One person** — only the selected speaker fills the clip.
- **Both blended** — both people in one composition with a soft join.
- **Both stacked** — one person above the other.
- **Duo style** — the composition switches the larger/main person according to who is talking, using the Duo settings and available speaker/voice information.

Each pin stores its own look.

12.6.4 Easy focus switching — WHO and HOW BIG

Inside one clip/pin, provide two large one-tap rows:

WHO

- [Speaker A]
- [Speaker B]
- [Both]

HOW BIG

- [Wide — person + room]
- [Close — face fills the clip]

Rules:

1. Tapping WHO or HOW BIG updates the result immediately.
2. Tapping one of these controls may jump the display to **See the result** so jo instantly sees the effect.
3. When **Both** is selected, show the Both-only composition choices:
   - Blended;
   - Stacked;
   - Duo.
4. When A or B is selected, hide the Both-only choices. Do not clutter the panel with irrelevant options.
5. A pin stores:
   - focus: A / B / Both;
   - size: Wide / Close;
   - Both mode where applicable;
   - look;
   - person boxes;
   - labels and names;
   - off-screen states.
6. Example that must be easy:
   - Wide on Speaker A;
   - then tap B: Wide on Speaker B;
   - then tap Both: Wide on Both.

That is three taps, with an instant result after each tap.

12.6.5 Speed — each tap well under 1 second

This corrects the builder's earlier misunderstanding. The target is **not** “five taps in under five seconds total” as the definition of success. The target is:

> **Each individual tap's visible result appears well under 1 second.**

That applies to:

- A;
- B;
- Both;

- Wide;
- Close;
- Blended;
- Stacked;
- Duo;
- Edit boxes ↔ See the result;
- selecting a Speaker Frame pin;
- changing a look.

Technical rules:

1. Preview composition is local and instant, using the already-loaded video.
2. No server preview request per tap/drag/change.
3. No loading spinner for these changes.
4. Save is never disabled waiting for a preview.
5. The main video element is never rebuilt for these changes.
6. Video time does not jump because of a focus/size/look change.
7. Playing state does not change because of a focus/size/look change.
8. Dragging uses efficient transform-based updates; the box/picture follows the pointer smoothly.
9. Server rendering/encoding happens once at Export.
10. If blended/stacked composition needs visual layers, they must be muted and synchronised to the main video. They must not introduce a second audio source or a noticeable time offset.

The phase report must contain simple measured timings for representative taps and drag behaviour. Do not claim “instant” without testing on a real long clip.

12.6.6 Manual Speaker A / Speaker B declaration — mandatory

Automatic detection is only a suggestion. Jo must be able to declare speakers manually, and the manual result always wins.

This workflow lives inside **Edit → Speaker Frame**, in Simple mode, open and visible — not hidden only in Advanced and not in a separate screen.

Steps:

1. Tap a person or their box on the video to select it. The selected box gets a clear white/strong outline.
2. The panel asks in plain words: **“Who is this person?”**
3. Jo taps:
   - [Speaker A]; or
   - [Speaker B].
4. Labels are unique:
   - there cannot be two Speaker A boxes or two Speaker B boxes in the same pin;
   - assigning a label that the other person already has swaps the labels automatically.
5. Jo may type an optional name for each person.
6. When a name exists, show the name with the label on/near the box and in the panel.
7. Jo can tap **Swap A and B** to swap both labels in one action.
8. The declaration is stored per pin, because a camera change later in the clip may require different boxes/labels.

12.6.7 Manual person boxes — mandatory

For each pin, jo can manually control the person boxes over the always-visible video.

Required actions:

- Tap a box to select it.
- Drag a box to move it onto the person's face/body area.
- Drag the white circle/corner handle at the box's bottom-right to resize it.
- Add a box with **+ Add box**, up to a maximum of two boxes for a debate clip.
- Delete a selected box.
- Mark a person **Off-screen** for that pin.
- Give each box a label and optional name.

Visual rules:

- Person A box: green.
- Person B box: yellow.
- Selected box: clear white/strong outline.
- Label/name is readable on or near the box.
- A box has a minimum size so it cannot be dragged into invisibility.
- An off-screen person's box dims/hides appropriately and that person is ignored for that pin's framing.
- Boxes are stored per pin.

Automatic boxes/suggestions may appear first, but jo can move, resize, relabel, delete, or replace them. Auto-detection must never overwrite a manual declaration/box silently.

12.6.8 Speaker Frame pins

Speaker Frame pins work like Framing pins in Section 12.3, with Speaker Frame data.

Add a pin

1. Play/pause/seek to the moment.
2. Tap:
   Change Speaker Frame here — at [current time]
3. Pick the look / WHO / HOW BIG.
4. Check or drag the person boxes.
5. Switch to See the result to confirm.
6. The pin auto-saves with a Saved indicator.

Like a Framing pin, the new Speaker Frame pin **starts as a copy of the Speaker Frame state active at that moment** — look, focus, size, boxes, labels, and names — so jo adjusts what is already there instead of re-declaring every person at every pin. He only changes what actually changed at that moment (for example after a camera move).

Target: a confident user should be able to add a simple Speaker Frame pin in under ten seconds.

Edit an existing pin

1. Tap the pin.
2. Video jumps to its time.
3. Its look, focus, size, mode, boxes, names, labels, and off-screen states load.
4. Panel header says “Editing pin: [time] — [label].”
5. Jo can change any stored value.
6. Changes auto-save.

Move/delete a pin

- Drag the pin sideways or use −1 sec / +1 sec to move it.
- Delete any pin except the 0:00 start pin.
- Deleting a pin makes the previous pin's Speaker Frame continue through that range.
- Add Pin and Edit Pin are separate, clearly labelled actions.

Start pin

- A Speaker Frame start pin exists at 0:00.
- It may represent Auto if jo has not manually set Speaker Frame for the clip.
- It can be edited but not deleted.

12.6.9 Beginner guidance

Keep Beginner mode/guidance available inside Speaker Frame:

1. Pick a look.
2. Check the boxes.
3. See the result and save.

Rules:

- Beginner guidance is on by default for a new/beginner user.
- Small “?” explanations may explain individual settings in plain words.
- Guidance must not cover the video or force a separate dialog.
- If a show/hide guide setting exists, it must actually work and live in Speaker Frame, not as a dead Step 1 switch.

12.6.10 Advanced Speaker Frame controls

Advanced starts closed. It may contain:

- join softness;
- join position;
- side-by-side versus top-and-bottom blend direction;
- swap sides;
- use blended layout when both people talk;
- Duo behaviour/timing;
- voice samples and voice-to-person links.

Fix this known mislabel:

- The old control called **“Shortest time on one shot”** actually changed the wait before returning to Duo/both. Rename it to what it does, for example:
  Wait before returning to both people

Do not leave a label that describes a different setting.

12.6.11 Duo and voice rules

1. Duo options may include the existing behaviours: always Duo, always Full, or smart switching, where those are real existing settings.
2. Voice samples may be linked to Person A or Person B.
3. Linking a voice is optional and skippable for a user who works with manual pins.

4. If identified voice samples are unavailable or audio is unclear, say so honestly: “Audio is unclear, so speakers were not guessed.”
5. Never invent a speaker identity, voice match, or automatic switch when the data is unavailable.
6. Manual pins/declarations override automatic Duo/voice suggestions.

12.6.12 Reset, Auto, and re-running Auto

Keep these actions only with clear labels and consequences:

- **Reset:** restores the stated initial suggestions/values for the active scope. The UI must say whether the scope is the active pin or the whole clip.
- **Reset to Auto:** disables manual Speaker Frame for the stated scope and returns to Auto. If it would erase manual pins/boxes, ask for confirmation first.
- **Re-run Auto Reframe:** refreshes automatic suggestions. If manual edits exist, ask jo whether to keep the manual edits or replace them with the new suggestions. Never overwrite manual work silently.
- **Cancel/close without saving:** must follow the single save model in Section 11.4. Do not imply that unsaved non-pin changes were saved.

12.6.13 Preview must match Export

The local preview's crop/composition geometry must come from the same stored pin/box data used by Export.

- If preview and export disagree, that is a bug.
- The builder must test at least one Blended, one Stacked, and one One-person pin against the exported file.
- Speaker changes, focus, size, and look must switch at the pin times in the export.

12.6.14 Speaker Frame acceptance tests

1. Open Edit: Speaker Frame is the first group after Headline and is open by default.
2. Manual declaration controls are visible in Simple mode.
3. Tap a box, assign Speaker B: labels remain unique; if B was already used, the swap happens.
4. Type names: names appear with the correct boxes.
5. Add a second box, drag it, resize it, mark one person off-screen: all work on the always-visible video.
6. Edit boxes → drag a box → See the result: the result updates instantly on the same video area/time.
7. Tap A, B, Both, Wide, Close one by one: each result appears well under 1 second, with no spinner, no server preview wait, no time jump, and no pause caused by the tap.
8. Both-only choices appear only when Both is selected.
9. Add a Speaker Frame pin mid-clip in under ten seconds.
10. Play through the pin: the look switches automatically at the pin time.
11. Tap and edit the pin; move it by dragging and by −/+1 sec; delete a non-start pin.
12. Save & Done, reopen: pin, look, focus, size, boxes, names, labels, and off-screen states persist.
13. Export: look/focus/box composition switches at the pin times and matches the preview.
14. Audio-unclear case: the UI says it cannot identify the voice and does not invent a speaker.

---

13. STEP 4 — EXPORT: EVERY PROBLEM AND SOLUTION

13.1 Problem summary

Export currently fails jo in several connected ways:

1. Clicking **Export** in Review reuses the Step 2 “Finding clips” waiting panel.
2. The waiting screen can identify itself as Step 2 and show “Making your video / Working...” with no trustworthy progress.
3. Jo was taken back toward Step 2 and got stuck there.
4. Cancel on the export waiting view does not reliably cancel because it does not carry the pending export job ID.
5. After waiting, the app searches for an export by clip and can find an **older** export for the same clip instead of the export created by the current request.
6. If no export is found, it can show the confusing message “The video finished with a check” and return to Review.
7. Clicking the top Step 4 without a current-session export shows an empty placeholder:
   “Your finished videos”
   “Approve a clip in Review, then press Export.”
   [Back to my clips]
8. That placeholder does not list finished, running, failed, or not-finished exports, and it does not tell jo whether anything was exported.
9. A Step 2 notification can remain visible on Step 4.
10. There is no normal **Download** button on the finished screen; the old actions are Play, Open folder, and Copy file path.

13.2 The required principle

Step 4 must be a **real Export screen for all exports and all states**, not:

- the Step 2 screen with a changed heading;
- only a finished-video screen;
- an empty placeholder;
- a place that sends jo in a circle.

Every export attempt must have a visible, durable status.

The possible user-facing statuses are:

- **Exporting** — created and currently being prepared/rendered by the one active render job;
- **Not finished** — started but interrupted, cancelled/stopped, orphaned, or never reached a terminal success/failure state;
- **Exported** — finished successfully and the exact output file exists;
- **Export failed** — reached a failure state with a reason.

“Not finished” and “Export failed” are not the same:

- **Failed** means the job ended with an error.
- **Not finished** means there is no trustworthy successful finish and no final failure result — for example the user cancelled it, Studio/browser closed, the server stopped, the page reloaded, or the attempt was interrupted before completion was recorded.

If a cancelled attempt is shown separately as **Stopped**, it still belongs under the Not finished area unless jo deletes the attempt record.

13.3 Clicking Export in Review — exact required sequence

When jo clicks **Export** on a clip:

1. Identify the exact clip ID and source group.
2. Save the clip's approval.
3. Save all current edits/settings that are part of the export.
4. If approval/save fails:
   - do not create a misleading export;
   - show “Could not save before export” in plain words;
   - let jo retry.
5. Create an export record **immediately**, before or as rendering starts.
6. The record must have its own unique **export job ID**. It must also store:
   - clip ID;
   - source ID/group ID;
   - Find clips job/run ID where available;
   - request/start time;
   - current status;
   - current stage;
   - the edit revision/settings snapshot used for this export;
   - the account branding snapshot, when accounts are implemented;
   - output file reference only when that exact export succeeds.
7. Navigate forward to Step 4.
8. Step 4 shows that exact clip at the top as **Exporting**.
9. The user must never be routed to Step 2 for an export.
10. Step 4 must never display Step 2's “Waiting for a video” card for an export.

13.3A The Export BUTTON itself must show the state (jo, 2026-10-08)

Jo's exact requirement: when he selects Export, he must **see “Exporting” in that button**; if it works it is exported, if not it must show **Failed**; and the progress is shown in **#4 (Step 4) with the exported list**.

The button jo pressed is the first place the state must appear — not only a different screen:

1. **Immediately on click**, before navigation, the pressed Export button changes to **“Exporting…”** and locks. Jo must see the button he pressed change; a silent click followed by a screen change is not enough.
2. **While the export runs**, if jo returns to Review, that clip's Export button still shows **“Exporting…”** (locked), with a way to jump to its progress on Step 4. It must not revert to a plain “Export” that invites a duplicate.
3. **If it succeeds**, that clip's button becomes **“Exported ✓”**:
   - clicking it opens that export on Step 4 (it does not start a duplicate export of the unchanged clip);
   - the clip also carries the Exported badge in the list (Section 10.3);
   - if jo later **edits the clip** (changes its edit revision), the button returns to **“Export”** with a small note such as “Edited since export,” so a fresh export of the new version can be made

(new export job ID).

4. **If it fails**, that clip's button shows **“Export failed — Try again”** in a clearly different (error) style. Clicking it retries with a new export job ID. The failure is also listed as Failed on Step 4 (Section 13.11) — the button must never silently return to plain “Export” as though nothing happened.
5. If the start is refused because another export is already running (Section 13.4), the pressed button must not show “Exporting…” for a job that does not exist; it stays locked with the plain message “Another export is already running” and a link to the running export. Raw server wording such as “one render at a time; use the batch queue” must never be shown to jo as the explanation.

13.4 Duplicate export protection

Follow Section 5.

1. While a clip is Exporting, its Export action is locked.
2. Clicking Export again for that clip takes jo to the existing active export or shows “This clip is already exporting,” with a link to Step 4. It does not create a duplicate.
3. Duplicate protection must also exist if jo double-clicks, reloads, or repeats the request.
4. The renderer processes one export at a time in this fix; there is no export queue. If jo tries to export a different clip while one is running, no new export record is created: that clip's Export button remains locked with a plain “Another export is already running” message and a way to view the running export. It can be started after the running export reaches a terminal state.
5. Never expose a raw server message such as “render already in progress” as the only feedback.

13.5 Real Step 4 waiting screen

While an export is running, Step 4 shows:

- “Step 4 of 4”
- Title: **Making your video** or **Export**
- Clip title and thumbnail
- Source long-video title/group
- Status: Exporting
- Current stage in plain words, such as:
  - Preparing the video;
  - Making the video;
  - Checking the finished video.
- Progress under Section 5:
  - real measured percentage only if the renderer reports a real processed amount/total;
  - otherwise stage + elapsed time + activity bar;
  - never a fake percentage.
- Elapsed time
- Working **Cancel**

The screen must identify itself as Step 4 in its state and heading. It must not reuse the Find clips panel in a way that causes Step 2 labels, job IDs, cancel behaviour, or completion handling to leak into Export.

13.6 Cancel export — required behaviour

1. Cancel must carry/send the **export job ID** for the exact running export.

2. Clicking Cancel may show a small confirmation:
   “Stop this export? [Keep going] [Yes, stop]”
3. **Keep going** returns to the running export without affecting it.
4. **Yes, stop**:
   - shows “Stopping…”;
   - prevents duplicate cancel clicks;
   - sends the cancellation for that export ID;
   - waits for a trustworthy stopped result where the backend supports it.
5. On successful cancellation:
   - status becomes **Not finished — Stopped/Cancelled**;
   - the attempt remains visible on Step 4;
   - jo can Resume/Try again or Remove the attempt;
   - the clip is not marked Exported by that attempt.
6. If cancellation fails:
   - stay on the export's Step 4 status;
   - show “Could not stop this export” in plain words;
   - restore the ability to retry cancellation;
   - continue showing the export's true running status.
7. Cancel must never cancel a Find clips job by mistake, and Find clips Cancel must never cancel an export. Job types and IDs must be distinct.

13.7 Step 4 must list exports in clear sections, grouped by long video

Step 4 (#4) is where export progress is watched and where the exported list lives (jo, 2026-10-08). A user who clicks the Step 4 navigation at any time must find: the export currently progressing (with its progress), the list of already-exported clips, and any not-finished/failed attempts — not an empty placeholder and not the Step 2 screen.

Step 4's main list is organised **by status section first**, in this exact order:

1. **Exporting now**
2. **Not finished**
3. **Exported**
4. **Failed**

Inside each status section, exports are sub-grouped by their source long video, using the source groups from Section 10.2 — the long-video title appears as a sub-header and every item also names its source. Do not use the reverse layout and do not create an unlabelled mixed list. My exports keeps its own rule from Section 14: finished exports newest first with the source title/group shown on every item.

Every export item shows as applicable:

- clip title;
- source long-video title;
- clip thumbnail;
- export start time;
- finish time for a successful export;
- current stage for a running export;
- where it stopped, if known, for Not finished;
- plain failure reason for Failed;

- file name and file size for Exported;
- account name/username/logo used for that export, once account branding is implemented;
- the actions allowed for that state.

13.8 Not finished exports — jo's explicit requirement

What counts as Not finished

An export attempt is Not finished when it:

- was cancelled/stopped;
- was interrupted by a browser reload or closure;
- was interrupted by Studio/server closure or restart;
- lost its active UI connection before a terminal result was recorded;
- is found on reload with a saved/active export ID but no success or failure record;
- never produced a verified output file;
- otherwise cannot be proven to have finished.

Required display

Show these attempts in a clear **Not finished** section. They must:

1. Not disappear.
2. Not be shown as Exported.
3. Not leave Step 4 looking empty.
4. Show:
   - clip title;
   - source long video;
   - when the attempt started;
   - last known stage, if available;
   - reason/category if known: Cancelled, Interrupted, Studio closed, Server stopped, or Unknown.
5. Provide:
   - **Resume** when the same export job genuinely still exists and can continue/be reattached;
   - **Try again** when a new export attempt must be created;
   - **Remove** when jo deliberately wants to delete the unfinished attempt record.
6. Explain the difference through button labels/state. Do not show a fake Resume button if the job cannot resume. In that case show Try again only.

Reload/reopen behaviour

When Studio or Step 4 opens:

1. Find every export record that is Exporting or Not finished.
2. For each one, query the server by its export job ID.
3. Show its true current state:
   - still running → Exporting, with stage/time;
   - finished and output file exists → Exported;
   - failed → Export failed with reason;
   - stopped/cancelled → Not finished — Stopped;
   - missing/unknown server job and no verified output → Not finished — Interrupted/Unknown.
4. Do not silently start a replacement export.
5. Do not silently delete an unknown attempt.

6. Do not promote an attempt to Exported based only on finding some older file for the same clip.

Remove an unfinished attempt

1. Remove asks for confirmation.
2. It removes the attempt record/display entry.
3. It must not delete:
   - the clip;
   - its edits;
   - a separate successful export of the same clip;
   - the source video.
4. If a partial temporary file is deleted as part of cleanup, the confirmation or report must say so. Do not delete a verified successful export file through the Not finished Remove action.

13.9 Exported — the app must tell jo clearly

Jo's requirement

> “It must also tell if it is exported.”

When the exact export job succeeds:

1. Verify that the output file/bundle for **that export job ID** exists.
2. Change the main Step 4 content to a clear success state:
   Exported ✓
   “[Clip title] is ready.”
3. Show:
   - finish date/time;
   - file name;
   - file size;
   - source long-video title;
   - account identity used, when accounts are implemented.
4. Show a prominent **Download** button.
5. Keep or provide:
   - **Play** inside Studio;
   - **Open folder**;
   - **Copy file path**;
   - **Back to my clips**.
6. Mark the clip as **Exported** in Review.
7. Include the export in My exports with the same status and file identity.
8. A supplementary notification may say “Exported ✓ — [clip title],” but the main screen and lasting badges must also say it.
9. Keep the local-file hint where appropriate:
   “This file is on this computer. Nothing was uploaded automatically.”

The user must never have to guess whether the export happened.

13.10 Wrong/old export bug — exact solution

Problem

The old flow looked for “an export for this clip” after rendering and could select an older export for the same clip. The Done screen therefore might not prove that the latest request produced the displayed file.

Required solution

1. Every export request gets a unique export job ID before rendering.
2. The render result must be associated with that ID.
3. Completion lookup must be by **export job ID**, not merely by clip ID.
4. The success screen may show an output only when:
   - the output's export ID matches the current request; and
   - the file exists; and
   - its recorded finish state is successful.
5. If no matching output exists:
   - do not show an older export as the result;
   - show a truthful state:
     - still Exporting/Not finished if the job has not reached a terminal state;
     - Export failed if the job failed;
     - “Export finished but the file could not be found” as a failure/problem state if the backend claims success without a file.
6. Re-exporting the same clip creates a new export ID and, on success, the Done screen shows the **new** file/finish time for that new request.
7. Older successful exports may remain in My exports history, clearly dated, but they must not be substituted for the current request's result.

13.11 Export failure — required behaviour

When an export fails:

1. Stay in the Export context / show the failure on Step 4.
2. Show:
   - **Export failed**;
   - clip and source title;
   - plain-words reason;
   - stage where it failed if known;
   - collapsed technical details/log under Show details.
3. Provide:
   - **Try again**;
   - **Back to Review**.
4. Do not return jo silently to Review.
5. Do not show the confusing phrase “The video finished with a check” as the main failure explanation.
6. Do not mark the clip Exported based on that failed attempt.
7. An earlier successful export, if one exists, may be shown separately in history as an older Exported item, but never as the result of the failed request.
8. Try again creates a new export job ID and follows all lock/progress rules.

13.12 If there are truly no exports at all

Only when there are no export attempts of any state — no Exporting, Not finished, Exported, or Failed records — show an empty state:

No exports yet

“Go to Review, approve a clip, and press Export on it.”

[Go to Review]

Rules:

- This empty state must not appear immediately after jo presses Export on a clip.
- It must not appear while any export is running.
- It must not hide a Not finished or Failed attempt.
- It must not be titled “Your finished videos” when there are no finished videos.
- Clicking the top Step 4 navigation is not an error; it should show this truthful state or the current export list.

13.13 Export notifications

1. Export notifications must refer to the export job and match Step 4.
2. Success: “Exported ✓ — [clip title].”
3. Failure: “Export failed — [clip title].”
4. A Step 2 notification must be cleared/not carried into Step 4.
5. Notifications from an older export must not be redisplayed as though a new export just finished.

13.14 Play, Download, Open folder, and Copy path

Download

- Add a real **Download** button as a primary action for every successful export.
- Download must download the exact file associated with that export ID.
- If download fails, show a plain error and keep Open folder/Copy path available.

Play

- Default Play plays inside Studio in a player that participates in the one-video rule.
- It must stop any Review/Edit video before playing.
- Returning to Review and playing a clip must stop the export player.
- Do not use a new browser tab as the default.
- If an “Open in new tab” secondary action is retained, label it clearly and warn/accept that Studio cannot stop audio in another tab.

Open folder

- Keep the existing local folder-opening behaviour on the host computer.
- If the folder cannot be opened, show the folder/file path so jo can navigate manually.

Copy file path

- Keep Copy file path.
- If clipboard copying fails, display the path for manual copying.

13.15 Export performance

1. Show the export's total elapsed time.
2. Report total render time in the phase report for a stated clip length/resolution/settings.

3. Reuse unchanged intermediate work only when it is safe and produces the exact same output for the stored edit revision. If an edit changed, do not reuse a stale render as the new export.
4. If hardware acceleration is used, verify the output's framing, captions, and timing still match the preview/pins.
5. Rendering must not freeze Studio's interface.

13.16 Step 4 acceptance tests

All must pass:

1. From Review, Export an approved clip: the pressed button immediately shows **“Exporting…”** and locks, then jo lands on a real Step 4 screen showing that exact clip as Exporting — not Step 2, not an empty placeholder.

1A. Retu
button s
returns
“Expor
to plain

2. The waiting screen says Step 4, shows stage + elapsed time, and has no fake percentage.
3. Double-click/repeat Export for the same clip: exactly one active export exists.
4. Cancel an export with the confirmation: it actually stops, becomes Not finished — Stopped, and is not marked Exported.
5. Cancel → Keep going: the export continues.
6. Let an export finish: Step 4 says **Exported** ✓, shows finish time, file name/size, and Download.
7. The same clip shows Exported in Review and appears in My exports.
8. Start an export, reload before it finishes: reopening Step 4 reattaches it or lists it truthfully as Not finished with Resume/Try again. It does not disappear.
9. Close/reopen Studio during an export, where possible to test: the same truthful recovery occurs.
10. Fail an export: Step 4 says Export failed with a plain reason and Try again; it does not silently return to Review.
11. Export the same clip twice at different times: the second Done screen shows the second export's file/finish time, never the first by mistake.
12. Open Step 4 with no export attempts at all: only the plain “No exports yet” state appears.
13. No Step 2 notification is visible on Step 4.
14. Download downloads the exact displayed export file.
15. Play plays inside Studio and stops other Studio videos.

---

14. MY EXPORTS AND SHARED HEADER — PROBLEMS AND SOLUTIONS

14.1 My exports purpose

My exports is the durable library of finished exports. It must agree with Step 4 and Review: if Step 4 says an export succeeded, My exports must show that same export with the same file and status.

Unfinished and failed attempts belong primarily on Step 4. My exports may link to Step 4 for attempts, but it must not present an unfinished/failed attempt as a finished library item.

14.2 Required My exports list

Show exports newest first.

Each finished export shows:

- cover/thumbnail when available;
- clip title;
- source long-video title;
- source group identity;
- original clip start/end times;
- export date/time;
- file size;
- file name where useful;
- status **Exported**;
- account name/username/logo snapshot, once accounts are implemented.

Actions for each finished export:

- **Download** — required, add it;
- **Play** — inside Studio, obeying the one-video rule;
- **Open folder**;
- **Copy file path**.

Also provide:

- **Add another video**, returning to Step 1;
- a link/button to Step 4 if there are Exporting or Not finished attempts that need attention;
- a clear empty state when no finished exports exist.

Existing exports must survive the fix

The current export catalog can read existing older and newer export folder formats. The new Step 4/My exports work must preserve that compatibility:

- exports made before this fix must still appear after it;
- jo must not have to re-export old clips merely to make them visible;
- an old export may be listed as a previous successful export with its real date/file;
- an old export must still never be mislabelled as the result of a new export request (Section 13.10).

14.3 Problem — My exports cannot be searched or managed well

Current limitations

The audit found no search, filtering, renaming, or deletion in My exports.

Required solution and priority

Do these in this order. Do not let later management extras delay the core Export fix.

Core / Phase 6

1. **Search by title**
   - Search clip title and source long-video title.
   - Typing part of a title filters the list.
   - Show a clear “No exports match your search” state.
   - Clear search restores the full list.
2. **Source grouping / source filter**
   - The list must preserve or clearly display source grouping.
   - A simple source filter may be added if it does not break grouping.
3. **Status clarity**
   - Finished items are Exported.
   - If attempts are surfaced, Exporting/Not finished/Failed must be separate and link to Step 4.

Later management extras — only after the core phases pass

4. **Filter** by date/status/account where those data exist.
5. **Rename** an export's display title:
   - make clear whether it renames only the library display name or the actual file;
   - the safe default is display name unless jo explicitly chooses file rename;
   - if the file is renamed, update the catalog and verify the new path exists before reporting success.
6. **Delete** an export:
   - require confirmation;
   - state clearly whether the action deletes only the library record or the exported file from the computer;
   - the destructive file action must say “Delete exported file from this computer?”;
   - never delete the source video or the clip/edit data through My exports Delete;
   - after deletion, update Step 4/My exports consistently.

Do **not** add batch export or automatic posting as part of this fix. Posting remains undecided in Section 15.

14.4 Header problems

Old behaviour

- The header displays CPU and RAM readings.
- Earlier steps can turn green based on which view is open, rather than proven completion.
- Classic view is prominent even though beginners can click it accidentally.
- Theme follows the system, with no manual Dark/Light choice.

Required solution

Header should be calm and contain only the main navigation:

- product/home name: Debate Clipper / OmniRush;
- four steps;
- **My exports**;
- **Help**;
- a manual **Dark / Light** toggle in the header/settings area;
- Settings/Advanced access where Classic can live.

Specific fixes:

1. Remove CPU/RAM from the main header. If retained for diagnosis, place it in Help/About, a footer, or logs.
2. Step styling must reflect real state under Section 6.5.
3. Move the prominent **Classic view** link into Settings/Advanced. Keep Classic reachable as a fallback; do not delete it in this project.
4. Help must continue to explain the four steps in plain words.
5. Header must fit calmly on one line/area on a normal desktop window and adapt cleanly on narrow screens.
6. Do not add account logins or posting controls to the header while the account decision is pending.

14.5 Shared messages, hints, and accessibility — keep and fix

Keep the useful existing behaviours:

- success, warning, error, and working messages can be closed;
- first-time hints can be dismissed and the dismissal persists in the browser;
- keyboard focus outlines are visible;
- responsive layouts work on smaller windows;
- reduced-motion preferences disable unnecessary animation;
- Studio UI files load locally; local review/export do not require a cloud UI service.

Fix/maintain:

- messages must match the authoritative status under Section 6;
- hints must not contradict new behaviour — for example, after reload-resume is implemented, Step 2 wording must not say reload loses the job;
- dark styles must remain readable if a manual toggle is added;
- animations used for progress must respect reduced-motion settings while still showing stage and elapsed time text.

14.6 My exports/header acceptance tests

1. Export a clip: it appears in My exports with the correct clip title, source title, date/time, and file size.
2. Download from My exports downloads the same file shown on Step 4.
3. Search by part of the clip title: the export is found.
4. Search by part of the source title: its exports are found.
5. Play from My exports plays inside Studio and stops a Review video.
6. Header shows no CPU/RAM.
7. Header step colours/checks match real completion, not merely the open screen.

8. Dark/Light toggle changes and persists according to the implemented preference behaviour.
9. Classic is not a prominent beginner trap in the header but remains reachable from Settings/Advanced.
10. If Not finished attempts exist, My exports does not call them finished and provides a way to reach them on Step 4.

---

15. ACCOUNTS AND BRANDING — WHAT JO DECIDED AND WHAT IS NOT DECIDED

15.1 Jo's purpose

Jo plans to use OmniRush for several TikTok accounts and other accounts.

15.2 Locked rule — clips do not change per account

This corrects an earlier assistant proposal. Do **not** build the old proposal that every clip must belong exclusively to one account or be remade for each account.

The correct rule is:

> **The clips themselves do not change per account. The only things that change per account are logo, username, and name.**

That means:

- same clip;
- same edit;
- same trim;
- same framing;
- same captions;
- same Speaker Frame;
- can be exported for Account 1 with Account 1's logo + username + name;
- can be exported again for Account 2 with Account 2's logo + username + name;
- the two exports are separate export records/files because their branding differs;
- neither export changes the underlying clip or its edits.

15.3 Account profile — when accounts are implemented

Each account profile stores:

- platform: TikTok / YouTube Shorts / Instagram / other;
- display name;
- username/handle;
- logo file.

When the active account changes, the account identity shown/applied changes with it:

- that account's name;
- that account's username;
- that account's logo.

There must not be one shared username/logo accidentally applied to all accounts.

15.4 Export branding snapshot

When account branding is implemented:

1. An export stores the account identity used at the time of export:

- account ID;
- name snapshot;
- username snapshot;
- logo reference/snapshot as appropriate.

2. Changing the active account later must not rewrite the identity of an older export.
3. Re-exporting the same clip for a different account creates a new export ID and stores the new account snapshot.
4. Review/My exports/Step 4 must show which account identity an export used, where account information exists.
5. A clip must never be hidden from an account merely because it was first exported for another account.

15.5 Decisions still pending — builder must not guess

Jo has not yet decided:

1. **Scope:**
   - organise per account only; or
   - organise now and build ready for posting later; or
   - organise + post to accounts now.
2. **When to choose the account:** mainly at Export time, or also at Step 1 so jo sees the account identity while working.
3. **Placement:** exactly where logo, username, and name appear on the exported video.

Until jo decides:

- do not build social-media logins;
- do not build posting/scheduling;
- do not invent a watermark/logo position or style;
- do not lock clips into account-exclusive folders/libraries;
- do not delay Phases 2–6 to build a speculative account system.

What the builder should do now is avoid blocking the future feature:

- keep clip data independent of account;
- keep export records capable of storing an account snapshot later;
- tell jo before Phase 3/Export data structures are finalised if the current design would make the branding swap require rebuilding clips/exports.

15.6 Accounts acceptance criteria for the future implementation

These are not a claim that accounts should be built in the current phase. When jo gives the missing decisions, the implementation must pass:

1. Create two accounts with different names, usernames, and logos.
2. Switch accounts: name, username, and logo all change together; no field from the previous account remains mixed in.
3. Export Clip 5 for Account 1: the export carries Account 1 identity.
4. Export the same unchanged Clip 5 for Account 2: the export carries Account 2 identity.
5. Opening Clip 5 in Review/Edit shows the same edits in both cases; no duplicate clip had to be made.
6. The Account 1 export still shows Account 1 identity after Account 2 becomes active.

---

16. DATA, STATE, AND RECOVERY RULES THE BUILDER MUST NOT BREAK

The UI bugs in this file are connected. Several happen because the interface guesses state instead of using a stable record. The following rules support every step.

16.1 Stable IDs

The implementation must be able to distinguish:

- source long video ID;
- Find clips job/run ID;
- source group ID — normally tied to the source, with the job/run shown when needed;
- clip ID;
- edit revision/settings version for a clip;
- export request/job ID;
- future account ID.

Do not identify an operation only by a title, file name, clip title, or “latest item,” because titles repeat and jo will export the same clip more than once.

16.2 Server record is the authority

For jobs and exports:

- the server record and ID determine status;
- browser storage may remember an ID for recovery, but must not invent the status;
- after reload, query the server before displaying running/finished/failed;
- if the server record and a local cached display disagree, update the display to the server record;
- if no server record exists, say so truthfully rather than reconstructing a success from a similar file.

16.3 Idempotency / duplicate prevention

For start and export actions:

- a rapid double click must produce one job;
- a retried network request for the same user action must not blindly create a second active job;
- if an active job already exists for the same clip export, return/link that job;
- if a previous job reached a terminal state, a deliberate new action may create a new ID and must be labelled by its new time.

The exact technical mechanism is the builder's choice, but the user-visible result above is mandatory and must be tested.

16.4 Cache and reuse identity

When reusing work for speed under Section 4.2:

- reuse only when the source identity and relevant settings match;
- if the source file/link or settings changed, do not silently reuse stale transcripts, candidates, framing, captions, or renders;

- an export's stored edit revision must match the edits intended for that export;
- if jo edits a clip after an export, the old export remains an old export; it must not be relabelled as containing the new edits;
- exporting again after edits creates a new export ID.

16.5 Test data separation

- Test jobs/candidates must be identifiable as tests in data, not only hidden by a fragile title check.
- Test data must not appear in:
  - Recent videos;
  - Review groups/list;
  - first preview selection;
  - My exports;
  - normal counts.
- If test data must be visible for development, put it behind an explicit developer/test view, not jo's normal Studio flow.

16.6 No silent overwrite of manual work

Never silently overwrite:

- manual Speaker A/B declarations;
- manual person boxes;
- manual framing/speaker pins;
- headline/trim/caption edits;
- approval/rejection decisions.

Automatic suggestions may be refreshed only with a clear keep/replace choice when manual work exists.

16.7 Classic fallback

- Keep /classic reachable as a fallback during this project.
- Do not delete Classic as part of a UI phase without jo's explicit approval.
- Core Trim and Headline editing must nevertheless move into the new Edit panel; Classic is a fallback, not the solution.

---

17. REQUIRED BUILD ORDER

Use this order. It is the latest consolidated order for this master file.

Phase 0 — Setup and reading

- Builder session in project folder.
- Read this file.
- Map code and report.
- Backup/commit.
- No UI changes yet.

Phase 1 — Step 1 Add Video

Status: built and jo-passed. Do not redo. Only run regression tests and fix any gap against Sections 5 and 8, especially:

- form persistence;
- link validation;
- visible downloading/starting feedback;
- duplicate-start lock;
- failure retains input.

Phase 2 — Step 2 Find Clips

Build Sections 5, 6, and 9:

- truthful status;
- no fake percentages;
- real progress or stage + elapsed time;
- saved job ID and reload recovery;
- failure stays on Step 2;
- working Cancel confirmation;
- completion verified and auto-opens Review;
- source group created correctly;
- jo's stuck “Waiting / Working…” bug cannot recur.

Phase 3A — Review list and player

Build Sections 7 and 10:

- left vertical sidebar;
- source groups;
- filtered list/preview consistency;
- thumbnails only in list;
- length + start–end;
- rating words;
- Approved/Rejected/Exported badges;
- reviewed count;
- one-video rule;
- no stray green overlay in Review.

Phase 3B — Review buttons

Build Section 10.6:

- Approve/Reject/Edit/Export behaviour;
- Export auto-approves and saves before export;
- stable button layout during Saving/Working;
- clear success/failure.

Phase 3B may be tested with Phase 3A if the builder's report clearly separates the checks, but it must not be skipped.

Phase 4A — Edit save model and always-visible layout

Build Sections 11.1–11.5:

- video left ~67%, options right ~33%;
- sticky video wide/narrow;
- Play/Pause main controls;
- exact group order;
- one-open accordion;
- Simple default;
- Save & Done actually saves;
- no pause/rebuild on edit interactions.

Phase 4B — Headline and Trim from Classic

Build Sections 12.1 and 12.4:

- Headline at top;
- Trim group with start/end;
- persistence and validation;
- no need to use Classic.

Phase 4C — Framing and Framing pins

Build Sections 12.2 and 12.3:

- remove rejected controls;
- drag picture;
- zoom slider;
- presets;
- shapes;
- safe-area guide;
- Reset;
- fully editable pins;
- export follows pins;
- 9:16 quality test in Section 18.7.

Phase 4D — Captions

Build Section 12.5, together with the stray-overlay removal in Section 10.9:

- own captions only;
- size slider;
- actual look presets;
- highlight swatches;
- position;
- synchronised preview from the clip's own cues;
- preview/export consistency;
- no overlay on finished exports.

Phase 4E — Speaker Frame and Speaker Frame pins

Build Section 12.6:

- one video, two modes;
- visual look cards;
- WHO + HOW BIG;
- manual declaration;
- manual boxes;
- pins;
- Beginner/Advanced;
- Duo/voice honesty;
- each tap well under 1 second;
- preview matches export.

This is jo's special-focus phase. Include detailed timings in the report.

Phase 5 — Step 4 Export

Build Sections 5, 6, and 13:

- real Step 4 screen;
- export job ID from creation;
- progress + lock;
- working Cancel;
- Exporting / Not finished / Exported / Failed / empty states;
- reload recovery;
- exact-request success only;
- Exported ✓ + Download;
- Play inside Studio;
- no Step 2 loop or notification leak.

Phase 6 — My exports and shared header

Build Section 14:

- My exports agrees with Step 4;
- Download;
- search by clip/source title;
- source/status clarity;
- calm header;
- real step states;
- CPU/RAM removed from header;

- Dark/Light toggle;
- Classic moved to Settings/Advanced;
- later rename/delete/filter extras only if jo approves them after the core work.

Phase 7 — Final end-to-end test

Run Section 18 with one real long video, plus a second long video for grouping, and report every result honestly.

Accounts — separate future decision

Do not insert an accounts phase until jo answers the pending decisions in Section 15.5. When he does, add it as a separately approved phase, likely around Export/My exports, without rebuilding clips.

---

18. MASTER ACCEPTANCE CHECKLIST

The builder must not claim the whole project is complete until the relevant items below pass. Jo's Studio checks are decisive.

18.1 Global UI and playback

- [ ] Descript-style calm layout; no dense Opus-style number walls.
- [ ] Every screen answers what it is, what is happening, and what to do next.
- [ ] Only one audible/active video plays in Studio at any time.
- [ ] Switching clips stops the previous clip's video and audio immediately.
- [ ] Leaving a screen stops its video.
- [ ] Clip lists contain thumbnails, not live players.

18.2 Speed

- [ ] Click feedback appears in under 0.5 seconds.
- [ ] Step switching and clip opening are about 1–2 seconds or less in normal local use.
- [ ] Edit/Framing/Captions/Speaker Frame changes are well under 1 second each.
- [ ] Dragging follows the pointer smoothly.
- [ ] Find clips and Export do not freeze the rest of Studio.
- [ ] Downloads/transcripts/thumbnails are reused when identity/settings have not changed.
- [ ] Phase reports include real before/after timings and the test video details.

18.3 Progress and locks

- [ ] Every long action shows stage + elapsed time immediately.
- [ ] Every percentage has a real measured numerator/denominator and a label.
- [ ] No percentage is a fixed stage marker.
- [ ] No percentage climbs merely because time passes.
- [ ] A running action locks its own start/input.
- [ ] Double-click/reload/retry does not create a duplicate active job/export.
- [ ] Failure unlocks, preserves input, and offers a plain retry path.
- [ ] Cancel acts on the correct job ID.

18.4 Status and notifications

- [ ] No screen contradicts another screen about the same job.
- [ ] Completion is shown in main content, not only a toast.
- [ ] Failure is shown in main content, not hidden by navigation.
- [ ] Notifications belong to their job/step and do not leak to unrelated steps.
- [ ] Header steps reflect real state, not merely which screen is open.

18.5 Step 1

- [ ] Link survives at least 15 seconds.
- [ ] File survives at least 15 seconds.
- [ ] Rights/count survive at least 15 seconds.
- [ ] Recent videos refreshes without touching the form.
- [ ] Invalid YouTube link gives a plain error and starts no job.

- [ ] Empty start says “Add a video first.”
- [ ] Valid start gives immediate working feedback and duplicate protection.
- [ ] Download progress is real or honestly stage + time.
- [ ] Failed start retains all input/options.
- [ ] No Advanced/Recent actions clutter or dead help switch on main Step 1.

18.6 Step 2

- [ ] Correct video title, stage, stage list, and elapsed time are shown.
- [ ] No fake percentage appears.
- [ ] Reload resumes the same job.
- [ ] Polling limit produces “Still working / Check again,” not silent loss.
- [ ] Completion verifies clips exist.
- [ ] Completion changes the main card and auto-opens Review.
- [ ] Jo's “Waiting / Working…” after completion cannot recur.
- [ ] Failure stays on Step 2 with stopped stage, plain reason, Try again, Back, and details.
- [ ] Cancel confirmation works in both directions.
- [ ] Connection loss uses one recoverable banner.
- [ ] No active job truthfully shows “Waiting for a video.”

18.7 Review and groups

- [ ] Left vertical sidebar; selected clip large in main stage.
- [ ] Clips grouped by source long video with title/thumbnail/date/count.
- [ ] No clip appears under the wrong long video.
- [ ] Each row shows thumbnail, title, length, start–end, one rating word, and status badges.
- [ ] First preview is the first visible real clip; no test clip leaks.
- [ ] Approve/Reject update badges and counts immediately after successful save.
- [ ] Export does not require a separate Approve click.
- [ ] Why-this-rating is collapsed and does not pause/rebuild the player.
- [ ] No stray green or unrelated text appears on any video.
- [ ] With captions off, no caption text appears.
- [ ] Switching clips never carries the previous clip's caption text into the next clip.

18.8 Edit layout and save

- [ ] Video left ~67%, options right ~33% on wide screens.
- [ ] Video sticky; options scroll independently.
- [ ] Narrow screen keeps video sticky on top.
- [ ] Opening Edit does not hide, shrink, pause, or rebuild the video.
- [ ] Big Play/Pause + −5s/+5s + seek + time + spacebar are always available in Edit.
- [ ] Playhead follows pins automatically during playback.
- [ ] Edit order is Headline → Speaker Frame → Trim → Framing → Captions.
- [ ] Speaker Frame opens by default.
- [ ] Only one group opens at a time.
- [ ] Simple is default; Advanced opens inside a group.
- [ ] Save & Done appears in header and footer and actually saves all edit types.
- [ ] Save failure keeps Edit open with all changes and Try again.
- [ ] Reopening a clip restores all saved edits.

18.9 Headline, Trim, Framing, Captions, and Speaker Frame

Headline/Trim

- [ ] Headline is at the top and persists.
- [ ] Empty headline does not produce sample text.
- [ ] Trim start/end and length persist.
- [ ] Invalid trim range is prevented without corrupting the previous trim.

Framing

- [ ] Rejected Farther/Normal/Closer and arrow-move controls are not the Framing method.
- [ ] Drag picture works live.
- [ ] Zoom slider works from 100% to 250%.
- [ ] Auto / Person A / Person B / Both / Wide presets work instantly.
- [ ] 9:16 / 1:1 / 16:9 shapes reshape live.
- [ ] Safe-area guide and Reset work.
- [ ] Framing pins can be added in three steps.
- [ ] Pins can be tapped, edited, dragged in time, nudged −/+1 sec, and deleted except 0:00.
- [ ] Pin changes auto-save with a Saved indicator.
- [ ] Playback and Export switch framing at pin times.

9:16 quality

- [ ] A real debate clip exported at 9:16 is 1080×1920 or the project's correct vertical equivalent and fills the frame with no letterboxing.
- [ ] The talking person is in frame and centred appropriately.
- [ ] No important speaker is silently cut out by a static centre crop.
- [ ] When the speaker changes, pins or a deliberate two-person layout handle it.
- [ ] No face is cut off at forehead/chin by the crop.
- [ ] Captions remain readable, full-size as set, and inside the vertical safe area.

Captions

- [ ] Captions on/off works per clip.
- [ ] Size slider changes captions live.
- [ ] Bold/Calm/Light looks render as the actual looks.
- [ ] Highlight swatches change only the highlighted word/segment.
- [ ] Drag/Top/Middle/Bottom position works.
- [ ] Long captions wrap inside the frame/safe area.
- [ ] Caption cues belong to the current clip and follow playback time.
- [ ] No static sample overlay appears when cues are unavailable.
- [ ] No separate basic overlay is drawn over a finished export.
- [ ] Caption settings persist and Export uses them.

Speaker Frame

- [ ] Speaker Frame is inside Edit, first after Headline, visible in Simple.
- [ ] One video area has Edit boxes and See the result modes.
- [ ] Mode switching does not reload/rebuild, seek-reset, or pause the video.
- [ ] Look cards work: One person / Both blended / Both stacked / Duo.
- [ ] WHO A/B/Both and HOW BIG Wide/Close work in one tap each.
- [ ] Both-only choices appear only for Both.
- [ ] Each switch is well under 1 second, with timings reported.

- [ ] Manual declaration is visible and works; labels are unique and assignment swaps.
- [ ] Names, Add box (max 2), Delete box, Off-screen, and Swap A/B work.
- [ ] Boxes can be dragged and resized on the video and are stored per pin.
- [ ] Speaker pins can be added, edited, moved, and deleted except 0:00.
- [ ] Pin data auto-saves and persists after Save & Done/reopen.
- [ ] Advanced controls start closed and the Duo return-delay label is corrected.
- [ ] Audio-unclear cases do not invent speakers.
- [ ] Preview geometry matches Export geometry.

18.10 Export

- [ ] Export from Review creates an export ID immediately and moves forward to Step 4.
- [ ] Export never routes to or reuses the Step 2 waiting screen.
- [ ] Step 4 shows the exact clip as Exporting.
- [ ] Running export shows stage + elapsed time and only real progress percentages.
- [ ] Same clip cannot be actively exported twice.
- [ ] Cancel carries the export ID and actually stops the export.
- [ ] Cancelled/interrupted exports appear under Not finished with Resume/Try again/Remove as applicable.
- [ ] Reload/reopen rechecks Not finished and running exports by ID.
- [ ] Successful export shows Exported ✓, finish time, file name/size, and Download.
- [ ] Clip is marked Exported in Review and appears correctly in My exports.
- [ ] Failed export stays visible with a plain reason and Try again.
- [ ] An older export is never shown as the current request's result.
- [ ] Re-exporting the same clip shows the new export's file/time.
- [ ] No-exports state appears only when no attempts of any state exist.
- [ ] Play is inside Studio and obeys the one-video rule.
- [ ] Download gives the exact displayed file.

18.11 My exports and header

- [ ] My exports is newest first and agrees with Step 4.
- [ ] Each finished export shows clip title, source title, clip times, export time, and file size.
- [ ] Download, Play inside Studio, Open folder, and Copy path work.
- [ ] Search finds exports by clip title and source title.
- [ ] Unfinished attempts are not labelled as finished exports.
- [ ] Header has no CPU/RAM.
- [ ] Header step states are truthful.
- [ ] Dark/Light toggle exists in the implemented location.
- [ ] Classic is in Settings/Advanced and still reachable.

18.12 Accounts — future only

- [ ] No account login/posting was built before jo's pending decisions.
- [ ] No clip was locked exclusively to one account.
- [ ] Clip data remains independent of account.
- [ ] Export architecture can store an account identity snapshot later without remaking clips.

18.13 Final real-video journey

Use one real long video first and take it through the whole journey. The second long video (item 16)

is added only after the first video's job has finished or been deliberately cancelled, because the active-job lock must prevent a second start while the first is running — that lock working is part of the test, not a failure.

1. [ ] Step 1: paste a link; form survives; start once; progress/lock works. While it runs, trying to add another link is blocked.
2. [ ] Step 1 file flow (separate run, after the link job above has reached a terminal state): use a local file instead; file survives, Remove file works, and the job starts.
3. [ ] Step 2: reload mid-job; same job resumes.
4. [ ] Step 2: job finishes; Review auto-opens with the correct source group.
5. [ ] Review: switch five clips quickly; only one plays; approve one and reject one; badges/count update.
6. [ ] Review: no stray text on either long video's clips.
7. [ ] Edit: change headline and trim while the video remains visible; Save & Done; reopen and verify.
8. [ ] Framing: add and edit a mid-clip pin; play through it; verify the switch.
9. [ ] Captions: resize, change look/colour/position; verify only the clip's own captions show.
10. [ ] Speaker Frame: declare A/B manually, drag/resize boxes, add a mid-clip pin, switch A/B/Both/Wide/Close with timings; Save & Done; reopen and verify.
11. [ ] Export: export an approved clip; Step 4 progress works; finish says Exported ✓; Download works.
12. [ ] Export recovery: start another export, reload/cancel it; verify Not finished handling.
13. [ ] Export again: re-export the first clip; verify the new file/time, not the old one.
14. [ ] My exports: search for the clip/source and play it inside Studio.
15. [ ] Narrow window: Review and Edit remain usable, with the video sticky/visible in Edit.
16. [ ] Second long video (the local-file run in item 2, or another long video added afterwards): its clips form a separate correctly labelled group; no clips or captions cross between sources, and the first video still has exactly one top-level group.

---

19. REQUIRED BUILDER REPORTS

19.1 First reading report

After reading this file and scanning the project, report:

- **Project map:** each main file and what it controls, one plain line each.
- **Flow map:** Add Video → Find Clips → Review/Edit → Export → My Exports.
- **Current status:** what already matches this file and what does not.
- **First phase:** name only.
- **Contradictions/blockers:** anything impossible or unclear, with evidence.
- **No code changed:** confirm if no code was changed during reading.

Then wait for jo if this is the reading session.

19.2 Phase report format

At the end of every phase, before starting the next one:

```
PHASE [number/name] REPORT
- Built:
- Files changed:
- Tests: [each acceptance test for the phase — pass/fail/not tested, honestly]
- Real-video used: [duration and type; do not expose private file details jo did not share]
- Timings: [before/after for the areas this phase touched]
- Global rules: [Speed / Progress / Status / Groups / Export states / Accounts — OK or still missing]
- Improvement proposals: [Section 19.3 format, or "none"]
- Useless/harmful findings: [Section 19.4 format, or "none"]
- Not done/blocked: [anything skipped, why, evidence]
- Next phase: [name only — wait for jo]
```

A code audit is not a substitute for a real-video test. Automated tests may be listed in addition to, not instead of, Studio checks for user-visible behaviour.

19.3 Improvement proposal format

Use this exact structure:

```
IMPROVEMENT PROPOSAL
- Part of the design it changes:
- Current design says:
- I propose instead:
- Why this is EASIER for the user:
- Steps before → steps after:
- What could get worse / risk:
- Effort: small / medium / large
- Speed effect, with evidence if claimed:
```

Then wait for jo's yes or no. If jo says no, build the design in this file without argument.

Pure internal bug fixes that do not change user-visible behaviour do not need a proposal, but they must be listed in the phase report.

19.4 Useless/harmful findings format

```
USELESS / HARMFUL FINDING
- What and where:
- Evidence:
- Why it hurts or does not help the user:
- Recommendation: remove / hide in Advanced / keep because...
```

Do not delete or hide the item until jo approves.

19.5 Failure report rule

If a phase test fails:

1. Say which numbered test failed.
2. Say what jo will see.
3. Do not call the phase done.
4. Fix only that failed area unless a root-cause fix necessarily touches a shared state function.
5. If a shared fix could affect another step, name the regression tests that will be rerun.
6. Retest the failed item and the directly related regression items.

Jo's short failure prompt will normally be:

> Phase [X] failed: [test number]. Fix only that. Test again.

---

20. WHAT THE BUILDER MUST NOT DO

1. Do not work outside the project folder for this project.
2. Do not do all phases in one giant prompt/session.
3. Do not start the next phase before jo approves the current phase report.
4. Do not restore rejected Framing arrow/closer controls.
5. Do not use Opus Clip density or add number walls.
6. Do not make multiple audible/active videos play in Studio.
7. Do not hide the video during Edit.
8. Do not open Speaker Frame in a dialog that replaces the video.
9. Do not use server previews for ordinary Edit changes.
10. Do not disable Save while a preview loads.
11. Do not show fake progress percentages.
12. Do not show a percentage without a real measured denominator.
13. Do not allow duplicate active jobs/exports through double-clicks or reloads.
14. Do not lose a job/export on reload without a truthful Not finished/failure state.
15. Do not show an old export as a new export's result.
16. Do not mark a step complete merely because it was opened.
17. Do not leave a notification from one step/job displayed on another step as though it belongs there.
18. Do not draw unrelated/default/test/previous-clip text over a video.
19. Do not recolour the stray green overlay and call it fixed; remove the unrelated overlay behaviour.
20. Do not delete the clip's own Captions feature when removing the stray overlay.
21. Do not silently overwrite manual boxes, labels, pins, or edits with automatic suggestions.
22. Do not invent speaker identities when audio is unclear.
23. Do not remove Beginner guidance, hints, or Classic without jo's approval.
24. Do not add cloud uploading, social logins, posting, or scheduling unless jo explicitly approves a separate account/posting decision.
25. Do not lock clips to one account.
26. Do not change a clip per account; only the future account logo/username/name branding changes.
27. Do not delete or hide a supposedly useless feature without reporting it and receiving jo's approval.
28. Do not claim done without the phase's real-video acceptance tests.

21. SHORT PROMPTS FOR JO TO TYPE BY HAND

Jo cannot reliably paste into the OmniRush builder, so prompts must remain short.

First reading

```
Read OMNIRUSH_ALL_PROBLEMS_AND_SOLUTIONS.md carefully. Report first. Do not code yet.
```

Phase 2 — the next build phase after Phase 1

First make sure the builder has read the master file, then type:

```
Phase 2 only.
```

Later phases

Use one at a time, only after the previous phase passes:

```
Phase 3A only.

Phase 3B only.

Phase 4A only.

Phase 4B only.

Phase 4C only.

Phase 4D only.

Phase 4E only.

Phase 5 only.

Phase 6 only.

Phase 7 only.
```

If a test fails

```
Phase [X] failed: [test number]. Fix only that. Test again.
```

Replace [X] and [test number] with the actual phase and test.

---

22. FINAL INSTRUCTION TO THE BUILDER

Read this file as one connected specification, not as a menu from which you may choose the easy items.

The core promises to jo are:

1. **Nothing he typed, chose, edited, or started disappears without explanation.**
2. **The app always tells him what is happening and what happened.**
3. **Progress is real, or the app honestly says a real percentage is not available.**
4. **He cannot accidentally start the same long job twice.**
5. **The video he is editing is always visible and keeps its place.**
6. **Only one video plays at a time.**
7. **Clips always show which long video they came from.**
8. **No unrelated text is drawn over his videos.**
9. **Speaker Frame is manual when he wants control and responds well under one second per tap.**
10. **Export moves forward, tells him Exported when it is exported, preserves Not finished attempts, and never substitutes an old file for a new request.**
11. **Everything should feel faster, and speed claims must be measured.**
12. **Accounts, when jo finishes deciding them, change only logo, username, and name — never the clip itself.**

If any part of the implementation cannot meet one of these promises, report it clearly with evidence and a proposed easier alternative. Do not hide it, rename it, or mark it done.

End of master file.